


MERITOR® DRIVELINE COMPONENTS



MERITOR®

TABLE OF CONTENTS

Companion Flanges and Flange Yokes	1
Slip Yokes	2
End Yokes	3
End Yokes — Easy Service	4
Weld Yokes	5
Tubing and Yoke & Tube Assemblies	6
Bearing Stubs and Spline Plugs	7
Shaft Yokes	8
Small Parts	9
U-Joint Kits	10
Center Bearings	11
C.V. Components & P.T.O. Assemblies	12
L6N Steering Components	13
10N Series	14
Companion Flange and End Yoke Application Guide Index	15
Tech Tips	16
Supercession Listing	17
Cross Reference	18
Numerical Parts Listing	19

Visit us today at XpresswayPlus.com



- 🖱 Place your order
- 🖱 Check Price and Availability
- 🖱 Retrieve Invoices
- 🖱 and more!

Features and Benefits of Meritor Extend Lube

○ Extended Lubrication Intervals

- Lube intervals of 100,000 miles for both slip section and u-joint reduce operating and maintenance costs

○ Advanced Sealing - Slip Section

- Field proven internally mounted advanced nitrile seal design ensures lubrication is protected from contaminants and prevents water intrusion
- Seal shroud incorporated from RPL design improves sealing characteristics and retains seals securely in place



○ MXL - U-Joints

- Incorporates and builds upon the proven RN series U-joint design with RPL premium sealing technology
- U-joints are equipped with triple-lip seals to keep lubrication in and contaminants out for longer life
- U-joints feature proven technology including nylon thrust washers that eliminate metal-to-metal contact, preventing wear and extending life
- 2-Year/Unlimited Mileage aftermarket warranty
- 100,000 mile lubrication intervals for linehaul applications



○ Additional Performance Advantages

- Available in both full round and easy service yoke configurations
- Corrosion resistant seal guard protects and secures advanced slip seal improving durability over "booted" designs
- Standard with Polyglide™ coating which minimizes axial loads by reducing friction
- Robust easy service u-joint retention system eliminates spinning cups, through improved clamping force
- Tighter balance specifications reduces the potential for vibrations and ensures smooth operating performance

○ Gold Self Aligning Center Bearing

- Standard on MXL
- Accommodates +/- 5 degree driveline angularity
- Sealed bearing with integral deflector shield and grease barrier protects the bearing against contamination without the use of external deflectors





MERITOR® ONLINE TRAINING

Courses Specifically for the Busy Professional

- **Component Identification**
- **Diagnostics**
- **Repair Procedures**
- **and more!**

MeritorBullPen.com



INDEX


Companion Flanges and Flange Yokes	Page
BRAKE FLANGE YOKES	
Round Bearings	1-4
Wing Bearings	1-6
COMPANION FLANGES	
Round	1-1
FLANGE YOKES	
Bearing Plate	1-3
Outside Snap Ring	1-2
Wing Bearings	1-3

MERITOR NUMBERING SYSTEM


Meritor components may be identified by one of the numbering systems shown below.

Aftermarket numbers are issued to make Meritor components easy to select when choosing a replacement component.

MERITOR ENGINEERING NUMBER




MERITOR AFTERMARKET NUMBER



COMPANION FLANGES — ROUND

1




Spline Size	Face to End	Spline Length	Hub Diameter	Pilot Diameter M=Male F=Female	Bolt Circle Diameter	Hole Diameter	Flange O.D.	Style	Part Number
1.75"	2.84"	2.50"	2.25"	3.75"	4.75"	.516", .52"	Square	3	A-3260-D-4
1.75" - 10	3.50"	2.00"	2.50"	M-3.75"	4.75"	.50"	5.75"	1	148N-1-6081X
1.75" - 34	2.84"	2.50"	2.25"		4.75"	.516", .52"	Square	3	2WCS28-73
1.75" - 34	2.94"	2.25"	2.50"	F-6.63"	6.13"	.38"	6.88"	1	3WCS28-93A ¹
1.97" - 10	3.38"	2.62"	2.75"	F-7.75"	7.25"	.38"	8.00"	1	5WCS31-7A1 ¹
2.00" - 10	3.33"	2.94"	3.19"	F-7.75"	7.25"	.38"	8.00"	1	5WCS32-83
2.00" - 39	3.31"	2.31"	3.00"	F-7.75"	7.25"	.41"	8.00"	1	5WCS32-86
2.00" - 39	3.31"	2.31"	3.00"	F-7.75"	7.25"	.41"	8.00"	1	5WCS32-86A
2.00" - 39	3.31"	2.31"	3.00"	F-7.75"	7.25"	.41"	8.00"	1	5WCS32-86A2
2.00" - 39	3.31"	2.44"	2.75"	F-7.75"	7.25"	.38"	8.00"	1	5WCS32-103
2.00" - 39	3.31"	2.63"	2.75"	F-7.75"	7.25"	.38"	8.00"	1	5WCS32-103A1 ¹
2.00" - 39	3.38"	2.31"	3.00"	F-6.63"	6.13"	.38"	6.88"	1	3WCS32-73
2.00" - 39	3.38"	2.44"	2.75"	F-3.86"	5.08"	.58"	6.30"	2	3WCS32-75A1
2.38" - 46	3.56"	2.32"	3.25"	F-7.75"	7.25"	.44"	8.00"	2	5WCS38-23A2
2.38" - 46	3.64"	2.88"	3.25"	F-7.75"	7.25"	.44"	8.00"	2	5WCS38-24A
2.38" - 46	3.88"	2.32"	3.25"	F-7.75"	7.25"	.38"	8.00"	1	5WCS38-18A
2.53" - 16	3.50"	2.75"	3.50"	F-7.75"	7.25"	.44"	8.00"	1	5WCS40-45A ²
2.53" - 16	3.68"	2.75"	3.50"	F-7.75"	7.25"	.44"	10.06"	1	5WCS40-39 ³
2.53" - 16	3.75"	2.75"	3.50"	F-4.41"	5.83"	.58"	7.19"	1	5WCS40-29A1

¹ Includes deflector/slinger.

² Includes wear sleeve/wiper.

³ Has additional pilot and threaded holes for mounting a parking brake drum. Includes wear sleeve and deflector.


FLANGE YOKES — OUTSIDE SNAP RING




Center to Face	Yoke Dim. Across Ears	Pilot Diameter M=Male F=Female	Bolt Circle Diameter	Bearing Cap Diameter	Hole Diameter	Flange O.D.	Joint Angle	Part Number
1210 SERIES		U-JOINT KIG: CP443X						
1.48"	2.69"	M-2.25"	2.75"	1.06"	.31"	3.36"	20°	121N-2-899
1.50"	2.69"	M-1.81"	2.16"	1.06"	.31"	3.81"	20°	121N-2-2323
1.63"	2.69"	F-2.00"	3.50"	1.06"	.50"	4.88"	20°	121N-2-1049
1.63"	2.69"	F-2.87"	3.94"	1.06"	.39"	4.88"	20°	121N-2-1050
1.81"	2.69"	M-1.77"	2.39"	1.06"	.39"	4.62"	20°	121N-2-686
131N SERIES		U-JOINT KIG: CP153X or CP200X						
1.38"	3.47"	M-2.38"	3.13"	1.06"	.38"	3.88"	20°	131N-2-329
1.38"	3.47"	M-2.75"	3.75"	1.06"	.44"	4.63"	20°	131N-2-479
1.38"	3.47"	M-3.63"	2.63"	1.06"	.38"	3.63"	20°	131N-2-349
1.38"	3.47"	M-3.75"	4.75"	1.06"	.50"	5.88"	20°	131N-2-579
1.63"	3.47"	M-1.81"	2.21"/2.52"	1.06"	.31"	4.25"	15°	131N-2-799
1.63"	3.47"	M-1.81"	2.36"	1.06"	.39"	4.25"	15°	131N-2-799-1
1.63"	3.47"	F-2.00"	3.50"	1.06"	.50"	4.75"	20°	131N-2-939
1.63"	3.47"	M-2.25"	2.75"	1.06"	.31"	3.36"	15°	131N-2-899-1
135N SERIES		U-JOINT KIG: CP178X						
1.56"	3.88"	M-2.75"	3.75"	1.19"	.44"	4.63"	20°	135N-2-119
141N SERIES		U-JOINT KIG: CP141N or CP160X						
1.69"	4.44"	M-2.75"	3.75"	1.19"	.44"	4.63"	22°	141N-2-159
2.00"	4.44"	M-3.75"	4.75"	1.19"	.50"	5.88"	30°	141N-2-429
148N SERIES		U-JOINT KIG: CP148N or CP188X						
2.00"	4.19"	M-3.75"	4.75"	1.38"	.50"	5.88"	20°	148N-2-479
155N SERIES		U-JOINT KIG: CP155N or CP155X						
2.00"	5.25"	M-3.75"	4.75"	1.38"	.51"	5.88"	22°	155N-2-669⁹

⁹ Round Flange.

FLANGE YOKES — BEARING PLATE




Center to Face	Yoke Dim. Across Ears	Pilot Diameter M=Male F=Female	Bolt Circle Diameter	Bearing Cap Diameter	Hole Diameter	Flange O.D.	Style	Joint Angle	Part Number
16N SERIES U-JOINT KIT: CP16NS or M279X									
2.75"	5.31"	M-6.62"	6.13"	1.63"	.38"	6.88"	1	22°	16N-2-279
2.75"	5.31"	M-7.75"	7.25"	1.63"	.38"	8.00"	2	22°	16N-2-629
17N SERIES U-JOINT KIT: CP17NS or M280X									
3.00"	6.09"	F-6.62"	7.25"	1.94"	.44"	8.00"	1		17NF25
3.00"	6.09"	M-7.75"	7.25"	1.94"	.38"	8.00"	1	22°	17NF20
3.00"	6.09"	M-7.75"	7.25"	1.94"	.40"	8.00"	2	22°	17NF1
3.00"	6.09"	M-7.75"	7.25"	1.94"	.44"	8.00"	1	22°	17N-2-739
3.00"	6.09"	M-7.75"	7.25"	1.94"	.44"	8.00"	1		17NF27⁴
3.00"	6.09"	M-7.75"	7.25"	1.94"	.44"	8.00"	1		17NF28⁵



Face to Face	Bolt Circle Diameter	Diameter	Bolt Holes No.	Spaced	Drum Pilot Diameter M=Male F=Female	Pilot Diameter	Flange Thickness	Slot Width	Kit Mtg. Holes	Part Number
92N SERIES U-JOINT KIT: CP92N-DWT, CP92N-HB, CP92N-HWD, or PERMALUBE										
2.94"	7.25"	.44"	12	Unequally	M-7.75"	8.13"	.31"	.63"	.50" - 20TH	92NF26

⁴ Flange has eight holes equally spaced, dished out for nut clearance for ZF and Voith transmissions.
⁵ Flange has eight holes equally spaced, dished out for nut clearance for Allison transmission.

BRAKE FLANGE YOKES — ROUND BEARINGS




Spline Size	Ctr. to End	Hub Dia.	Bore Lgth.	Yoke Dim. Across Ears	Brg. Cap Dia.	Pilot Dia.	Outbrd Pilot Mtg. Surface	Inbrd Pilot Mtg. Surface	B. C. Dia.	Bolt Hole Size	Joint Angle	Part Number
141N SERIES U-JOINT KIT: CP141N or CP160X												
1.38" - 32	6.65"	2.13"	2.16"	4.19"	1.19"	4.75"	5.16"	4.78"	5.75"	.50" - 13TH	2	141TYSB22-4A
1.50" - 35	5.06"	2.50"	2.00"	4.19"	1.19"	4.73"	3.56"		5.75"	.50" - 13TH	2	141TYSB24-6⁶
1.50" - 35	5.06"	2.50"	2.00"	4.19"	1.19"	4.73"	3.56"		5.75"	.50" - 13TH	2	141TYSB24-6A⁷
148N SERIES U-JOINT KIT: CP148N or CP188X												
1.75" - 10	5.06"	2.50"	2.00"	4.19"	1.19"	4.73"	3.56"	3.19"	5.75"	.50" - 13TH	1	141NYSB28-4⁶
1.75" - 10	5.06"	2.50"	2.00"	4.19"	1.38"	4.73"	3.56"	3.19"	5.75"	.50" - 13TH	1	148NYSB28-17⁶
1.78" - 34	6.19"	2.56"	2.75"	4.19"	1.38"	3.75"		3.55"	4.75"	.50" - 13TH	1	148NYSB29A
1.78" - 34	6.19"	2.56"	2.75"	4.97"	1.38"	3.75"		3.55"	4.75"	.50" - 13TH	2	148TYSB29-1
1.78" - 34	6.25"	2.56"	2.75"	4.19"	1.38"	6.44"	3.55"		7.25"	.38" - 24TH	2	148TYSB28-11A⁶
1.81" - 34	6.19"	2.56"	2.75"	4.19"	1.38"	3.75"	3.05"	3.55"	4.75"	.50" - 13TH	1	148NYSB29
1.81" - 34	6.19"	2.56"	2.75"	4.19"	1.38"	3.75"		3.52"	4.75"	.50" - 13TH	2	148TYSB29-1A
2.00" - 38	6.00"	2.75"	2.13"	4.19"	1.38"	6.45"	4.19"	3.69"	7.25"	.38" - 24TH	2	148TYSB32-2A⁶
155N SERIES U-JOINT KIT: CP155N or CP155X												
1.50" - 10	4.70"	2.25"	2.00"	4.97"	1.38"	6.44"	3.09"	2.72"	7.25"	.41" - DR	2	155TYSB24-5
1.78" - 34	6.25"	2.56"	2.75"	4.97"	1.38"				7.25"	TH	2	155TYSB28-22A
1.78" - 34	6.25"	2.56"	2.75"	4.97"	1.38"	3.75"		3.55"	7.25"	.38" - 24TH	2	155TYSB28-14A⁸
1.78" - 34	6.25"	2.56"	2.75"	4.97"	1.38"	6.44"	3.80"		7.25"	.41" - DR	2	155TYSB28-40A
2.00" - 38	5.98"	2.75"	2.13"	4.97"	1.38"	6.44"		4.19"	7.25"	.38" - 24TH	2	155TYSB32-13A

6 Pilot diameter is located on earwork side of flange.

7 Includes drum, capscrews and washers.

8 Pilot diameter is located on earwork side of flange. Flange has eight holes equally spaced.


BRAKE FLANGE YOKES — ROUND BEARINGS



Spline Size	Center to End	Yoke Dim Across Ears	Brg Cap Dia.	Hub Dia.	Hub Lgth	Bore Lgth	Barrel Dia.	Center Bore Dia.	Pilot Dia.	Bolt Circle Dia.	Bolt Hole Size	Outbrd Pilot Mtg Surface	Inbrd Pilot Mtg Surface	Part Number
141N SERIES U-JOINT KIT: CP141N or CP160X														
1.38" - 32	8.55"	4.19"	1.19"	2.13"	1"	3.72"	1.77"	1.44" x .41"	3.38"	5.50"	.45" - DR	6.77"	6.17"	141TYSB22-18A ⁷
1.39" - 32	8.72"	4.19"	1.19"	2.13"	1"	3.66"	1.69"	1.44" x .39"	3.56"	5.50"	.45" - DR			141TYSB22-11
1.38" - 32	8.72"	4.19"	1.19"	2.13"	1"	3.66"	1.69"	1.44" x .39"	3.56"	5.50"	.45" - DR	6.97"	6.35"	141TYSB22-11A ⁷
1.81" - 34	9.38"	4.19"	1.19"	3.38"		2.75"			4.19"	5.50"	.45" - DR		6.97"	141TYSB29-1A

7 Includes drum, capscrews and washers.

BRAKE FLANGE YOKES — WING BEARINGS



Spline Size	Face to End	Hub Dia.	Bore Lgth	Pilot Dia.	Drum Pilot Dia.	Outbrd Pilot Mtg Sur-face	Inbrd Pilot Mtg Sur-face	Bolt Circle Dia.	Flange O.D.	Bolt Hole Size	Kit Mtg. Holes	Slot Width	Part Number
62N SERIES		U-JOINT KIT: CP62N-DWT, CP62N-HB, CP62N-HWD, or PERMALUBE											
1.50" - 10	3.94"	2.25"	2.19"	5.53"	6.44"	3.09"	2.72"	7.25"	8.25"	.41" - DR	.38" - 24TH	.56"	62NYSB24-31
72N SERIES		U-JOINT KIT: CP72N-DWT, CP72N-HB, CP72N-HWD, or PERMALUBE											
2.00" - 39	4.06"	3.00"	2.31"	5.84"	6.50"	3.15"	2.84"	7.25"	8.25"	.41" - DR	.50" - 20TH	.63"	72NYSB32-258
85WB SERIES		U-JOINT KIT: CP85WB-DWT, CP85WB-HB, CP85WB-HWD, or PERMALUBE											
2.25" - 10	4.31"	3.00"	3.00"	6.50"	6.78"	3.22"		7.81"	8.69"	.45" - DR	.50" - 20TH	.63"	85WBYSB36-30 ⁶
2.38" - 46	4.31"	3.25"	2.88"	6.50"	6.75"	3.08"		7.81"	8.69"	.45" - DR	.50" - 20TH	.63"	85WBYSB38-16 ⁶
92N SERIES		U-JOINT KIT: CP92N-DWT, CP92N-HB, CP92N-HWD, or PERMALUBE											
2.25" - 10	7.63"	3.25"	3.00"	8.25"	10.50"	6.66"	6.00"	12.00"	13.63"	.63" - 11TH	.50" - 20TH	.63"	92NYSB36-72 ¹⁰

⁶ Pilot diameter is located on earwork side of flange.
¹⁰ Flange has ten holes equally spaced.

INDEX


Slip Yokes	Page
SLIP YOKES	
Bearing Plate	2-4
Inside Snap Rings.....	2-3
Outside Snap Rings.....	2-1
Wing Bearings	2-5
TRANSMISSION SLIP YOKES	
Inside Snap Rings.....	2-6
Outside Snap Rings.....	2-6

MERITOR NUMBERING SYSTEM


Meritor components may be identified by one of the numbering systems shown below.

Aftermarket numbers are issued to make Meritor components easy to select when choosing a replacement component.


MERITOR ENGINEERING NUMBER



MERITOR AFTERMARKET NUMBER




SLIP YOKES — OUTSIDE SNAP RINGS



Spline Size	Center to End	Length of Hole	Yoke Dim. Across Ears	Bearing Cap Dia.	Dust Cap Style	Dust Cap	Joint Angle	Part Number
121N SERIES		U-JOINT KIT: CP443X						
1.25" - 14	6.41"	5.13"	2.69"	1.06"	2 Snap-On	R280196	20°	121N-3-8861KX¹
1.25" - 14	8.02"	6.75"	2.69"	1.06"	2 Snap-On	R280196	20°	121N-3-8961KX¹
131N SERIES		U-JOINT KIT: CP153X or CP200X						
1.25" - 16	6.56"	6.03"	3.47"	1.06"	1	ND2K	30°	131N-3-4441KX
1.38" - 16	5.38"	4.33"	3.47"	1.06"	2 Snap-On	R280194	15°	131N-3-128KX
1.38" - 16	6.00"	4.95"	3.47"	1.06"	2 Snap-On	R280194	20°	131N-3-7981KX
1.38" - 16	6.88"	5.34"	3.47"	1.06"	2 Snap-On	R280194	30°	131N-3-8001KX
1.38" - 16	7.88"	6.34"	3.47"	1.06"	2 Snap-On	R280194	30°	131N-3-8021KX
1.38" - 31	6.63"	6.09"	3.47"	1.06"	2	ND3A	15°	131N-3-7171KX
1.50" - 16	6.88"	6.34"	3.47"	1.06"	2	ND3A	30°	131N-3-6061KX
133N SERIES		U-JOINT KIT: CP213X						
1.38" - 15	6.63"	6.09"	3.88"	1.06"	2 Snap-On	R280194	15°	133N-3-7681KX
1.38" - 16	6.00"	4.95"	3.88"	1.06"	2 Snap-On	R280194	15°	133N-3-7961KX
1.38" - 16	7.50"	6.41"	3.88"	1.06"	2 Snap-On	R280194	19°	133N-3-8041KX
135N SERIES		U-JOINT KIT: CP178X						
1.38" - 16	5.25"	4.66"	3.88"	1.19"	1	ND3E	15°	135N-3-758KX
1.38" - 16	5.25"	5.22"	3.88"	1.19"	1 Snap-On	R280195	15°	135N-3-1501KX
1.38" - 31	6.63"	6.03"	3.88"	1.19"	2	ND3A	20°	135N-3-2471KX
1.50" - 16	5.81"	5.22"	3.88"	1.19"	2	ND3A	20°	135N-3-598KX
1.50" - 16	6.72"	6.13"	3.88"	1.19"	2	ND3A	20°	135N-3-1561KX
1.50" - 16	7.31"	6.72"	3.88"	1.19"	2	ND3A	20°	135N-3-488KX
141N SERIES		U-JOINT KIT: CP141N or CP160X						
1.38" - 16	5.25"	4.66"	4.44"	1.18"	1	ND3E	20°	141N-3-788KX
1.38" - 16	5.81"	5.22"	4.44"	1.18"	1 Snap-On	R280195	20°	141N-3-1481KX
1.50" - 16	5.25"	4.66"	4.44"	1.18"	1	ND3K	20°	141N-3-2041KX
1.50" - 16	6.50"	5.91"	4.44"	1.18"	2	ND3A	20°	141N-3-118KX
1.50" - 16	7.81"	7.22"	4.44"	1.18"	2	ND3A	28°	141N-3-508KX
148N SERIES		U-JOINT KIT: CP148N or CP188X						
1.56" - 16	6.81"	5.45"	4.44"	1.38"	2	ND3H	21°	148N-3-1601KX
1.56" - 16	9.50"	7.50"	4.44"	1.38"	2	ND3H	35°	148N-3-1641KX

¹ Spline is 14 based on 16 spacing.

SLIP YOKES — OUTSIDE SNAP RINGS




Spline Size	Center to End	Length of Hole	Yoke Dim. Across Ears	Bearing Cap Dia.	Dust Cap Style	Dust Cap	Joint Angle	Part Number
155N SERIES		U-JOINT KIT: CP155N or CP155X						
1.75" - 16	6.88"	5.81"	4.97"	1.38"	2 Snap-On	SERUR21-3	22°	155N-3-1241X
20R SERIES		U-JOINT KIT: CP20RPLS						
2.50" - 16	11.45"	8.53"	7.25"	2.06"	3	KIT 20RPL SEAL	32°	20RLS40-2A1S²
2.50" - 16	12.05"	8.53"	7.25"	2.06"	3	KIT 20RPL SEAL	44°	20RLS40-3A1S²
2.50" - 16	12.15"	9.23"	7.25"	2.06"	3	KIT 20RPL SEAL	27°	20RLS40-11A1S²
25R SERIES		U-JOINT KIT: CP25RPLS						
3.00" - 16	11.28"	8.53"	8.58"	2.06"	3	DEFR61-3 and SERUR40-21	22°	25RLS48-1A1S³

² Slip Yoke Assembly includes dust seal and shroud. Use RPL-Lube-50 grease supplied with slip yoke in installation.

³ Slip Yoke Assembly includes dust seal and shroud. Use RPL-Lube-50 grease supplied with slip yoke in installation. If using as a replacement for 25RLS40-1A2, then must replace with KIT25RPLSLIP which includes Slip Yoke and Spline Plug.


SLIP YOKES — INSIDE SNAP RINGS

2




Center to End	Length of Hole	Yoke Dimension Across Ears	Bearing Cap Dia.	Dust Cap	Joint Angle	Part Number
3R SERIES	1.38" - 31 SPLINE (Based on 32 Involute Spline)			U-JOINT KIT: CP3147X		
7.38"	6.02"	2.56"	1.13"	ND3A	22°	R3R-3-9165KX
131N SERIES	1.38" - 16 SPLINE			U-JOINT KIT: CP1306X		
6.88"	5.68"	2.13"	1.08"	R280194	18°	131N-3-7260KX

SLIP YOKES — BEARING PLATE




Spline Size	Center to End	Length of Hole	Yoke Dimension Across Ears	Bearing Cap Diameter	Dust Cap Style	Dust Cap	Joint Angle	Part Number
16N SERIES U-JOINT KIT: M279X								
2.00" - 16	7.81"	6.38"	5.31"	1.88"	2 Snap-On	SERUR25-4	22°	16N-3-108X
2.00" - 16	8.94"	7.50"	5.31"	1.88"	2 Snap-On	SERUR25-4	21°	16N-3-128X
2.00" - 16	9.31"	7.38"	5.31"	1.88"	2 Snap-On	SERUR25-2	30°	16N-3-288X
2.00" - 16	10.31"	8.38"	5.31"	1.88"	2 Snap-On	SERUR25-4	27°	16N-3-1411X
2.00" - 16	10.81"	8.38"	5.31"	1.88"	2 Snap-On	SERUR25-4	35°	16N-3-2261X
2.00" - 16	10.94"	8.60"	5.31"	1.88"	2 Snap-On	SERUR25-4		16NLS32-47A2 MXL
2.00" - 16	11.92"	9.10"	5.31"	1.88"	2 Snap-On	SERUR25-4		16NLS32-48A2 MXL
17N SERIES U-JOINT KIT: M280X								
2.50" - 10	8.84"	7.13"	6.09"	1.94"	1	DC17N		17N-3-1461X
2.50" - 16		9.06"	6.09"	1.94"	3	SERUR33-5		17NLS40-121A1MXL
2.50" - 16	6.73"	5.00"	6.09"	1.94"	3	KIT 6167		17N-3-2761X MXL
2.50" - 16	7.97"	6.25"	6.09"	1.94"	3	KIT 6167		17NLS40-98CA1 MXL
2.50" - 16	8.84"	7.13"	6.09"	1.94"	3	KIT 6167		17N-3-2631X MXL
2.50" - 16	9.59"	7.88"	6.09"	1.94"	3	KIT 6167	22°	17N-3-2671X MXL
2.50" - 16	10.41"	7.50"	6.09"	1.94"	3	KIT 6167		17N-3-3021X MXL
2.50" - 16	11.41"	8.50"	6.09"	1.94"	3	KIT 6167		17NLS40-124A1 MXL
2.50" - 16	11.41"	8.50"	6.09"	1.94"	1	DC17N-3		17NLS40-82DC
2.50" - 16	11.69"	9.25"	6.09"	1.94"	3	KIT 6167	30°	17N-3-2651X MXL
2.50" - 16	11.72"	8.50"	6.09"	1.94"	3	KIT 6167		17N-3-2571X MXL
2.50" - 16	11.97"	9.06"	6.09"	1.94"	2 Snap-On	SERUR33-5		17NLS40-121A
2.50" - 16	12.72"	9.63"	6.09"	1.94"	3	KIT 6167	45°	17N-3-2401X MXL
18N SERIES U-JOINT KIT: M281X								
3.00" - 16	7.06"	5.56"	7.55"	1.94"	2 Snap-On	SERUR40-9	30°	18NLS48-13A
3.00" - 16	8.94"	7.97"	7.55"	1.94"	3	KIT 6168	30°	18N-3-1431X MXL
3.00" - 16	10.25"	7.94"	7.55"	1.94"	3	KIT 6168	30°	18N-3-1351X MXL
3.00" - 16	11.88"	9.56"	7.55"	1.94"	3	KIT 6168	30°	18N-3-1371X MXL
176N SERIES U-JOINT KIT: M407X								
2.50" - 16	9.25"	7.88"	7.00"	1.94"	3	KIT 6167	30°	176N-3-41X MXL
2.50" - 16	11.16"	9.25"	7.00"	1.94"	3	KIT 6167	30°	176N-3-21X MXL

SLIP YOKES — WING BEARINGS




Spline Size	Face to End	Length of Hole	Pilot Diameter	Slot Width	Dust Cap Style	Related Dust Cap Group	Kit Mtg. Holes	Part Number
58WB SERIES		U-JOINT KIT: CP58WB-DWT, CP58WB-HB, CP58WB-HWD or PERMALUBE						
1.75" - 16	6.75"	5.50"	5.31"	0.63"	3 Threaded	SERUR25-4	.47" - DR	58WBLS28-41A
1.75" - 16	8.75"	7.50"	5.31"	0.63"	3 Threaded	SERUR25-4	.47" - DR	58WBLS28-42A
62N SERIES		U-JOINT KIT: CP62N-DWT, CP62N-HB, CP62N-HWD or PERMALUBE						
1.75" - 10	5.63"	5.00"	5.53"	.56"	1	DC62N-1	.38" - 24TH	62NLS28-43DC
1.75" - 10	7.38"	6.44"	5.53"	.56"	2	DC62N	.41" - DR	62NLS28-3DC
1.75" - 16	6.38"	5.50"	5.53"	.56"	3 Threaded	SERUR22-4	.41" - DR	62NLS28-82A
1.75" - 16	9.50"	8.00"	5.53"	.56"	3 Threaded	SERUR22-4	.41" - DR	62NLS28-2A
72N SERIES		U-JOINT KIT: CP72N-DWT, CP72N-HB, CP72N-HWD or PERMALUBE						
2.00" - 10	7.44"	6.50"	5.84"	.63"	3 Threaded	SERUR25-1	.50" - 20TH	72NLS32-1DC
2.00" - 16	7.06"	6.06"	5.84"	.63"	3 Threaded	SERUR25-1	.47" - DR	72NLS32-142A
2.00" - 16	10.88"	9.25"	5.84"	.63"	3 Threaded	SERUR25-1	.47" - DR	72NLS32-20DC
82N SERIES		U-JOINT KIT: CP82N-DWT, CP82N-HB, CP82N-HWD or PERMALUBE						
2.50" - 16	8.56"	7.56"	8.13"	.63"	3 Threaded	SERUR33-4	.47" - DR	82NLS40-83A
2.50" - 16	9.75"	8.63"	8.13"	.63"	3 Threaded	SERUR33-4	.47" - DR	82NLS40-85A
92N SERIES		U-JOINT KIT: CP92N-DWT, CP92N-HB, CP92N-HWD or PERMALUBE						
3.00" - 10	6.75"	5.50"	8.25"	.63"	1	DC92N	.50" - 20TH	92NLS48-3DC
3.00" - 16	9.63"	8.50"	8.25"	.63"	3 Threaded	SERUR40-3	.50" - 20TH	92NLS48-47DC
3.00" - 16	10.63"	9.50"	8.25"	.63"	3 Threaded	SERUR40-3	.53" - DR	92NLS48-66A

TRANSMISSION SLIP YOKES — OUTSIDE SNAP RINGS



Center to End	Length of Hole	Yoke Dimension Across Ears	Bearing Cap Diameter	Seal Diameter	Joint Angle	Spline Length	Part Number
121N SERIES		0.998" - 20 SPLINE (Based on 22 Involute Spline)			U-JOINT KIT: CP443X		
6.00"	4.73"	2.69"	1.06"	1.38"	20°	CB	121N-3-686X
121N SERIES		1.005" - 22 SPLINE (Based on 24 Involute Spline)			U-JOINT KIT: CP443X		
4.75"	3.48"	2.69"	1.06"	1.38"	20°	CB	121N-3-1224-1X
6.00"	4.73"	2.69"	1.06"	1.38"	20°	CB	121N-3-1224X
121N SERIES		1.102" - 21 SPLINE (Involute Spline)			U-JOINT KIT: CP443X		
6.00"	4.73"	2.69"	1.06"	1.50"	20°	FS	121N-3-2321X

TRANSMISSION SLIP YOKES — INSIDE SNAP RINGS



Center to End	Length of Hole	Yoke Dimension Across Ears	Bearing Cap Diameter	Seal Diameter	Spline Length	Part Number
3R SERIES		1.17" - 26 SPLINE (Based on 27 Involute Spline)			U-JOINT KIT: CP3147X	
5.47"	4.59"	2.56"	1.13"	1.50"	FS	R3R-3-6081X
3R SERIES		1.39" - 31 SPLINE (Based on 32 Involute Spline)			U-JOINT KIT: CP3147X	
7.50"	6.50"	2.56"	1.13"	1.88"	CB	R3R-3-9131X
7.50"	6.50"	2.56"	1.13"	1.88"	FS	R3R-3-9161X
8.06"	6.70"	2.56"	1.13"	1.88"	FS	R3R-3-9101X

Spline Length: CB - Counterbore in end of barrel. FS - Fully Splined

SECTION 3

INDEX

End Yokes - Full Round

Page

ROUND BEARINGS

131N Series	3-1
16N Series	3-1
17N Series	3-4
176N Series	3-10
18N Series	3-12

ROUND BEARINGS STRAIGHT ROUND HOLE

131N Series	3-14
-------------------	------

RPL SERIES

20R	3-23
25R	3-25

WING BEARINGS

58WB Series	3-14
62N Series	3-16
72N Series	3-17
82N Series	3-20
92N Series	3-21

WING BEARINGS STRAIGHT ROUND HOLE



58WB SERIES	3-22
72N SERIES	3-22
92N SERIES	3-22

MERITOR NUMBERING SYSTEM


Meritor components may be identified by one of the numbering systems shown below.

Aftermarket numbers are issued to make Meritor components easy to select when choosing a replacement component.


MERITOR ENGINEERING NUMBER



MERITOR AFTERMARKET NUMBER




ROUND BEARINGS — 131N SERIES



Center to End	Spline Length	Hub Diameter	Joint Angle	Deflector	Part Number
.88" - 13 SPLINE					
2.56"	1.57"	2.00"			131N-4-3331 ¹³


ROUND BEARINGS — 16N SERIES



Center to End	Spline Length	Hub Diameter	Joint Angle	Deflector	Part Number
1.75" - 10 SPLINE					
4.12"	2.25"	2.19"	24°		16N-4-1721
4.12"	2.25"	2.50"	23°		16N-4-1051
4.12"	2.25"	2.62"	24°		16N-4-781
4.75"	2.25"	2.62"	29.5°		16N-4-2081
4.75"	2.00"	2.62"	29.5°	DEFR43-2	16NYS28-4A
4.75"	2.25"	2.75"	32°		16N-4-1931
4.75"	2.25"	2.75"	32°	DEFR47-6	16N-4-3601X
5.00"	2.25"	2.75"	32°		16N-4-3621
5.34"	2.25"	2.62"	36°		16N-4-4571
5.41"	2.25"	2.75"	28°		16N-4-4481
6.00"	2.25"	2.62"	45°	DEFR42-1	16N-4-4761X
6.00"	2.25"	2.75"	45°		16N-4-3861
6.00"	2.25"	2.75"	45°	DEFR47-6	16N-4-4441X
6.00"	2.25"	2.75"	45°	DEFR47-4	16N-4-4451X
1.75" - 34 SPLINE					
4.88"	2.25"	2.50"			16N-4-5621X
4.88"	2.25"	2.50"	32°		16N-4-5571
5.44"	1.75"	2.38"	35°	DEFR47-7	16N-4-5081X
5.44"	2.25"	2.50"	30°		16N-4-6261


¹³ .375" diameter set screw. Hub not ground.

ROUND BEARINGS — 16N SERIES




Center to End	Spline Length	Hub Diameter	Joint Angle	Deflector	Part Number
1.75" - 34 SPLINE					
6.03"	2.25"	2.50"	45°		
1.77" - 45 SPLINE					
5.36"	2.25"	2.51"	43°	DEFR47-3	16NYS28-64A
1.78" - 34 SPLINE					
4.94"	2.43"	2.62"	27°		16NYS28-60
5.31"	2.75"	2.56"			16N-4-4841X
1.88" - 10 SPLINE					
4.56"	2.38"	2.75"			16NYS30A
5.00"	2.38"	2.75"	32°		16N-4-2501
1.97" - 10 SPLINE					
5.12"	2.62"	2.75"	32°		16N-4-3681
5.12"	2.62"	2.75"	32°	DEFR47-2	16N-4-5281X
5.22"	2.00"	2.50"	35°		16N-4-4551
5.31"	2.25"	2.62"	32°		16N-4-4471
5.38"	2.25"	3.00"	32°		16N-4-4541
2.00" - 10 SPLINE					
5.19"	2.56"	2.94"	32°		16N-4-1631
2.00" - 16 SPLINE					
4.94"	2.38"	3.25"	27°		16NYS32-47
2.00" - 30 SPLINE					
6.00"	2.69"	3.00"	45°		16N-4-5721
2.00" - 38 SPLINE					
4.00"	2.13"	2.75"			16N-4-6321
2.00" - 39 SPLINE					
4.50"	2.00"	2.75"			16NYS32-43
4.72"	2.25"	2.62"	23°		16NYS32-74
4.72"	2.25"	2.62"	23°	DEFR44-11	16NYS32-74A
5.12"	2.44"	2.75"			16N-4-6951X
5.31"	2.25"	2.62"	35°		16N-4-5981
5.31"	2.25"	2.62"	35°	DEFR44-11	16N-4-5991X
5.54"	2.31"	3.00"	27°	DEFR50-19	16NYS32-32A3
5.54"	2.31"	3.00"	30°		16N-4-6271
5.54"	2.31"	3.00"	30°	DEFR50-7	16N-4-6281X

ROUND BEARINGS — 16N SERIES



Center to End	Spline Length	Hub Diameter	Joint Angle	Deflector	Part Number
2.00" - 39 SPLINE					
5.94"	2.44"	2.75"		DEFR47-13	16N-4-6961X
5.94"	2.44"	2.75"	45°		16N-4-5441
6.22"	2.31"	3.00"	45°		16N-4-6241
6.22"	2.31"	3.00"	45°	DEFR59-1	16N-4-6291X
6.25"	2.44"	2.75"	45°		16N-4-5461
2.03" - 10 SPLINE					
4.50"	2.00"	2.75"	32°		16N-4-4401
2.13" - 32 SPLINE					
5.38"	2.25"	3.00"	36°		16N-4-5751
6.00"	2.25"	3.00"	33°		16N-4-5731
2.14" - 41 SPLINE					
2.18"	4.85"	3.00"	27°	DEFR50-7	16NYS34-23A
2.16" - 16 SPLINE					
6.25"	3.00"	2.94"	29°		16N-4-5031
2.23" - 6 SPLINE					
5.72"	3.25"	3.00"	25°		16NYS36-7
2.25" - 10 SPLINE					
5.50"	3.00"	3.50"	32°		16N-4-3321
5.63"	3.00"	3.00"			16N-4-6891X
2.38" - 36 SPLINE					
5.16"	2.69"	3.00"	27°		16N-4-5631
6.00"	2.69"	3.00"	45°		16N-4-5741
2.38" - 46 SPLINE					
4.94"	2.32"	3.25"			16NYS38-8A
5.50"	2.88"	3.25"	22°	DEFR54-5	16NYS38-11A
6.19"	2.33"	3.25"	42°		16NYS38-12
6.19"	2.32"	3.25"	42°	DEFR56-7	16NYS38-12A

ROUND BEARINGS — 17N SERIES




Center to End	Spline Length	Hub Diameter	Joint Angle	Deflector	Part Number
1.63" - 10 SPLINE					
4.73"	2.13"	2.38"			17NYS26
1.75" - 10 SPLINE					
4.88"	2.25"	2.75"	30°		17N-4-2381
4.88"	2.25"	2.75"	30°		17NYS28-11 ¹
5.25"	2.25"	2.62"	30°		17N-4-3391
5.25"	2.25"	2.62"	30°	DEFR42-1	17N-4-4301X
6.12"	2.25"	2.62"	45°		17N-4-4141
6.12"	2.25"	2.62"	45°	DEFR42-1	17N-4-4861X
6.25"	2.25"	2.75"			17N-4-4831X
6.25"	2.25"	2.75"	45°		17N-4-4091
1.75" - 34 SPLINE					
4.88"	2.25"	2.50"			17NYS28-43A
4.88"	2.25"	2.50"	30°	DEFR47-7	17N-4-5131X
4.88"	2.25"	2.50"	30°		17N-4-6331
5.44"	2.44"	2.62"			17NYS28-66A
5.97"	2.25"	2.50"	45°	DEFR47-7	17N-4-5111X
5.97"	2.25"	2.50"	45°		17N-4-6321
1.78" - 34 SPLINE					
5.44"	2.44"	2.62"	33.5°		17N-4-6481
6.31"	2.44"	2.62"	45°		17N-4-6451
7.19"	2.75"	2.56"	33°		17N-4-5031
7.19"	2.75"	2.56"	33°		17N-4-5041X ²
1.79" - 34 SPLINE					
6.31"	2.44"	2.63"		NSS	17N-4-8521X ⁶
1.88" - 10 SPLINE					
4.50"	2.38"	2.75"	22°		17N-4-2271
5.38"	2.38"	2.75"			17NYS30
5.38"	2.38"	2.75"	30°		17N-4-3361
1.94" - 10 SPLINE					
4.56"	2.25"	3.00"	22°		17N-4-3291
1.94" - 30 SPLINE					
4.56"	2.25"	3.00"	20°		17N-4-4371

¹ Deflector diameter is 2.953 in.

² Includes washer.

⁶ High Angle Yoke.


ROUND BEARINGS — 17N SERIES



Center to End	Spline Length	Hub Diameter	Joint Angle	Deflector	Part Number
1.97" - 10 SPLINE					
4.50"	2.25"	2.62"	24.5°		17N-4-4721
4.50"	2.25"	2.62"	24.5°	DEFR56-1	17N-4-4731X
4.50"	2.25"	2.62"	45°		17N-4-2211
4.81"	2.62"	2.75"	26°		17N-4-2161
4.81"	2.62"	2.75"	26°	DEFR47-2	17N-4-4181X
5.00"	3.00"	2.44", 2.81", 3.38"	26°		17N-4-1981 ³
5.00"	2.00"	2.50"	30°		17N-4-3721
5.00"	2.00"	2.62"	30°		17N-4-2391
5.25"	2.25"	2.62"	32°		17N-4-5141
5.25"	2.25"	2.62"	32°	DEFR42-1	17N-4-5151X
5.25"	2.62"	2.75"	30°		17N-4-3221
5.25"	2.62"	2.75"	30°	DEFR47-2	17N-4-4361X
6.12"	2.25"	2.62"	45°		17N-4-4151
6.12"	2.25"	2.62"	45°	DEFR42-1	17N-4-4851X
6.50"	2.62"	2.75"	45°		17N-4-4131
6.50"	2.62"	2.75"	45°	DEFR47-2	17N-4-4481X
1.99" - 30 SPLINE					
6.28"	2.70"	3.00"		DEFR48-6	17N-4-7231X ⁶
2.00" - 10 SPLINE					
4.81"	3.00"	3.25"	26°		17N-4-2131
4.81"	3.00"	3.25"	26°		17N-4-3171
5.00"	2.00"	2.75"	33°		17N-4-2371
5.19"	2.56"	2.75"	30°		17N-4-3271
5.19"	2.56"	2.75"	30°	DEFR47-6	17N-4-4391X
5.19"	2.56"	2.94"	30°		17N-4-3241
5.19"	2.56"	2.94"	30°	DEFR47-3	17N-4-4291X
5.19"	2.56"	2.94"	30°	DEFR47-12	17N-4-4741X
5.25"	3.00"	2.75"	26°		17N-4-2361
5.63"	3.00"	2.94"	30°		17N-4-2191
2.00" - 30 SPLINE					
6.11"	2.69"	3.00"	45°		17N-4-5781
2.00" - 38 SPLINE					
5.00"	3.00"	2.81"	25°		17N-4-7141

3 Center Bearing yoke.
6 High Angle Yoke.


ROUND BEARINGS — 17N SERIES



Center to End	Spline Length	Hub Diameter	Joint Angle	Deflector	Part Number
2.00" - 39 SPLINE					
4.81"	2.44"	2.75"	26°		17N-4-5541
4.81"	2.44"	2.75"	26°	DEFR47-13	17N-4-6941X
5.00"	2.00"	2.75"	30°		17NYS32-60
5.16"	2.31"	3.00"			17NYS32-100
5.16"	2.31"	3.00"		DEFR59-1	17NYS32-100A
5.16"	2.31"	3.00"	30°	DEFR59-2	17N-4-6411X
5.16"	2.31"	3.00"	30°	DEFR59-1	17N-4-6421X
5.16"	2.31"	3.00"	32°	DEFR59-2	17NYS32-100A1
5.16"	2.31"	3.00"	32°	DEFR59-5	17NYS32-100A2
5.25"	2.25"	2.62"			17N-4-8531X
5.25"	2.50"	2.62"			17NYS32-90A
5.25"	2.25"	2.62"	33°		17N-4-5991
5.25"	2.44"	2.75"	30°		17N-4-5521
5.25"	2.44"	2.75"	30°	DEFR47-13	17N-4-6951X
5.25"	2.44"	2.75"	30°	DEFR47-5	17NYS32-41A1
5.25"	2.44"	2.75"	32°	DEFR47-4	17NYS32-41A2
6.12"	2.50"	2.62"			17NYS32-91A
6.12"	2.25"	2.62"	45°		17N-4-6011
6.12"	2.25"	2.62"	45°	DEFR44-11	17N-4-6021X
6.25"	2.31"	3.00"	45°	DEFR50-7	17N-4-6391X
6.25"	2.31"	3.00"	45°		17NYS32-99
6.25"	2.31"	3.00"	45°	DEFR59-1	17NYS32-99A
6.25"	2.31"	3.00"	45°	DEFR59-5	17NYS32-99A3
6.50"	2.44"	2.75"	30°		17N-4-5501
6.50"	2.44"	2.75"	30°	DEFR47-13	17N-4-6871X
6.50"	2.44"	2.75"	30°	DEFR47-4	17NYS32-40A1
2.02" - 39 SPLINE					
5.25 in	2.50"	2.63"		DEFR44-13	17N-4-9041X
6.13"	2.50"	2.63"		DEFR44-13	17N-4-9001X
2.03" - 10 SPLINE					
5.00"	2.00"	2.75"	25°		17N-4-3791
2.11" - 32 SPLINE					
6.25"	2.25"	3.00"		DEFR48-6	17N-4-7171X⁶

⁶ High Angle Yoke.


ROUND BEARINGS — 17N SERIES



Center to End	Spline Length	Hub Diameter	Joint Angle	Deflector	Part Number
2.13" - 32 SPLINE					
4.56"	2.25"	3.00"			17NYS34-15
5.00"	2.25"	3.00"	26°		17N-4-5821
6.25"	2.25"	3.00"	45°		17N-4-5791
6.25"	2.25"	3.00"	45°	DEFR54-1	17NYS34-9A
2.02" - 39 SPLINE					
5.25 in	2.50"	2.63"		DEFR44-13	17N-4-9041X
6.13"	2.50"	2.63"		DEFR44-13	17N-4-9001X
2.13" - 41 SPLINE					
5.16"	2.31"	2.94"	31°		17NYS34-20
5.16"	2.31"	2.94"	31°	DEFR47-16	17NYS34-20A
5.35"	2.50"	2.94"			17NYS34-29A
5.35"	2.50"	2.94"	31°		17NYS34-29
6.12"	2.50"	2.94"	42.5°		17NYS34-19
6.12"	2.50"	2.94"	42.5°	DEFR48-15	17NYS34-19A1
6.63"	3.00"	2.94"			17N-4-7541
6.63"	3.00"	2.94"			17NYS34-18A1
6.63"	3.00"	2.94"	42.5°		17NYS34-18
2.14" - 41 SPLINE					
6.13"	2.50"	2.94"		DEFR48-2	17N-4-7561X ⁶
2.16" - 16 SPLINE					
5.19"	2.50"	2.94"	26°		17N-4-4961
5.19"	2.50"	2.94"	26°	DEFR48-5	17N-4-5061X
5.50"	3.00"	2.94"			17N-4-4171X
5.50"	3.00"	2.94"	23.5°		17N-4-2181
6.31"	3.00"	2.94"	45°		17NYS34-5
6.63"	3.00"	2.94"	40°		17N-4-4591
6.63"	3.00"	2.94"	40°	DEFR48-2	17N-4-5481X
2.22" - 6 SPLINE					
5.31"	3.25"	3.00"	26°		17N-4-3031
5.31"	3.25"	3.00"	26°	DEFR49-1	17N-4-3041X

⁶ High Angle Yoke.


ROUND BEARINGS — 17N SERIES



Center to End	Spline Length	Hub Diameter	Joint Angle	Deflector	Part Number
2.25" - 6 SPLINE					
5.25"	2.25"	3.25"	30°		17N-4-3501
2.25" - 10 SPLINE					
5.25"	2.88"	3.00"	26°		17N-4-2511
5.25"	2.94"	3.13"	26°		17N-4-2151
5.25"	2.25"	3.13"	30°		17N-4-2441
5.25"	3.00"	3.25"	22°		17N-4-2501
5.25"	2.25"	3.25"	30°		17N-4-1971
5.25"	3.00"	3.50"	22°		17N-4-2141
6.06"	3.00"	3.00"	32°		17N-4-1991
6.06"	3.00"	3.00"	32°	DEFR50-2	17N-4-4411X
7.19"	3.00"	3.00"			17N-4-6891X
5.19"	2.50"	2.94"	26°	DEFR48-5	17N-4-5061X
5.50"	3.00"	2.94"			17N-4-4171X
5.50"	3.00"	2.94"	23.5°		17N-4-2181
6.31"	3.00"	2.94"	45°		17NYS34-5
6.63"	3.00"	2.94"	40°		17N-4-4591
6.63"	3.00"	2.94"	40°	DEFR48-2	17N-4-5481X
2.28" - 44 SPLINE					
5.19"	2.50"	2.94"			17N-4-8551X
5.19"	2.50"	2.94"	26°		17N-4-6031
5.19"	2.50"	2.94"	26°	DEFR48-5	17N-4-6041X
5.19"	2.50"	2.94"	26°		17N-4-8461
5.19"	2.50"	3.00"			17NYS36-62A
2.34" - 16 SPLINE					
4.94"	2.75"	3.31"	26°		17N-4-4601 ³
4.94"	2.75"	3.31"	26°	DEFR55-1	17N-4-5071X
5.19"	2.75"	2.81"	21°		17N-4-5341
2.36" - 18 SPLINE					
5.75"	3.38"	3.50"	26°		17N-4-4561
2.36" - 36 SPLINE					
6.50"	2.69"	3.00"		DEFR48-6	17N-4-7241X ⁶
2.38" - 46 SPLINE					
5.44"	2.69"	3.00"	26°		17N-4-5711
6.50"	2.69"	3.00"	45°		17N-4-5801

³ Center Bearing yoke.
⁶ High Angle Yoke.


ROUND BEARINGS — 17N SERIES



Center to End	Spline Length	Hub Diameter	Joint Angle	Deflector	Part Number
2.38" - 46 SPLINE					
4.88"	2.33"	3.25"	22°		17NYS38-61
4.88"	2.32"	3.25"	22°	DEFR56-7	17NYS38-61A
4.94"	2.41"	2.95", 3.75"	27°		17N-4-6601⁵
5.00"	1.95"	3.25"	32°		17NYS38-78
5.16"	2.41"	3.50"	22°		17N-4-5841
5.38"	2.33"	3.25"	31°		17N-4-7161
5.38"	2.32"	3.25"	31°	DEFR56-7	17N-4-7181X
5.38"	2.32"	3.25"	34°	DEFR56-12	17NYS38-32A2
5.69"	2.62"	3.25"	30°		17N-4-5451
5.69"	2.62"	3.25"	30°	DEFR54-1	17N-4-5461X
5.75"	3.38"	3.50"	26°		17N-4-4771
5.94"	2.88"	3.25"		DEFR54-5	17N-4-6961X
5.94"	2.88"	3.25"			17NYS38-31
5.94"	2.88"	3.25"	45°	DEFR54-1	17N-4-5961X
6.00"	3.20"	3.38"			17NYS38-44A1
6.19"	2.88"	3.25"			17NYS38-17A2
6.19"	2.88"	3.25"	45°		17NYS38-17
6.50"	2.33"	3.25"	45°		17NYS38-38
6.50"	2.32"	3.25"	45°	DEFR56-7	17NYS38-38A
6.93"	2.88"	3.25"	45°	DEFR54-5	17N-4-7851X
6.93"	2.88"	3.25"	45°		17NYS38-63
2.42" - 18 SPLINE					
5.81"	3.00"	3.38"	25°		17N-4-4581
2.50" - 10 SPLINE					
5.16"	2.39"	3.50"	22°		17N-4-4421
5.63"	3.00"	3.75"	30°		17N-4-3611
5.63"	3.00"	3.75"	30°	DEFR62-1	17N-4-6921X
2.53" - 16 SPLINE					
5.81"	3.25"	3.25"			17NYS40-37A
6.44"	2.75"	3.25"			17NYS40-106A
6.44"	2.75"	3.25"	40°		17NYS40-106
6.44"	2.75"	3.25"	40°	DEFR60-1	17NYS40-106A1⁶


⁵ Step hub diameter is 2.95 in./3.75 in.
⁶ High Angle Yoke.

ROUND BEARINGS — 17N SERIES



Center to End	Spline Length	Hub Diameter	Joint Angle	Deflector	Part Number
2.63" - 20 SPLINE					
5.19"	2.75"	3.00"			17N-4-7071X
5.19"	2.75"	3.75"	26°		17N-4-5351
2.75" - 10 SPLINE					
5.31"	2.94"	3.38"	20°		17N-4-4651 ⁴
5.75"	3.00"	3.50"	22°		17N-4-4551
5.75"	3.00"	3.75"	20.5°	DEFR65-1	17N-4-6841X
5.75"	3.00"	3.75"	22°		17N-4-6821
5.75"	3.00"	3.75"	22°	DEFR62-1	17N-4-6931X


ROUND BEARINGS — 176N SERIES



Center to End	Spline Length	Hub Diameter	Joint Angle	Deflector	Part Number
2.00" - 10 SPLINE					
5.38"	2.56", 2.00"	2.94"	30°	DEFR47-9	176N-4-181X
5.38"	2.56", 2.00"	2.94"	30°		176N-4-71
2.00" - 39 SPLINE					
5.19"	2.31", 2.00"	3.00"			176NYS32-3A2
5.19"	2.31", 2.00"	3.00"	29°		176N-4-531
5.19"	2.31", 2.00"	3.00"	29°		176N-4-541X
5.19"	2.31", 2.00"	3.00"	32°		176NYS32-3
2.03" - 10 SPLINE					
5.00"	2.00", 2.03"	2.75"	30°		176N-4-421
2.13" - 16 SPLINE					
5.25"	2.50", 2.13"	2.94"	30°		176N-4-121

⁴ Keyway for speedometer gear on hub.


ROUND BEARINGS — 176N SERIES



Center to End	Spline Length	Hub Diameter	Joint Angle	Deflector	Part Number
2.25" - 10 SPLINE					
5.25"	2.25", 2.25"	3.12", 3.13"	30°		176N-4-411
5.84"	3.00", 2.25"	3.00"			176N-4-731X
2.28" - 44 SPLINE					
5.25"	2.50", 2.28"	3"	30°		176N-4-1421
5.25"	2.50", 2.28"	3.00"			176NYS36-12A
5.25"	2.50", 2.28"	3.00"	30°		176N-4-321
2.34" - 16 SPLINE					
5.50"	2.75", 2.34"	2.86"	30°		176N-4-161 ³
2.36" - 18 SPLINE					
6.12"	3.38", 2.36"	3.50"	30°		176N-4-271
2.38" - 36 SPLINE					
5.44"	2.64", 2.38"	3.00"	30°		176N-4-441
5.56"	2.69", 2.38"	3.00"			176N-4-851X
2.38" - 46 SPLINE					
4.53"	2.75", 2.38"	2.875"*	30°		176N-4-821
5.06"	2.33", 2.38"	3.25"	29°		176NYS38-14
5.06"	2.32", 2.38"	3.25"	29°		176NYS38-14A
5.38"	2.41", 2.38"	3.50"	30°		176N-4-391
5.41"	2.41", 2.38"	2.95"	30°		176NYS38-10
5.44"	2.62", 2.38"	3.25"			176N-4-211X
5.44"	2.62", 2.38"	3.25"			176NYS38-3
5.63"	2.88", 2.38"	3.25"			176N-4-861X
5.63"	2.88", 2.38"	3.25"			176NYS38-13A1
6.20"	3.20", 2.38"	3.38"			176N-4-1161X
2.39" - 46 SPLINE					
6.00"	3.38", 2.39"	3.50"			176N-4-381
2.41" - 44 SPLINE					
5.25"	2.50", 2.41"	3.00"	30°		176N-4-331X
2.50" - 10 SPLINE					
5.41"	2.41", 2.50"	3.50"	30°		176N-4-151
6.03"	3.00", 2.50"	2.95", 3.75"	32°		176N-4-651 ⁵
6.03"	3.00", 2.50"	3.75"	32°		176N-4-781X
2.75" - 10 SPLINE					
5.97"	3.00", 2.75"	3.75"	30°		176N-4-11
5.97"	3.00", 2.75"	3.75"	30°		176N-4-791X

3 Center Bearing Yoke.
5 Step hub diameter is 2.95 in./3.75 in.


ROUND BEARINGS — 18N SERIES



Center to End	Spline Length	Hub Diameter	Joint Angle	Deflector	Part Number
1.94" - 30 SPLINE					
5.38"	2.25"	3.00"	30°		18N-4-2051
1.97" - 10 SPLINE					
5.38"	2.56"	2.94"	30°		18N-4-1921
5.38"	2.56"	2.94"	30°	DEFR47-3	18N-4-2341X
2.00" - 39 SPLINE					
5.19"	2.31"	3.00"			18NYS32-12A2
5.19"	2.31"	3.00"	30°		18N-4-3371
5.19"	2.31"	3.00"	30°	DEFR56-2	18N-4-3381X
5.53"	2.44"	2.75"	30°		18N-4-2781
5.53"	2.44"	2.75"	30°	DEFR47-13	18N-4-3571X
2.13" - 41 SPLINE					
5.25"	2.50"	2.94"			18N-4-3691X
5.81"	3.00"	2.94"			18NYS34-3A1
5.94"	2.50"	2.94"			18NYS34-5A
2.16" - 16 SPLINE					
5.25"	2.50"	2.94"	30°		18N-4-2441
5.25"	2.50"	2.94"	30°	DEFR55-1	18N-4-2451X
5.81"	3.00"	2.94"	30°		18N-4-2291
2.22" - 6 SPLINE					
6.00"	3.25"	3.00"	30°		18N-4-1971
6.00"	3.25"	3.00"	30°	DEFR49-1	18N-4-2271X
2.25" - 10 SPLINE					
5.84"	3.00"	3.00"	30°		18N-4-1911
5.85"	3.00"	3.00"	30°	DEFR50-2	18N-4-2551X
2.27" - 44 SPLINE					
5.25"	2.50"	2.94"		DEFR48-10	18N-4-4351X
2.28" - 44 SPLINE					
5.25"	2.50"	2.94"	30°		18N-4-3271
5.25"	2.50"	2.94"	30°	DEFR48-10	18N-4-3281X
5.25"	2.50"	3.00"			18NYS36-20A
5.75"	2.80"	2.94"	26°		18NYS36-17
2.34" - 16 SPLINE					
5.50"	2.75"	3.31"	30°		18N-4-1891³
5.50"	2.75"	3.31"	30°	DEFR48-5	18N-4-2531X

³ Center Bearing Yoke.


ROUND BEARINGS — 18N SERIES



Center to End	Spline Length	Hub Diameter	Joint Angle	Deflector	Part Number
2.34" - 16 SPLINE					
5.63"	2.75"	2.81"			18N-4-1981
2.36" - 18 SPLINE					
6.12"	3.38"	3.50"	30°		18N-4-2581
2.38" - 36 SPLINE					
5.44"	2.69"	3.00"	30°		18N-4-3161
5.44"	2.69"	3.00"	30°	DEFR54-1	18NYS38-6A
2.38" - 46 SPLINE					
5.16"	2.32"	3.25"		DEFR56-7	18NYS38-27A
5.16"	2.32"	3.25"	30°		18NYS38-27
5.16"	2.32"	3.25"	30°	DEFR56-10	18NYS38-27A1
5.16"	2.32"	3.25"	30°	DEFR56-12	18NYS38-27A2
5.22"	2.41"	2.95"	30°		18NYS38-15
5.41"	2.41"	3.50"	30°		18N-4-3251
5.44"	2.62"	3.25"	30°		18N-4-2701
5.44"	2.62"	3.25"	30°	DEFR54-1	18N-4-2711X
5.50"	2.75"	3.31"			18N-4-3591
5.69"	2.88"	3.25"			18N-4-3581X
5.69"	2.88"	3.25"	30°		18N-4-3201
5.69"	2.88"	3.25"	30°	DEFR54-1	18N-4-3221X
6.00"	3.20"	3.38"	30°	DEFR55-2	18N-4-3921X
6.00"	3.19"	3.38"	30°		18NYS38-21
2.42" - 18 SPLINE					
5.81"	3.00"	3.38"	30°		18N-4-1991
5.81"	3.00"	3.38"	30°	DEFR55-2	18N-4-2361X
2.50" - 10 SPLINE					
5.41"	2.41"	3.50"	30°		18NYS40-5
5.88"	3.00"	2.94"	30°		18N-4-1961
5.88"	3.00"	2.94"	30°		18N-4-3451
5.88"	3.00"	3.75"	30°	DEFR62-1	18N-4-3551X
2.63" - 20 SPLINE					
5.50"	2.75"	3.00"	30°		18N-4-2011
5.56"	2.75"	3.00"	30°		18N-4-3021
2.75" - 10 SPLINE					
6.00"	2.94"	3.38"	30°		18N-4-2171⁴
6.06"	3.00"	3.75"	26°		18NYS44-3


⁴ Keyway for speedometer gear on hub.

ROUND BEARINGS STRAIGHT ROUND HOLE



Major Diameter	Keyway Width	Center to End	Length thru Hole	Hub Diameter	Set Screw Size -Location	Joint Angle	Part Number
131N SERIES							
1.50"	.38"	2.56"		2.13"	.38" - 6		131N-4-1233
1.00"	0.25"	2.56"	1.63"	2.00"	.38" - 6	17°	131N-4-473
1.13"	0.25"	2.56"	1.63"	2.00"	.38" - 6	17°	131N-4-503
1.25"	0.31"	2.56"	1.63"	2.00"	.38" - 6	17°	131N-4-533
1.25"	.25"	2.56"		2.13"	.38" - 6		131N-4-573
.88"	.25"	2.56"		2.13"	.38" - 6		131N-4-583
1.25"	.31"	2.94"		2.12"	.38" - 6		131N-4-783
1.38"	.38"	2.56"		2.00"	.38" - 6		131N-4-803


WING BEARINGS — 58WB SERIES



Face to End	Spline Length	Hub Diameter	Kit Mtg. Holes	Deflector	Part Number
1.44" - 21 SPLINE					
2.94"	2.28"	2.13"			58WBYS22-3
1.59" - 18 SPLINE					
3.69"	2.06"	2.75"	TH		58WBYS25-8
1.75" - 10 SPLINE					
3.81"	2.19"	2.90"	TH		58WBYS28-6³
3.88"	2.25"	2.50"	TH		58WBYS28-82
3.88"	2.25"	2.62"	DR		58WBYS28-51⁸
3.88"	2.25"	2.62"	TH		58WBYS28-1
3.88"	2.25"	2.62"	TH		58WBYS28-14


3 Center Bearing yoke.
8 Nut seat is 2.50 in.

WING BEARINGS — 58WB SERIES




Face to End	Spline Length	Hub Diameter	Kit Mtg. Holes	Deflector	Part Number
1.75" - 27 SPLINE					
3.69"	2.00"	2.62"	TH		58WBYS28-145
3.69"	2.13"	2.69"			58WBYS28-172
1.75" - 34 SPLINE					
3.88"	2.25"	2.50"	TH	DEFR40-4	58WBYS28-186A
1.88" - 10 SPLINE					
4.00"	2.38"	2.75"	DR		58WBYS30
1.97" - 6 SPLINE					
3.94"	3.00"	2.75"	TH		58WBYS31-13
1.97" - 10 SPLINE					
3.88"	2.25"	2.62"	DR		58WBYS31-21
2.16" - 16 SPLINE					
4.56"	2.88"	2.94"	DR		58WBYS34-7

WING BEARINGS — 62N SERIES



Face to End	Spline Length	Hub Diameter	Kit Mtg. Holes	Deflector	Part Number
1.38" - 10 SPLINE					
2.94"	1.75"	2.13"	DR		62NYS22-10
1.50" - 10 SPLINE					
3.47"	2.19"	2.25"	TH		62NYS24-17
3.47"	2.19"	2.25"	TH	DEFR38-3	62NYS24-17A1
1.63" - 10 SPLINE					
3.13"	2.13"	2.38"	DR		62NYS26-11
3.13"	2.13"	2.38"	DR	DEFR38-1	62NYS26-11A
3.19"	2.13"	2.38"	TH		62NYS26-13
1.75" - 10 SPLINE					
3.31"	2.25"	2.62"	DR		62NYS28-26
3.31"	2.25"	2.75"	TH		62NYS28-123
3.31"	2.25"	2.75"	TH	DEFR47-4	62NYS28-123A
3.34"	2.19"	2.38"	DR		62NYS28-21
4.25"	2.25"	2.62"	DR		62NYS28-32
1.75" - 34 SPLINE					
3.31"	2.25"	2.50"	TH		62NYS28-160
3.31"	2.25"	2.50"	TH		62NYS28-160A
3.94"	2.25"	2.50"	TH		62NYS28-202
3.94"	2.25"	2.50"	TH	DEFR40-4	62NYS28-202A
4.25"	2.25"	2.50"	TH		62NYS28-155
4.25"	2.25"	2.50"	TH		62NYS28-155A
1.97" - 10 SPLINE					
3.31"	2.25"	2.62"	DR		62NYS31-5
2.00" - 39 SPLINE					
4.00"	2.31"	3.00"	TH	DEFR50-7	62NYS32-48A
2.24" - 16 SPLINE					
3.38"	2.13"	2.62"	DR		62NYS36-2


WING BEARINGS — 72N SERIES



Face to End	Spline Length	Hub Diameter	Kit Mtg. Holes	Deflector	Part Number
1.50" - 10 SPLINE					
3.44"	2.19"	2.25"	DR		72NYS24
3.50"	2.00"	2.25"	TH		72NYS24-22
1.63" - 10 SPLINE					
3.38"	2.13"	2.38"	DR		72NYS26-3
3.38"	2.13"	2.38"	TH		72NYS26-7
1.75" - 10 SPLINE					
3.25"	2.25"	2.62"	DR		72NYS28-1
3.44"	2.19"	2.38"	DR		72NYS28-5
3.50"	2.25"	2.50"	DR		72NYS28-51
3.50"	2.25"	2.62"	DR		72NYS28-2
3.50"	2.25"	2.62"	TH		72NYS28-65 ⁹
3.50"	2.25"	2.75"	DR		72NYS28-6
3.68"	2.18"	2.62"			72NYS28-200
4.00"	2.13"	2.62"	DR		72NYS28-23
4.38"	2.25"	2.62"	DR		72NYS28-123
4.50"	2.25"	2.75"	DR		72NYS28-10
1.75" - 27 SPLINE					
3.31"	2.00"	2.62"	TH		72NYS28-84
1.75" - 34 SPLINE					
3.75"	2.25"	2.50"	TH		72NYS28-166
3.75"	2.25"	2.50"	TH	DEFR40-4	72NYS28-166A
4.69"	2.25"	2.50"	DR		72NYS28-177
1.78" - 34 SPLINE					
4.56"	2.44"	2.62"	DR		72NYS28-183
4.69"	2.75"	2.56"	TH		72NYS28-141
4.69"	2.76"	2.57"			72NYS28-141A
1.88" - 10 SPLINE					
3.63"	2.38"	2.75"	DR		72NYS30-3
3.63"	2.38"	2.75"	TH		72NYS30-2
3.63"	2.38"	2.75"	TH	DEFR44-1	72NYS30-2A


⁹ Nut seat is 2.88 in.

WING BEARINGS — 72N SERIES




Face to End	Spline Length	Hub Diameter	Kit Mtg. Holes	Deflector	Part Number
1.97" - 10 SPLINE					
3.50"	2.22"	2.94"	DR		72NYS31-93
3.50"	2.25"	2.62"	DR		72NYS31-2
3.50"	2.25"	2.62"	DR	DEFR43-1	72NYS31-2A
3.88"	2.62"	2.75"	DR		72NYS31-4
3.88"	2.62"	2.75"	DR	DEFR47-2	72NYS31-4A
3.88"	2.62"	2.75"	TH		72NYS31-3
4.25"	2.00"	2.50"	DR		72NYS31
4.33"	2.62"	2.75"	DR		72NYS31-8
4.38"	2.25"	2.62"	DR		72NYS31-27
4.50"	2.25"	3.00"	DR		72NYS31-1
2.00" - 10 SPLINE					
3.13"	1.69"	2.62"	DR		72NYS32
3.94"	2.56"	2.94"	TH		72NYS32-9
4.00"	2.13"	2.75"	TH		72NYS32-110
4.25"	2.56"	2.94"	DR		72NYS32-12
4.25"	3.00"	2.75"	DR		72NYS32-104
4.25"	3.00"	2.94"	DR		72NYS32-48
4.25"	3.00"	2.94"	TH		72NYS32-39
4.38"	3.00"	3.25"	DR		72NYS32-16
2.00" - 38 SPLINE					
4.13"	2.13"	2.75"	TH		72NYS32-250
2.00" - 39 SPLINE					
3.81"	2.31"	3.00"	TH		72NYS32-244
3.81"	2.31"	3.00"	TH	DEFR50-7	72NYS32-244A
3.81"	2.31"	3.00"	TH		72NYS32-244A1
3.88"	2.00"	2.75"	DR		72NYS32-256
3.88"	2.44"	2.75"	DR		72NYS32-219
3.88"	2.44"	2.75"	TH		72NYS32-220
3.88"	2.44"	2.75"	TH		72NYS32-220A
4.31"	2.44"	2.75"	DR		72NYS32-222
4.31"	2.44"	2.75"	DR		72NYS32-222A1
4.31"	2.44"	2.75"	TH		72NYS32-221

WING BEARINGS — 72N SERIES



Face to End	Spline Length	Hub Diameter	Kit Mtg. Holes	Deflector	Part Number
2.03" - 10 SPLINE					
3.88"	2.00"	2.75"	DR		72NYS33
2.12" - 41 SPLINE					
4.25"	2.50"	2.94"			72NYS34-42
4.25"	2.50"	2.94"	DR	DEFR48-15	72NYS34-42A1
2.13" - 16 SPLINE					
4.69"	3.00"	2.88"	TH		72NYS34-28
2.16" - 16 SPLINE					
4.25"	3.00"	2.94"	DR		72NYS34-24
2.22" - 6 SPLINE					
4.69"	3.25"	3.00"	DR		72NYS36-22
2.25" - 10 SPLINE					
4.25"	3.00"	3.00"	DR		72NYS36-40
4.25"	3.00"	3.00"	TH		72NYS36-54
4.25"	3.00"	3.00"	TH	DEFR50-2	72NYS36-54A2
4.25"	3.00"	3.50"	DR		72NYS36-13
4.50"	3.00"	3.50"	DR		72NYS36-19
4.50"	3.00"	3.50"	TH		72NYS36-38
2.28" - 17 SPLINE					
3.50"	2.51"	3.00"	TH		72NYS36-1
2.38" - 46 SPLINE					
4.25"	2.32"	3.25"	TH		72NYS38-26A
2.50" - 10 SPLINE					
4.44"	3.00"	2.94"	TH		72NYS40-99


WING BEARINGS — 82N SERIES



Face to End	Spline Length	Hub Diameter	Kit Mtg. Holes	Deflector	Part Number
1.94" - 30 SPLINE					
3.69"	2.25"	3.00"	DR		82NYS31-32
1.97" - 10 SPLINE					
3.88"	2.25"	2.62"	DR		82NYS31-16¹⁰
2.00" - 15 SPLINE					
3.88"	2.50"	2.88"	DR		82NYS32
2.00" - 39 SPLINE					
3.88"	2.31"	3.00"	TH		82NYS32-74
3.88"	2.31"	3.00"	TH	DEFR50-4	82NYS32-74A
3.88"	2.31"	3.00"	TH	DEFR50-6	82NYS32-74A1
3.88"	2.44"	2.75"	TH		82NYS32-70
2.25" - 10 SPLINE					
4.75"	3.00"	3.00"	TH		82NYS36-26
2.38" - 46 SPLINE					
4.25"	2.32"	3.25"	TH		82NYS38-31A
4.58"	2.62"	3.25"	TH		82NYS38-15
4.58"	2.62"	3.25"	TH		82NYS38-15A
2.50" - 10 SPLINE					
4.75"	3.00"	2.94"	DR		82NYS40-28

¹⁰ Counterbore is 2.25 in. at hub end.


WING BEARINGS — 92N SERIES



Face to End	Spline Length	Hub Diameter	Kit Mtg. Holes	Deflector	Part Number
1.77" - 34 SPLINE					
4.25"	2.25"	2.50"			92NYS28-6
2.00" - 39 SPLINE					
3.94"	2.00"	2.75"	TH		92NYS32-27
4.25"	2.31"	3.00"	TH		92NYS32-25
4.25"	2.31"	3.00"	TH	DEFR50-4	92NYS32-25A
4.44"	2.31"	3.00"	DR		92NYS32-26
4.44"	2.31"	3.00"	DR	DEFR50-7	92NYS32-26A
2.03" - 10 SPLINE					
3.94"	2.00"	2.75"	TH		92NYS33-2
2.22" - 6 SPLINE					
5.17"	3.25"	3.00"	DR		92NYS36-41
2.28" - 44 SPLINE					
4.03"	2.50"	2.94"	TH		92NYS36-74
4.03"	2.50"	2.94"	TH	DEFR48-10	92NYS36-74A
4.03"	2.50"	3.00"	TH		92NYS36-75A
2.36" - 18 SPLINE					
5.22"	3.38"	3.50"	TH		92NYS38-12
2.38" - 46 SPLINE					
3.94"	2.41"	2.95", 3.75"	TH		92NYS38-67
3.98"	2.62"	3.25"	TH		92NYS38-39
3.98"	2.62"	3.25"	TH		92NYS38-39A
4.12"	2.75"	2.88"			92NYSC38-106 ¹²
4.19"	2.88"	3.25"	TH		92NYS38-52
4.19"	2.88"	3.25"	TH	DEFR54-1	92NYS38-52A
4.22"	2.32"	3.25"	TH		92NYS38-73A
4.25"	2.41"	3.50"	TH		92NYS38-69
4.25"	2.41"	3.50"	TH	DEFR54-12	92NYS38-69A
4.50"	2.63"	3.12"			92NYS38-46A
5.01"	3.19"	3.38"	TH		92NYS38-75
5.01"	3.19"	3.38"	TH	DEFR55-3	92NYS38-75A1
2.50" - 10 SPLINE					
4.25"	2.41"	3.50"	TH		92NYS40-17
4.25"	2.41"	3.50"	TH	DEFR54-13	92NYS40-17A

¹² Coupling Assembly Yoke. Hub not ground.


WING BEARINGS — 92N SERIES



U-JOINT KITS:
CP82N-DWT
CP82N-HB
CP82N-HWD
PERMALUBE

Face to End	Spline Length	Hub Diameter	Kit Mtg. Holes	Deflector	Part Number
2.63" - 20 SPLINE					
4.25"	2.75"	3.00"	TH		92NYS42-18
2.63" - 25 SPLINE					
4.13"	3.00"	3.63"	TH		92NYS42-4
2.75" - 10 SPLINE					
4.38"	2.94"	3.38"	TH		92NYS44-18
4.84"	3.00"	3.75"	TH		92NYS44-22 ¹¹
4.84"	3.00"	3.75"	TH	DEFR62-1	92NYS44-22A
2.79" - 54 SPLINE					
4.63"	2.75"	4.15"			92NYS45-2
2.86" - 21 SPLINE					
4.19"	3.00"	4.00"	TH		92NYS44-19
3.19" - 50 SPLINE					
4.00"	2.56"	3.71"	TH		92NYS51


WING BEARINGS STRAIGHT ROUND HOLE



Major Diameter	Keyway Width & Location	Face to End	Spline Length	Hub Dia.	Kit Mtg. Holes	Set Screw Size -Location	Part Number
58WB SERIES							
1.50"	NONE	4.94"	3.75"	5.13" R	TH	NONE	58WBYR24-6
1.63"	0.38" - 12	3.81"	2.19"	2.62" R	DR	.44" - 12	58WBYR26
2.00"	0.50" - 12	3.81"	2.44"	3.25" R	DR	.31" - 12	58WBYR32-34
72N SERIES							
1.50"	NONE	4.94"	3.75"	4.00" R	TH	NONE	72NYR24-2
92N SERIES							
1.75"	NONE	6.56"	4.89"	5.75" R	TH	NONE	92NYR28-3

¹¹ Hub length is .905 in.


RPL — 20R SERIES



Face to End	Spline Length	Hub Diameter	Deflector	Part Number
1.79" - 34 SPLINE				
5.44"	2.43"	2.62"	DEFR44-10	20WYS28-1A
6.28"	2.43"	2.62"	DEFR44-10	20WYS28-2A
2.00" - 39 SPLINE				
4.85"	2.25"	3.00"	DEFR50-24	20WYS32-5A
4.85"	2.31"	3.00"		20WYS32-17
4.85"	2.31"	3.00"	DEFR64	20WYS32-17A
4.90"	2.50"	2.62"	DEFR44-11	20WYS32-9A
5.38"	2.50"	2.62"	DEFR44-13	20WYS32-7A
5.69"	2.25"	3.00"	DEFR50-24	20WYS32-6A
5.75"	2.25"	2.62"	DEFR44-11	20WYS32-10A
5.94"	2.50"	2.62"	DEFR44-13	20WYS32-8A
5.95"	2.31"	3.00"	DEFR64	20WYS32-2A
5.95"	2.31"	3.00"		20WYS32-2
2.13" - 41 SPLINE				
5.12"	2.50"	2.94"	DEFR48-15	20WYS34-1A
5.53"	3.00"	2.94"	DEFR48-17	20WYS34-3A
5.94"	2.50"	2.94"	DEFR48-15	20WYS34-2A
6.44"	3.00"	2.94"	DEFR48-17	20WYS34-4A
2.28" - 44 SPLINE				
4.75"	2.50"	2.94"	DEFR48-10	20WYS36-3A
4.81"	2.34"	2.94"	DEFR48-15	20WYS36-2A
4.81"	2.50"	3.00"	DEFR50-24	20WYS36-1A
2.38" - 46 SPLINE				
4.90"	2.32"	3.25"	DEFR64-3	20WYS38-4A
4.90"	2.75"	2.88"		20WYSC38-18 ¹²
5.00"	2.88"	3.25"	DEFR54-5	20WYS38-10A1
5.00"	2.88"	3.25"	DEFR54-1	20WYS38-10A
5.31"	3.20"	3.38"	DEFR55-3	20WYS38-11A
5.95"	2.33"	3.25"	DEFR64-3	20WYS38-3A
6.25"	2.88"	3.25"		20WYS38-8
6.25"	2.88"	3.25"	DEFR64-4	20WYS38-8A
2.50" - 10 SPLINE				
5.15"	3.00"	3.75"	DEFR62-1	20WYS40-2A


¹² Coupling Assembly Yoke. Hub not ground.

RPL — 20R SERIES



Face to End	Spline Length	Hub Diameter	Deflector	Part Number
2.54" - 49 SPLINE				
5.15"	3.00"	3.75"	DEFR62-1	20WYS40-4A
5.63"	2.75"	3.75"		20WYS40-3
2.75" - 10 SPLINE				
5.09"	3.00"	3.75"	DEFR62-1	20WYS44-2A
2.79" - 54 SPLINE				
5.25"	2.75"	3.75"		20WYS45
3.54" - 44 SPLINE				
5.90"	3.19"	3.90"		20WYS57-1

RPL — 25R SERIES



Face to End	Spline Length	Hub Diameter	Deflector	Part Number
2.28" - 44 SPLINE				
4.75"	2.50"	2.94"	DEFR48-10	25WYS36-3A
4.81"	2.34"	2.94"	DEFR48-15	25WYS36-2A
4.81"	2.50"	3.00"	DEFR50-24	25WYS36-1A
2.38" - 46 SPLINE				
4.73"	2.32"	3.25"		25WYS38-13
4.73"	2.32"	3.25"	DEFR64-3	25WYS38-13A
4.88"	2.40"	3.75"		25WYS38-9A1
4.90"	2.75"	2.88"		25WYSC38-11 ¹²
5.00"	2.88"	3.25"	DEFR38-8A	25WYS38-8A
5.31"	3.20"	3.38"	DEFR55-3	25WYS38-6A
2.38" - 48 SPLINE				
5.00"	2.88"	3.25"	DEFR54-5	25WYS38-8A1
2.50" - 10 SPLINE				
5.15"	3.00"	3.75"	DEFR62-1	25WYS40-2A
2.54" - 49 SPLINE				
5.18"	3.00"	3.75"	DEFR62-1	25WYS40-4A
6.25"	2.75"	3.75"		25WYS40-3
2.75" - 10 SPLINE				
5.09"	3.00"	3.75"		25WYS44-2
5.09"	3.00"	3.75"	DEFR62-1	25WYS44-2A
2.79" - 54 SPLINE				
5.88"	2.75"	3.75"		25WYS45
3.54" - 44 SPLINE				
6.10"	3.19"	3.90"		25WYS57-1

¹² Coupling Assembly Yoke. Hub not ground.

This image shows a blank sheet of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.

SECTION 4

INDEX


End Yokes - Easy Service	Page
EASY SERVICE YOKES	
Kits for Easy Service	4-1
END YOKES - EASY SERVICE PAGE	
131N SERIES	4-2
133N SERIES	4-2
141N SERIES	4-3
148N SERIES	4-4
155N SERIES	4-5
159N SERIES	4-13
16N SERIES	4-6
17N SERIES	4-7
176N SERIES	4-11
18N SERIES	4-11
170 SERIES	4-13
250 SERIES	4-14

MERITOR NUMBERING SYSTEM


Meritor components may be identified by one of the numbering systems shown below.

Aftermarket numbers are issued to make Meritor components easy to select when choosing a replacement component.


MERITOR ENGINEERING NUMBER



MERITOR AFTERMARKET NUMBER



KITS FOR EASY SERVICE YOKES



U-JOINT KITS:

- M674X (Includes Strap)
- M675X (Includes Strap)
- M676X (Includes Strap)
- M677X (Includes Strap)



U-JOINT KITS:

- CP141N
- CP148N
- CP155N



STRAP AND BOLT KITS:

- KT16SB
- KT17SB
- KT122
- KT124
- KT125 (Includes 4 Lock Washers)
- KT126 (Includes 4 Lock Washers)



STRAP AND BOLT KITS:


- KT121
- KT122



U-BOLT KITS:


- KT117
- KT118

131N SERIES




Center to End	Spline Length	Hub Diameter	Kit Mtg. Holes	Use Kit	Joint Angle	Deflector	Part Number
1.15" - 26 SPLINE							
3.00"	1.50"	1.55"					131N-4-4341²
3.00"	1.50"	1.55"	DR	KT116			131N-4-8091X

131N SERIES




Center to End	Spline Length	Hub Diameter	Kit Mtg. Holes	Use Kit	Joint Angle	Deflector	Part Number
1.40" - 32 SPLINE							
3.88"	2.00"	1.88"					133N-4-5441²

141N SERIES



Center to End	Spline Length	Hub Diameter	Kit Mtg. Holes	Use Kit	Joint Angle	Deflector	Part Number
1.38" - 10 SPLINE							
3.50"	1.75"	2.13"	DR	KT117			141N-4-3941
3.50"	1.75"	2.13"	DR	KT117		DEFR35-3	141NYS22A
1.50" - 10 SPLINE							
3.69"	2.00"	1.81"	DR	KT117	30°		141N-4-6561
3.69"	2.00"	1.81"	DR	KT117	30°	DEFR34-1	141N-4-6631X
3.88"	2.19"	2.25"	DR	KT117	22°		141N-4-2241
1.50" - 35 SPLINE							
5.75"	1.94"	2.50"	TH				141NYS24-4
1.75" - 10 SPLINE							
4.19"	2.19"	2.38"	DR	KT117	30°		141N-4-1841
4.25"	2.19"	2.62"	DR	KT117	30°		141N-4-2511
1.75" - 34 SPLINE							
4.25"	2.18"	2.62"	DR	KT117		DEFR44-1	141NYS28-19A


148N SERIES



Center to End	Spline Length	Hub Diameter	Kit Mtg. Holes	Use Kit	Joint Angle	Deflector	Part Number
1.38" - 10 SPLINE							
3.96"	1.75"	2.13"	TH				148TYS22A
1.50" - 10 SPLINE							
4.03"	2.00"	2.06"	DR	KT118		DEFR40-5	148N-4-3081¹²
4.03"	2.00"	1.94"	DR	KT118	30°		148N-4-3091
4.03"	2.00"	1.94"	DR	KT118	30°	DEFR37-1	148N-4-4421X
4.19"	2.19"	2.25"	DR	KT118	30°		148N-4-3781
1.75" - 10 SPLINE							
4.22"	2.19"	2.38"	DR	KT118	22°		148N-4-3571
4.28"	2.25"	2.62"	DR	KT118	22°		148N-4-3061¹
1.75" - 34 SPLINE							
4.42"	2.22"	2.62"	DR	KT118	25°		148N-4-10261-1
4.42"	2.22"	2.62"	DR	KT118	25°	DEFR44-1	148N-4-10471-1X
1.97" - 10 SPLINE							
4.04"	2.25"	2.62"	DR	KT118	22°		148N-4-3861
2.00" - 39 SPLINE							
4.75"	2.31"	3.00"	TH	KT124	22°		148TYS32-4
4.75"	2.31"	3.00"	TH	KT124	22°	DEFR50-7	148TYS32-4A


1 Hub effective length 1.50 in.
12 Coupling Assembly Yoke. Hub not ground.

155N SERIES




Center to End	Spline Length	Hub Diameter	Kit Mtg. Holes	Use Kit	Joint Angle	Deflector	Part Number
1.50" - 10 SPLINE							
3.78"	2.00"	1.94"	DR	KT118	22°		155N-4-2051
3.81"	2.00"	2.19"	DR	KT118	22°		155N-4-4211
3.81"		2.56"	TH	KT124			155N-4-4211-1 ⁵
3.97"	2.19"	2.13"	DR				155NYS24-6
1.75" - 10 SPLINE							
4.31"	2.25"	2.62"	DR	KT118	20°		155N-4-1891
4.66"	2.25"	2.62"	DR	KT118			155N-4-1901
1.75" - 27 SPLINE							
4.50"	2.00"	2.62"	TH	KT124			155TYS28-26
1.75" - 34 SPLINE							
4.07"	2.25"	2.44"	TH	KT124	25°		155TYSC28-43
4.27"	2.19"	2.62"	TH	KT124	24°		155N-4-5551-1
4.27"	2.19"	2.62"	TH	KT124	24°	DEFR44-1	155N-4-5611-1X
4.66"	2.25"	2.50"	DR	KT118	20°		155N-4-4101
4.66"	2.25"	2.50"	DR	KT118	20°	DEFR40-4	155NYS28-5A
4.66"	2.25"	2.50"	TH	KT124	35°	DEFR40-4	155TYS28-1A
4.69"	2.25"	2.50"	DR	KT123	26°	DEFR40-4	155DYS28-1A
4.69"	2.25"	2.50"	TH	KT124	26°		155TYS28-1
1.79" - 34 SPLINE							
4.37"	1.97"	2.50"		KT124	26°		155TYS28-49
4.37"	1.97"	2.50"		KT124	26°		155TYS28-49A
1.88" - 10 SPLINE							
4.41"	2.38"	2.75"	TH	KT124			155N-4-1941-1
1.97" - 10 SPLINE							
4.28"	2.25"	2.62"	DR	KT118	20°		155N-4-2431
2.00" - 39 SPLINE							
4.27"	2.25"	2.62"	TH	KT124	22°		155N-4-5031-1
4.27"	2.25"	2.62"	TH	KT124	22°	DEFR44-11	155N-4-6831-1X
4.75"	2.31"	3.00"	DR	KT123	22°		155DYS32-6
4.75"	2.31"	3.00"	DR	KT123	22°	DEFR50-7	155DYS32-6A
4.75"	2.31"	3.00"	TH	KT124	25°		155TYS32-6
4.75"	2.31"	3.00"	TH	KT124	25°	DEFR50-7	155TYS32-6A
4.75"	2.31"	3.00"	TH	KT124	25°		155TYS32-6A3

16N SERIES



Center to End	Spline Length	Hub Diameter	Kit Mtg. Holes	Use Kit	Joint Angle	Deflector	Part Number
1.75" - 10 SPLINE							
4.13"	2.25"	2.18", 2.56"	TH	KT16SB			16N-4-1721-1
1.75" - 34 SPLINE							
4.88"	2.25"	2.50"	TH	KT16SB	28°		16N-4-5571-1
4.88"	2.25"	2.50"	TH	KT16SB	28°	DEFR40-4	16TYS28-13A
1.79" - 34 SPLINE							
4.13"	2.25"	2.19"	TH	KT16SB			16N-4-7171-1⁵
2.00" - 38 SPLINE							
4.50"	2.13"	2.75"	TH	KT16SB			16N-4-6321-1
4.50"	2.13"	2.75"	TH	KT16SB			16TYS32-61
2.00" - 39 SPLINE							
4.88"	2.31"	3.00"	TH				16TYS32-86A
4.88"	2.31"	3.00"	TH	KT16SB	21°		16N-4-6421-1
4.88"	2.31"	3.00"	TH	KT16SB	21°	DEFR50-4	16N-4-6431-1X
5.12"	2.44"	2.75"	TH	KT16SB			16N-4-6951-1X
5.12"	2.44"	2.75"	TH	KT16SB	30°		16TYS32-5
5.54"	2.31"	3.00"	TH	KT16SB	27°	DEFR50-19	16TYS32-32A3
5.54"	2.31"	3.00"	TH	KT16SB	32°		16N-4-6271-1
5.54"	2.31"	3.00"	TH	KT16SB	32°	DEFR50-7	16TYS32-32A
6.22"	2.31"	3.00"	TH	KT16SB			16TYS32-76
6.22"	2.31"	3.00"	TH	KT16SB		DEFR59-1	16TYS32-76A
2.13" - 41 SPLINE							
4.63"	2.31"	2.94"	TH	KT16SB			16TYS34-21A
2.38" - 46 SPLINE							
4.94"	2.33"	3.25"	TH	KT16SB	21°		16N-4-7331-1
4.94"	2.32"	3.25"	TH	KT16SB	21°	DEFR56-7	16N-4-7341-1X
5.50"	2.88"	3.25"	TH	KT16SB			16TYS38-11A

17N SERIES



Center to End	Spline Length	Hub Diameter	Kit Mtg. Holes	Use Kit	Joint Angle	Deflector	Part Number
1.75" - 34 SPLINE							
4.88"	2.25"	2.50"	TH	KT17SB	29°		17TYS28-57
4.88"	2.25"	2.50"	TH	KT17SB	29°	DEFR40-4	17TYS28-57A
4.88"	2.25"	2.50"	TH	KT17SB	32°		17TYS28-63
1.94" - 37 SPLINE							
4.92"	5.10"	3.15"	TH	KT17SB	32°	DEFR66-1	17TYS31-66A
1.96" - 10 SPLINE							
5.00"	3.00"	2.82"	TH	KT17SB			17TYS31-54
2.00" - 38 SPLINE							
5.00"	3.00"	2.81"	TH	KT17SB	25°		17N-4-7141-1
5.25"	2.13"	2.75"	TH	KT17SB			17TYS32-73
2.00" - 39 SPLINE							
5.16"	2.31"	3.00"	TH	KT17SB	28°		17N-4-7621-1
5.16"	2.31"	3.00"	TH	KT17SB	28°	DEFR50-4	17N-4-7631-1X
5.16"	2.31"	3.00"	TH	KT17SB	28°	DEFR50-7	17N-4-7641-1X
5.25"	2.44"	2.75"	TH	KT17SB	33°		17N-4-6951-1X
5.25"	2.25"	3.00"	TH	KT17SB		DEFR50-24	17TYS32-92A
5.31"	1.96"	2.75"	TH	KT17SB	31°		17TYS32-60
5.31"	1.96"	2.75"	TH	KT17SB	31°	DEFR42-2	17TYS32-60A
5.44"	2.50"	2.62"	TH	KT17SB		DEFR44-13	17TYS32-94A
6.25"	2.31"	3.00"	TH	KT17SB			17TYS32-99
6.25"	2.31"	3.00"	TH	KT17SB		DEFR59-1	17TYS32-99A
6.25"	2.31"	3.00"	TH	KT17SB	43.5°	DEFR59-2	17TYS32-95A1
7.30"	2.31"	3.00"	TH	KT17SB			17TYSB32-98A ⁸
2.02" - 39 SPLINE							
6.13"	2.28"	3.00"	TH	KT17SB		DEFR50-24	17N-4-8991-1X
6.13"	2.50"	2.63"	TH	KT17SB		DEFR44-13	17N-4-9001-1X
2.13" - 41 SPLINE							
5.19"	2.50"	2.94"	TH	KT17SB		DEFR48-15	17TYS34-14A1
5.35"	2.50"	2.94"	TH	KT17SB			17TYS34-29
2.14" - 41 SPLINE							
5.19"	2.50"	2.94"	TH	KT17SB		DEFR48-2	17N-4-7321-1X
6.13"	2.50"	2.94"	TH	KT17SB		DEFR48-2	17N-4-7561-1X ⁶
6.63	3	2.94		KT17SB	45		17TYS34-18A1


6 High Angle Yoke.
8 With Drum.

U.S. 888-725-9355
Canada 800-387-3889

XpresswayPlus.com


4-7

17N SERIES




Center to End	Spline Length	Hub Diameter	Kit Mtg. Holes	Use Kit	Joint Angle	Deflector	Part Number
2.25" - 10 SPLINE							
5.25"	3.00"	3.50"	TH	KT17SB			17N-4-6901-1X
5.25"	3.00"	3.50"	TH	KT17SB	25°		17N-4-6861-1
5.25"	3.00"	3.75"	TH	KT17SB	25°		17N-4-7371-1
6.06"	3.00"	3.00"	TH	KT17SB			17TYS36-52A
2.27" - 44 SPLINE							
5.19"	2.50"	2.94"	TH	KT17SB			17N-4-8461-1
5.19"	2.50"	2.94"	TH	KT17SB		DEFR48-10	17N-4-8551-1X
2.28" - 44 SPLINE							
5.03"	2.34"	2.94"	TH	KT17SB			17TYS36-58A1
5.19"	2.50"	2.94"	TH	KT17SB	27°		17N-4-6031-1
5.19"	2.50"	2.94"	TH	KT17SB	27°	DEFR48-8	17N-4-6041-1X
5.19"	2.50"	3.00"	TH	KT17SB			17TYS36-62A
2.34" - 16 SPLINE							
4.94"	2.75"	3.31"	TH	KT17SB	20°		17N-4-4601-1
2.34" - 45 SPLINE							
5.00"	2.00"	2.52"	TH	KT17SB	32°	DEFR66-1	17TYS37-1A
2.36" - 18 SPLINE							
5.75"	3.38"	3.50"	TH	KT17SB	18°		17N-4-4561-1
2.37" - 46 SPLINE							
5.69"	2.63"	3.25"	TH	KT17SB		DEFR54-1	17N-4-5461-1X
2.38" - 46 SPLINE							
5.00"	1.95"	3.25"	TH	KT17SB	32°	3264-Z-1274	17TYS38-78A
5.16"	2.40"	3.50"	TH	KT17SB	32°		17TYS38-29A
5.38"	2.32"	3.25"	TH			DEFR56-7	17TYS38-76A
5.38"	2.32"	3.25"	TH	KT17SB	29°	DEFR56-7	17N-4-7181-1X
5.38"	2.32"	3.25"	TH	KT17SB	32°		17TYS38-76
5.38"	2.32"	3.25"	TH	KT17SB	32°	DEFR56-12	17TYS38-76A2
5.75"	3.38"	3.50"	TH	KT17SB	16°		17N-4-4771-1
5.94"	2.88"	3.25"	TH	KT17SB			17N-4-5931-1
5.94"	2.88"	3.25"	TH	KT17SB		DEFR54-5	17N-4-6961-1X
6.50"	2.31"	3.25"	TH	KT17SB		DEFR56-7	17N-4-7771-1X
6.50"	2.31"	3.25"	TH	KT17SB			17TYS38-71
6.83"	2.32"	3.25"	TH	KT17SB	45°	DEFR64-3	17TYS38-75A
6.93"	2.88"	3.25"	TH	KT17SB			17TYS38-70A

17N SERIES




Center to End	Spline Length	Hub Diameter	Kit Mtg. Holes	Use Kit	Joint Angle	Deflector	Part Number
2.39" - 46 SPLINE							
5.19"	2.50"	2.94"	TH	KT17SB			17N-4-8461-1
2.50" - 10 SPLINE							
5.16"	2.41"	3.50"	TH	KT17SB	22°		17TYS40-152
5.63"	3.00"	3.75"	TH	KT17SB	30°		17N-4-6611-1
5.63"	3.00"	3.75"	TH	KT17SB	30°	DEFR62-1	17N-4-6921-1X
2.34" - 16 SPLINE							
4.94"	2.75"	3.31"	TH	KT17SB	20°		17N-4-4601-1
2.50" - 49 SPLINE							
5.19"	2.75"	3.06"	TH	KT17SB			17N-4-7691-1
2.63" - 20 SPLINE							
5.19"	2.75"	3.00"	TH	KT17SB	21°		17N-4-5351-1
2.75" - 10 SPLINE							
5.75"	3.00"	3.50"	TH	KT17SB	22°		17TYS44-14
5.75"	3.00"	3.75"	TH	KT17SB	20°		17N-4-6821-1
5.75"	3.00"	3.75"	TH	KT17SB	20°	DEFR62-1	17N-4-6931-1X

176N SERIES




Center to End	Spline Length	Hub Diameter	Kit Mtg. Holes	Use Kit	Joint Angle	Deflector	Part Number
2.00" - 39 SPLINE							
5.19"	2.31"	3.00"	TH	KT17SB	30°		176N-4-531-1
5.19"	2.31"	3.00"	TH	KT17SB	30°	DEFR56-2	176N-4-541-1X
5.19"	2.31"	3.00"	TH	KT17SB	30°	DEFR56-6	176TYS32-3A1
2.27" - 44 SPLINE							
5.25"	2.50"	2.94"	TH	KT17SB		DEFR48-10	176N-4-1481-1X
2.28" - 44 SPLINE							
5.09"	2.34"	2.94"	TH	KT17SB			176TYS36-10A1
5.25"	2.50"	3"	TH	KT17SB	26°		176N-4-1421-1
5.25"	2.50"	3"	TH	KT17SB	26°	DEFR48-5	176N-4-331-1X
2.34" - 16 SPLINE							
5.50"	2.75"	2.88"	TH	KT17SB	30°		176N-4-161-1³
2.38" - 16 SPLINE							
5.5	2.75	2.88		KT17SB	31		176TYSC38-4A
2.38" - 18 SPLINE							
6.12"	3.38"	3.50"	TH	KT17SB			176N-4-271-1
2.38" - 46 SPLINE							
5.06"	2.32"	3.25"	TH				176TYS38-27A
5.06"	2.33"	3.25"	TH	KT17SB	30°		176N-4-1031-1
5.06"	2.32"	3.25"	TH	KT17SB	30°	DEFR56-7	176N-4-1041-1X
5.06"	2.32"	3.25"	TH	KT17SB	31°		176TYS38-27
5.06"	2.32"	3.25"	TH	KT17SB	31°	DEFR56-12	176TYS38-27A2
5.44"	2.62"	3.25"	TH	KT17SB			176N-4-211-1X
5.44"	2.63"	3.25"	TH	KT17SB	30°		176N-4-101-1
5.50"	2.75"	3.31"	TH	KT17SB	30°		176N-4-821-1
5.63"	2.88"	3.25"	TH	KT17SB	30°		176N-4-291-1
5.63"	2.88"	3.25"	TH	KT17SB	30°	DEFR54-5	176N-4-861-1X
6.20"	3.00"	3.38"	TH	KT17SB	30°	DEFR55-2	176N-4-1161-1X
2.39" - 46 SPLINE							
6.00"	3.19"	3.38"	TH	KT17SB		DEFR55-3	176N-4-1651-1X
2.50" - 10 SPLINE							
5.97"	3.00"	3.75"	TH	KT17SB	32°		176TYS44-4
6.00"	3.00"	2.94", 3.75"	TH	KT17SB	32°		176N-4-651-1

176N SERIES



Center to End	Spline Length	Hub Diameter	Kit Mtg. Holes	Use Kit	Joint Angle	Deflector	Part Number
2.50" - 49 SPLINE							
6.00"	3.00"	3.75"	TH	KT17SB	32°	DEFR62-1	176N-4-781-1X
6.03"	3.00"	3.75"	TH	KT17SB			176N-4-771-1X
2.75" - 10 SPLINE							
5.97"	3.00"	3.75"	TH	KT17SB	30°	DEFR62-1	176N-4-791-1X
2.79" - 54 SPLINE							
5.63"	2.75"		TH	KT17SB			176N-4-1681-1⁷
5.63"	2.75"	3.88"	TH	KT17SB	24°		176TYS45


18N SERIES



Center to End	Spline Length	Hub Diameter	Kit Mtg. Holes	Use Kit	Joint Angle	Deflector	Part Number
1.94" - 37 SPLINE							
5.13"	1.65"	3.15"	TH	KT17SB	32°	DEFR66-1	18TYS31-5A
2.00" - 39 SPLINE							
5.19"	2.31"	3.00"	TH	KT17SB			18N-4-3841-1
5.19"	2.31"	3.00"	TH	KT17SB	30°		18N-4-3371-1
5.19"	2.31"	3.00"	TH	KT17SB	30°	DEFR56-2	18N-4-3381-1X
5.19"	2.31"	3.00"	TH	KT17SB	30°	DEFR56-6	18TYS32-12A1
5.19"	2.31"	3.00"	TH	KT17SB	30°		18TYS32-12A2
2.13" - 41 SPLINE							
5.94	2.5	2.94		KT17SB	32		18TYS34-5
2.27" - 44 SPLINE							
5.25"	2.50"	2.94"	TH	KT17SB		DEFR48-5	18N-4-3281-1X
5.25"	2.50"	3.00"	TH	KT17SB		DEFR50-24	18N-4-4571-1X


⁷ Hub not ground.

18N SERIES




Center to End	Spline Length	Hub Diameter	Kit Mtg. Holes	Use Kit	Joint Angle	Deflector	Part Number
2.28" - 44 SPLINE							
5.25"	2.50"	2.94"	TH	KT17SB	30°		18N-4-3271-1
5.25"	2.50"	3.00"	TH	KT17SB			18TYS36-20A
5.75"	2.80"	2.96"	TH	KT17SB	32°		18TYS36-17
2.34" - 16 SPLINE							
5.50"	2.75"	3.31"	TH	KT17SB	30°		18N-4-1891-1
		3.00"	TH	KT17SB	30°		18N-4-3371-1
5.85"	2.34"	2.75"	TH	KT17SB			18TYS38-24
		3.00"	TH	KT17SB	30°	DEFR56-6	18TYS32-12A1
6.13"	3.38"	3.50"	TH	KT17SB	32°		18TYS38-9
2.36" - 18 SPLINE							
5.06"	2.32"	3.25"	TH	KT17SB	32°	DEFR56-12	18TYS38-27A2
2.38" - 46 SPLINE							
5.16"	2.31"	3.25"	TH	KT17SB	30°		18N-4-3721-1
5.16"	2.32"	3.25"	TH	KT17SB	30°	DEFR56-7	18N-4-3731-1X
5.16"	2.32"	3.25"	TH	KT17SB		DEFR56-7	18TYS38-27A
5.21"	2.40"	2.95"	TH	KT17SB	32°		18TYS38-15
5.41"	2.41"	3.50"	TH	KT17SB		DEFR54-12	18N-4-4271-1X
5.50"	2.75"	3.31"	TH	KT17SB	30°		18N-4-3591-1
5.69"	2.88"	3.25"	TH	KT17SB			18N-4-3221-1X
5.69"	2.88"	3.25"	TH	KT17SB			18N-4-3581-1X
6.02"	3.00"	3.38"	TH	KT17SB	30°		18N-4-3911-1
6.02"	3.00"	3.38"	TH	KT17SB	30°	DEFR55-2	18N-4-3921-1X
2.50" - 10 SPLINE							
5.88"	3.00"	3.75"	TH	KT17SB	30°		18N-4-3451-1
5.88"	3.00"	3.75"	TH	KT17SB	30°	DEFR62-1	18N-4-3551-1X
2.50" - 49 SPLINE							
5.88"	3.00"	3.75"	TH	KT17SB			18N-4-3621-1X
2.53" - 45 SPLINE							
5.50"	2.00"	3.15"	TH	KT17SB		DEFR66-1	18TYS40-9A
2.75" - 10 SPLINE							
6.00"	2.94"	3.38"	TH	KT17SB			18N-4-2171-1
6.06"	3.00"	3.75"	TH	KT17SB	30°		18N-4-3491-1
6.06"	3.00"	3.75"	TH	KT17SB	30°	DEFR62-1	18N-4-3561-1X
2.79" - 54 SPLINE							
5.63"	2.75"	4.00"	TH	KT17SB	32°		18TYS45

159N SERIES




Center to End	Spline Length	Hub Diameter	Kit Mtg. Holes	Use Kit	Joint Angle	Deflector	Part Number
1.77" - 34 SPLINE							
4.11"	2.50"	2.50"	TH			DEFR40-4	159N-4-761-1X

170 SERIES



Center to End	Spline Length	Hub Diameter	Kit Mtg. Hole Drilled or Threaded	Use Kit	Deflector	Part Number
2.00" - 39 SPLINE						
6.39"	2.31"	3.00"				170TYS32-1
6.39"	2.31"	3.00"			DEFR50-7	170TYS32-1A
6.39"	2.31"	3.00"			DEFR50-6	170TYS32-1A2
5.09"	2.31"	3.00"				170TYS32-2
5.09"	2.31"	3.00"			DEFR50-7	170TYS32-2A
5.09"	2.31"	3.00"			DEFR50-4	170TYS32-2A2
2.375" - 46 SPLINE						
6.48"	2.323"	3.25"	TH		DEFR56-12	170TYS38-2A1
5.10"	2.32"	3.25"			DEFR56-7	170TYS38-4A
5.10"	2.32"	3.25"	TH		DEFR56-12	170TYS38-4A1

250 SERIES



Center to End	Spline Length	Hub Diameter	Kit Mtg. Hole Drilled or Threaded	Use Kit	Deflector	Part Number
2.375" - 46 SPLINE						
5.87"	2.375"	3.25"	TH		DEFR54-1	250TYS38-1A
5.32"	2.32"	3.25"			DEFR56-7	250TYS38-2A
5.32"	2.32"				DEFR56-12	250TYS38-2A1

SECTION 5

INDEX


Weld Yokes	Page
Bearing Plate	5-3
Inside Snap Rings	5-2
Outside Snap Rings	5-1
Wing Bearings	5-4

MERITOR NUMBERING SYSTEM


Meritor components may be identified by one of the numbering systems shown below.

Aftermarket numbers are issued to make Meritor components easy to select when choosing a replacement component.


MERITOR ENGINEERING NUMBER



MERITOR AFTERMARKET NUMBER




WELD YOKES — OUTSIDE SNAP RINGS



If tubing insert diameter requires machining to fit a tube, machine it to a diameter of .007" to .010" larger than the inside diameter of the tube for proper press fit.

Yoke Dimension Across Ears	Bearing Cap Diameter	Used with Tubing O.D. and Wall	Insert Diameter	Center to Weld Point	Joint Angle	Part Number
121N SERIES U-JOINT KIT: CP-443X						
2.688"	1.06"	2.50" x .065" (16 GA)	2.38"	1.31"		121N-28-1947
131N SERIES U-JOINT KIT: CP153X or CP200X						
3.47"	1.06"	2.00" x .065" (16 GA)	1.88"	1.69"	22°	131N-28-417
3.47"	1.06"	2.00" x .083" (14 GA)	1.84"	1.69"	22°	131N-28-357
3.47"	1.06"	2.00" x .120" (11 GA)	1.77"	1.69"	22°	131N-28-1757
3.47"	1.06"	2.50" x .065" (16 GA)	2.38"	1.84"	30°	131N-28-277
3.47"	1.06"	2.50" x .083" (14 GA)	2.34"	1.84"	30°	131N-28-367
3.47"	1.06"	2.75" x .065" (16 GA)	2.63"	1.69"	21.5°	131N-28-307
3.47"	1.06"	2.75" x .083" (14 GA)	2.59"	1.69"		131N-28-1617
3.47"	1.06"	3.00" x .065" (16 GA)	2.88"	1.69"	21.5°	131N-28-327
3.47"	1.06"	3.00" x .083" (14 GA)	2.84"	1.69"	21.5°	131N-28-437
3.47"	1.06"	3.50" x .065" (16 GA)	3.38"	1.69"	21.5°	131N-28-397
3.47"	1.06"	3.50" x .083" (14 GA)	3.34"	1.69"	21.5°	131N-28-427
133N SERIES U-JOINT KIT: CP213X						
3.88"	1.06"	2.50" x .083" (14 GA)	2.34"	1.72"	25°	133N-28-1707
3.88"	1.06"	3.00" x .065" (16 GA)	2.88"	1.72"	25°	133N-28-1177
3.88"	1.06"	3.00" x .083" (14 GA)	2.84"	1.72"	25°	133N-28-1697
3.88"	1.06"	3.50" x .065" (16 GA)	3.38"	1.81"		133N-28-1977
3.88"	1.06"	3.50" x .083" (14 GA)	3.34"	1.81"	20°	133N-28-1717
135N SERIES U-JOINT KIT: CP178X						
3.88"	1.19"	2.50" x .083" (14 GA)	2.34"	1.94"	20°	135N-28-47
3.88"	1.19"	2.75" x .065" (16 GA)	2.63"	2.00"	20°	135N-28-57-2
3.88"	1.19"	2.75" x .095" (13 GA)	2.56"	2.00"	20°	135N-28-57-1
3.88"	1.19"	3.00" x .083" (14 GA)	2.84"	2.00"	20°	135N-28-57
3.88"	1.19"	3.50" x .083" (14 GA)	3.34"	1.81"	20°	135N-28-427
141N SERIES U-JOINT KIT: CP141N or CP160X						
4.44"	1.19"	3.00" x .083" (14 GA)	2.84"	2.13"	30°	141N-28-97
4.44"	1.19"	3.50" x .065" (16 GA)	3.38"	2.13"	30°	141N-28-367
4.44"	1.19"	3.50" x .083" (14 GA)	3.34"	2.13"	30°	141N-28-557
148N SERIES U-JOINT KIT: CP148N or CP188X						
4.44"	1.38"	3.50" x .083" (14 GA)	3.34"	2.03"	22°	148N-28-537
4.44"	1.38"	3.50" x .083" (14 GA)	3.34"	2.31"	35°	148N-28-547
4.44"	1.38"	3.50" x .095" (13 GA)	3.31"	2.03"	22°	148N-28-567
4.44"	1.38"	4.00" x .083" (14 GA)	3.84"	2.03"	22.5°	148N-28-507


WELD YOKES — OUTSIDE SNAP RINGS



If tubing insert diameter requires machining to fit a tube, machine it to a diameter of .007" to .010" larger than the inside diameter of the tube for proper press fit.

Yoke Dimension Across Ears	Bearing Cap Diameter	Used with Tubing O.D. and Wall	Insert Diameter	Center to Weld Point	Joint Angle	Part Number
155N SERIES		U-JOINT KIT: CP155N or CP155X				
5.25"	1.38"	3.50" x	3.33"	2.69"	36°	155NY53-5
5.25"	1.38"	3.50" x .095" (13 GA)	3.32"	2.19"		155N-28-307
5.25"	1.38"	4.00" x .083" (14 GA)	3.86"	2.50"	19°	155RY62
20R SERIES		U-JOINT KIT: CP20RPL-1				
7.00"	2.06"	4.00" x .134" x, 4.06" x .180", 4.09" x .164" x	3.74"	3.70"	30°	20RY60-6 ¹
7.00"	2.06"	4.00" x .134" x, 4.06" x .180", 4.09" x .165" x	3.74"	4.50"	42°	20RY60-5 ¹
7.00"	2.06"	4.00" x .134" x, 4.09" x .180"	3.74"	5.25"	39°	20RY60-7
25R SERIES		U-JOINT KIT: CP25RPL-1				
8.33"	2.06"	4.59" x .180" (7 GA) 4.69" x .230"	4.24"	3.70"	24°	25RY68-3 ¹

WELD YOKES — INSIDE SNAP RINGS




If tubing insert diameter requires machining to fit a tube, machine it to a diameter of .007" to .010" larger than the inside diameter of the tube for proper press fit.

Yoke Dimension Across Ears	Bearing Cap Diameter	Used with Tubing O.D. and Wall	Insert Diameter	Center to Weld Point	Joint Angle	Part Number
3R SERIES		U-JOINT KIT: CP3147X				
2.56"	1.13"	2.75" x .065" (16 GA)	2.63"	1.75"	20°	R3R-28-307
2.56"	1.13"	3.00" x .065" (16 GA)	2.88"	1.69"	21.5°	R3R-28-327
2.56"	1.13"	3.00" x .083" (14 GA)	2.84"	1.69"	21.5°	R3R-28-437
2.56"	1.13"	3.00" x .095" (13 GA)	2.88"	1.69"	21.5°	R3R-28-157
2.56"	1.13"	3.25" x .065" (16 GA)	3.13"	1.88"	20°	R3R-28-325
2.56"	1.13"	3.50" x .065" (16 GA)	3.38"	1.88"	20°	R3R-28-397
2.56"	1.13"	3.50" x .083" (14 GA)	3.34"	1.69"	21.5°	R3R-28-427

¹ Has .25 in. diameter vent hole for use with less than 9 in. of tube.


WELD YOKES — INSIDE SNAP RINGS



If tubing insert diameter requires machining to fit a tube, machine it to a diameter of .007" to .010" larger than the inside diameter of the tube for proper press fit.

Yoke Dimension Across Ears	Bearing Cap Diameter	Used with Tubing O.D. and Wall	Insert Diameter	Center to Weld Point	Joint Angle	Part Number
1000 and 10N SERIES		U-JOINT KIT: CP170X				
1.50"	0.94"	2.00" x .083" (14 GA)	1.84"	1.75"		R10V5


WELD YOKES — BEARING PLATE



If tubing insert diameter requires machining to fit a tube, machine it to a diameter of .007" to .010" larger than the inside diameter of the tube for proper press fit.

Yoke Dimension Across Ears	Bearing Cap Diameter	Used with Tubing O.D. and Wall	Insert Diameter	Center to Weld Point	Joint Angle	Part Number
16N SERIES		U-JOINT KIT: M279X or CP279X				
5.31"	1.88"	3.50" x .156"	3.20"	3.00"	30°	16N-28-207
5.31"	1.88"	3.50" x .134" (10 GA)	3.24"	3.00"	30°	16N-28-627
5.31"	1.88"	3.50" x .134"	3.25"	3.81"		16N-28-887
5.31"	1.88"	3.50" x .095" (13 GA)	3.32"	3.00"	30°	16N-28-167
5.31"	1.88"	4.00" x .134"	3.73"	3.00"		16N-28-327
5.31"	1.88"	4.00" x .109" (12 GA)	3.79"	3.00"	19°	16NY61
176N SERIES		U-JOINT KIT: M407X or CP407X				
7.00"	1.94"	4.00" x .134" (10 GA)	3.74"	3.03"	30°	176N-28-17
17N SERIES		U-JOINT KIT: M280X or CP280X				
6.09"	1.94"	3.50" x .156"	3.20"	3.03"		17N-28-137
6.09"	1.94"	4.00" x .134" (10 GA)	3.74"	3.03"	30°	17N-28-347
6.09"	1.94"	4.00" x , 4.09" x .134" (10 GA), .180" (7 GA)	3.74"	4.50"	42°	17NY60-15
18N SERIES		U-JOINT KIT: M281X or CP281X				
7.55"	1.94"	4.50" x .259" (3 GA)	4.00"	3.38"		18N-28-127
7.55"	1.94"	4.50" x .134" (10 GA)	4.24"	3.38"	30°	18N-28-117

WELD YOKES — WING BEARINGS



If tubing insert diameter requires machining to fit a tube, machine it to a diameter of .007" to .010" larger than the inside diameter of the tube for proper press fit.

Pilot Diameter	Slot Width	Used with Tubing O.D. and Wall	Insert Diameter	Center to Weld Point	Kit Mounting Holes	Part Number
58WB SERIES U-JOINT KIT: CP58WB-DWT, CP58WB-HB, CP58WB-HWD, or PERMALUBE						
5.31"	.63"	3.50" x .095" (13 GA)	3.32"	1.81"	DR	58WBY53-1
62N SERIES U-JOINT KIT: CP62N-DWT, CP62N-HB, CP62N-HWD, or PERMALUBE						
5.53"	.56"	3.50" x .120" (11 GA)	3.27"	1.75"	TH	62NY52-7
5.53"	.56"	3.50" x .095" (13 GA)	3.32"	1.88"	DR	62NY53-1
72N SERIES U-JOINT KIT: CP72N-DWT, CP72N-HB, CP72N-HWD, or PERMALUBE						
5.84"	.63"	3.50" x .134" (10 GA)	3.24"	2.13"	DR	72NY52-20
82N SERIES U-JOINT KIT: CP82N-DWT, CP82N-HB, CP82N-HWD, or PERMALUBE						
8.13"	.63"	4.00" x .187"	3.63"	2.44"	DR	82NY58
8.13"	.63"	4.00" x .187"	3.63"	2.44"	TH	82NY58-2
8.13"	.63"	4.00" x .134" (10 GA)	3.74"	2.88"	DR	82NY60-19
85WB SERIES U-JOINT KIT: CP85WB-DWT, CP85WB-HB, CP85WB-HWD, or PERMALUBE						
6.5"	.63"	4.00" x .134" (10 GA)	3.74"	2.63"	DR	85WBY60-11
92N SERIES U-JOINT KIT: CP92N-DWT, CP92N-HB, CP92N-HWD, or PERMALUBE						
8.25"	.63"	4.50" x .259" (3 GA)	4.00"	2.75"	TH	92NY64
8.25"	.63"	4.50" x .187"	4.14"	2.25"	DR	92NY66
8.25"	.63"	4.50" x .134" (10 GA)	4.23"	2.75"	DR	92NY68-2

SECTION 6

INDEX


Tubing and Yoke & Tube Assemblies	Page
Tubing	6-1
Yoke and Tube Assemblies	
Bearing Plates	6-4

MERITOR NUMBERING SYSTEM


Meritor components may be identified by one of the numbering systems shown below.

Aftermarket numbers are issued to make Meritor components easy to select when choosing a replacement component.


MERITOR ENGINEERING NUMBER



MERITOR AFTERMARKET NUMBER




TUBING




Outside Diameter	Wall Thickness	Length	Part Number
OD - 1.25"			
1.25"	.120" (11 GA)	72"	RT-125-11-72
1.25"	.120" (11 GA)	108"	RT-125-11-108
OD - 1.50"			
1.50"	.095" (13 GA)	72"	RT-15-13-72
1.50"	.095" (13 GA)	108"	RT-15-13-108
1.50"	.120" (11 GA)	72"	RT-15-11-72
1.50"	.120" (11 GA)	108"	RT-15-11-108
OD - 1.75"			
1.75"	.065" (16 GA)	72"	RT-175-15-66
1.75"	.065" (16 GA)	108"	RT-175-16-108
1.75"	.083" (14 GA)	108"	RT-175-14-108
1.75"	.120" (11 GA)	72"	RT-175-11-72
OD - 2.00"			
2.00"	.083" (14 GA)	72"	RT-2-14-72
2.00"	.083" (14 GA)	108"	RT-2-14-108
2.00"	.120" (11 GA)	72"	RT-2-11-72
OD - 2.25"			
2.25"	.120" (11 GA)	72"	RT-225-11-72
2.25"	.120" (11 GA)	108"	RT-225-11-108
OD - 2.38"			
2.38"	.083" (14 GA)	72"	RT-2375-14-72
2.38"	.083" (14 GA)	108"	RT-2375-14-108
OD - 2.50"			
2.50"	.065" (16 GA)	72"	RT-25-15-66
2.50"	.065" (16 GA)	108"	RT-25-16-108
2.50"	.083" (14 GA)	72"	RT-25-14-72
2.50"	.083" (14 GA)	108"	RT-25-14-108
OD - 2.75"			
2.75"	.083" (14 GA)	72"	RT-275-14-72
2.75"	.083" (14 GA)	108"	RT-275-14-108
2.75"	.095" (13 GA)	72"	RT-275-13-72
2.75"	.095" (13 GA)	108"	RT-275-13-108
2.75"	.134" (10 GA)	108"	RT-275-10-108

TUBING




Outside Diameter	Wall Thickness	Length	Part Number
OD - 3.00"			
3.00"	.065" (16 GA)	72"	RT-3-15-66
3.00"	.065" (16 GA)	108"	RT-3-16-108
3.00"	.083" (14 GA)	72"	RT-3-14-72
3.00"	.083" (14 GA)	108"	RT-3-14-108
3.00"	.095" (13 GA)	72"	RT-3-13-72
3.00"	.095" (13 GA)	108"	RT-3-13-108
3.00"	.120" (11 GA)	72"	RT-3-11-72
3.00"	.120" (11 GA)	108"	RT-3-11-108
3.00"	.187"	72"	RT-3-187-72
3.00"	.187"	108"	RT-3-187-108
OD - 3.25"			
3.25"	.095" (13 GA)	72"	RT-325-13-72
3.25"	.095" (13 GA)	108"	RT-325-13-108
3.25"	.120" (11 GA)	72"	RT-325-11-72
3.25"	.120" (11 GA)	108"	RT-325-11-108
3.25"	.187"	72"	RT-325-187-72
OD - 3.50"			
3.50"	.065" (16 GA)	72"	RT-35-15-66
3.50"	.065" (16 GA)	108"	RT-35-16-108
3.50"	.083" (14 GA)	72"	RT-35-14-72
3.50"	.083" (14 GA)	108"	RT-35-14-108
3.50"	.095" (13 GA)	72"	RT-35-13-72
3.50"	.095" (13 GA)	108"	RT-35-13-108
3.50"	.120" (11 GA)	72"	RT-35-11-72
3.50"	.120" (11 GA)	108"	RT-35-11-108
3.50"	.134" (10 GA)	72"	RT-35-10-72
3.50"	.134" (10 GA)	108"	RT-35-10-108
3.50"	.156"	72"	RT-35-156-72
3.50"	.156"	108"	RT-35-156-108

TUBING




Outside Diameter	Wall Thickness	Length	Part Number
OD - 4.00"			
4.00"	.083" (14 GA)	72"	RT-4-14-72
4.00"	.083" (14 GA)	108"	RT-4-14-108
4.00"	.109" (12 GA)	72"	RT-4-12-72
4.00"	.109" (12 GA)	108"	RT-4-12-108
4.00"	.134" (10 GA)	72"	RT-4-10-72
4.00"	.134" (10 GA)	108"	RT-4-10-108
4.00"	.187"	72"	RT-4-187-72
4.00"	.187"	108"	RT-4-187-108
4.00"	.095" (13 GA)	72"	RT-4-13-72
4.00"	.095" (13 GA)	108"	RT-4-13-108
OD - 4.095"			
4.095"	.180" (7 GA)	72"	RT-4095-7-72
4.095"	.180" (7 GA)	108"	RT-4095-7-108
OD - 4.50"			
4.50"	.095" (13 GA)	72"	RT-45-13-72
4.50"	.095" (13 GA)	108"	RT-45-13-108
4.50"	.134" (10 GA)	72"	RT-45-10-72
4.50"	.134" (10 GA)	108"	RT-45-10-108
4.50"	.187"	72"	RT-45-187-72
4.50"	.187"	108"	RT-45-187-108
4.50"	.259" (3 GA)	72"	RT-45-3-72
4.50"	.259" (3 GA)	108"	RT-45-3-108
4.50"	.375"	72"	RT-45-375-72
4.50"	.375"	108"	RT-45-375-108
OD - 4.59"			
4.59"	.180" (7 GA)	72"	RT-459-7-72
4.59"	.180" (7 GA)	108"	RT-459-7-108
OD - 4.72"			
4.72"	.197"	72"	RT-472-197-72
4.72"	.197"	108"	RT-472-197-108
OD - 4.96"			
4.96"	.118"	72"	RT-496-118-72

TUBING



Outside Diameter	Wall Thickness	Length	Part Number
OD - 5.059"			
5.059"	.167"	72"	RT-5059-167-72
5.059"	.167"	108"	RT-5059-167-108
OD - 5.118"			
5.118"	.197	72"	RT-5118-197-72
OD - 5.197"			
5.197"	.236"	72"	RT-5197-236-72
5.197"	.236"	108"	RT-5197-236-108

YOKE AND TUBE ASSEMBLIES — BEARING PLATES



Yoke Dimension Across Ears	Bearing Cap Dia.	Tubing O.D. and Wall	Tubing Base Part No.	Jig Pin to End	Center to End	Weld Yoke	Part Number
5.31"	1.88"	3.50" x .134" (10 GA)	RT-35-10	37.06"	38.00"	16N-28-627	983-14-2
5.31"	1.88"	3.50" x .134" (10 GA)	RT-35-10	65.06"	66.00"	16N-28-627	983-15-2

SECTION 7

INDEX


Bearing Stubs and Spline Plugs	Page
BEARING STUBS	
Non-Slip	7-1
Slip	7-2
SPLINE PLUGS	
Spline Plugs	7-3

MERITOR NUMBERING SYSTEM


Meritor components may be identified by one of the numbering systems shown below.

Aftermarket numbers are issued to make Meritor components easy to select when choosing a replacement component.



MERITOR ENGINEERING NUMBER



MERITOR AFTERMARKET NUMBER




BEARING STUBS — NON—SLIP




Bearing Shoulder Dia.	Shoulder Length	Shoulder Dia.	Deflector Dia.	Spline Length	Thread Size	Style	Effective Length	Use with Tubing O.D. and Wall	Insert Dia.	Part Number
1.50" - 10 SPLINE										
1.57"	.81"	1.94"	2.31"	1.88"	.75" - 16	1	4.03"	3.50" x .083" (14 GA)	3.35"	BSS24-52A
1.57"	.81"	1.94"	2.31"	1.88"	.75" - 16	1	4.03"	3.50" x .095" (13 GA)	3.32"	BSS24-53
1.57"	.81"	1.94"	2.31"	1.88"	.75" - 16	1	4.03"	3.50" x .095" (13 GA)	3.32"	BSS24-53A
1.57"	.88"	1.72"		1.81"	.75" - 16	2	3.88"	3.50" x .083" (14 GA)	3.34"	141N-53-1081
1.57"	.88"	1.94"	2.31"	1.88"	.75" - 16	1	4.03"	3.50" x .083" (14 GA)	3.35"	BSS24-52
1.77"	.81"	2.19"	2.56"	1.88"	.75" - 16	1	4.06"	3.50" x .095" (13 GA)	3.32"	BSS24-60A
1.75" - 10 SPLINE										
1.77"	.81"	2.19"		2.28"	1.25" - 18	1	4.34"	4.00" x .134" (10 GA)		16N-53-191
1.77"	.81"	2.19"	2.56"	2.06"	1.25" - 18	1	4.34"	3.50" x .134" (10 GA)	3.24"	16N-53-141
1.77"	.81"	2.19"	2.57"	2.28"	.88" - 14	2	4.53"	3.50" x .095" (13 GA)	3.32"	BSS28-92
1.95" - 10 SPLINE										
1.97"	.81"	2.43"	2.81"	2.88"	1.25" - 18	1	5.16"	3.50" x .156"	3.20"	17N-53-151
1.97"	.81"	2.44"	2.81"	2.88"	1.25" - 18	1	5.16"	4.00" x .134" (10 GA)	3.74"	17N-53-201
1.97"	.81"	2.44"	2.81"	2.88"	1.25" - 18	1	5.15"	4.00" x .134" (10 GA)	3.74"	BSS31-18
1.95" - 38 SPLINE										
1.97"	.81"	2.44"		2.84"	1.25" - 18	1	5.15"	4.00" x .134" (10 GA)		17N-53-411
1.96" - 10 SPLINE										
1.97"	.81"	2.44"		2.88"	1.25" - 18	1	5.16"	4.50" x .134" (10 GA)		17N-53-241
2.00" - 38 SPLINE										
1.97"	.81"	2.44"	2.81"	2.88"	1.25" - 18	1	5.16"	4.00" x .134" (10 GA)	3.74"	BSS32-34
2.25" - 10 SPLINE										
2.36"	1.97"	2.88"	2.90"	2.56"	1.25" - 18	1	5.28"	4.50" x .259" (3 GA)	4.00"	BSS36-10
2.34" - 16 SPLINE										
2.36"	.81"	2.87"	3.32"	2.63"	1.25" - 18	1	5.31"	4.09" x .180" (7 GA)	3.74"	17N-53-311
2.36"	.81"	2.87"	3.32"	2.63"	1.25" - 18	1	5.31"	4.50" x .259" (3 GA)	4.00"	18N-53-51
2.36"	.81"	2.87"	3.32"	2.63"	1.25" - 18	1	5.31"	4.50" x .134" (10 GA)	4.24"	18N-53-91
2.35" - 46 SPLINE										
2.36"	.81"	2.88"	3.32"	2.53"	1.25" - 18	1	5.31"	4.00" x .134" (10 GA) 4.06" x .165"	3.74"	176N-53-21
2.36"	.81"	2.88"	3.32"	2.53"	1.25" - 18	1	5.31"	4.09" x .180" (7 GA) 4.59" x .180" (7 GA)	4.24"	18N-53-171

BEARING STUBS — SLIP




Bearing Shoulder Dia.	Shoulder Length	Shoulder Dia.	Deflector Dia.	Spline Length	Style	Effective Length	Use with Tubing O.D. and Wall	Insert Dia.	Part Number
1.38" - 15 SPLINE									
1.38"	.81"	1.69"		2.50"	2	8.84"	3.00" x .083" (14 GA)	2.84"	131N-53-711
1.38"	.81"	1.69"		2.50"	2	8.84"	2.75" x .065" (16 GA)	2.63"	131N-53-711-1
1.38" - 15 (Based on 16 Spline) SPLINE									
1.38"	.81"	1.69"		2.50"	2	8.88"	3.00" x .065" (16 GA)		121N-53-691
1.38"	.81"	1.69"		5.41"	1	8.00"	2.50" x .083" (14 GA)		121N-53-471
1.38"	.81"	1.69"		5.41"	1	8.00"	3.00" x .083" (14 GA)		121N-53-501
1.38"	1.13"	1.72"		4.97"	1	8.09"	2.50" x .083" (14 GA)		135N-53-1351
1.38" - 16 SPLINE									
1.38"	.81"	1.69"		4.44"	1	7.03"	3.00" x .083" (14 GA)	2.84"	141N-53-1371
1.38"	1.13"	1.72"		4.97"	1	8.09"	3.00" x .083" (14 GA)	2.84"	141N-53-1361
1.38" - 31 SPLINE									
1.38"	1.13"	1.72"	1.75"	3.38"	2	8.81"	3.00" x .083" (14 GA)	2.84"	135N-53-1181
1.38"	1.13"	1.72"	1.75"	3.38"	2	8.81"	2.75" x .095" (13 GA)	2.59"	135N-53-1181-1
1.38"	1.13"	1.72"	1.75"	3.38"	2	8.81"	2.75" x .065" (16 GA)	2.63"	135N-53-1181-2
1.50" - 16 SPLINE									
1.58"	.88"	1.81"	2.16"	2.00"	2	7.06"	3.00" x .083" (14 GA)	2.84"	141N-53-1031
1.56" - 16 SPLINE									
1.58"	.81"	1.94"	2.31"	5.94"	2	8.53"	3.50" x .083" (14 GA)	3.35"	148N-53-451
1.75" - 16 SPLINE									
1.77"	.81"	2.19"	2.56"	2.94"	2	8.62"	3.50" x .095" (13 GA)	3.33"	155N-53-61

SPLINE PLUGS




Spline Length	Effective Length	Use with Tubing O.D. and Wall	Tubing Insert Diameter	End of Spline to Radius	Nylon Coated Spline	Part Number
1.25" - 16 SPLINE						
2.00"	6.00"	2.00" x .083" (14 GA)	1.84"	5.41"	Yes	121N-40-1741
2.00"	6.13"	1.25" x .120" (11 GA)	1.03"	5.38"	Yes	131N-40-1771
2.00"	6.13"	2.50" x .065" (16 GA)	2.37"	5.41"	Yes	121N-40-2211
2.50"	7.75"	2.50" x .065" (16 GA)	2.37"	7.03"	Yes	121N-40-2301
1.38" - 16 SPLINE						
2.25"	5.19"	2.00" x .083" (14 GA)	1.84"	4.63"	Yes	131N-40-1031
2.25"	6.19"	2.00" x .120" (11 GA)	1.76"	5.63"	Yes	131N-40-1701
2.25"	6.28"	2.50" x .065" (16 GA)	2.37"	5.56"	Yes	131N-40-1251
2.25"	6.34"	2.50" x .065" (16 GA)	2.37"	5.63"	Yes	131N-40-1811
2.25"	6.34"	2.50" x .083" (14 GA)	2.34"	5.63"	Yes	131N-40-1711
2.25"	6.44"	3.00" x .065" (16 GA)	2.87"	5.63"	Yes	131N-40-1221
2.25"	6.44"	3.00" x .083" (14 GA)	2.84"	5.63"	Yes	131N-40-1521
2.25"	6.56"	3.50" x .065" (16 GA)	3.37"	5.56"	Yes	131N-40-1231
2.25"	6.84"	2.50" x .065" (16 GA)	2.37"	6.13"	Yes	131N-40-1291
2.25"	7.53"	2.50" x .083" (14 GA)	2.34"	6.81"	Yes	131N-40-1851
2.25"	7.63"	3.00" x .065" (16 GA)	2.87"	6.81"	Yes	131N-40-2051
6.78"	8.64"	3.00" x .083" (14 GA)	2.84"	7.83"	Yes	131N-40-1871
6.97"	8.97"	3.50" x .083" (14 GA)	3.34"	7.97"	Yes	131N-40-2091
6.97"	8.97"	3.50" x .083" (14 GA)	3.34"	7.97"	Yes	131N-40-2091
1.50" - 16 SPLINE						
2.50"	5.63"	2.50" x .083" (14 GA)	2.34"	4.97"	Yes	135N-40-1471
2.50"	5.94"	3.00" x .083" (14 GA)	2.84"	5.13"	Yes	135N-40-1101
2.50"	7.25"	3.00" x .083" (14 GA)	2.84"	6.44"	Yes	135N-40-1611
2.50"	7.34"	3.50" x .083" (14 GA)	3.34"	6.41"	Yes	135N-40-1561
3.00"	6.56"	3.50" x .083" (14 GA)	3.34"	5.63"	Yes	135N-40-1531
3.00"	7.53"	3.50" x .083" (14 GA)	3.34"	6.59"	Yes	135N-40-1491
1.56" - 16 SPLINE						
3.00"	6.75"	3.50" x .083" (14 GA)	3.34"	5.81"	Yes	148N-40-1571
3.00"	8.75"	3.50" x .083" (14 GA)	3.34"	7.81"	Yes	148N-40-1391
1.75" - 10 SPLINE						
5.88"	8.00"	3.00" x .095" (13 GA)	2.81"	7.33"	No	62NPS28

SPLINE PLUGS



Spline Length	Effective Length	Use with Tubing O.D. and Wall	Tubing Insert Diameter	End of Spline to Radius	Nylon Coated Spline	Part Number
1.75" - 16 SPLINE						
3.00"	6.78"	3.50" x .095" (13 GA)	3.32"	5.81"	Yes	155N-40-761
3.00"	7.50"	3.50" x .095" (13 GA)	3.32"	6.50"	Yes	PS28-16-13
3.00"	8.72"	3.50" x .095" (13 GA)	3.32"	7.63"	No	50NPS28-45
3.00"	9.22"	3.50" x .095" (13 GA)	3.32"		Yes	PS28-16-8
3.00"	9.22"	3.50" x .095" (13 GA)	3.32"	8.25"	Yes	155N-40-721
3.00"	9.66"	3.50" x .095" (13 GA)	3.32"	8.63"	Yes	62NPS28-4
3.80"	10.70"	4.00" x .083" (14 GA)	3.85"		Yes	BPS28-16-1
2.00" - 16 SPLINE						
3.33"	10.26"	4.00" x .109" (12 GA)	3.79"		Yes	PS32-16-77
3.33"	9.69"	3.50" x .134" (10 GA)	3.24"	8.75"	Yes	PS32-16-28
3.34"	9.69"	3.50" x .134" (10 GA)	3.24"	8.75"	Yes	16N-40-1011
3.50"	10.19"	3.50" x .134" (10 GA)		9.28"	Yes	16N-40-1041
3.50"	7.56"	3.50" x .134" (10 GA)		6.66"	Yes	16N-40-1191
3.50"	9.84"	4.00" x .134" (10 GA)		8.78"	Yes	16N-40-1051
3.66"	10.50"	3.50" x .134" (10 GA)	3.24"	9.50"	No	PS32-16-30
4.70"	9.56"	4.00" x .109" (12 GA)	3.79"		Yes	PS32-16-76
2.50" - 10 SPLINE						
4.00"	10.34"	3.50" x .156"	3.20"	9.50"	No	17N-40-61
4.50"	10.00"	4.00" x .109" (12 GA)	3.79"	8.86"	No	82NPS40
2.50" - 16 SPLINE						
3.00"	9.25"	4.00" x .180" (7 GA)	3.63"	8.25"	Yes	PS40-16-34
3.69"	11.13"	4.00" x .134" (10 GA)	3.74"	10.00"	Yes	PS40-16-23
3.70"	10.67"	4.00" x .134" (10 GA)	3.74"		Yes	PS40-16-62
3.92"	10.56"	4.00" x .134" (10 GA)	3.74"	9.08"	Yes	PS40-16-56
3.92"	10.56"	4.00" x .134" (10 GA)	3.74"	9.56"	Yes	17N-40-521
3.92"	10.56"	4.00" x .134" (10 GA)	3.74"		Yes	PS40-16-15
3.92"	9.25"	4.00" x .134" (10 GA)	3.74"	8.25"	Yes	17N-40-541
4.00"	10.66"	4.50" x .134" (10 GA)		9.47"	Yes	17N-40-621
4.00"	9.50"	4.50" x .134" (10 GA)		8.31"	Yes	17N-40-631
4.70"	9.92"	4.00" x .134" (10 GA)	3.74"		Yes	PS40-16-61
3.00" - 10 SPLINE						
9.00"	11.19"	4.50" x .259" (3 GA)	4.00"	10.25"	No	PS48-10-1

SPLINE PLUGS



Spline Length	Effective Length	Use with Tubing O.D. and Wall	Tubing Insert Diameter	End of Spline to Radius	Nylon Coated Spline	Part Number
3.00" - 16 SPLINE						
4.28"	11.25"	4.50" x .134" (10 GA)	4.24"	10.03"	Yes	18N-40-191
4.28"	11.25"	4.50" x .259" (3 GA)	4.00"	10.03"	Yes	PS48-16-1
4.28"	11.53"	4.50" x .259" (3 GA)	4.00"	10.22"	Yes	PS48-16-16
4.28"	9.47"	4.50" x .134" (10 GA)	4.24"	8.41"	Yes	18N-40-201
4.28"	9.47"	4.50" x .259" (3 GA)	4.00"	8.41"	Yes	PS48-16-19
4.29"	11.25"	4.59" x .180" (7 GA)	4.24"		Yes	PS48-16-5
4.70"	10.13"	4.59" x .180" (7 GA)	4.24"		Yes	25RPL-SLIP³
4.70"	10.13"	4.59" x .180" (7 GA)	4.24"		Yes	PS48-16-38

³ Slip Yoke Assembly includes dust seal and shroud. Use RPL-Lube-50 grease supplied with slip yoke in installation. If using as a replacement for 25RLS40-1A2, then must replace with KIT25RPLSLIP which includes Slip Yoke and Spline Plug

This image shows a single sheet of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.

SECTION 8

INDEX


Shaft Yokes	Page
AXLE SHAFT YOKES	
Round Bearings	8-1
SHAFT YOKES	
Wing Bearings	8-3

MERITOR NUMBERING SYSTEM


Meritor components may be identified by one of the numbering systems shown below.

Aftermarket numbers are issued to make Meritor components easy to select when choosing a replacement component.


MERITOR ENGINEERING NUMBER



MERITOR AFTERMARKET NUMBER




AXLE SHAFT YOKES — ROUND BEARINGS



Spline Size	Center to End	Spline Length	Shaft Diameter	Yoke Dimension Across Ears	Bearing Cap Diameter	Bearing Seat Diameter	Part Number
750N SERIES		U-JOINT KIT: CP750N, CP750N-1, or CP750N-4					
1.66" - 39	13.28"	2.38"	1.64"	5.19"	1.63"	1.66"	750NYSM27-12
1.66" - 39	30.91"	2.38"	1.64"	5.19"	1.63"	1.66"	750NYSM27-13
1.75" - 34	12.73"	1.75"	1.63"	5.19"	1.63"	1.80"	750NYSM28-112
850N SERIES		U-JOINT KIT: CP850N-4					
1.75" - 16	18.00"	2.63"	1.50"	6.06"	1.94"	2.25"	850NYSM28-2
1.88" - 16	18.00"	2.38"	1.69"	6.06"	1.94"	2.25"	850NYSM30-20
1.88" - 20	32.72"	2.38"	1.75"	6.06"	1.94"	2.25"	850NYSM30-25
2.00" - 21	14.05"	3.00"	1.94"	6.06"	1.94"	2.25"	850NYSM32-18
950N SERIES		U-JOINT KIT: CP950N					
2.38" - 24	13.38"	3.31"	2.20"	7.89"	2.50"	2.45"	950NYSM38-1
2.38" - 24	31.63"	2.88"	2.20"	7.89"	2.50"	2.63"	950NYSM38-15
2.75" - 46	30.88"	3.03"	2.20"	7.89"	2.50"	2.63"	950NYSM38-20
2.75" - 46	32.97"	9.14"	2.20"	7.89"	2.50"	2.63"	950NYSM38-21


SHAFT YOKES — ROUND BEARINGS



NOTE: ALL SPLINES ARE NYLON COATED.


Spline Size	Center to End	Spline Length	End to Radius	Yoke Dimension Across Ears	Bearing Cap Diameter	Bottom of Crosshole to End	Joint Angle	Part Number
17N SERIES		U-JOINT KIT: M280X or CP280X						
2.50" - 16	8.16"	3.00"	5.22"	6.09"	1.94"	7.19"	31°	17N-82-1211
2.50" - 16	9.50"	3.50"	6.88"	6.09"	1.94"	8.53"		17NYSM40-122
2.50" - 16	10.03"	3.50"	6.69"	6.09"	1.94"	9.06"	31°	17N-82-1171-1
2.50" - 16	10.66"	3.50"	7.31"	6.09"	1.94"	9.69"	31°	17N-82-1171-12
2.50" - 16	11.16"	3.50"	7.81"	6.09"	1.94"	10.19"	31°	17N-82-1171-2
2.50" - 16	12.12"	2.73"	11.15"	6.09"	1.94"	11.15"	45°	17NYSM40-177
2.50" - 16	13.00"	3.50"	9.59"	6.09"	1.94"	12.03"	31°	17N-82-1171-5
2.50" - 16	13.16"	4.00"	9.47"	6.09"	1.94"	12.19"	31°	17N-82-1091-2
2.50" - 16	13.59"	3.23"	9.34"	6.09"	1.94"	12.62"	45°	17NYSM40-173
2.50" - 16	14.41"	3.73"	10.16"	6.09"	1.94"	13.44"	45°	17NYSM40-172
2.50" - 16	14.75"	4.00"	9.94"	6.09"	1.94"	13.78"	45°	17N-82-1061-8
2.50" - 16	15.03"	4.00"	10.22"	6.09"	1.94"	14.06"	45°	17N-82-1061-3
2.50" - 16	16.28"	3.73"	11.47"	6.09"	1.94"	15.31"	45°	17NYSM40-170
2.50" - 16	16.88"	4.00"	12.06"	6.09"	1.94"	15.91"	45°	17N-82-1061-4
2.50" - 16	17.50"	4.00"	12.69"	6.09"	1.94"	16.53"	45°	17N-82-1061-9
20R SERIES		U-JOINT KIT: CP20RPLS						
2.50" - 16	13.45"	3.70"	9.39"	7.00"	2.06"	12.42"	42°	20RYSM40-24
2.50" - 16	13.95"	3.70"	9.48"	7.00"	2.06"	12.92"	42°	20RYSM40-26
2.50" - 16	14.20"	3.70"	9.73"	7.00"	2.06"	13.17"	42°	20RYSM40-27
2.50" - 16	14.45"	3.70"	9.98"	7.00"	2.06"	13.42"	42°	20RYSM40-28
2.50" - 16	15.20"	3.70"	10.73"	7.00"	2.06"	14.17"	42°	20RYSM40-31
2.50" - 16	16.20"	3.70"	11.73"	7.00"	2.06"	15.17"	42°	20RYSM40-35

SHAFT YOKES — WING BEARINGS




Spline Size	Face to End	Pilot Diameter	Spline Length	Slot Width	Kit Mtg. Holes	Part Number
72N SERIES						
U-JOINT KIT: CP72N-DWT, CP72N-HB, CP72N-HWD or PERMALUBE						
2.00" - 10	9.13"	5.84"	2.75"	.63"	.47" - DR	72NYSM32-58
2.50" - 16	4.06"	5.84"	1.69"	.63"	.47" - DR	72NYSM40-12
2.50" - 16	6.69"	5.84"	2.75"	.63"	.50" - 20TH	72NYSM40-87

**Literature on Demand
available at meritor.com**



1. Visit the Customer Center at meritor.com

2. Search for a publication - parts book, sales flier or technical publication



3. Select format - electronic or print


For additional product, technical and training information, contact your nearest product sales team, whose contact information can be found in the online Customer Center.

SECTION 9

INDEX


Small Parts	Page
Balance Weights	9-12
Bearing Clamps	9-10
Capscrews	9-2
Deflectors	9-7
Dust Cap Groups	9-5
Dust Seals	9-6
Hardware for Bearing Stubs	9-ii
Lockplates	9-10
Lube Fittings	9-11
Nuts	9-3
Plugs for Slip Yokes	9-12
Snap Rings.....	9-11
Strap and Bolt Kits.....	9-9
Thrustplates	9-10
U-Bolt Kits	9-9
Washers	9-1
Wearsleeves.....	9-11
Yoke Nuts	9-3
Yoke Washers	9-4

HARDWARE FOR BEARING STUBS




Spline Size	Part Number	Thread Size	Related Washer	Related Nut	Related Capscrew
2.53" - 46	18N-53-171	1.25" - 18			
2.28" - 10	BSS28-92	.88" - 14			
2.88" - 10	BSS31-18	1.25" - 18	WAR21-1	1227-Z-936	
2.88" - 38	BSS32-34	1.25" - 18	WAR21-1	1227-Z-936	
2.56" - 10	BSS36-10	1.25" - 18	WAR21-1	1227-Z-936	
2.63" - 16	18N-53-51	1.25" - 18	WAR21-1	1227-Z-936	
2.63" - 16	18N-53-91	1.25" - 18	WAR21-1	1227-Z-936	
1.88" - 10	BSS24-52	.75" - 16	WAR13-5	NL-112-1	
1.88" - 10	BSS24-52A	.75" - 16	WAR13-5	NL-112-1	
1.88" - 10	BSS24-53	.75" - 16	WAR13-5	NL-112-1	
1.88" - 10	BSS24-53A	.75" - 16	WAR13-5	NL-112-1	
1.88" - 10	BSS24-60A	.75" - 16	WAR13-5	NL-112-1	
1.81" - 10	141N-53-1081	.75" - 16	WAR13-5		S-11212
2.06" - 10	16N-53-141	1.25" - 18	WAR21-1	1227-Z-936	
2.28" - 10	16N-53-191	1.25" - 18			
2.53" - 46	176N-53-21	1.25" - 18			
2.88" - 10	17N-53-151	1.25" - 18	WAR21-1	1227-Z-936	
2.88" - 10	17N-53-201	1.25" - 18	WAR21-1	1227-Z-936	
2.88" - 10	17N-53-241	1.25" - 18			
2.63" - 16	17N-53-311	1.25" - 18	WAR21-1	1227-Z-936	
2.84" - 38	17N-53-411	1.25" - 18			

WASHERS




Type	Outside Diameter	Inside Diameter	Thickness	Part Number
Lock Washer	.58"	.32"	.08"	WA-15Z
Lock Washer	.69"	.38"	.12"	WA-46
Lock Washer	.69"	.52"	.15"	WA-48
Lock Washer	.77"	.44"	.11"	WALM7-2
Lock Washer	.88"	.52"	.13"	WA-18
Flat Metal	1.75"	.78"	.19"	WAR13-5
Flat Metal	2.13"	1.27"	.12"	WAR20-1
Flat Metal	2.23"	.53"	.38"	WAR8-14

CAPSCREWS




Type	Thread Size	Length	Grade	Part Number
1	.31" - 18	1.75"	Grade 8	SP-1049
1	.38" - 16	1.75"	Grade 8	SP-1045
1	.38" - 24	.75"	Grade 8	SP-1013
1	.44" - 20	1.12"	Grade 8	SP-1010
1	.44" - 20	2.00"	Grade 8	SP-1012
1	.50" - 20	1.75"	Grade 8	CSC8-20-52
2	M12 x 1.75	30mm	Grade 10.9	MS-212030-2
2	M12 x 1.75	60mm	Grade 10.9	MS-212060-2
2	.31" - 24	.75"	Grade 8	CSH5-24-37
2	.31" - 24	.88"	Grade 8	CSH5-24-34
2	.31" - 24	1.00"	Grade 8	CSH5-24-27
2	.50" - 20	1.00"	Grade 8	SP-1014
3	.25" - 28	.63"	Grade 8	CSH4-28-13
3	.31" - 24	.75"	Grade 8	CSH5-24-28
4	.31" - 24	.63"	Grade 8	S-155B-2
4	.38" - 24	.63"	Grade 8	S-165B-2 1
4	.38" - 24	1.00"	Grade 8	S-168-2
4	.38" - 24	2.00"	Grade 8	S-1616-2
4	.44" - 20	1.13"	Grade 8	S-179-2
4	.44" - 20	2.00"	Grade 8	S-1716-2
4	.50" - 20	1.50"	Grade 8	S-1812-2
4	.50" - 20	2.25"	Grade 8	S-1818-2
4	.50" - 20	2.50"	Grade 8	S-1820-2
4	.50" - 20	2.75"	Grade 8	S-1822-2
4	.75" - 16	1.50"	Grade 5	S-11212

NUTS




TYPE 1




TYPE 2

Type	Width Across Flats	Thread Size	Thickness	Part Number
1	.75"	.50" - 20	.31"	NUEL8-20-8
2	.50"	.31" - 18	.30"	NL-25-1
2	.56"	.38" - 16	.33"	NL-26-1
2	.56"	.38" - 24	.34"	NUHX6-24-14
2	.69"	.44" - 20	.42"	R005961
2	.75"	.50" - 20	.31"	NUJA8-20-6
2	1.13"	.75" - 16	.63"	NL-112-1

YOKE NUTS



TYPE 1




TYPE 2

Type	Width Across Flats	Thread Size	Metric Thread	Thickness	Related Washer	Part Number
1	1.13"	0.88" - 20		.50"	1229-S-1397	1227-G-943
1	1.32"	1.00" - 20		.57"	1229-E-1331	1227-C-939
1	1.63"	1.25" - 12		.62"	1229-A-2653	1227-K-1051
1	1.63"	1.25" - 18		.62"	1229-A-2653	1227-Z-936
1	1.88"	1.50" - 12		.75"	1229-T-1736	1227-J-946
1	1.88"	1.50" - 18		.75"	1229-E-1071	1227-A-937
1	2.25"	1.75" - 12		.69"	1229-S-1605	1227-D-940
2	1.88"	1.25" - 12		.75"	1229-A-2653	1227-Q-901
2	2.25"	1.50" - 12		.88"	1229-T-1736	1227-R-902
2	2.58"	1.75" - 12		.99"	1229-N-1730	1227-N-898
2	45.69mm		32mm x 1.5-6H Thd.	18mm	1229-A-2653	40-X-1236 ²
2	54.63mm		39mm x 1.5-6H Thd.	21mm	1229-T-1736	40-X-1237
1	56.20mm		45mm x 1.5-6H Thd.	24mm	1229-W-4521	40-X-1233



2 Order KIT 2636 to purchase nut and washer.

YOKE WASHERS




Outside Diameter	Inside Diameter	Thickness	Part Number
1.62"	.91"	.13"	1229-S-1397
1.62"	.91"	.19"	1229-N-1548
1.81"	1.03"	.25"	1229-E-1331
2.19"	1.28"	.22"	1229-A-2653
2.38"	1.53"	.13"	1229-T-1736
2.38"	1.53"	.25"	1229-F-2918
3.00"	1.78"	.10"	1229-G-1281
3.00"	1.78"	.19"	1229-N-1730
3.25"	1.75"	.31"	1229-W-4521 ⁶
3.25"	1.81"	.40"	1229-S-1605
3.25"	2.03"	.28"	1229-E-1071

DUST CAP GROUPS



Series	Style	Seal Size - No. of Teeth	Dust Cap	Felt Washer	Nylon Washer	Metal Washer	Cork Seal	Part Number
131N	SPL	1.25" - 16	Yes	No	Yes	No	No	ND2K
133N, 135N, 141N	SPL	1.50" - 16	Yes	No	No	Yes	Yes	ND3K
135N, 141N	SPL	1.38" - 16	Yes	No	No	No	Yes	ND3E
148N	RD	1.50"	Yes	No	No	Yes	Yes	DC148N-1
155N	SPL	1.75" - 32	Yes	Yes	No	No	No	DC155N
17N	RD	2.50"	Yes	No	No	Yes	Yes	DC17N-3
17N	RD	2.50"	Yes	No	No	Yes	Yes	DC17N
58WB	SPL	1.75" - 16	Yes	Yes	No	Yes	No	DC5N-16
62N	RD	1.75"	Yes	Yes	No	Yes	No	DC62N-1
72N	RD	2.00"	Yes	Yes	No	Yes	No	DC72N-1
72N	SPL	2.00" - 10	Yes	Yes	Yes	No	No	DC72N
82N	SPL	2.50" - 10	Yes	Yes	No	Yes	No	DC82N-1
82N	SPL	2.50" - 16	Yes	Yes	No	Yes	No	DC82N-4

DUST SEALS




Style	Series	Thread Size	Outside Diameter	Diameter of Hole	Spline Size	Part Number
1	L6N		1.75"	0.79"		SERUR14-16
1	121N		2.00"	1.00"		R280196
1	133N, 13N, 3R, 7260		2.13"	1.16"		R280194
1	155N		2.29"	1.33"		SERUR21-3
1	16N		2.61"	1.56"		SERUR25-4
2	131N		2.00"	1.09"		ND2C
2	131N, 135N, 141N, 3R		2.13"	1.18"		ND3A
2	148N		2.31"	1.25"		ND3H
2	58WB, 62N	2.12" - 20	2.43"	1.32"		SERUR22-4
2	148N, 155N, 58WB, 72N	2.50" - 20	2.62"	1.52"		SERUR25-1
2	155N, 16N, 62N	3.00" - 24	2.62"	1.52"		SERUR25-2
2	176N, 17N, 72N, 82N	3.00" - 24	3.25"	1.98"		SERUR33-4
2	17N, 18N	3.62" - 16	4.00"	2.44"		SERUR40-8
2	85WB, 92N	3.75" - 20	4.00"	2.44"		SERUR40-3
4	L6N		1.75"		1.25" - 32	SERUS20
4	135N, 141N		2.13"		1.38" - 16	R280195
4	155N		2.30"		1.73" - 16	SERUS28-4
5	20RPL		3.29"	1.97"		SERUR32-7 ⁹
5	17N, 176N		3.36"	1.98"		SERUR32-9 ⁸
5	25RPL		3.77"	2.41"		SERUR40-21 ¹⁰
5	18N		3.86"	2.43"		SERUR39-2 ⁸
6	176N, 17N		3.11"	1.98"		KIT 6167
6	18N		3.61"	2.43"		KIT 6168

8 MXL Design. Available Fall 2009

9 Use KIT 20RPL SEAL for replacement on 20RPL. Kit contains DEFR53-4 and SERUR32-7. Replace both at same time.

10 Use KIT RPL SEAL for replacement on 25RPL. Kit contains DEFR61-1 and SERUR40-21. Replace both at same time.


DEFLECTORS



Outside Diameter	Inside Diameter	Depth	Type	Part Number
3264-P-172				
2.25"	1.75"	0.75"	1	DEFR22-4
2.43"	1.38"	0.62"	1	DEFR22-5
2.43"	1.56"	0.64"	1	DEFR25-4
2.50"	1.75"	0.50"	3	RBR28-1
2.62"	1.56"	0.59"	1	DEFR25-1
2.87"	1.56"	0.93"	1	DEFR25-2
2.87"	1.77"	0.59"	1	DEFR28-3
3.30"	2.56"	0.91"	3	DEFR53-4 ⁹
3.45"	2.76"	0.83"	2	DEFR44-10
3.56"	2.37"	1.25"	3	DEFR38-5
3.78"	3.50"	0.65"	4	DEFR48-10
3.80"	3.06"	0.91"	3	DEFR61-1 ¹⁰
3.94"	2.18"	0.57"	3	DEFR35-3
3.94"	3.02"	0.39"	4	DEFR48-6
4.00"	1.75"	0.83"	2	DEFR28-4
4.00"	2.06"	0.56"	2	DEFR33-1
4.00"	2.16"	0.56"	2	DEFR34-1
4.00"	2.68"	0.58"	3	DEFR43-1
4.17"	3.43"	1.24"	2	DEFR55-3
4.32"	2.64"	0.63"	2	DEFR42-1
4.33"	2.94"	0.31"	2	DEFR47-5
4.37"	2.76"	0.99"	2	DEFR44-11
4.38"	2.31"	0.56"	2	DEFR37-1
4.38"	2.53"	0.87"	2	DEFR40-5
4.38"	3.06"	0.81"	1	DEFR49-1
4.44"	2.99"	1.125"	2	DEFR48-2
4.50"	2.37"	1.25"	3	DEFR38-3
4.56"	2.56"	0.56"	2	DEFR41-1
4.57"	2.99"	1.18"	2	DEFR48-8
4.59"	3.85"	0.40"	4	DEFR62-1
4.63"	2.38"	0.88"	2	DEFR38-1
4.75"	2.94"	0.31"	7	DEFR47-6


9 Use KIT 20RPL SEAL for replacement on 20RPL. Kit contains DEFR53-4 and SERUR32-7. Replace both at same time.
 10 Use KIT RPL SEAL for replacement on 25RPL. Kit contains DEFR61-1 and SERUR40-21. Replace both at same time.

DEFLECTORS




Outside Diameter	Inside Diameter	Depth	Type	Part Number
4.80"	2.97"	0.56"	3	DEFR47-12
4.81"	2.51"	1.00"	2	DEFR40-4
4.81"	2.81"	0.56"	2	DEFR35-1
4.88"	3.13"	0.94"	2	DEFR50-4
4.88"	3.51"	0.72"	6	DEFR56-2
4.88"	3.66"	1.03"	2	DEFR59-2
5.00"	2.99"	0.69"	2	DEFR48-5
5.13"	2.95"	0.69"	2	DEFR47-4
5.13"	3.43"	1.13"	6	DEFR55-2
5.14"	3.74"	0.67"	5	DEFR60-3
5.14"	4.09"	0.67"	5	DEFR66-1
5.46"	2.70"	0.28"	2	DEFR43-3
5.50"	2.76"	0.84"	2	DEFR44-1
5.50"	4.06"	0.81"	6	DEFR65-1
5.56"	3.31"	0.58"	2	DEFR55-1
5.72"	2.95"	0.88"	2	DEFR47-2
5.75"	3.38"	0.94"	2	DEFR54-1
5.80"	3.38"	0.40"	2	DEFR54-12
6.00"	2.95"	0.94"	2	DEFR47-7
6.00"	3.13"	0.81"	2	DEFR50-7
6.00"	3.66"	0.90"	2	DEFR59-1
6.25"	3.74"	1.12"	3	DEFR60-1
6.75"	2.95"	1.00"	2	DEFR47-13
7.00"	3.13"	0.81"	2	DEFR50-2
7.00"	3.49"	0.88"	2	DEFR56-7
7.37"	3.38"	1.50"	2	DEFR54-5

STRAP AND BOLT KITS




Retainer Strap (2 per kit)	Capscrew (4 per kit)	Lock Nut (4 per kit)	Lock Washer (4 per kit)	Series	Part Number
REBC16S	SP-1013			16N	KT16SB
REBC141-1	SP-1049	NL-25-1		131N, 141N	KT121
REBC141-1	CSC5-24-37			131N, 141N	KT122
REBC148-2	SP-1045	NL-26-1		148N, 155N	KT123
REBC148-2	SP-1013			148N, 155N	KT124
REBC141	CSH5-24-27		WA-15Z	131N, 141N	KT125
REBC148	CSH5-24-27		WA-15Z	148N, 155N	KT126⁵
REBC17S	SP-1014			176N, 17N, 18N	KT17SB

U—BOLT KITS




U-Bolts (in kit)	Nuts (in kit)	Lockwashers (in kit)	CL to CL Length	Thread Size	Series	Part Number
2	4	4	1.41"	.31" - 24	131N, 133N	KT116
2	4	4	1.63"	.38" - 24	141N	KT117
2	4	4	1.88"	.44" - 20	148N, 155N	KT118

BEARING CLAMPS




CL to CL of Bolt Holes	Hole Diameter	Series	Use Capscrew	Part Number
1.63"	0.33"	131N		REBC131
1.80"	0.33"	131N, 141N-T	CSC5-24-27	REBC141-1
1.88"	0.35"	131N, 141N	CSH5-24-27	REBC141
1.94"	0.33"	148N, 155N	CSH5-24-27	REBC148
2.12"	0.40"	148N, 155N, 155N-D	SP-1013, SP-1045	REBC148-2
2.50"	0.42"	16N	CSC6-24-56	REBC16S
2.80"	0.55"	176N, 17N, 18N	SP-1014	REBC17S

LOCKPLATES




CL to CL of Bolt Holes	Hole Diameter	Series	Use Capscrew	Part Number
2.31"	.34"	16N	S-155-2	LPHC37-1
2.44"	.39"	176N, 17N, 18N	S-165-2	LPHC39-3

THRUSTPLATES




CL to CL of Bolt Holes	Hole Diameter	Series	Use Capscrew	Part Number
1.75"	0.27"	148N, 155N	CSH4-28-13	RECP148
1.81"	0.33"	155N	CSH5-24-28	RECP155

WEARSLEEVES



Outside Diameter	Thickness	Series	Part Number
2.50"	1.00"	16N, 18N, 72N	1199-A-3329
3.00"	0.63"	82N, 92N	WIR46-2


SNAP RINGS



External/Outside


Snap Ring Type	Outside Diameter	Thickness	Series	Part Number
External / Outside	.766"	.078"	L15N	RRER16-2
Internal / Inside	1.52"	.059"	148N, 155N	RRIR24-2
Internal / Inside	2.28"	.078"	20RPL, 25RPL	RRIR36-4

LUBE FITTINGS




Overall Length	Angle	Thread Size	Thread Type	Part Number
.89"	45°	.13" - 27	P.T.F.	1199-H-1620
.78"	65°	.25" - 28	TAPER	2206-C-1121
.84"	65°	.13" - 27	P.T.F.	1199-X-1870
.75"	90°	.25" - 28	TAPER	1199-L-2118
.84"	90°	.13" - 27	P.T.F.	1898-R-720
.47"	Straight	.25" - 28	U.N.F.	1199-T-2854
.47"	Straight	.13" - 27	P.T.F.	1898-Q-771
.55"	Straight	.25" - 28	TAPER	1199-B-2576
.69"	Straight	.25" - 28	TAPER	1199-A-963
.72"	Straight	.13" - 27	P.T.F.	1199-N-1860

BALANCE WEIGHTS



Weight	Style	Part Number
.25 oz.	Rectangular	BLWP33-2
.27 oz.	Round	BLWR18-1
.33 oz.	Round	BLWR18-2
.33 oz.	Rectangular	BLWP33-1
.42 oz.	Round	BLWR18-3
.50 oz.	Round	BLWR18-4
.50 oz.	Rectangular	BLWP32-3
.56 oz.	Rectangular	BLWP32-2
.68 oz.	Round	BLWR18-6
.70 oz.	Rectangular	BLWP32
1 oz.	Rectangular	BLWP11-2
2 oz.	Rectangular	BLWP22-1

PLUGS FOR SLIP YOKES



Type	Outside Diameter	Height	Series	Part Number
Expansion	1.750"		58WB, 62N	PLEX28-1 ⁵
Expansion	1.975"		148N, 155N	PLEX31-14
Expansion	2.031"		16N	PLEX33-1 ⁵
Expansion	2.625"		16N, 17N, 750N	PLEX42-2
Welch	1.850"	0.50"	141N, 148N	PLWE30-1 ⁶
Welch	2.100"	0.69"	155N	PLWE33-2 ⁶
Welch	2.210"	0.83"	16N, 62N, 72N	PLWE36-2
Welch	2.210"	0.84"	58WB, 62N, 72N, 82N	PLWE36-6 ⁵
Welch	2.215"	0.62"	16N, 62N, 72N	PLWE36-1
Welch	2.215"	0.62"	17N, 58WB, 62N, 72N	PLWE36-7 ⁵
Welch	2.465"	0.83"	16N	PLWE40-5
Welch	2.683"	0.75"	176N, 72N, 82N, 85WB	PLWE43-1
Welch	2.683"	1.00"	72N, 82N	PLWE43-2
Welch	2.938"	0.62"	176N, 17N	PLWE43-12
Welch	3.330"	0.69"	92N	PLWE53-15 ⁷
Welch	3.330"	0.69"	85WB, 92N	PLWE53-4

⁵ Plug does not have a hole in the center.

⁶ Welch plug has a .19 in. lip.

⁷ Welch plug has a threaded hole (.13 in. NPT) in the center for a relief valve.

SECTION 10

INDEX

U-Joint Kits	Page
2 Wing Type and 2 Round Bearings.....	10-12
Bearing Plate	10-14
Dual-Plane Retainer	10-15
Inside and Outside Snap Ring Combinations	10-8
Inside Snap Rings.....	10-5
Meritor Easy Service.....	10-15
Outside Snap Rings	10-6
RPL Series.....	10-16
Wing Type and Cover Plate Hybrid.....	10-13
Wing Type Combinations.....	10-9
Kits for Easy Service Yokes	10-ii
Application Guide.....	10-1
How to Select U-Joint Kits	10-2
How to Measure U-Joint Kits.....	10-3
Lubrication of U-Joints	10-4
U-Joint Sizes/Ratings/Speeds/Tube Sizes.....	10-17
Attaching Hardware Torque Specs	10-18

KITS FOR EASY SERVICE YOKES



U-JOINT KITS:

- M674X (Includes Strap)
- M675X (Includes Strap)
- M676X (Includes Strap)
- M677X (Includes Strap)



U-JOINT KITS:

- CP141N
- CP148N
- CP155N



STRAP AND BOLT KITS:

- KT16SB
- KT17SB
- KT122
- KT124
- KT125 (Includes 4 Lock Washers)
- KT126 (Includes 4 Lock Washers)



STRAP AND BOLT KITS:

- KT121
- KT122



U-BOLT KITS:

- KT117
- KT118

APPLICATION GUIDE — MERITOR SERIES

AUTOMOTIVE APPLICATIONS			
SERIES	MACHINE or VEHICLE	APPLICATION	YIELD TORQUE (Ft.Lb.)
L6	Medium and Heavy Truck	Steering	667
141N	Truck	Main & Inter-Axle Drive	3,750
62N	Truck	Main & Inter-Axle Drive	5,000
148N	Truck	Main & Inter-Axle Drive	5,000
155N	Truck	Main & Inter-Axle Drive	6,250
58WB	Truck	Main & Inter-Axle Drive	7,025
72N	Truck	Main & Inter-Axle Drive	7,080
16N	Truck	Main & Inter-Axle Drive	7,100
82N	Truck	Main & Inter-Axle Drive	11,083
17N	Truck	Main & Inter-Axle Drive	9,600
176N	Truck	Main & Inter-Axle Drive	16,000
750N	Military Truck	Wheel/Axle	5,760
850N	Truck	Wheel/Axle	16,700
18N	Truck	Main & Inter-Axle Drive	21,000
85WB	Truck	Main & Inter-Axle Drive	7,025
92N	Truck	Main & Inter-Axle Drive	23,000
950N	Truck	Wheel/Axle	39,000

INDUSTRIAL APPLICATIONS			
SERIES	MACHINE OR VEHICLE	APPLICATION	YIELD TORQUE (Ft.Lb.)
72N	Mill	Roll Drive	7,080
17N	Mill	Roll Drive	9,600
85WB	Mill	Roll Drive	12,500
92N	Mill	Roll Drive	23,000

CONSTRUCTION APPLICATIONS			
SERIES	MACHINE OR VEHICLE	APPLICATION	YIELD TORQUE (Ft.Lb.)
L6	Grader	Steering	667
62N	Skidder, Loader	Main & Inter-Axle Drive	5,000
	Truck, Crane	Main & Inter-Axle Drive	
	Lift Truck	Main & Inter-Axle Drive	
72N	Grader	Main	7,080
	Truck Crane	Main	
	Crawler Loader	Main	
	Lift Truck	Main	
	Compactor	Main	
17N	Rough Terrain Crane	Main & Inter-Axle Drive	9,600
	Loader	Main & Inter-Axle Drive	
85WB	Scraper	Main	12,500
	Loader	Main	
850N	Truck Crane	Main	16,700
	Loader	Wheel/Axle	
92N	Crawler Truck	Main	23,000
950N	Loader	Wheel/Axle	39,000

WHEEL AXLE APPLICATIONS ON - OFF HIGHWAY			
SERIES	MACHINE OR VEHICLE	APPLICATION	YIELD TORQUE (Ft.Lb.)
58WB	Truck	Miscellaneous	7,025
92N	Mill	Miscellaneous	23,000
	Truck	Miscellaneous	
750N	Crawler Truck	Miscellaneous	5,760
	Military Truck	Miscellaneous	
850N	Truck Loader	Miscellaneous	16,700
950N	Truck Loader	Miscellaneous	39,000


HOW TO SELECT U—JOINT KITS

Meritor offers U-joints in a full range of sizes for automotive as well as On and Off-highway truck and equipment applications

All sizes and types of Meritor U-joint kits are basically the same. They consist of the following:

- A cross
- Four (4) bearing races
- Seals
- Needle bearings
- Hardware to retain the bearings in the yoke
- Lube fitting (for most kits)

METHODS OF RETAINING U-JOINT KITS



Meritor U-joint Kits are catalogued by methods of retention within their basic style groups shown on the following pages. Each U-joint kit section uses specific illustrations showing primary dimensions for determining the part number.

The following table shows the basic kits styles used on passenger cars and light duty trucks regardless of vehicle model:


VEHICLE MANUFACTURER	MERITOR	CLEVELAND	DETROIT	SAGINAW/MECH.
AMC/JEEP	OSR	-	ISR	-
CHRYSLER	OSR	-	ISR	-
FORD	OSR	ISR	-	-
GMC	OSR	-	-	INJECTED NLYON/ISR
IHC	OSR	ISR	-	-

For medium and heavy-duty trucks, buses and off-highway equipment, use this catalog to identify the style of U-joint kit that needs replacing and match the dimensions from these pages with the dimensions of the worn kit.

MEASURING U—JOINT KITS


MEASURING U-JOINT KITS REMOVED FROM VEHICLE

1. Remove the bearing caps.
2. Remove excess grease from the bottom of the bearing caps and trunnions.
3. Remove the seals from the bearing caps or trunnion to ensure accurate measurements when parts are compressed.
4. Measure as shown, using tolerance of $+.005"/-0.005"$ for dimensions "F" and "E", and a tolerance of $+.003"/-0.003"$ for all others.





OUTSIDE SNAP RING STYLE

- A) Measure dimension "F" (Figure 1) and write it down.
- B) Measure dimension "D" (Figure 1) and write it down.
- C) Is there a lube fitting? Is it in the cross or the cap?
- D) If more information is needed, measure dimensions "A" and "B" (Figure 2). These dimensions may vary between manufacturers.
- E) Refer to the pages showing Outside Snap Ring Kits.



INSIDE SNAP RING STYLE

- A) Measure dimension "E" (Figure 3) and write it down. Be sure to include the thickness of the snap rings. The following method should be helpful.
 - 1) Measure from the inner edge of the snap ring groove to the inner edge of the other as shown by dimension "X". (Figure 4)
 - 2) Measure the thickness of one snap ring (Dim "Y"). Dimension "E" then equals $X + 2(Y)$. (Figure 4)
- B) Measure dimension "D" (Figure 3) and write it down.
- C) Is there a lube fitting? Is it in the cross or the cap?
- D) If more information is needed, measure dimensions "A" and "B" (Figure 2). These dimensions vary between manufacturers.
- E) Refer to the pages showing Inside Snap Ring Kits.



LUBRICATION OF U—JOINTS

The function of the lubricant in a U-joint is to protect the surface of the rollers and races from rust or corrosion and to reduce the friction between the rollers and races.

THE FOLLOWING GREASES ARE RECOMMENDED

An NLGI No. 2 grease consisting of a mineral oil and Lithium soap or equivalent base with EP additives to give long life characteristics.

Greases approved by Meritor include:

- PN-C1AZ 19590 or a grease meeting Ford Motor Company Specification M1C-75B
- Kendall L-424 Grease
- Amoco Super Chassis
- Amalie All-Purpose Grease with Moly, Li-2M
- Exxon 5160
- Shell Super Duty Special FF
- Maralube Moly Code 529
- Philube MWEP2 Grease

The center crosses of the U-joints hold a generous supply of lubricant. This stored lubricant is supplied to the bearing by the centrifugal action of the rotating cross.


LUBRICANT REQUIREMENTS FOR U-JOINTS WILL VARY WITH THE APPLICATION.

Light duty, low angle service may permit “greased for life” initial lubrication only.

Conditions of high angle, high speed or extremely dirty or moist conditions may require daily greasing.

The lubrication of the slip assembly can be done with the same type lubricant and at the same time as the U-joint. For slip assemblies, an EP chassis grease with a molybdenum disulfide (MoS₂) additive has shown good results in some applications.

U—JOINT KITS — INSIDE SNAP RINGS



Cross Length	Cross Trunnion Dia.	Bearing Diameter	Snap Ring Dimension	Lube Fitting	Series	Part Number
		1.375"	2.920"	N	AAM 1485WJ	CP3485
1.736"		0.985"		Y		GCP1501X
1.948"	0.545"	0.971"	1.493"	Y	L6	CPL6R-50 ¹
1.948"	0.545"	0.971"	1.493"	Y	L6	CPL6R-51 ²
1.948"	0.545"	0.971"	1.493"	Y	L6	CPL6R-53 ³
2.047"		1.143"		Y		GCP1510X
2.080"	0.505"	0.938"	1.500"	Y	1000, 10N	CP170X
2.080"	0.505"	0.938"	1.500"	Y	1000, 10N	GCP170X
2.205"		1.103"		Y		GCP1505X
2.244"	0.622"	1.064"	1.658"	Y	L12	GCP242X
2.249"	0.578"	1.000"	1.711"	Y	1110	CP105X
2.751"	0.710"	1.231"	2.000"	Y	5160	CP51625-2
2.874"	.578"	1.00"	2.336"	Y	2R	GCP2011X
2.874"	0.578"	1.00"	2.336"	Y	2R	CP2011X
2.875"	.657"	1.078"	2.125"	Y	3R, 7260	GCP1306X
2.875"	0.620"	1.078"	2.160"	Y	L15	CPL15N 7
2.875"	0.641"	1.078"	2.121"	Y	7260	CP72625-4 ⁴
2.875"	0.657"	1.078"	2.125"	Y	7260	CP1306-1X ²
2.875"	0.657"	1.078"	2.125"	Y	3R, 7260	CP1306X
2.875"	0.657"	1.078"	2.125"	Y	7260	GCP1306-1X
2.969"	.657"	1.063"	2.188"	Y	131N	GCP260X
2.969"	.745"	1.188"	2.188"	N	131N	GCP297X
2.969", 3.372"	0.655", 0.661"	1.078", 1.125"	2.125", 2.625"	YY	72607290	CP527X
2.969"	0.657"	1.063"	2.188"	Y	131N	CP260X
2.969", 3.372"	0.657", 0.657"	1.063", 1.125"	2.390", 2.562"	YY	131N3R	CP3022X ⁵
2.969", 3.372"	0.657", 0.657"	1.063", 1.125"	2.390", 2.562"	YY	131N3R	GCP3022X
2.969"	0.745"	1.188"	2.188"	Y	131N	CP297-1X ²
2.969"	0.745"	1.188"	2.188"	N	131N	CP297X
3.000"	0.700"	1.078"	2.160"	Y	L15	CPL15N-1S ⁶
3.311"	0.657"	1.125"	2.580"	Y	3R, 3RL	CP3147X
3.311"	0.657"	1.125"	2.580"	Y	3R, 3RL	GCP3147X
3.372"	0.657"	1.126"	2.636"	Y	7290	GCP1309X
3.372"	0.773"	1.188"	2.563"	Y	R55	CP1205X
3.750"	0.773"	1.231"	3.000"	Y	5360	CP1301X
3.875"	0.894"	1.375"	3.000"	Y	148N	CP332X
3.935"	0.772"	1.188"	3.125"	Y	1410, 141N, 55	GCP1206X
3.999"	0.663"	1.253"	3.243"	Y	4R	CP4015

1 90 degree lube fitting.

2 Lube fitting in bearing.

3 Straight lube fitting.


4 Includes two bearing straps and attaching hardware.

5 Special for 1957-58 Oldsmobile.

6 Marine high performance. Use with L15N170-4 (after 4/86) or L15N170-6.

7 Marine applications. Standard kit works with all applications.


U—JOINT KITS — OUTSIDE SNAP RINGS



Cross Length	Cross Trunnion Diameter	Bearing Diameter	Yoke Dimension	Snap Ring Dimension	Lube Fitting	Series	Part Number
		1.188"		4.178"	N	AAM 1415	CP3415
		1.375"		4.960"	N	1555	CP4555
		1.375"		4.178"	N	AAM 1485	CP3486
2.188"	0.516"	0.876"	2.69"	2.433"	Y	L10N	CPL10N-2 ²
2.188"	0.615"	1.063"	2.69"	2.438"	Y	121N	GCP443X ²
2.188"	0.615"	1.063"	2.69"	2.438"	Y	121N	CP443X ²
2.249"	.578"	.938"	2.66"	2.407"	N	1100	GCP101X
2.249"	.578"	.938"	2.66"	2.407"	Y	1100	GCP111X
2.249"	0.578"	0.938"	2.66"	2.407"	N	1100	CP101X
2.249"	0.578"	0.938"	2.66"	2.407"	Y	1100	CP111X
2.628"		1.126"			Y		GCP129X
2.969"	0.615"	1.063"	3.47"	3.218"	Y	131N	CP200X
2.969"	0.657"	1.063"	3.47"	3.218"	Y	1330	CP153X
2.969"	0.657"	1.063"	3.47"	3.218"	Y	131N	GCP153X
2.969", 3.373"	0.657", 0.657"	1.063", 1.063"	3.47", 3.88"	3.218", 3.622"	YY	131N133N	CP134X
2.969", 3.373"	0.657", 0.657"	1.063", 1.063"	3.47", 3.88"	3.218", 3.622"	YY	131N133N	GCP134X
2.969", 3.373"	0.657", 0.773"	1.063", 1.188"	3.47", 3.88"	3.218", 3.622"	YY	131N135N	CP460X
3.209"		1.252"			Y		GCP243X
3.371"	0.657"	1.063"	3.468"	3.622"	Y	133N, P55	GCP213X
3.371"	0.657"	1.063"	3.468"	3.622"	Y	1330	CP213X
3.373"	0.773"	1.188"	3.86"	3.622"	Y	135N	CP178X
3.373"	0.773"	1.188"	3.86"	3.622"	Y	135N	GCP178X
3.875"	0.895"	1.375"	4.44"	4.187"	Y	1480, 148N	GCP188X
3.875"	0.895"	1.375"	4.44"	4.187"	Y	148N	CP188X
3.935"	0.868"	1.375"	4.44"	4.178"	Y	148N	CP148N
3.936"	0.774"	1.188"	4.44"	4.172"	Y	141N	CP160X
3.936"	0.774"	1.188"	4.44"	4.172"	Y	141N	GCP160X
4.529"					Y		GCP5122X
4.566"	1.035"	1.625"	5.38"	4.957"	Y	SPL90/100	US90X
4.658"	0.895"	1.375"	4.97"	4.967"	Y	155N	CP155X
4.658"	0.895"	1.375"	4.97"	4.967"	Y	155N	GCP155X
4.716"	0.868"	1.375"	5.25"	4.968"	Y	155N	CP155N

² Lube fitting in bearing.


U—JOINT KITS — OUTSIDE SNAP RINGS



Cross Length	Cross Trunnion Diameter	Bearing Diameter	Yoke Dimension	Snap Ring Dimension	Lube Fitting	Series	Part Number
4.747"	1.161"	1.626"	5.19"	5.064"	N	750N	CP750N
4.747"	1.161"	1.626"	5.19"	5.064"	Y	750N	CP750N-8 ¹¹
4.747"	1.161"	1.626"	5.19"	5.064"	Y	750N	CP750N-1 ¹
4.747"	1.161"	1.626"	5.19"	5.064"	Y	750N	CP750N-4 ¹⁰
4.747"	1.161"	1.626"	5.19"	5.064"	Y	750N	CP750N-7 ²
5.195"	1.040"	1.624"	5.97"	5.578"	Y	1650	CP165X
5.195"	1.040"	1.625"	5.97"	5.578"	Y	1650	GCP165X
5.623"	1.348"	1.938"	6.06"	5.934"	Y	850N	CP850N-9 ¹¹
5.623"	1.348"	1.938"	6.06"	5.934"	Y	850N	CP850N-4
7.350"	1.700"	2.501"	7.89"	7.722"	Y	950N	CP950N
7.350"	1.700"	2.501"	7.89"	7.722"	Y	950N	CP950N-3 ²
8.094"		2.186"			Y		GCP308X
8.094", 8.250"		2.186"			Y		GCP326X

1 90 degree lube fitting.
2 Lube fitting in bearing.
10 45 degree lube fitting.
11 Permalube joint.

U—JOINT KITS — INSIDE AND OUTSIDE SNAP RING COMBINATIONS



Cross Length	Cross Trunnion Dia.	ISR Brg. Dia.	OSR Brg. Dia.	ISR Dim.	OSR Dim.	Series	ISR Qty.	OSR Qty.	Part Number
2.205"	0.548"	1.000"	1.063"	1.719"	2.438"	1110, 2RL	2	2	CP248X
2.874"	0.578"	1.000"	1.063"	2.338"	3.123"	131N, 2R	2	2	CP2140
2.874", 2.969"	0.657"	1.078"	1.063"	2.125"	3.218"	131N, 7260	2	2	GCP353X
2.874", 2.969"	0.657"	1.078"	1.063"	2.125"	3.218"	131N, 7260	2	2	CP353X
2.969"	.657"	1.063"	1.063"	2.359"	3.219"	S55	4	4	GCP1200X
2.969"	0.657"	1.063"	1.063"	2.359"	3.219"	S55	4	4	CP1200X
2.969", 3.370"	0.660"	1.125"	1.063"	2.375", 2.625"	3.218"	131N, 7290	4	2	CP354X
2.970"	0.660"	1.064"	1.125"	2.390"	3.220"	131N, SPECIAL	2	2	CP1201X ¹²
3.370"	0.660"	1.063"	1.063"	2.780"	3.630"	133N, SPECIAL	2	2	CP1203X
3.370"	0.660"	1.063"	1.125"	2.797"	3.625"	133N, SPECIAL	2	2	CP1204X ¹²
3.370"	0.660"	1.063"	1.125"	2.797"	3.625"	133N, SPECIAL	2	2	GCP1204X
3.372"	0.658"	1.125"	1.063"	2.551"	3.622"	1330, 3RL	2	2	GCP212X
3.373"	0.657"	1.125"	1.063"	2.561"	3.625"	1330, 3RL	2	2	CP541X ⁸
3.750", 3.936"	0.770"	1.231"	1.189"	3.000"	4.186"	141N, 5380	2	2	CP357X
3.940"	0.770"	1.189"	1.189"	3.160"	4.180"	55	4	4	CP141N

¹ 90 degree lube fitting.

² Lube fitting in bearing.


⁸ Used in aluminum driveshafts. Chemically coated.

¹⁰ 45 degree lube fitting.

¹¹ Permalube joint.

¹² Special for Ford Motor company.


U—JOINT KITS — WING TYPE COMBINATIONS



Cross Length	Cross Trunnion Dia.	CL to CL Brg. Bolt Hole	Swing Dia.	Pilot Dia.	Wing Brg. Hole to Wing Brg. Hole	Wing & Round Brg. Type	Series	Part Number
2.874"	.615"	1.313"	3.34"	3.13"	2.38"	2LWT/2LWD	2CL	GCP2116
2.874"	0.615"	1.313"	3.34"	3.13"	2.38"	2LWT/2LWD	2CL	CP2116
3.311"	0.657"	1.438"	3.81"	3.55"	2.75"	2LWT/2HWD	3CBL	CP3121
3.372"	.657"	1.438"	3.81"	3.55"	2.75"	4LWT	3CL	GCP3000
3.372"	0.657"	1.438"	3.81"	3.55"	2.75"	4LWT	3CL	CP3000
3.935"	.773"	1.438"	4.50"	4.23"	3.44"	4HWD	4BL	GCP4143X
3.935"	0.773"	1.438"	4.50"	4.23"	3.44"	4HWD	4BL	CP4143X
3.999"	.663"	1.438"	4.50"	4.23"	3.44"	4LWT	4CL	GCP4002
3.999"	0.663"	1.438"	4.50"	4.23"	3.44"	4LWT	4CL	CP4002
3.999"	0.663"	1.438"	4.50"	4.23"	3.44"	2LWT/2LWD	4CL	CP4101
4.249"	0.819"	1.687"	4.75"	4.52"	3.50"	2LWLT/2LWD	5CL	CP5101
4.249"	0.819"	1.687"	4.75"	4.52"	3.50"	4LWT	5CL	CP5122
4.249"	0.819"	1.687"	4.75"	4.52"	3.50"	4HWD	5BL	CP5177
4.529"								GCP5173X
4.529"								GCP5177X
4.824"	1.063"	1.938"	5.63"	5.31"	4.27"	4DWT	58WB	CP58WB-DWT-PL
4.824"	1.063"	1.938"	5.63"	5.31"	4.27"	4DWT	58WB	CP58WB-DWT
4.824"	1.063"	1.938"	5.63"	5.31"	4.27"	2HWD/2DWT	58WB	CP58WB-HB-PL ¹³
4.824"	1.063"	1.938"	5.63"	5.31"	4.27"	2HWD/2DWT	58WB	CP58WB-HB
4.824"	1.063"	1.938"	5.63"	5.31"	4.27"	4HWD	58WB	CP58WB-HWD-PL ¹³
4.824"	1.063"	1.938"	5.63"	5.31"	4.27"	4HWD	58WB	CP58WB-HWD
5.125", 5.125"	0.819", 0.819"	1.688", 1.938"	5.45", 5.45"	5.53", 5.84"	4.50"4.50"	2DWT2DWT	62N72N	CP62N-50
5.125", 5.125"	0.819", 0.819"	1.688", 1.938"	5.45", 5.45"	5.53", 5.84"	4.50"4.50"	2DWT2HWD	62N72N	CP62N-51
5.125"	0.819"	1.688"	5.45"	5.53"	4.50"	4DWT	62N	CP62N-DWT-PL
5.125"	0.819"	1.688"	5.45"	5.53"	4.50"	4DWT	62N	CP62N-DWT
5.125"	0.819"	1.688"	5.45"	5.53"	4.50"	2HWD/2DWT	62N	CP62N-HB-PL ¹³

¹³ Permalube.

U—JOINT KITS — WING TYPE COMBINATIONS




Cross Length	Cross Trunnion Dia.	CL to CL Brg. Bolt Hole	Swing Dia.	Pilot Dia.	Wing Brg. Hole to Wing Brg. Hole	Wing & Round Brg. Type	Series	Part Number
5.125"	0.819"	1.688"	5.45"	5.53"	4.50"	2HWD/2DWT	62N	CP62N-HB
5.125"	0.819"	1.688"	5.45"	5.53"	4.50"	4HWD	62N	CP62N-HWD-PL ¹³
5.125"	0.819"	1.688"	5.45"	5.53"	4.50"	4HWD	62N	CP62N-HWD
5.248"	0.819"	1.688"	5.45"	5.53"	4.50"	4DWT	62N	GCP62N-DWT
5.248"	0.819"	1.688"	5.45"	5.53"	4.50"	2HWD/2DWT	62N	GCP62N-HB
5.248"	0.819"	1.688"	5.45"	5.53"	4.50"	4HWD	62N	GCP62N-HWD
5.347"	1.043"	1.938"	6.22"	5.84"	4.63"	2HWD/2DWT	72N	CP72N-118 ¹⁵
5.347"	1.043"	1.938"	6.22"	5.84"	4.63"	4HWD	72N	CP72N-136 ²⁰
5.347"	1.043"	1.938"	6.22"	5.84"	4.63"	4DWT	72N	CP72N-DWT-PL ¹³
5.347"	1.043"	1.938"	6.22"	5.84"	4.63"	4DWT	72N	CP72N-DWT
5.347"	1.043"	1.938"	6.22"	5.84"	4.63"	2HWD/2DWT	72N	CP72N-HB-PL ¹³
5.347"	1.043"	1.938"	6.22"	5.84"	4.63"	2HWD/2DWT	72N	CP72N-HB
5.347"	1.043"	1.938"	6.22"	5.84"	4.63"	4HWD	72N	CP72N-HWD-PL ¹³
5.347"	1.043"	1.938"	6.22"	5.84"	4.63"	4HWD	72N	CP72N-HWD
5.500"	1.000"	1.938"	6.22"	5.84"	4.63"	4DWT	72N	GCP72N-DWT
5.500"	1.000"	1.938"	6.22"	5.84"	4.63"	2HWD/2DWT	72N	GCP72N-HB
5.500"	1.000"	1.938"	6.22"	5.84"	4.63"	4HWD	72N	GCP72N-HWD
5.781"	1.379"	2.440"		6.38"	4.94"	4HWD	J170	R170 ¹⁴
5.844"	1.490"	2.812"	7.00"	6.50"	4.88"	4DWT	85WB	CP85WB-DWT-PL
5.844"	1.490"	2.812"	7.00"	6.50"	4.88"	2HWD/2DWT	85WB	CP85WB-HB-PL ¹³
5.844"	1.490"	2.812"	7.00"	6.50"	4.88"	2HWD/2DWT	85WB	CP85WB-HB
5.844"	1.490"	2.812"	7.00"	6.50"	4.88"	4HWD	85WB	CP85WB-HWD-PL ¹³
5.844"	1.490"	2.812"	7.00"	6.50"	4.88"	4DWT	85WB	GCP85WB-DWT
5.844"	1.490"	2.812"	7.00"	6.50"	4.88"	4HWD	85WB	GCP85WB-HWD
7.597"	1.490"	2.812"	8.63"	8.25"	6.63"	4HWD	92N	CP92N-70
7.597"	1.490"	2.812"	8.63"	8.25"	6.63"	4DWT	92N	CP92N-DWT-PL ¹³
7.597"	1.490"	2.812"	8.63"	8.25"	6.63"	2HWD/2DWT	92N	CP92N-HB-PL ¹³
7.597"	1.490"	2.812"	8.63"	8.25"	6.63"	4HWD	92N	CP92N-HWD-PL ¹³

13 Permalube.
14 Twin Disc Series.

15 Contains hardware for drilled yokes.
20 Cross has four (4) lube fittings.

U—JOINT KITS — WING TYPE COMBINATIONS




Cross Length	Cross Trunnion Dia.	CL to CL Brg. Bolt Hole	Swing Dia.	Pilot Dia.	Wing Brg. Hole to Wing Brg. Hole	Wing & Round Brg. Type	Series	Part Number
7.597"	1.490"	2.812"	8.63"	8.25"	6.63"	4HWD	92N	CP92N-HWD
7.597"	1.490"	2.812"	8.63"	8.25"	6.63"	4DWT	92N	GCP92N-DWT
7.597"	1.490"	2.812"	8.63"	8.25"	6.63"	2HWD/2DWT	92N	GCP92N-HB
7.597"	1.490"	2.812"	8.63"	8.25"	6.63"	4HWD	92N	GCP92N-HWD
7.625"	1.043"	1.938"	8.50"	8.13"	6.88"	4HWD	82N	CP82N-68
7.625"	1.043"	1.938"	8.50"	8.13"	6.88"	2HWD/2DWT	82N	CP82N-77 ¹⁵
7.625"	1.043"	1.938"	8.50"	8.13"	6.88"	4DWT	82N	CP82N-DWT-PL ¹³
7.625"	1.043"	1.938"	8.50"	8.13"	6.88"	2HWD/2DWT	82N	CP82N-HB-PL ¹³
7.625"	1.043"	1.938"	8.50"	8.13"	6.88"	2HWD/2DWT	82N	CP82N-HB
7.625"	1.043"	1.938"	8.50"	8.13"	6.88"	4HWD	82N	CP82N-HWD-PL ¹³
7.625"	1.043"	1.938"	8.50"	8.13"	6.88"	4HWD	82N	CP82N-HWD
7.625"	1.043"	1.938"	8.50"	8.13"	6.88"	4DWT	82N	GCP82N-DWT
7.625"	1.043"	1.938"	8.50"	8.13"	6.88"	4HWD	82N	GCP82N-HWD
7.716"	1.665"	3.500"		8.75"	6.80"	4HWD	J490	R490D 16
7.768"	1.000"	1.938"	8.50"	8.13"	6.88"	2HWD/2DWT	82N	GCP82N-HB
7.865"	1.665"	3.500"		8.75"	6.80"	4HWD	J490	R490 ¹⁴
8.062"	1.900"	3.500"		8.75"	6.80"	4HWD	J600	R600 ¹⁴
135.83mm	26.50mm	49.28mm	157.99mm	148.49mm	117.35mm	2HWD/2DWT	72N	CP72N-170 ²¹

13 Permalube.
14 Twin Disc Series.
15 Contains hardware for drilled yokes

16 Double rollers.
21 Metric kit with full hardware. Metric tapped holes (M12x1.75) in delta wing bushings.

U—JOINT KITS — 2 WING TYPE AND 2 ROUND BEARINGS



LWD --- LOW WING
DRILLED
LWT --- LOW WING
THREADED



HWD --- HIGH WING
DRILLED
HWT --- HIGH WING
THREADED




DWT --- DELTA WING®
THREADED

Cross Length	Cross Trunnion Dia.	CL to CL Brg. Bolt Hole	Pilot Dia.	Brg. Dia.	Snap Ring Dia.	Wing Brg. Hole to Wing Brg. Hole	Wing & Round Bearing Type	Series	Part Number
2.870"	0.578"	1.312"	3.11"	2.338"	1.000"	2.38"	2LWT/2RND	2CRL	CP2031
2.870"	0.578"	1.312"	3.11"	2.338"	1.000"	2.38"	2LWD/2RND	2CSRL	CP2033 ¹⁷
3.311"	0.657"	1.438"	3.55"	2.558"	1.125"	2.75"	2LWT/2RND	3CRL	CP3012
3.999"	0.663"	1.938"	4.23"	3.244"	1.125"	3.44"	2LWT/2RND	4CRL	CP4102
4.249"	0.819"	1.687"	4.52"	3.309"	1.313"	3.50"	2LWD/2RND	5CSRL	CP5015
4.250"	0.819"	1.687"	4.52"	3.309"	1.313"	3.50"	2LWT/2RND	5CRL	CP5008



¹⁷ Lube fitting in round bearing.

U—JOINT KITS — WING TYPE AND COVER PLATE HYBRID




Cross Length	Cross Trunnion Dia.	Wing CL to CL Brg. Bolt Hole	Brg. Dia.	Pilot Dia.	Yoke Dim.	Cover Plate CL to CL Brg. Bolt Hole	Wing Brg. to Wing Brg. Hole	Swing Dia.	Wing & Cover Plate Type	Part Number
7.092"	1.363"	2.812"	1.937"	8.25"	7.55"	2.440"	6.63"	8.50"	2RND2HWD	CP18N-96

U—JOINT KITS — BEARING PLATE




Cross Length	Cross Trunnion Diameter	CL to CL Bearing Bolt Hole	Bearing Diameter	Yoke Dimension	Series	Part Number
4.250"	.996"	2.00"	1.562"	4.56"	1500, 5N	GCP115X
4.250"	0.996"	2.000"	1.562"	4.56"	1500, 5N	CP115X
4.877"	1.269"	2.312"	1.875"	5.31"	16N	CP279X
4.877"	1.269"	2.312"	1.875"	5.31"	16N	M279X
4.877"	1.269"	2.312"	1.875"	5.31"	16N	US279X
5.635"	1.363"	2.438"	1.937"	6.09"	17N	M280X
5.635"	1.363"	2.438"	1.937"	6.09"	17N	US280X
5.784"	1.298"	2.432"	1.937"	6.09"	17N	CP280X
6.283"	1.681"	2.810"	3.210"	6.44"	18N	CP124X
6.283"	1.681"	2.810"	3.210"	6.44"	18N	GCP124X
6.542"	1.363"	2.438"	1.937"	7.00"	176N	M407X
6.542"	1.363"	2.438"	1.937"	7.00"	176N	US407X
6.692"	1.298"	2.432"	1.937"	7.00"	176N	CP407X
7.092"	1.363"	2.438"	1.937"	7.55"	18N	US281X
7.092"	1.363"	2.438"	1.937"	7.55"	18N	M281X
7.242"	1.298"	2.432"	1.937"	7.55"	18N	CP281X

U—JOINT KITS — MERITOR EASY SERVICE



Cross Length	Cross Trunnion Diameter	Cap Hole Center to Center	Bearing Diameter	Yoke Dimension Between Nibbs	Yoke Dimension Across Ears	Series	Part Number
5.001"	1.272"	2.308"	1.875"	5.31"	5.31"	16N	US674X
5.001"	1.272"	2.308"	1.875"	5.31"	5.31"	16N	M674X ¹⁸
5.001"	1.272"	2.308"	1.875"	5.31"	5.31"	16N	CP674X ²¹
5.784"	1.298"	2.432"	1.937"		6.09"	17N	M675X ¹⁹
5.784"	1.298"	2.432"	1.937"	6.19"	6.09"	17N	US675X
5.784"	1.298"	2.432"	1.937"	6.19"	6.09"	17N	CP675X ²¹
6.541"	1.298"	2.432"	1.937"	7.09"	7.00"	176N	CP677X ²¹
6.541"	1.298"	2.432"	1.937"	7.09"	7.00"	176N	US677X
6.541"	1.298"	2.432"	1.937"	7.09"	7.00"	176N	M677X ¹⁹
7.242"	1.298"	2.432"	1.937"		7.55"	18N	M676X ¹⁹
7.242"	1.298"	2.432"	1.937"	7.63"	7.55"	18N	US676X
7.242"	1.298"	2.432"	1.937"	7.63"	7.55"	18N	CP676X ²¹

DUAL PLANE RETAINER



Bearing Diameter	Yoke Lock Up	Lube Fitting	Series	Part Number
2.165"	6.024" (2) 6.457" (2) 2 Round Bearings w/plate 2 Round	Y	SPL170	US170X ²²
2.361"	5.984" (2) 6.413" (2) 2 Round Bearings w/plate 2 Round	Y	SPL250	US250X ²²


¹⁸ Includes two REBC16S retainer straps.

¹⁹ Includes two REBC17S retainer straps.

²¹ Attaching hardware included


²² Inboard attaching hardware included for use with these construction u-joints only. Not interchangeable with OEM retention hardware or u-joint. Outboard bearing retainers by OEM only.

U—JOINT KITS — RPL SERIES



Snap Ring Dia. /Part Number	Bearing Diameter	CL to CL Bolt Holes	Brg. Hole to Brg. Hole	Mounting Hole Size	Capscrew Size / Part Number	Hardware Kit	Trunnion Cup to Trunnion Cup	Part Number
2.29" RRIR36-4	2.06"	2.81"	5.30"	.53"	.50" - 20 CSC8-20- 52	KIT RPL25-20	6.88"	CP20 RPL S

U—JOINT KITS — RPL SERIES



Snap Ring Dia. /Part Number	Bearing Diameter	CL to CL Bolt Holes	Brg. Hole to Brg. Hole	Mounting Hole Size	Capscrew Size / Part Number	Hardware Kit	Trunnion Cup to Trunnion Cup	Part Number
2.29" RRIR36-4	2.06"	2.81"	6.63"	.53"	.50" - 20 CSC8-20- 52	KIT RPL25-20	8.20"	CP25 RPL S

U—JOINT SIZES / RATINGS/ SPEEDS / TUBE SIZES

U-JOINT SERIES	ELECTRIC MOTOR TORQUE		GAS or DIESEL TORQUE		DYNAMIC CAPACITY		SWING DIAMETER		MAX. LENGTH JOINT YIELD TORQUE		MAX. RPM (3)	STANDARD TUBE SIZE	MAX. LENGTH (CL - CL) INSTALLED @ MAX. RATED RPM		
	lb-ft	N.m	lb-ft	N.m	lb-ft	N.m	in.	mm	lb-ft	N.m			in.	in.	mm
L6	84	114	61	83	170	231	2.47"	60	667	905	1000	1.5 x .120	60	1524	
L15 (1)	172	234	126	170	349	473	3.25"	82	-	-	5000	N/A	N/A	N/A	
L15 (2)	257	348	187	254	520	705	3.38"	86	-	-	5000	N/A	N/A	N/A	
131N	195	265	130	175	410	555	3.50"	89	1950	2640	6000	3.0 x .083	47	1194	
133N	220	300	150	205	475	640	4.00"	102	2330	3160	5000	3.5 x .083	51	1283	
135N	310	420	210	285	607	820	4.13"	105	3080	4175	5000	3.0 x .083	51	1295	
141N	291	394	212	288	589	798	4.63"	117	3750	5080	4000	3.0 x .083	51	1295	
148N	413	560	301	409	836	1134	5.13"	130	5000	6780	4000	3.5 x .083	55	1397	
155N	515	698	376	510	1043	1414	6.00"	152	6250	8470	4000	3.5 x .095	55	1397	
16N	921	1248	672	911	1864	2527	7.00"	178	7100	9630	4000	3.5 x .134	61	1549	
17N	1364	1849	995	1350	2762	3744	7.75"	197	9600	13010	4000	4.06 x .165	62	1575	
176N	1629	2208	1189	1612	3298	4471	8.44"	214	16000	21700	4000	4.09 x .180	62	1676	
18N	1790	2426	1306	1771	3623	4913	9.13"	232	21000	28500	4000	4.59 x .180	66	1676	
62N	611	828	446	604	1236	1676	5.84"	148	5000	6780	4000	3.5 x .095	55	1397	
58WB	754	1023	551	747	1528	2071	5.63"	143	7025	9525	4000	3.5 x .095	55	1397	
72N	804	1090	587	795	1627	2206	6.29"	160	7080	9600	4000	3.5 x .134	61	1549	
82N	1203	1631	878	1190	2436	3303	8.50"	216	11080	15025	4000	4.06 x .165	62	1575	
85WB	1304	1768	952	1290	2640	3580	7.00"	178	12500	16950	4000	4.09 x .180	62	1676	
92N	1768	2397	1291	1750	3580	4854	8.63"	219	23000	31190	4000	4.59 x .150	66	1676	

- (1) Standard
(2) High performance
(3) Rating applies to u-joint

ATTACHING HARDWARE TORQUE SPECS

MERITOR EASY SERVICE KITS U-BOLT AND STRAP & BOLT KITS

SERIES	BRG. DIAMETER	U-JOINT KIT	U-BOLT KIT	THREAD SIZE	TORQUE SPECS. LB. FT.
131N	1.063"	CP153X	KT116	.31" - 24	14-17
133N	1.063"	CP213X	KT116	.31" - 24	14-17
135N	1.188"	CP178X	KT117	.38" - 24	20-24
141N	1.188"	CP160X	KT117	.38" - 24	20-24
148N	1.375"	CP188X	KT118	.44" - 20	32-37
155N	1.375"	CP155X	KT118	.44" - 20	32-37

or
or
or
or

STRAP & BOLT KIT	THREAD SIZE	TORQUE SPECS. LB. FT.
-	-	-
-	-	-
KT122 1	.31" - 24	30-35
KT122 1	.31" - 24	30-35
KT124 2	.38" - 24	55-60
KT124 2	.38" - 24	55-60

16N	1.875"	M674X	-	-	-
17N	1.937"	M675X	-	-	-
176N	1.937"	M677X	-	-	-
18N	1.937"	M676X	-	-	-

KT16SB	.38" - 24	55-60
KT17SB	.50" - 20	130-135
KT17SB	.50" - 20	130-135
KT17SB	.50" - 20	130-135

LOCKPATCH BOLT STYLE

SERIES	MERITOR MXL U-JOINT KITS	LOCK- PATCH (8) BOLTS	THREAD SIZE	TORQUE SPECS LB. FT.
16N	M279X	S-165B-2	.38" - 24	38-48
17N	M280X	S-165B-2	.38" - 24	38-48
176N	M407X	S-165B-2	.38" - 24	38-48
18N	M281X	S-165B-2	.38" - 24	38-48

WING STYLE

SERIES	THREAD SIZE	TORQUE SPECS LB. FT.
62N	.38" - 24	40-50
58WB	.44" - 20	63-83
72N	.50" - 20	90-110
72N	.44" - 20	63-83
82N	.44" - 20	63-83
82N	.50" - 20	90-110
92N	.50" - 20	90-110

DUAL-PLANE RETAINER

SERIES	MERITOR U-JOINT KITS	RETAINER	TORQUE SPECS LB. FT.
SPL*170	US170X	(4) Bolts (2) Retainers	20-25 3
SPL*250	US250X	(4) Bolts (2) Retainers	20-25 3

1 Kit KT125 is used with a threaded yoke and includes four lockwashers. For a drilled yoke use Kit KT121

2 Kit KT126 is used with a threaded yoke and includes four lockwashers. For a drilled yoke use Kit KT123.

3 Torque specs for inboard side dual-plane retainers. Torque specs for outboard side bearing retainers 100-120 ft.lbs. (OEM only).

* SPL® is a registered trademark of Dana Corporation.

SECTION 11

INDEX

Center Bearings	Page
Assemblies for Midship Bearing Stubs	11-1
Type 1 - Round with No Mounting Bracket	11-3
Type 2 - Slotted Rubber Cushion	11-4
Type 2 - Solid Cushion	11-3
Type 3 - Round with Mounting Bracket	11-6

MERITOR® GOLD™ SELF-ALIGNING CENTER BEARINGS

Performance Advantages:

- Meritor® industry-leading driveline design and technology
- Patent-pending design assures optimum alignment of the center bearing to the driveshaft under all operating conditions
- Provides OEM production customers design and assembly benefits, and aftermarket customers competitive and technical advantages
- Ideal for the most popular heavy-duty truck and tractor applications

Solid or slotted rubber cushion available



Internal defectors feature gold base – external defectors no longer required


DRIVELINE SERIES	CUSHION TYPE	BEARING DIAMETER	HEIGHT	MOUNTING HOLES (CENTER TO CENTER)	COMPETITIVE PART NUMBER	MERITOR GOLD PART NUMBER
176N, 17N (Heavy Duty), 18N	Solid	2.36"	3.38"	8.62"	210875-1X	CB210875-1XSA
176N, 17N (Heavy Duty), 18N, 85WB, 92N	Slotted	2.36"	3.38"	8.62"	210661-1X	CB210661-1XSA
17N, 58WB, 72N, 82N	Slotted	1.968"	2.81"	7.62"	210121-1X	CB210121-1XSA

Features and Benefits:

- Rubber cushion pivots in the bracket, allowing +/-5 degrees of driveline angularity
- Reduced risk of premature bearing wear due to misalignment
- Provides a common mounting platform on the crossmember or mounting bracket. No shimming or bracket changes are necessary to achieve desired alignment
- Unique design protects the bearing against contamination without the use of external defectors
- Backward compatibility with previous Meritor or current competitive designs
- Meritor Gold self-aligning center bearings should not be replaced with traditional, non-self-aligning center bearings, due to possible angularity issues

For more information, call the customer service team at 888-725-9355 or visit XpresswayPlus.Meritor.com.

CENTER BEARING ASSEMBLIES FOR MIDSHIP BEARING STUBS




JOINT SERIES	WELD YOKE	TUBING	BEARING STUB & (NUT)	CENTER BEARING/ (Cushion type)	END YOKE
16N	16N-28-627	RT-35-10	16N-53-141 ¹	CB210084-2X (Slotted) (5)	16N-4-1721 (FR) 16N-4-1721-1 (HR)
17N	17N-28-137	RT-35-156	17N-53-151 ³	CB210121-1XSA (Slotted) CB310012-1XSA (Solid)	17N-4-1981 (FR) 17TYSC31-54 (HR)
	17N-28-347	RT-4-10 RT-406-165 RT-4095-7	17N-53-201 ³	CB210121-1XSA (Slotted) CB310012-1XSA (Solid)	17TYSC31-54 (HR)
	17N-28-347	RT-4-10 RT-406-165 RT-4095-7	BSS32-34 ^{2, 4}	CB210121-1XSA (Slotted) CB310012-1XSA (Solid)	17N-4-7141 (FR) ⁴ 17N-4-7141-1 (HR)
17N HEAVY DUTY	17N-28-347	RT-406-165 RT-4095-7	17N-53-311 ²	CB210661-1XSA (Slotted) CB210875-1XSA (Solid)	17N-4-4601 (FR) 17N-4-4601-1 (HR)
176N	176N-28-17	RT-4-10 RT-406-165 RT-4095-7	17N-53-311 ²	CB210661-1XSA (Slotted) CB210875-1XSA (Solid)	176N-4-161 (FR) 176N-4-161-1 (HR)
18N	18N-28-117	RT-45-10 RT-459-7	18N-53-91 ²	CB210661-1XSA (Slotted) CB210875-1XSA (Solid)	18N-4-1891 (FR)
	18N-28-127	RT-45-3	18N-53-51 ²	CB210661-1XSA (Slotted) CB210875-1XSA (Solid)	18N-4-1891-1 (HR)

FR-Full Round bearing yoke
HR-Easy Service "Half Round" yoke
1 Use 1227-Z-936 & WAR21-3.
2 Use 1227-Z-936 & WAR21-1.


3 Use 1227-Z-936 & WAR20-1.
4 New 2" involute design.
5 Generic equivalent also available. (GCB210084-2X).

CENTER BEARING ASSEMBLIES FOR MIDSHIP BEARING STUBS




JOINT SERIES	WELD YOKE	TUBING	BEARING STUB & (NUT)	CENTER BEARING/ (Cushion type)	END YOKE
58WB	58WBY52-8 (DR)	RT-35-10	BSS31-23 ³	CB210121-1XSA (Slotted) CB310012-1XSA (Solid)	58WBYS31-29 (TH)
72N	72NY51-4 (DR)	RT-35-156	17N-53-151 ³	CB210121-1XSA (Slotted) CB310012-1XSA (Solid)	72NYS31-60 (DR)
	72NYS52-20 (DR)	RT-35-10	BSS31-23 ⁶	CB210121-1XSA (Slotted) CB310012-1XSA (Solid)	
	72NY60-3 (TH)	RT-4-10	17N-53-201 ³	CB210121-1XSA (Slotted) CB310012-1XSA (Solid)	
82N	82NY60-16 (TH)	RT-4-10	17N-53-201 ³	CB210121-1XSA (Slotted)	
	82NY60-19 (DR)	RT-4095-7		CB310012-1XSA (Solid)	
85WB	85WBY60-11 (DR)	RT-4-10	17N-53-201 ³	CB210121-1XSA (Slotted)	85WBYS31-6 (TH)
	85WBY60-3 (TH)	RT-4095-7		CB310012-1XSA (Solid)	
	85WBY60-3 (TH)	RT-4-10	17N-53-311 ²	CB210661-1XSA (Slotted)	85WBYS38-17 (TH)
	85WBY60-11 (DR)	RT-4095-7		CB210875-1XSA (Solid)	
92N	92NY64 (TH)	RT-45-3	18N-53-51 ²	CB210661-1XSA (Slotted)	92NYS38-33 (TH)
				CB210875-1XSA (Solid)	
	92NY68-1 (TH)	RT-459-180	18N-53-91 ²	CB210661-1XSA (Slotted)	18N-4-1891-1 (HR)
	92NY68-2 (DR)			CB210875-1XSA (Solid)	
	18N-28-127	RT-45-3	18N-53-51 ²	CB210661-1XSA (Slotted)	
				CB210875-1XSA (Solid)	

CENTER BEARINGS — TYPE 1 — ROUND WITH NO MOUNTING



Bearing I.D. Max./Min.	Bearing Width	Height	Part Number
1280 and 131N and 133N SERIES			
1.3750"/1.3745"	.75"	3.50"	CB310008-1X
1.3780"/1.3775"	.98"	3.50"	CB310011-1X


CENTER BEARINGS — TYPE 2 — SOLID CUSHION



Bearing Inside Diameter Maximum/Minimum	Height	Bearing Width	Mounting Holes (Center to Center)	Front Deflector	Rear Deflector	Part Number
17N and 58WB and 72N and 82N and 85WB SERIES						
1.9685"/1.9680"	2.81"	1.19"	7.63"			CB310012-1XSA
176N and 17N (HEAVY DUTY) and 18N and 85WB and 92N SERIES						
2.3622"/2.3616"	3.38"	1.41"	8.63"			CB210875-1XSA ¹
176N and 17N (HEAVY DUTY) and 18N SERIES						
2.3622"/2.3616"	3.38"	1.41"	8.63"			CB310013-1X
2.3622"/2.3616"	3.38"	1.41"	8.63"	DEFR55-1		GCB210875-1X

¹ Self aligning center bearing. Deflectors not needed.


CENTER BEARINGS — TYPE 2 — SLOTTED RUBBER CUSHION



Bearing I.D. Max./Min.	Height	Bearing Width	Mtg. Holes (Ctr to Ctr)	Style	Front Deflector	Rear Deflector	Bearing Retainer Deflector	Part Number
1280 and 1310 and 1330 and 1350 and 1410 SERIES								
1.3750"/1.3745"	2.25"		6.63"	F				CB211187X ²
1.3750"/1.3745"	2.25"		6.63"	F				GCB211187X ²
1.3780"/1.3775"	2.25"	.98"	6.63"	F	DEFR33-1		DEFR22-5	CB210088-1X
1.3780"/1.3775"	2.25"	.98"	6.63"	F	DEFR33-1	DEFR33-1		CB210090-1X
1.3780"/1.3775"	2.25"	.98"	6.63"	G	DEFR28-4	RBR28-1		CB210367-1X
1.3780"/1.3775"	2.25"	.98"	6.63"	G	DEFR28-4		DEFR22-4	CB210370-1X
1.3780"/1.3775"	2.25"	.98"	6.63"	F				CB310006-1X
1.3780"/1.3775"	2.25"	.98"	6.63"	F	DEFR33-1	DEFR33-1	DEFR22-5	CB310006-2X
1.3780"/1.3775"	2.25"	.98"	6.63"	F				CB310006-3X
1.3780"/1.3775"	2.25"	.98"	6.63"	F	DEFR33-1		DEFR22-5	GCB210088-1X
1.3780"/1.3775"	2.25"	.98"	6.63"	F	DEFR33-1	DEFR33-1		GCB210090-1X
1.3780"/1.3775"	2.25"	.98"	6.63"	G	DEFR28-4, RBR28-1	RBR28-1		GCB210367-1X
1.3780"/1.3775"	2.25"	.98"	6.63"	G	DEFR28-4	RBR28-1	DEFR22-4	GCB210370-1X
1280 and 1310 and 1330 and 1410 SERIES								
1.3780"/1.3775"	2.25"	.98"	6.63"	G				GCB310005-1X
1.3780"/1.3775"	2.25"	.98"	6.63"	F				GCB310006-1X
131N and 135N and 141N and 148N and 155N SERIES								
1.5748"/1.5743"	2.44"	1.06"	6.63"	G	DEFR40-5		DEFR25-2	CB210140-1X
135N and 141N and 148N SERIES								
1.5748"/1.5743"	2.25"	.86"	6.63"	F	DEFR34-1		DEFR25-4	CB210866-1X
1.5748"/1.5743"	2.25"	.86"	6.63"	F	DEFR34-1	DEFR34-1		CB210873-1X
1.5748"/1.5743"	2.25"	.86"	6.63"	F				CB211016X
1.5748"/1.5743"	2.25"	.86"	6.63"	F	DEFR37-1	DEFR37-1	DEFR25-4	CB310003-1X
1.5748"/1.5743"	2.25"	.86"	6.63"	F	DEFR34-1		DEFR25-4	GCB210866-1X
1.5748"/1.5743"	2.25"	.86"	6.63"	F	DEFR34-1	DEFR34-1		GCB210873-1X
1.5748"/1.5743"	2.25"	.86"	6.63"	F				GCB211016X
1.5748"/1.5743"	2.44"	1.06"	6.63"	G	DEFR40-5	DEFR40-5	DEFR25-2	CB210144-1X
1.5748"/1.5743"	2.44"	1.06"	6.63"	G				CB310002-1X
1.5748"/1.5743"	2.44"	1.06"	6.63"	G	DEFR40-5		DEFR25-2	GCB210140-1X

² Deflectors are not sold separately.


CENTER BEARINGS — TYPE 2 — SLOTTED RUBBER CUSHION



Bearing I.D. Max./Min.	Height	Bearing Width	Mtg. Holes (Ctr to Ctr)	Style	Front Deflector	Rear Deflector	Bearing Retainer Deflector	Part Number
135N and 141N and 148N SERIES								
1.5748"/1.5743"	2.44"	1.06"	6.63"	G	DEFR40-5	DEFR40-5	DEFR25-2	GCB210144-1X
1.5748"/1.5743"	2.44"	1.06"	6.63"	G				GCB310002-1X
1.5748"/1.5743"	2.47"	1.06"	6.63"	F	DEFR37-1		DEFR25-1	CB210433-1X
1.5748"/1.5743"	2.47"	1.06"	6.63"	F				CB310001-1X
1.5748"/1.5743"	2.47"	1.06"	6.63"	F	DEFR37-1	DEFR37-1		GCB210391-1X
1.5748"/1.5743"	2.47"	1.06"	6.63"	F	DEFR37-1		DEFR25-1	GCB210433-1X
1.5748"/1.5743"	2.47"	1.06"	6.63"	F				GCB310001-1X
141N and 148N and 155N and 1650 and 16N SERIES								
1.7717"/1.7712"	2.69"	1.06"	7.63"	F	DEFR41-1	DEFR41-1		CB210084-2X
155N and 16N SERIES								
1.7717"/1.7712"	2.69"	1.06"	7.63"	F	DEFR41-1	DEFR28-3		CB210207-1X
1.7717"/1.7712"	2.69"	1.06"	7.63"	F				CB310007-1X
1.7717"/1.7712"	2.69"	1.06"	7.63"	F	DEFR41-1	DEFR41-1		GCB210084-2X
1.7717"/1.7712"	2.69"	1.06"	7.63"	G				GCB210130-1X
1.7717"/1.7712"	2.69"	1.06"	7.63"	F	DEFR41-1		DEFR28-3	GCB210207-1X
1.7717"/1.7712"	2.69"	1.06"	7.63"	F				GCB310007-1X
17N SERIES								
1.9685"/1.9680"	2.81"	1.19"	7.63"	F				CB210121-1XSA ¹
1.9685"/1.9680"	2.81"	1.19"	7.63"	F	DEFR35-1	DEFR35-1		GCB210121-1X
1.9685"/1.9680"	2.81"	1.19"	7.63"	F				GCB310014-1X
176N and 17N (HEAVY DUTY) and 18N SERIES								
2.3622"/2.3616"	3.38"	1.41"	8.63"	F				CB210661-1XSA ¹
2.3622"/2.3616"	3.38"	1.41"	8.63"	F				CB310015-1X
2.3622"/2.3616"	3.38"	1.41"	8.63"	F	DEFR55-1	DEFR55-1		GCB210661-1X
2.3622"/2.3616"	3.38"	1.41"	8.63"					GCB310013-1X
2.3622"/2.3616"	3.38"	1.41"	8.63"	F				GCB310015-1X
131N and 135N and 141N and 148N and 155N and 62N SERIES								
1.5748"/1.5743"	2.47"	1.06"	6.63"	F	DEFR37-1	DEFR37-1		CB210391-1X

¹ Self aligning center bearing. Deflectors not needed.

CENTER BEARINGS — TYPE 3—ROUND WITH MOUNTING BRACKET



Bearing I.D. Max./Min.	Height	Width	Mounting Holes (Center to Center)	Part Number
1280 and 131N SERIES				
1.1811"/1.1807"	3.56"	.63"	1.50"	CB210527X
131N SERIES				
1.1811"/1.1807"	3.56"	.63"	1.50"	GCB210527X

SECTION 12

INDEX


C.V. Components and P.T.O. Assemblies	Page
131N SERIES AUXILIARY POWER TAKE-OFF	
Unwelded Driveshaft Assembly	12-8
131N SERIES AUXILIARY POWER TAKE-OFF KIT	
131N Series Auxiliary Power Take-Off Kit	12-8
BALL STUD WELD YOKES	
Inside Snap Ring	12-7
Outside Snap Ring	12-7
C.V. CENTERING YOKES	
C.V. Centering Yokes	12-4
C.V. HEAD ASSEMBLIES	
C.V. Head Assemblies	12-4
Component Part Numbers	12-4
DOUBLE CENTER YOKES	
Inside Snap Ring	12-5
Outside Snap Ring	12-5
FLANGE YOKES	
Double Cardan C.V. Head - Style 1 and 2	12-6
Double Cardan C.V. Head - Style 3	12-6
SPLINE PLUG SHAFT	
For Auxiliary Power Take-Off	12-8
UNWELDED C.V. SHAFT ASSEMBLIES	
Component Part Numbers	12-2
Unwelded C.V. Shaft Assemblies	12-1
WELDED AND BALANCED C.V. SHAFT ASSEMBLIES	
Component Part Numbers	12-3

Visit us today at
XpresswayPlus.com



- 🖱 Place your order
- 🖱 Check Price and Availability
- 🖱 Retrieve Invoices
- 🖱 and more!


UNWELDED C.V. SHAFT ASSEMBLIES



Yoke & Spline Plug Shaft Assy.

Maximum Length Extended	Maximum Length Compressed	Tubing	C.V. and Tube Length	Maximum Length	Minimum Length	Style	C.V. Shaft Assembly
121N SERIES							
52.91"	48.66"	2.50" x .065"	38.00"	14.91"	10.66"	7	R919990-3400
54.53"	50.28"	2.50" x .065"	39.63"	14.91"	10.66"	6	R919976-3400
131N SERIES							
40.94"	37.84"	2.00" x .120"	30.13"	10.81"	7.72"	1	R909365-2600
42.28"	39.19"	2.50" x .083"	30.13"	12.16"	9.06"	1	R909363-2600
133N SERIES							
42.91"	38.75"	2.50" x .083"	30.13"	12.78"	8.63"	1	R911818-2600

UNWELDED C.V. SHAFT ASSEMBLIES COMPONENT PART NUMBERS




Flange Yoke	Slip Yoke ¹	Dust Cap	Spline Plug	C.V. Head Assy.	Tubing	Style	C.V. Shaft Assembly
121N SERIES							
121N-2-1049	121N-3-8961KX	R280196	121N-40-2301		2.50" x .065"	6	R919976-3400
121N-2-1049	121N-3-8961KX	R280196	121N-40-2301		2.50" x .065"	7	R919990-3400
131N SERIES							
	131N-3-8001KX	R280194	131N-40-1701	R912777	2.00" x .120"	1	R909365-2600
	131N-3-8021KX	R280194	131N-40-1851	R912747	2.50" x .083"	1	R909363-2600
133N SERIES							
	133N-3-8041KX	R280194	131N-40-1851		2.50" x .083"	1	R911818-2600


¹ Includes dust cap.

WELDED AND BALANCED C.V. SHAFT ASSEMBLIES


COMPONENT PART NUMBERS



STYLE 3




STYLE 4



STYLE 5


Flange Yoke	Slip Yoke	Dust Cap	Spline Plug	C.V. Head Assy.	Tubing	Style	C.V. Shaft Assembly
121N SERIES							
121N-2-1050	121N-3-8961KX	R280196	121N-40-2301		2.50" x .065"	5	R914156-1324W
131N SERIES							
	131N-3-8001KX	R280194	131N-40-1701	R912777	2.00" x .120"	3	R903862-1409W
	131N-3-8001KX	R280194	131N-40-1701	R912777	2.00" x .120"	3	R903862-1602W
	131N-3-8001KX	R280194	131N-40-1701	R912286	2.00" x .120"	4	R912170-1511W

C.V. HEAD ASSEMBLIES




Overall Length	CL to Point of Weld	CL to CL of Center Yoke	Butt Dia.	Bolt Circle Dia.	Bolt Hole Spacing Across Yoke	Bolt Hole Spacing Across Ears	Bolt Hole Size	Style	C.V. Head Assembly
3R SERIES U-JOINT KIT: CP3147X									
6.563"	1.625"	3.250"	1.766"	4.25"			.453"	2	4137268
131N SERIES U-JOINT KIT: CP153X									
4.094"	1.438"	2.688"	1.766"		2.344"	1.50"	.313" - 24	1	R912777
4.125"	1.438"	2.688"	2.344"		2.344"	1.50"	.313" - 24	1	R912747

C.V. HEAD ASSEMBLIES COMPONENT PART NUMBERS




Ball Stud Yoke	Center Yoke "H" Type	Centering Yoke	Flange Socket	Tubing	Style	C.V. Head Assembly
3R SERIES U-JOINT KIT: CP3147X (2 Req'd.)						
R3R-28-869	R3R-26-57		R3R-83-482	2.00" x .120" (11 GA)	2	4137268
131N SERIES U-JOINT KIT: CP153X (2 Req'd.)						
131N-28-2957X	131N-26-497	131N-CV82-HD		2.00" x .120" (11 GA)	1	R912747
131N-28-2947X	131N-26-497	131N-CV82-HD		2.00" x .120" (11 GA)	1	R912777

C.V. CENTERING YOKES




Distance Between Nibbs	Bearing Cap Diameter	Swing Diameter	Bolt Hole Size	Bolt Hole Spacing Across Yoke	Bolt Hole Spacing Ears	Stud Socket Dimension	Part Number
131N SERIES U-JOINT KIT: CP153X							
3.47"	1.06"	3.50"	.313" - 24 UNF	2.34"	1.50"	.50"	131N-CV82-HD

DOUBLE CENTER YOKES — INSIDE SNAP RING




Center to Center	Distance Between Ears	Swing Diameter	Bearing Diameter	Distance Across Ears	Maximum Joint Angle	Part Number
3R SERIES	U-JOINT KIT: CP3147X					
3.25"	2.56"	4.06"	1.13"	3.56"	17°	R3R-26-57

DOUBLE CENTER YOKES — OUTSIDE SNAP RING




Center to Center	Distance Between Ears	Swing Diameter	Bearing Diameter	Distance Across Ears	Maximum Joint Angle	Part Number
131N SERIES	U-JOINT KIT: CP153X					
2.69"	2.22"	3.88"	1.06"	3.47"	26°	131N-26-367
2.69"	2.22"	3.88"	1.06"	3.47"	26°	131N-26-497

FLANGE YOKES — DOUBLE CARDAN C.V. HEAD — STYLE 1 AND 2




STYLE 1



STYLE 2

Center to Face	Pilot Dia. M=Male F=Female	Bolt Circle Dia.	Yoke Dim. Across Ears	Brg. Cap Dia.	Bolt Hole Dia.	No. of Bolt Holes	Inside Snap Ring Dim.	Flange O.D.	Stud Socket Dim.	Style	Part Number
3R SERIES U-JOINT KIT: CP3147X											
1.69"	F-3.13"	4.25"	3.56"	1.13"	.453"	4	2.56"	5.13"	.906"	2	R3R-83-482
121N SERIES U-JOINT KIT: CP443X											
1.63"	F-2.00"	3.50"	2.69"	1.06"	.500"	4		4.38"	.500"	1	121N-83-489X



FLANGE YOKES — DOUBLE CARDAN C.V. HEAD — STYLE 3



STYLE 3


Center to Face	Pilot Dia. M=Male F=Female	Bolt Circle Dia.	Yoke Dim. Across Ears	Brg. Cap Dia.	Bolt Hole Dia.	No. of Bolt Holes	Inside Snap Ring Dim.	Flange O.D.	Stud Socket Dim.	Style	Part Number
131N SERIES U-JOINT KIT: CP153X											
2.91"	M-1.81", 46mm			1.06"	.315", 8mm	4		4.44"		3	131N-83-288X
1.63"	F-2.00"	3.50"	3.47"	1.06"	.500"	4		4.38"	.500"	1	131N-83-388X

BALL STUD WELD YOKES — INSIDE SNAP RING



Use with Tubing O.D. and Wall	Butt Dia.	CL to Weld Point	CL to End of Ball Stud	Ball Stud Dia.	Yoke Dim. Across Ears	Brg. Cap Dia.	ISR Dim.	Maximum Operating Angle	Weld Yoke Part Number
3R SERIES		U-JOINT KIT: CP3147X							
2.00" x .120" (11 GA)	1.77"	1.63"	2.00"	.91"	3.56"	1.13"	2.56"	17°	R3R-28-869

BALL STUD WELD YOKES — OUTSIDE SNAP RING




Ball Stud

Use with Tubing O.D. and Wall	Butt Dia.	Center Line to Weld Point	Center Line to End of Ball Stud	Length	Dia.	Yoke Dim. Across Ears	Brg. Cap Dia.	Maximum Operating Angle	Weld Yoke Part Number
131N SERIES		U-JOINT KIT: CP153X							
2.50" x .083" (14 GA)	2.34"	1.44"	1.64"	.59"	.50"	3.47"	1.06"	13°	131N-28-1747X
1280 and 131N SERIES		U-JOINT KIT: CP153X							
2.00" x .120" (11 GA)	1.77"	1.44"	1.64"	.59"	.50"	3.47"	1.06"	13°	131N-28-1777X
2" x .120" (11 GA)	1.77"	1.44"	1.64"	.59"	.50"	3.47"	1.06"	13°	131N-28-2947X
131N SERIES		U-JOINT KIT: CP153X							
2.50" x .083" (14 GA)	2.34"	1.44"	1.64"	.59"	.50"	3.47"	1.06"	13°	131N-28-2957X
133N SERIES		U-JOINT KIT: CP153X							
2.50" x .083" (14 GA)	2.34"	1.38"	1.67"	.59"	.50"	3.875"	1.06"		133N-28-3067X
135N SERIES		U-JOINT KIT: CP153X							
3.00" x .083" (14 GA)	2.84"	1.44"	1.73"	.59"	.50"	3.875"	1.19"		135N-28-1327X


1 Used primarily in crank driven front mount hydraulic pump applications. Also suitable for clutch connection drives. Maximum operating speed 2800 rpm. (Not recommended for vehicular propeller shaft applications.)

SPLINE PLUG SHAFT FOR AUXILIARY POWER TAKE—OFF




Spline Size	Overall Length	Length of Spline	Dust Cap	Insert Diameter	End Yoke	Part Number
WELDED APPLICATION						
1.38" - 16	24"	2.50"	R280194	1.25"	131N-4-533	131N-40-138-2

131N SERIES AUXILIARY POWER TAKE—OFF KIT



Series	Slip Yoke	Spline Plug Shaft	U-Joint Kit	End Yoke	Driveshaft Kit Part Number
DRIVESHAFT COMPONENT PART NUMBERS					
131N	131N-3-7981KX	131N-40-138-2	CP153X	131N-4-533	R91382SF¹

131N SERIES AUXILIARY POWER TAKE—OFF UNWELDED DRIVESHAFT ASSEMBLY



Series	Maximum Assembly Length	Minimum Assembly Length	Tubing	Yoke and Tube Length	Maximum Length	Minimum Length	Complete Driveshaft Part Number
DRIVESHAFT SPECIFICATIONS							
1280, 131N	55.75"	9.50"	2.00" x .083" (14 GA)	49.44"	8.25"	6.25"	R9553-SF
1000, 10N	69.39"	10.00"	2.00" x .083" (14 GA)	59.91"	9.48"	7.48"	R10270-SF
DRIVESHAFT COMPONENT PART NUMBERS							
Series	Slip Yoke	Spline Plug	Weld Yoke	U-Joint Kit	Tubing	Complete Driveshaft Part Number	
1000, 10N	10N-3-18KX	121N-40-1741	R10V5	CP170X	2.00" x .083" (14 GA)	R10270-SF	
1280, 131N	131N-3-128KX	131N-40-1031	131N-28-357	CP153X	2.00" x .083" (14 GA)	R9553-SF	

¹ Used primarily in crank driven front mount hydraulic pump applications. Also suitable for clutch connection drives. Maximum operating speed 2800 rpm. (Not recommended for vehicular propeller shaft applications.)

SECTION 13

INDEX

L6N Steering Components	Page
CLAMP YOKES	
“D-Flat” Serrated Type	13-1
Standard Serrated Type	13-1
SLIP YOKES	
Slip Yokes	13-2


- **This catalog is not to be used for the design of custom steering assemblies. Any use of this catalog other than identifying genuine replacement parts is strictly prohibited.**
- Due to the safety related nature of this product, we implore you to pay special attention to the way your original steering shaft was assembled, noting the phasing of the yokes. On some steering assemblies the yokes are purposely out of phase due to vehicle/application specific requirements.
- If after reviewing the information in this catalog you are unable to positively identify the replacement part you need to repair your steering assembly, please obtain the OEM part number for the assembly and call our Information Services Department at 1-888-725-9355.

MERITOR NUMBERING SYSTEM


Meritor components may be identified by one of the numbering systems shown below.

Aftermarket numbers are issued to make Meritor components easy to select when choosing a replacement component.

MERITOR ENGINEERING NUMBER




CLAMP YOKES — STANDARD SERRATED TYPE




Major Dia. Max./ Min.	Minor Dia. Max./ Min.	Center to End	Clamp Hole to End	Clamp Hole Size	Clamp Hole to Center of Spline	Part Number
.75" - 26 SPLINE Based on 36 spacing						
.739" / .735"	.698" / .694"	2.25"	.47"	.47"	.45"	L6NYS12-39
.88" - 30 SPLINE Based on 36 spacing						
.883" / .881"	.802" / .800"	2.50"	.47"	.41"	.53"	L6NYS14-65
.88" - 36 SPLINE						
.883" / .881"	.802" / .800"	2.25"	.47"	.41"	.56"	L6NYS14-100
1.00" - 30 SPLINE Based on 36 spacing						
.994" / .989"	.949" / .944"	2.25"	.47"	.41"	.61"	L6NYS16-16
.994" / .989"	.949" / .944"	2.50"	.47"	.38"	.61"	L6NYS16-34
1.00" - 36 SPLINE						
.988" / .986"	.915" / .913"	2.25"	.75"	.41"	.58"	L6NYS16-12
1.013" / 1.011"	.949" / .944"	2.25"	.47"	.41"	.61"	L6NYS16-18

CLAMP YOKES — "D—FLAT" SERRATED TYPE



Major Dia. Max./ Min.	Minor Dia. Max./ Min.	Center to End	Clamp Hole to End	Clamp Hole Size	Clamp Hole to Center of Spline	Center of Flat	Part Number
.81" - 18 SPLINE Based on 36 spacing							
.811" / .809"	.766" / .762"	2.16"	.36"	.47"	.53"	255°	L6NYS13-31
.811" / .809"	.766" / .762"	3.30"	.36"	.47"	.53"	255°	L6NYS13-34

SLIP YOKES



Center to End	Length of Hole	Grease Zerk Location	Dust Cap Style	Dust Cap/Seal Part Number	Part Number
1.25" - 32 SPLINE					
7.25"	5.75"		Splined	DCL6N4	L6NLS20-65DC
7.25"	5.81"	1.41"			L6NLS20-127
7.25"	5.81"	1.50" and 5.25"	Splined	SERUS20	L6NLS20-133A
9.13"	6.13"		Splined	SERUS20	L6NLS20-55DC
9.81"	8.88"	1.50"	Round	DCL6N3	L6NLS20-63DC1

SECTION 14


INDEX

10N Series	Page
10N/1000 SERIES AUXILIARY POWER TAKE-OFF	
Unwelded Driveshaft Assembly	14-4
End Yokes	14-3
Flange Yokes.....	14-1
SLIP YOKES	
Inside Snap Ring	14-1
Slip Yokes	14-2

NOTES


This image shows a single sheet of white paper with horizontal blue or grey ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.

FLANGE YOKES




Center toFace	Bolt Circle Dia.	Flange O.D.	Yoke Dim. Across Ears	Bearing Dia.	Set Screw Hole Dia.	Number of Holes	Use U-Joint Kit	Part Number
1.67"	2.75"	3.50"	2.19"	.94"	.34"	4	CP170X	10N-2-29

SLIP YOKES — INSIDE SNAP RING



Center to End	Length of Hole	Yoke Dimension Across Ears	Bearing Cap Diameter	Dust Cap	Part Number
1.25" - 16 SPLINE					
U-JOINT KIT: CP170X					
5.50"	4.03"	1.50"	.94"	R280196	10N-3-18KX

SLIP YOKES




Keyway

Set Screw or Pin Hole

Bore Type	Bore Dia.	Center to End	Bore Lgth.	Hub Dia.	Width	Location	Hole Size	Loc. Viewed From Hub End	Distance from End of Hub	Part Number
YOKE DIMENSION ACROSS EARS: 2.19"				BEARING CAP DIAMETER: 1.31"						
Hex	.88"	5.50"	4.19"	1.63"			.25" - 28 TH	9-GAP	1.75"	10N-3-162X
Hex	1.13"	5.50"	4.19"	1.63"			.25" - 28 TH	9-GAP	1.75"	10N-3-32X
Round	.81"	5.50"	4.19"	1.63"	.25"	3-GAP	.25" - 28 TH	9-GAP	1.75"	10N-3-23X
Round	.88"	5.50"	4.19"	1.63"	.25"	3-GAP	.25" - 28 TH	9-GAP	1.75"	10N-3-33X
Round	1.00"	5.50"	4.19"	1.63"	.25"	9-GAP	.25" - 28 TH	9-GAP	1.75"	10N-3-83X
Round	1.13"	5.50"	4.19"	2.00"	.31"	3-GAP	.25" - 28 TH	9-GAP	1.75"	10N-3-183X
Round	1.25"	5.50"	4.19"	2.00"	.31"	3-GAP	.25" - 28 TH	9-GAP	1.75"	10N-3-163X
SPL-10	1.13"	5.50"	4.19"	1.63"			.25" - 28 TH	9-GAP	1.75"	10N-3-81X
Square	.75"	5.50"	4.19"	1.63"			.25" - 28 TH	9-GAP	1.75"	10N-3-12X
Square	.88"	5.50"	4.19"	1.63"			.25" - 28 TH	9-GAP	1.75"	10N-3-22X
Square	1.00"	5.50"	4.19"	2.00"			.25" - 28 TH	9-GAP	1.75"	10N-3-122X

END YOKES



Keyway


Set Screw or Pin Hole

Bore Type	Bore Dia.	Center to End	Bore Lgth.	Hub Dia.	Width	Location	Hole Size	No. of Holes	Loc. Viewed From Hub End	Distance from End of Hub	Part Number
YOKE DIMENSION ACROSS EARS: 2.19"				BEARING CAP DIAMETER: .94"							
Hex	0.88"	2.50"	1.13"	2.00"			.38" - 16TH	1	9-GAP	.63"	10N-4-282
Hex	1.13"	2.50"	1.13"	2.00"			.38" - 16TH	1	9-GAP	.63"	10N-4-32
Round	0.75"	2.50"	1.13"	1.63"	.19"	3-GAP	.38" - 16TH	1	9-GAP	.63"	10N-4-13
Round	0.75"	2.50"	1.13"	1.63"	.19"	9-GAP	.38" - 16TH	2	12/6-EAR	.63"	10N-4-133
Round	0.75"	2.50"	1.13"	1.63"	.25"	3-GAP	.38" - 16TH	1	9-GAP	.63"	10N-4-23
Round	0.81"	2.50"	1.13"	1.63"	.25"	9-GAP	.38" - 16TH	1	6-EAR	.63"	10N-4-173
Round	0.81"	2.50"	1.13"	1.63"	.19"	3-GAP	.38" - 16TH	1	9-GAP	.63"	10N-4-33
Round	0.81"	2.50"	1.13"	1.63"	.25"	3-GAP	.38" - 16TH	1	9-GAP	.63"	10N-4-43
Round	0.88"	1.69"	1.13"	1.63"	.25"	12-EAR	.38" - 16TH	1	9-GAP	.44"	10N-4-703
Round	0.88"	2.50"	1.13"	1.63"	.25"	9-GAP	.38" - 16TH	1	6-EAR	.63"	10N-4-453
Round	0.88"	2.50"	1.13"	1.63"	.19"	3-GAP	.38" - 16TH	1	9-GAP	.63"	10N-4-53
Round	0.88"	2.50"	1.13"	1.63"	.25"	3-GAP	.38" - 16TH	1	9-GAP	.63"	10N-4-63
Round	0.94"	2.50"	1.13"	1.63"	.25"	12-EAR	.38" - 16TH	1	6-EAR	.63"	10N-4-73
Round	1.00"	2.50"	1.13"	1.63"	.19"	3-GAP	.38" - 16TH	1	9-GAP	.63"	10N-4-83
Round	1.00"	2.50"	1.13"	1.63"	.25"	3-GAP	.38" - 16TH	1	9-GAP	.63"	10N-4-93
Round	1.00"	2.50"	1.13"	1.63"			.38" - 16TH	2	12/6-EAR	.63"	10N-4-443
Round	1.00"	2.50"	1.13"	1.63"	.25"	9-GAP	.38" - 16TH	1	6-EAR	.63"	10N-4-573
Round	1.13"	2.50"	1.13"	2.00"	.25"	9-GAP	.38" - 16TH	1	6-EAR	.63"	10N-4-143
Round	1.13"	2.50"	1.13"	2.00"	.25"	3-GAP	.38" - 16TH	1	9-GAP	.63"	10N-4-103
Round	1.13"	2.50"	1.13"	2.00"	.31"	3-GAP	.38" - 16TH	1	9-GAP	.63"	10N-4-113
Round	1.13"	2.50"	1.13"	2.00"	.31"	9-GAP	.38" - 16TH	1	6-EAR	.63"	10N-4-473
Round	1.25"	2.50"	1.13"	2.00"	.31"	3-GAP	.38" - 16TH	1	9-GAP	.63"	10N-4-123
Round	1.25"	2.50"	1.13"	2.00"	.25"	9-GAP	.38" - 16TH	1	6-EAR	.63"	10N-4-183
Round	1.25"	2.50"	1.13"	2.00"	.31"	9-GAP	.38" - 16TH	1	6-EAR	.63"	10N-4-193
SPL-13	0.88"	2.50"	1.19"	1.63"			.38" - 16TH	1	6-EAR	.63"	10N-4-481
SPL-16	0.73"	2.25"	0.94"	1.63"			.47" - DR	1	3/9-GAP	.47"	10N-4-611 ¹
SPL-6	1.38"	3.25"	2.25"				DR	2		.38"	10N-4-139 ²
Square	0.75"	2.50"	1.13"	1.63"			.38" - 16TH	1	9-GAP	.63"	10N-4-22
Square	0.88"	2.50"	1.13"	1.63"			.38" - 16TH	1	9-GAP	.63"	10N-4-12
Square	1.00"	2.50"	1.13"	2.00"			.38" - 16TH	1	9-GAP	.63"	10N-4-52

¹ Clamp yoke.

² Quick disconnect trailing pin yoke - tractor end.

10N/1000 SERIES AUXILIARY POWER TAKE—OFF UNWELDED DRIVESHAFT ASSEMBLY



Maximum Assembly Length	Minimum Assembly Length	Tubing	Yoke and Tube Length	Yoke & Spline Plug Assy.		Complete Driveshaft Part Number
				Maximum Length	Minimum Length	
DRIVESHAFT SPECIFICATIONS						
55.75"	9.50"	2.00" x .083" (14 GA)	49.44"	8.25"	6.25"	R9553-SF
69.39"	10.00"	2.00" x .083" (14 GA)	59.91"	9.48"	7.48"	R10270-SF

Slip Yoke	Spline Plug	Weld Yoke	U-Joint Kit	Tubing	Complete Driveshaft Part Number
10N-3-18KX	121N-40-1741	R10V5	CP170X	2.00" x .083" (14 GA)	R10270-SF
131N-3-128KX	131N-40-1031	131N-28-357	CP153X	2.00" x .083" (14 GA)	R9553-SF

SECTION 15

INDEX

Companion Flange and End Yoke Application Guide Index

Page

Attachment Hardware	15-1
Axles and Transmissions	15-2


Meritor Driveline Search Application available at

armapps.meritor.com/driveline




**Meritor's online search engine
to review the complete
selection of Meritor yokes and flanges
used on axles, transmissions and transfer cases.**

ATTACHMENT HARDWARE



Part Number	Thread Size	Metric Thread Size	Width Across Flats	Thickness
1227-G-943	0.88" - 20 3 UNEF-2B		1.13"	.50"
1227-C-939	1.00" - 20 3 UNEF-2B		1.32"	.57"
1227-K-1051	1.25" - 12 3 UNF-2B		1.63"	.62"
1227-Q-901	1.25" - 12 3 UNF-2B		1.88"	.75"
1227-Z-936	1.25" - 18 3 UNEF-2B		1.63"	.62"
1227-J-946	1.50" - 12 3 UNF-2B		1.88"	.75"
1227-R-902	1.50" - 12 3 UNF-2B		2.25"	.88"
1227-A-937	1.50" - 18 3 UNEF-2B		1.88"	.75"
1227-D-940	1.75" - 12 3 UN-2B		2.25"	.69"
1227-N-898	1.75" - 12 3 UN-2B		2.58"	.99"
40-X-1236		32mm x 1.5-6H Thd.	45.69mm	18mm
40-X-1237		39mm x 1.5-6H Thd.	54.63mm	21mm
40-X-1233		45mm x 1.5-6H Thd.	56.20mm	24mm



Part Number	Inside Diameter	Outside Diameter	Thickness
1229-N-1548	0.91"	1.62"	0.19"
1229-S-1397	0.91"	1.62"	0.13"
1229-E-1331	1.03"	1.81"	0.25"
1229-A-2653	1.28"	2.19"	0.22"
1229-F-2918	1.53"	2.38"	0.25"
1229-T-1736	1.53"	2.38"	0.13"
1229-W-4521	1.75"	3.25"	0.31"
1229-G-1281	1.78"	3.00"	0.10"
1229-N-1730	1.78"	3.00"	0.19"
1229-S-1605	1.81"	3.25"	0.40"
1229-E-1071	2.03"	3.25"	0.28"

DANA AXLES

INDEX

	Page		Page
F155-S	15-3	W460-S (FUO)	15-3
F170-S	15-3	W460-S (RUI)	15-5
G175-S	15-3, 15-4		
G175-T	15-3, 15-4		
G190-S	15-3, 15-4		
G190-T	15-3, 15-4		
G340-S (FUI)	15-3, 15-4		
G340-S (FUO)	15-3		
G340-S (RUI)	15-3, 15-4		
G380-S (FUI)	15-3, 15-4		
G380-S (FUO)	15-3		
G380-S (RUI)	15-3, 15-4		
G400-S (FUI)	15-5		
G400-S (FUO)	15-3		
G400-S (RUI)	15-3, 15-5		
J175-S	15-4		
J190-S	15-4		
J210-S	15-3		
J220-S	15-4		
J340-S (FUI)	15-5		
J340-S (FUO)	15-3		
J340-S (RUI)	15-4		
J380-S (FUI)	15-5		
J380-S (FUO)	15-3		
J380-S (RUI)	15-4		
J400-S (FUI)	15-5		
J400-S (FUO)	15-3		
J400-S (RUI)	15-4		
M190-S	15-3, 15-4		
M190-T	15-3, 15-4		
M210-S	15-3, 15-4		
M210-T	15-3, 15-4		
M220-S	15-3, 15-4		
M220-T	15-3, 15-4		
M460-S (FUI)	15-3, 15-5		
M460-S (FUO)	15-3		
M460-S (RUI)	15-4, 15-5		
S185	15-3, 15-4		
W230-S	15-4, 15-5		
W460-S (FUI)	15-4		

DANA AXLES

Model	Spline Size Dia. - Tooth Count	Spline Length	Hub Dia.	Center to End	Yoke Type	Comments	Part Number
F155-S				4.21"	Easy Service		148DYS28-18A
F170-S	1.78" - 34	2.19"	2.38"	3.99"	Easy Service		155DYS28-21A
J210-S				3.99"	Easy Service		155N-4-5671X
				4.12"	Full Round		16N-4-7291X
				4.13"	Easy Service		16TYS28-44A
G340-S (FUI)	1.94" - 30	2.25"	3.00"	4.75"	Full Round		16N-4-4391
G380-S (FUI)				4.56"	Full Round		17N-4-4371
				4.56"	Easy Service		17TYS31-19 (C)
				4.56"	Easy Service		17TYS31-55
				5.38"	Full Round		18N-4-2051
G340-S (FUO)	1.97" - 10	2.00"	2.50"	4.69"	Easy Service		148NYS31-3
G380-S (FUO)				5.22"	Full Round		16N-4-4551
				5.31"	Full Round		16NYS28-28A
				5.00"	Full Round		17N-4-3721
				4.44"	Full Round		17NYS28-5
G400-S (FUO)	2.00" - 30	2.69"	3.00"	6.00"	Full Round		16N-4-5721
M460-S (FUO)				6.11"	Full Round		17N-4-5781
G400-S (FUO)							
J340-S (FUO)	2.00" - 30	2.69"	3.00"	6.00"	Full Round	Hardened Hub	16NYS32-55
J380-S (FUO)				6.00"	Easy Service		16TYS32-55
J400-S (FUO)				6.10"	Full Round		17NYS32-65
M460-S (FUO)				6.10"	Easy Service		17TYS32-65
W460-S (FUO)							
G175-S							
G175-T							
G190-S							
G190-T				4.28"	Easy Service		148NYS32-7A
G400-S (RUI)				4.28"	Easy Service		148TYS32-3
M190-S				4.28"	Easy Service		148TYS32-3A
M190-T	2.00" - 38	2.13"	3.00"	4.84"	Easy Service		16N-4-6131-1
M210-S				4.84"	Full Round		17N-4-6201
M210-T				4.84"	Easy Service		17TYS32-59 (C)
M220-S				4.84"	Easy Service		17TYS32-76
M220-T							
M460-S (FUI)							
S185							
G340-S (RUI)	2.13" - 32	2.25"	3.00"	6.00"	Full Round		16N-4-5731
G380-S (RUI)				5.00"	Full Round		17N-4-5821
				6.25"	Full Round		17NYS34-9A

(C) Cast Version
(FUI) Forward Unit Input
(FUO) Forward Unit Output
(RUI) Rear Unit Input

U.S. 888-725-9355
Canada 800-387-3889

XpresswayPlus.com

15-3

DANA AXLES

Model	Spline Size Dia. - Tooth Count	Spline Length	Hub Dia.	Center to End	Yoke Type	Comments	Part Number
J175-S				4.28"	Easy Service		148NYS34
J190-S	2.13" - 32	2.25"	3.00"	4.94"	Easy Service		148NYS34-1
J220-S				4.28"	Easy Service		148TYS34-2
				5.38"	Full Round		16N-4-5751
				4.56"	Full Round		17NYS34-10
G340-S (RUI)				6.00"	Full Round		16NYS34-10A
G380-S (RUI)				6.00"	Easy Service		16TYS34-10A
J340-S (RUI)	2.13" - 32	2.25"	3.00"	6.25"	Full Round	Hardened Hub	17NYS34-16A
J380-S (RUI)				6.25"	Easy Service		17TYS34-16A
J400-S (RUI)							
				4.28"	Easy Service		148TYS34-1
				4.31"	Easy Service		155TYS34-1
J175-S				5.38"	Full Round		16NYS34-11A
J190-S	2.13" - 32	2.25"	3.00"	5.38"	Easy Service	Hardened Hub	16TYS34-11A
J220-S				4.56"	Full Round		17NYS34-15A
				4.56"	Easy Service		17TYS34-15A (C)
				4.56"	Easy Service		17TYS34-22A
G340-S (FUI)	2.38" - 36	2.69"	3.00"	6.50"	Full Round		17N-4-5801
G380-S (FUI)							
M460-S (RUI)	2.38" - 36	2.69"	3.00"	6.00"	Full Round		16N-4-5741
				5.07"	Easy Service		155NYS38
				5.16"	Full Round		16N-4-5631
W230-S	2.38" - 36	2.69"	3.00"	5.44"	Full Round		17N-4-5711
				5.44"	Easy Service		17N-4-5711-1
				5.44"	Full Round		18N-4-3161
G175-S							
G175-T							
G190-S							
G190-T							
G400-S (FUI)				5.07"	Easy Service		155TYS38-2
J340-S (FUI)				5.16"	Full Round		16NYS38-15A
J380-S (FUI)				5.16"	Easy Service		16TYS38-15A
J400-S (FUI)				5.56"	Full Round		176N-4-851X
M190-S	2.38" - 36	2.69"	3.00"	5.44"	Easy Service	Hardened Hub	176TYS38-16A
M190-T				5.44"	Full Round		17NYS38-41A
M210-S				5.44"	Easy Service		17TYS38-41A (C)
M210-T				5.44"	Easy Service		17TYS38-58A
M220-S				5.44"	Full Round		18N-4-3641X
M220-T				5.44"	Easy Service		18TYS38-20A
M460-S (FUI)							
S185							
W460-S (FUI)							

(C) Cast Version
(FUI) Forward Unit Input
(FUO) Forward Unit Output
(RUI) Rear Unit Input

DANA AXLES

Model	Spline Size Dia. - Tooth Count	Spline Length	Hub Dia.	Center to End	Yoke Type	Comments	Part Number
G400-S (RUI)				6.00"	Full Round		16NYS38-13A
				6.00"	Easy Service		16TYS38-13A
M460-S (RUI)	2.38" - 36	2.69"	3.00"	6.50"	Full Round	Hardened Hub	17NYS48-43A
W460-S (RUI)				6.50"	Easy Service		17TYS38-43
				6.50"	Easy Service		17TYS38-43A
W230-S	2.38" - 36	2.69"	3.00"	5.07"	Easy Service	Hardened Hub	155TYS38-3
				5.16"	Full Round		16NYS38-14A
				5.16"	Easy Service		16TYS38-14A
				5.56"	Full Round		176NYS38-15A
				5.56"	Easy Service		176TYS38-15A
				5.44"	Full Round		17NYS38-42A
				5.44"	Easy Service		17TYS38-42A (C)
				5.44"	Easy Service		17TYS38-59A
				5.44"	Full Round		18NYS38-19A
				5.44"	Easy Service		18TYS38-19A

EATON AXLES

INDEX

	Page		Page
15040.....	15-9	340D (RUI)	15-10
15101.....	15-9	35327.....	15-14, 15-15
15201.....	15-9	38D (FUI)	15-11
15301.....	15-9	38D (FUO).....	15-9
16121.....	15-9	38D (RUI) (3.70, 4.11 ratios only)	15-10
17121 (4.33, 7.60 ratios only)	15-9	38D (RUI) (exc. 3.70, 4.11 ratios).....	15-9
17121 (exc. 4.33, 7.60 ratios).....	15-10	380D (FUI)	15-14
18121 (4.33, 7.60 ratios only)	15-9	380D (FUO).....	15-9
18121 (exc. 4.33, 7.60 ratios).....	15-10	380D (RUI)	15-10
19050.....	15-9	400D (FUI)	15-14
19100.....	15-10	400D (FUO).....	15-9
19121.....	15-14, 15-15	400D (RUI)	15-10
19200.....	15-10	42D (FUI)	15-11
19221.....	15-14, 15-15	42D (FUO).....	15-9
19300.....	15-10	42D (RUI) (3.70, 4.11 ratios only)	15-10
19321.....	15-14, 15-15	42D (RUI) (exc. 3.70, 4.11 ratios).....	15-9
19421.....	15-14, 15-15	44D (FUI)	15-18
19426.....	15-14, 15-15	44D (FUO).....	15-15
20100.....	15-10	444D (RUI)	15-14
20120.....	15-14, 15-15	44D (RUI)	15-15
20200.....	15-10	50D (FUI)	15-14
20300.....	15-10	50D (FUO).....	15-9
21065.....	15-11	50D (RUI)	15-10
22000.....	15-10	D341 (FUI)	15-16
23070.....	15-13	D341 (FUO).....	15-10
23085.....	15-16	D341 (RUI)	15-11, 15-12
23105.....	15-16	D381 (FUI)	15-16
23121.....	15-14, 15-15	D381 (FUO).....	15-10
23221.....	15-14, 15-15	D381 (RUI)	15-11, 15-12
23321.....	15-14, 15-15	D401 (FUI)	15-16
23427.....	15-14, 15-15	D401 (FUO).....	15-10
26085.....	15-13	D401 (RUI)	15-11, 15-12
26121.....	15-14, 15-15	D402 (RUI)	15-11, 15-12
26221.....	15-14, 15-15	D404 (FUI)	15-11, 15-12, 15-16
26321.....	15-14, 15-15	D404 (FUO).....	15-12
26421.....	15-14, 15-15	D404 (RUI)	15-11, 15-12
30105.....	15-16	D451 (RUI)	15-11, 15-12
34D (FUI)	15-11	D461 (FUI)	15-17
34D (FUO).....	15-9	D461 (FUO).....	15-13
34D (RUI) (3.70, 4.11 ratios only)	15-10	D461 (RUI)	15-13
34D (RUI) (exc. 3.70, 4.11 ratios).....	15-9	D501 (FUI)	15-16
340D (FUI)	15-14	D501 (FUO).....	15-10
340D (FUO).....	15-9	D501 (RUI)	15-11, 15-12

INDEX

	Page		Page
DC461 (FUI)	15-17	DP550 (RUI)	15-14, 15-15
DC461 (FUO)	15-13	DP580 (FUI)	15-18
DC461 (RUI)	15-13	DP580 (FUO)	15-15
DC521 (FUI)	15-17	DP580 (RUI)	15-14, 15-15
DC521 (FUO)	15-13	DP601 (FUI)	15-17
DC521 (RUI)	15-13	DP601 (FUO)	15-13, 15-14
DC601 (FUI)	15-17	DP601 (RUI)	15-13
DC601 (FUO)	15-13	DP650 (FUI)	15-18
DC601 (RUI)	15-13	DP650 (FUO)	15-15
DC621 (RUI)	15-13	DP650 (RUI)	15-14, 15-15
DC651 (FUI)	15-17	DP651 (FUI)	15-17
DC651 (FUO)	15-13	DP651 (FUO)	15-13, 15-14
DC651 (RUI)	15-13	DP651 (RUI)	15-13
DP341 (FUI)	15-16	DS341 (FUI)	15-16
DP341 (FUO)	15-10	DS341 (FUO)	15-10
DP341 (RUI)	15-11, 15-12	DS341 (RUI)	15-11, 15-12
DP381 (FUI)	15-16	DS381 (FUI)	15-16
DP381 (FUO)	15-10	DS381 (FUO)	15-10
DP381 (RUI)	15-11, 15-12	DS381 (RUI)	15-11, 15-12
DP401 (FUI)	15-16	DS401 (FUI)	15-16
DP401 (FUO)	15-10	DS401 (FUO)	15-10
DP401 (RUI)	15-11, 15-12	DS401P (FUI)	15-16
DP402 (RUI)	15-11, 15-12	DS401P (FUO)	15-10
DP440 (FUI)	15-18	DS401P (RUI)	15-11
DP440 (FUO)	15-15	DS401 (RUI)	15-11, 15-12
DP440 (RUI)	15-14, 15-15	DS402 (FUI)	15-16
DP451 (FUI)	15-16	DS402 (FUO)	15-10
DDP451 (FUO)	15-10	DS402 (RUI)	15-11, 15-12
DP451 (RUI)	15-11, 15-12	DS451 (RUI)	15-11, 15-12
DP461 (FUI)	15-17	DS461 (FUI)	15-17
DP461 (FUO)	15-13, 15-14	DS461 (FUO)	15-13, 15-14
DP461 (RUI)	15-13	DS461 (RUI)	15-13
DP480 (FUI)	15-18	DS501 (FUI)	15-16
DP480 (FUO)	15-15	DS501 (FUO)	15-10
DP480 (RUI)	15-14, 15-15	DS501 (RUI)	15-11, 15-12
DP501 (FUI)	15-16	DS521 (FUI)	15-17
DP501 (FUO)	15-10	DS521 (FUO)	15-13, 15-14
DP501 (RUI)	15-11, 15-12	DS521 (RUI)	15-13
DP521 (FUI)	15-17	DS601 (FUI)	15-17
DP521 (FUO)	15-13, 15-14	DS601 (FUO)	15-13,, 15-14
DP521 (RUI)	15-13	DS601 (RUI)	15-13
DP550 (FUI)	15-18	DS651 (FUI)	15-17
DP550 (FUO)	15-15	DS651 (FUO)	15-13, 15-14

EATON AXLES

INDEX

	Page		Page
DS651 (RUI)	15-13	DT650 (RUI)	15-15
DT341 (FUI)	15-16	DT651 (FUI)	15-17
DT341 (FUO)	15-10	DT651 (FUO)	15-13, 15-14
DT341 (RUI)	15-11, 15-12	DT651 (RUI)	15-13
DT381 (FUI)	15-16	SUPER 23	15-16
DT381 (FUO)	15-10		
DT381 (RUI)	15-11,, 15-12		
DT401 (FUI)	15-16		
DT401 (FUO)	15-10		
DT401 (RUI)	15-11, 15-12		
DT402 (FUI)	15-16		
DT402 (FUO)	15-10		
DT402 (RUI)	15-11, 15-12		
DT440 (FUI)	15-18		
DT440 (FUO)	15-15		
DT440 (RUI)	15-14, 15-15		
DT451 (FUI)	15-16		
DT451 (FUO)	15-10		
DT451 (RUI)	15-11, 15-12		
DT461 (FUI)	15-17		
DT461 (FUO)	15-13, 15-14		
DT461 (RUI)	15-13		
DT480 (FUI)	15-18		
DT480 (FUO)	15-15		
DT480 (RUI)	15-14, 15-15		
DT501 (FUI)	15-16		
DT501 (FUO)	15-10		
DT501 (RUI)	15-11, 15-12		
DT521 (FUI)	15-17		
DT521 (FUO)	15-13, 15-14		
DT521 (RUI)	15-13		
DT550 (FUI)	15-18		
DT550 (FUO)	15-15		
DT550 (RUI)	15-14, 15-15		
DT580 (FUI)	15-18		
DT580 (FUO)	15-15		
DT580 (RUI)	15-14, 15-15		
DT601 (FUI)	15-17		
DT601 (FUO)	15-13, 15-14		
DT601 (RUI)	15-13		
DT650 (FUI)	15-18		
DT650 (FUO)	15-15		

EATON AXLES

Model	Spline Size Dia. - Tooth Count	Spline Length	Hub Dia.	Center to End	Yoke Type	Part Number
				3.88"	Easy Service	141NYS24A
15101				3.88"	Easy Service	141TYS24-2A1
15201	1.50" - 10	2.19"	2.25"	4.19"	Easy Service	148N-4-3781
15301				4.19"	Easy Service	148N-4-6051X
				4.19"	Easy Service	148TYS24-2A1
				4.00"	Easy Service	155NYS24-3A
17121 (4.33, 7.60 ratios only)						
18121 (4.33, 7.60 ratios only)						
340D (FUO)						
34D (FUO)						
380D (FUO)	1.75" - 10	2.19"	2.38"	4.22"	Easy Service	148N-4-3571
38D (FUO)						
400D (FUO)						
42D (FUO)						
50D (FUO)						
				4.00"	Easy Service	141N-4-5581-1X
16121				4.19"	Easy Service	141N-4-5581X
34D (RUI) (exc. 3.70, 4.11 ratios)	1.75" - 10	2.25"	2.62"	4.75"	Full Round	16N-4-2081
38D (RUI) (exc. 3.70, 4.11 ratios)				4.75"	Full Round	16N-4-5111X
42D (RUI) (exc. 3.70, 4.11 ratios)				6.12"	Full Round	17N-4-4141
				5.25"	Full Round	17N-4-4301X
17121 (4.33, 7.60 ratios only)				4.31"	Easy Service	155N-4-1891
18121 (4.33, 7.60 ratios only)				6.00"	Full Round	16N-4-3901
340D (FUO)				5.34"	Full Round	16N-4-4571
34D (FUO)				5.34"	Easy Service	16N-4-4571-1
380D (FUO)	1.75" - 10	2.25"	2.62"	4.12"	Full Round	16N-4-781
38D (FUO)				4.50"	Full Round	17N-4-2081
400D (FUO)				5.25"	Full Round	17N-4-3391
42D (FUO)				4.50"	Easy Service	17TYS28-60
50D (FUO)				5.25"	Easy Service	17TYS28-64
				4.50"	Easy Service	17TYS28-7 (C)
				3.81"	Easy Service	141TYS28-17
				3.81"	Easy Service	141TYS28-17A
				4.27"	Easy Service	148TYS28-19A
15040	1.75" - 34	2.19"	2.62"	4.27"	Easy Service	155TYS28-15A
19050				4.75"	Full Round	16N-4-7301X
				4.75"	Easy Service	16TYS28-43A
				5.26"	Full Round	17NYS28-55A
				5.26"	Easy Service	17TYS28-58A

(C) Cast Version
(FUI) Forward Unit Input
(FUO) Forward Unit Output
(RUI) Rear Unit Input

U.S. 888-725-9355
Canada 800-387-3889

XpresswayPlus.com

15-9

EATON AXLES

Model	Spline Size Dia. - Tooth Count	Spline Length	Hub Dia.	Center to End	Yoke Type	Part Number
D341 (FUO)						
D381 (FUO)						
D401 (FUO)						
D501 (FUO)						
DP341 (FUO)				4.41"	Easy Service	148NYS28-30A
DP381 (FUO)				4.88"	Easy Service	148TYS28-23A
DP401 (FUO)				4.41"	Easy Service	148TYS28-25
DP501 (FUO)				4.75"	Easy Service	155TYS28-23
DS341 (FUO)				6.19"	Full Round	16NYS28-59A
DS381 (FUO)	1.75" - 34	2.44"	2.62"	4.94"	Full Round	16NYS28-60A
DS401 (FUO)				4.94"	Easy Service	16TYS28-39
DS401P (FUO)				6.31"	Full Round	17NYS28-65A
DS402 (FUO)				5.44"	Full Round	17NYS28-66A
DS501 (FUO)				5.44"	Easy Service	17TYS28-51 (C)
DT341 (FUO)				5.44"	Easy Service	17TYS28-59A
DT381 (FUO)						
DT401 (FUO)						
DT402 (FUO)						
DT501 (FUO)						
DP451 (FUO)				5.44"	RPL	20WYS28-1A
DT402 (FUO)	1.79" - 34	2.43"	2.62"	6.28"	RPL	20WYS28-2A
DT451 (FUO)						
17121 (exc. 4.33, 7.60 ratios)				4.28"	Easy Service	155N-4-2431
18121 (exc. 4.33, 7.60 ratios)				6.00"	Full Round	16N-4-3911
340D (RUI)				5.31"	Full Round	16N-4-4471
34D (RUI) (3.70, 4.11 ratios only)				5.31"	Easy Service	16N-4-4471-1
380D (RUI)	1.97" - 10	2.25"	2.62"	6.12"	Full Round	17N-4-4151
38D (RUI) (3.70, 4.11 ratios only)				4.50"	Easy Service	17N-4-4721-1
400D (RUI)				5.25"	Full Round	17N-4-5141
42D (RUI) (3.70, 4.11 ratios only)				5.25"	Easy Service	17TYS31-49A (C)
50D (RUI)				5.25"	Easy Service	17TYS31-58A
19100						
19200						
19300						
20100	1.97" - 10	2.25"	2.62"	4.04"	Easy Service	148N-4-5821X
20200				3.50"	Wing Bearing	72NYS31-2A
20300						
22000						

(C) Cast Version
(FUI) Forward Unit Input
(FUO) Forward Unit Output
(RUI) Rear Unit Input

EATON AXLES

Model	Spline Size Dia. - Tooth Count	Spline Length	Hub Dia.	Center to End	Yoke Type	Part Number
34D (FUI) 38D (FUI) 42D (FUI)	1.97" - 10	2.25"	2.62"	4.50"	Full Round	17N-4-2211
				4.50"	Full Round	17N-4-4731X
				5.25"	Full Round	17NYS31-13A
				4.50"	Easy Service	17TYS31-36A (C)
				4.50"	Easy Service	17TYS31-57A
				5.63"	Full Round	18N-4-2351X
				5.63"	Easy Service	18TYS31-1A
				3.94"	Wing Bearing	92NYS31-2
21065	2.00" - 39	2.25"	2.62"			
D341 (RUI)						
D381 (RUI)						
D401 (RUI)						
D501 (RUI)						
DP341 (RUI)						
DP381 (RUI)				4.42"	Easy Service	148NYS32-10A
DP401 (RUI)				4.31"	Easy Service	148NYS32-9A
DP501 (RUI)				4.31"	Easy Service	148TYS32-14A
DS341 (RUI)				4.70"	Easy Service	148TYS32-15A
DS381 (RUI)				4.31"	Easy Service	148TYS32-7A
DS401 (RUI)				4.27"	Easy Service	155TYS32-27A
DS401P (RUI)				4.56"	Easy Service	155TYS32-31A
DS402 (RUI)				6.00"	Full Round	16NYS32-68A1
DS501 (RUI)				5.31"	Full Round	16NYS32-73A
DT341 (RUI)				4.72"	Full Round	16NYS32-74A
DT381 (RUI)				4.72"	Easy Service	16TYS32-75A
DT401 (RUI)				5.25"	Full Round	17NYS32-85A
DT402 (RUI)				6.12"	Full Round	17NYS32-86A
DT501 (RUI)				5.25"	Easy Service	17TYS32-89A
D402 (RUI)				5.75"	RPL	20WYS32-10A
D451 (RUI)						
DP402 (RUI)						
DP451 (RUI)						
DS451 (RUI)						
DT451 (RUI)						
				5.31"	Full Round	16NYS32-79A
				6.00"	Full Round	16NYS32-80A
D404 (FUI)				6.12"	Easy Service	16TYS32-79A
D404 (RUI)				4.72"	Easy Service	16TYS32-81A
				6.12"	Full Round	17NYS32-93A
				5.25"	Easy Service	17TYS32-92A

(C) Cast Version
(FUI) Forward Unit Input
(FUO) Forward Unit Output
(RUI) Rear Unit Input

U.S. 888-725-9355
Canada 800-387-3889

XpresswayPlus.com

15-11

EATON AXLES

Model	Spline Size Dia. - Tooth Count	Spline Length	Hub Dia.	Center to End	Yoke Type	Part Number
D341 (RUI)	2.00" - 39	2.50"	2.62"	4.90"	RPL	20WYS32-9A
D381 (RUI)						
D401 (RUI)						
D402 (RUI)						
D451 (RUI)						
D501 (RUI)						
DP341 (RUI)						
DP381 (RUI)						
DP401 (RUI)						
DP402 (RUI)						
DP451 (RUI)						
DP501 (RUI)						
DS341 (RUI)						
DS381 (RUI)						
DS401 (RUI)						
DS402 (RUI)						
DS451 (RUI)						
DS501 (RUI)						
DT341 (RUI)						
DT381 (RUI)						
DT401 (RUI)						
DT402 (RUI)						
DT451 (RUI)						
DT501 (RUI)						
D404 (FUI) D404 (FUO) D404 (RUI)						
	6.00"	Full Round	16NYS32-77A			
	4.94"	Full Round	16NYS32-78A			
	4.94"	Easy Service	16TYS32-78A			
	6.12"	Full Round	17NYS32-91A			
	5.44"	Easy Service	17TYS32-94A			
	5.38"	RPL	20WYS32-7A			
	5.94"	RPL	20WYS32-8A			

EATON AXLES

Model	Spline Size Dia. - Tooth Count	Spline Length	Hub Dia.	Center to End	Yoke Type	Part Number
				4.50"	Easy Service	155N-4-5581
				5.25"	Full Round	16N-4-7311X
23070				6.00"	Full Round	16NYS34-14A
26085				6.00"	Full Round	16NYS34-14A1
D461 (RUI)				5.25"	Full Round	16NYS34-9A1
DC461 (RUI)				5.25"	Easy Service	16TYS34-9A
DC521 (RUI)				5.25"	Easy Service	16TYS34-9A1
DC601 (RUI)				5.25"	Full Round	176N-4-1071X
DC621 (RUI)				5.25"	Full Round	176NYS34-3A1
DC651 (RUI)				5.25"	Easy Service	176TYS34-3A
DP461 (RUI)				5.25"	Easy Service	176TYS38-3A1
DP521 (RUI)				5.19"	Full Round	17N-4-7321X
DP601 (RUI)	2.13" - 41	2.50"	2.94"	5.19"	Full Round	17NYS34-14A1
DP651 (RUI)				6.12"	Full Round	17NYS34-19A
DS461 (RUI)				6.12"	Full Round	17NYS34-19A1
DS521 (RUI)				5.19"	Easy Service	17TYS34-14A (C)
DS601 (RUI)				5.19"	Easy Service	17TYS34-14A1
DS651 (RUI)				5.19"	Easy Service	17TYS34-21A
DT461 (RUI)				5.25"	Full Round	18N-4-3691X
DT521 (RUI)				5.25"	Full Round	18NYS34-2A1
DT601 (RUI)				5.25"	Easy Service	18TYS34-2A1
DT651 (RUI)				4.25"	Wing Bearing	72NYS34-42A
				4.25"	Wing Bearing	72NYS34-42A1
				5.12"	RPL	20WYS34-1A
				5.94"	RPL	20WYS34-2A
D461 (FUO)						
DC461 (FUO)						
DC521 (FUO)				6.50"	Full Round	16N-4-7551
DC601 (FUO)				5.50"	Full Round	16NYS34-12
DC651 (FUO)				5.50"	Full Round	16NYS34-13A1
DP461 (FUO)				5.81"	Full Round	176N-4-1171
DP521 (FUO)				5.81"	Full Round	176NYS38-4A1
DP601 (FUO)				6.63"	Full Round	17N-4-7541
DP651 (FUO)	2.13" - 41	3.00"	2.94"	5.50"	Full Round	17NYS34-17
DS461 (FUO)				6.63"	Full Round	17NYS34-18A1
DS521 (FUO)				5.81"	Full Round	18N-4-3931
DS601 (FUO)				5.81"	Full Round	18NYS34-3A1
DS651 (FUO)				4.25"	Wing Bearing	72NYS34-41
DT461 (FUO)				4.25"	Wing Bearing	72NYS34-41A
DT521 (FUO)						
DT601 (FUO)						
DT651 (FUO)						

(C) Cast Version
(FUI) Forward Unit Input
(FUO) Forward Unit Output
(RUI) Rear Unit Input

U.S. 888-725-9355
Canada 800-387-3889

XpresswayPlus.com

15-13

EATON AXLES

Model	Spline Size Dia. - Tooth Count	Spline Length	Hub Dia.	Center to End	Yoke Type	Part Number
DP461 (FUO)						
DP521 (FUO)						
DP601 (FUO)						
DP651 (FUO)						
DS461 (FUO)						
DS521 (FUO)	2.13" - 41	3.00"	2.94"	5.53"	RPL	20WYS34-3A
DS601 (FUO)				6.44"	RPL	20WYS34-4A
DS651 (FUO)						
DT461 (FUO)						
DT521 (FUO)						
DT601 (FUO)						
DT651 (FUO)						
340D (FUI)	2.16" - 16	2.50"	2.94"	5.25"	Full Round	176N-4-231X
380D (FUI)				5.19"	Full Round	17N-4-4961
400D (FUI)				5.19"	Easy Service	17N-4-4961-1
400D (FUI)				5.19"	Full Round	17N-4-5061X
50D (FUI)				5.25"	Full Round	18N-4-2441
				4.25"	Wing Bearing	92NYS34-6A
19121						
19221						
19321						
19421						
19426						
20120						
23121						
23221						
23321						
23427						
26121						
26221						
26321	2.16" - 16	2.88"	2.94"	4.56"	Wing Bearing	58WBYS34-7
26421						
35327						
44D (RUI)						
DP440 (RUI)						
DP480 (RUI)						
DP550 (RUI)						
DP580 (RUI)						
DP650 (RUI)						
DT440 (RUI)						
DT480 (RUI)						
DT550 (RUI)						
DT580 (RUI)						

(C) Cast Version
(FUI) Forward Unit Input
(FUO) Forward Unit Output
(RUI) Rear Unit Input

EATON AXLES

Model	Spline Size Dia. - Tooth Count	Spline Length	Hub Dia.	Center to End	Yoke Type	Part Number
DT650 (RUI)	2.16" - 16	2.88"	2.94"	4.56"	Wing Bearing	58WBYS34-7
19121						
19221						
19321						
19421						
19426						
20120						
23121				5.06"	Easy Service	155N-4-5431-1X
23221				6.25"	Easy Service	16N-4-5031-1X
23321				6.25"	Full Round	16N-4-5161X
23427				6.72"	Full Round	16N-4-5511X
26121				5.81"	Easy Service	176N-4-141-1
26221				5.81"	Full Round	176N-4-251X
26321	2.16" - 16	3.00"	2.94"	5.50"	Full Round	17N-4-4171X
26421				6.63"	Full Round	17N-4-5481X
35327				6.31"	Full Round	17NYS34-5A
44D (RUI)				5.50"	Easy Service	17TYS34-23A
DP440 (RUI)				5.50"	Easy Service	17TYS34-3A (C)
DP480 (RUI)				5.81"	Easy Service	18N-4-2401-1X
DP550 (RUI)				5.81"	Full Round	18N-4-2401X
DP580 (RUI)				4.25"	Wing Bearing	72NYS34-24A
DP650 (RUI)						
DT440 (RUI)						
DT480 (RUI)						
DT550 (RUI)						
DT580 (RUI)						
DT650 (RUI)						
44D (FUO)				5.06"	Easy Service	155TYS34
DP440 (FUO)				6.25"	Full Round	16N-4-5031
DP480 (FUO)				6.25"	Easy Service	16N-4-5031-1
DP550 (FUO)				6.72"	Full Round	16N-4-5501
DP580 (FUO)				5.81"	Full Round	176N-4-141
DP650 (FUO)	2.16" - 16	3.00"	2.94"	5.50"	Full Round	17N-4-2181
DT440 (FUO)				6.31"	Full Round	17N-4-4161
DT480 (FUO)				6.63"	Full Round	17N-4-4591
DT550 (FUO)				5.50"	Easy Service	17TYS34-23
DT580 (FUO)				5.81"	Full Round	18N-4-2291
DT650 (FUO)						

(C) Cast Version
(FUI) Forward Unit Input
(FUO) Forward Unit Output
(RUI) Rear Unit Input

U.S. 888-725-9355
Canada 800-387-3889

XpresswayPlus.com

15-15

EATON AXLES

Model	Spline Size Dia. - Tooth Count	Spline Length	Hub Dia.	Center to End	Yoke Type	Part Number
23085 23105	2.28" - 44	2.34"	2.94"	4.34"	Easy Service	155TYS36-1A1
				4.84"	Full Round	16NYS36-14A1
				4.84"	Easy Service	16TYS36-14A1
				5.09"	Full Round	176NYS36-10A1
				5.09"	Easy Service	176TYS36-10A1
				5.03"	Full Round	17NYS36-57A1
				5.03"	Easy Service	17TYS36-58A1
				5.09"	Full Round	18NYS36-16A1
				5.09"	Easy Service	18TYS36-16A1
				4.03"	Wing Bearing	92NYS36-73A1
30105	2.28" - 44	2.50"	2.94"			
D341 (FUI)						
D381 (FUI)						
D401 (FUI)						
D501 (FUI)						
DP341 (FUI)				4.50"	Easy Service	155TYS36A
DP381 (FUI)				5.00"	Full Round	16NYS36-8A
DP401 (FUI)				5.00"	Easy Service	16TYS36-15A
DP501 (FUI)				5.25"	Full Round	176NYS36-11A
DS341 (FUI)				5.25"	Easy Service	176TYS36-11A
DS381 (FUI)				5.19"	Full Round	17NYS36-60A
DS401 (FUI)				5.19"	Easy Service	17TYS36-61A
DS401P (FUI)				5.25"	Full Round	18NYS36-19A
DS402 (FUI)				5.25"	Easy Service	18TYS36-19A
DS501 (FUI)				4.03"	Wing Bearing	92NYS36-74
DT341 (FUI)				4.03"	Wing Bearing	92NYS36-74A
DT381 (FUI)						
DT401 (FUI)						
DT402 (FUI)						
DT501 (FUI)						
SUPER 23						
DP451 (FUI)	2.28" - 44	2.50"	2.94"	4.75"	RPL	20WYS36-3A
DT402 (FUI)				4.75"	RPL	25WYS36-3A
DT451 (FUI)						
D404 (FUI)	2.28" - 44	2.50"	3.00"	5.00"	Easy Service	16TYS36-16A
				5.25"	Full Round	176NYS36-12A
				5.25"	Easy Service	176TYS36-12A
				5.19"	Full Round	17NYS36-62A
				5.19"	Easy Service	17TYS36-62A
				5.25"	Full Round	18NYS36-20A
				5.25"	Easy Service	18TYS36-20A
				4.81"	RPL	20WYS36-1A
				4.81"	RPL	25WYS36-1A

EATON AXLES

Model	Spline Size Dia. - Tooth Count	Spline Length	Hub Dia.	Center to End 4.03"	Yoke Type Wing Bearing	Part Number 92NYS36-75A
D461 (FUI)						
DC461 (FUI)						
DC521 (FUI)						
DC601 (FUI)						
DC651 (FUI)						
DP461 (FUI)						
DP521 (FUI)				6.00"	Full Round	18NYS38-21A1
DP601 (FUI)				4.75"	Wing Bearing	82NYS38-33A
DP651 (FUI)	2.38" - 46	3.19"	3.38"	4.75"	Wing Bearing	82NYS38-33A1
DS461 (FUI)				5.01"	Wing Bearing	92NYS38-75A
DS521 (FUI)						
DS601 (FUI)						
DS651 (FUI)						
DT461 (FUI)						
DT521 (FUI)						
DT601 (FUI)						
DT651 (FUI)						
D461 (FUI)						
DC461 (FUI)				6.20"	Full Round	176N-4-1161X
DC521 (FUI)				6.20"	Full Round	176NYS38-20A1
DC601 (FUI)				6.20"	Easy Service	176TYS38-20A
DC651 (FUI)				6.20"	Easy Service	176TYS38-20A1
DP461 (FUI)				6.00"	Full Round	17NYS38-44A
DP521 (FUI)				6.00"	Full Round	17NYS38-44A1
DP601 (FUI)				6.01"	Easy Service	17TYS38-44A (C)
DP651 (FUI)	2.38" - 46	3.20"	3.38"	6.01"	Easy Service	17TYS38-44A1
DS461 (FUI)				6.01"	Easy Service	17TYS38-60A
DS521 (FUI)				6.00"	Full Round	18N-4-3921X
DS601 (FUI)				6.01"	Easy Service	18TYS38-21A
DS651 (FUI)				6.01"	Easy Service	18TYS38-21A1
DT461 (FUI)				5.31"	RPL	20WYS38-11A
DT521 (FUI)				5.31"	RPL	25WYS38-6A
DT601 (FUI)						
DT651 (FUI)						

(C) Cast Version
(FUI) Forward Unit Input
(FUO) Forward Unit Output
(RUI) Rear Unit Input

U.S. 888-725-9355
Canada 800-387-3889

XpresswayPlus.com

15-17

EATON AXLES

Model	Spline Size Dia. - Tooth Count	Spline Length	Hub Dia.	Center to End	Yoke Type	Part Number
44D (FUI)				6.00"	Easy Service	176N-4-131-1X
DP440 (FUI)				6.00"	Full Round	176N-4-241X
DP480 (FUI)				5.81"	Full Round	17N-4-4751X
DP550 (FUI)				5.25"	Full Round	17NYS39-1A
DP580 (FUI)				6.97"	Full Round	17NYS39-2A
DP650 (FUI)	2.42" - 18	3.00"	3.38"	6.97"	Easy Service	17TYS39-2A
DT440 (FUI)				5.81"	Easy Service	17TYS39-3A (C)
DT480 (FUI)				5.81"	Easy Service	17TYS39-4A
DT550 (FUI)				5.81"	Full Round	18N-4-2361X
DT580 (FUI)				5.81"	Easy Service	18TYS39A
DT650 (FUI)				4.25"	Wing Bearing	92NYS39A

MERITOR AXLES AND TRANSFER CASES

INDEX

	Page		Page
59000 Series.....	15-42	PRC1044.....	15-28, 15-31
59732.....	15-42	PRC1103.....	15-25
59733.....	15-42	PRC1104.....	15-24, 15-27
61142.....	15-40	PRC1105.....	15-28
61143.....	15-40	PRC1313 (FUO)	15-26
C100	15-24	PRC1313 (RUI).....	15-26
C102	15-24	PRC1314.....	15-28, 15-31
C103	15-24	PRC1315.....	15-28, 15-36
D140	15-24		15-37
F106.....	15-25	PRC1318.....	15-36
F140	15-25	PRC1925.....	15-36, 15-37
FDS75	15-25	PRC1927.....	15-39
FDS90	15-25	PRC3795.....	15-36, 15-37
FDS1600	15-25	PRC3796.....	15-39
FDS1800	15-36	PRC3805.....	15-36, 15-37
FDS2100	15-36	PRC4264.....	15-39
H172	15-24, 15-27	PRC4364.....	15-36, 15-37
L172.....	15-24, 15-27	PRC4805.....	15-36, 15-37
L600.....	15-24, 15-27	PRC4806 (FUI).....	15-41
M172	15-24, 15-27	PRC4806 (FUO)	15-32
PR300.....	15-28	PRC4807.....	15-39
PR400	15-28	PRC4824.....	15-39
PR401 (FUO).....	15-26	PRC5225.....	15-39, 15-41
PR401 (RUI)	15-26	PRC5324.....	15-39
PR500	15-28	PRLC415.....	15-31
PRC264.....	15-24	PRLC614.....	15-24, 15-25
PRC265.....	15-31		15-27
PRC671 (FUI).....	15-25	PRLC615.....	15-24, 15-27
PRC671 (FUO)	15-28	PRLC615 (FUO)	15-26
PRC672.....	15-24, 15-25	PRLC755.....	15-31
	15-27	PRLC756.....	15-28
PRC672.....	15-28	PRLC1753 (FUI).....	15-25
PRC673.....	15-24, 15-27	PRLC1753 (FUO)	15-28
	15-28	PRLC1754.....	15-24, 15-27
PRC673 (FUO)	15-26	PRLC1756.....	15-28, 15-31
PRC673 (RUI).....	15-26	PRLC1757.....	15-36, 15-37
PRC674.....	15-28	PRM672.....	15-24, 15-25
PRC675.....	15-28		15-27, 15-28
PRC676.....	15-28, 15-31	PRM673.....	15-24, 15-27
PRC677.....	15-36, 15-37		15-28
PRC863.....	15-25	PRM673 (FUO)	15-26
PRC864.....	15-24, 15-27	PRM673 (RUI)	15-26
PRC867.....	15-36, 15-37	PRM674.....	15-28

MERITOR AXLES AND TRANSFER CASES

INDEX

	Page		Page
PRM675.....	15-28	PSM596.....	15-24, 15-27
PRM676.....	15-28, 15-31	PSM823.....	15-25
PRM677.....	15-36, 15-37	PSM824.....	15-24, 15-25
PRS264.....	15-24		15-27
PRS265.....	15-31	PSM825.....	15-24, 15-27
PS300.....	15-28	PSM826.....	15-28, 15-31
PSC204.....	15-24	PSM827.....	15-36, 15-37
PSC205.....	15-24	PSM1044.....	15-28, 15-31
PSC205.....	15-31	PSM1045.....	15-28
PSC353.....	15-24	PSM1485.....	15-36, 15-37
PSC354.....	15-24	PSM1614.....	15-28, 15-31
PSC592.....	15-25	PSM1615.....	15-28, 15-36
PSC593.....	15-24		15-37
PSC594.....	15-24	PSM1616.....	15-34
PSC595 (FUI).....	15-25	PSM1617.....	15-28
PSC595 (FUO).....	15-28	PSM1618.....	15-28, 15-36
PSC596.....	15-24, 15-25	Q100.....	15-28, 15-31
PSC596.....	15-27	R100.....	15-28
PSC597 (FUO).....	15-26	R125.....	15-31
PSC597 (RUI).....	15-26	R128.....	15-31
PSC723.....	15-25	R140.....	15-28
PSC724.....	15-25	R155.....	15-36, 15-37
PSC726.....	15-24, 15-25	R160.....	15-28
PSC726.....	15-27	R170.....	15-39
PSC823.....	15-25	R180.....	15-39, 15-41
PSC824.....	15-24, 15-25	R200.....	15-29
	15-27	R220.....	15-29
PSC825.....	15-24, 15-27	R230.....	15-29
PSC826.....	15-28, 15-31	R240.....	15-29
PSC827.....	15-36, 15-37	R255.....	15-36
PSC1044.....	15-31	R270.....	15-31, 15-32
PSC1045.....	15-28		15-34
PSC1485.....	15-36, 15-37	R300.....	15-29
PSC1614.....	15-28, 15-31	R330.....	15-29
PSC1615.....	15-28, 15-36	R340.....	15-29
	15-37	R360.....	15-29
PSC1616.....	15-34	R611.....	15-31
PSC1617.....	15-28	RC-XX-160.....	15-40
PSC1618.....	15-28, 15-36	RF-XX-145.....	15-31
PSC1794.....	15-28	RF-XX-155.....	15-36, 15-37
PSC1875.....	15-36, 15-37	RF-XX-156.....	15-36, 15-37
PSM593.....	15-24	RF-XX-160.....	15-40
PSM594.....	15-24	RF-XX-180.....	15-42

MERITOR AXLES AND TRANSFER CASES

INDEX

	Page		Page
RL170	15-39	SHDD (FUO).....	15-29, 15-38
RP611 (FUI)	15-34	SHDD (RUI)	15-29, 15-36
RP611 (FUO).....	15-27	SHD (FUI)	15-41
RP611 (RUI)	15-31	SHD (FUO)	15-29, 15-38
RS-XX-120.....	15-24, 15-27	SHD (RUI).....	15-29, 15-36
RS-XX-125.....	15-24, 15-27		15-37
RS-XX-140.....	15-24, 15-27	SL100 (FUI)	15-34
RS-XX-145.....	15-31, 15-35	SL100 (FUO)	15-27
RS-XX-160.....	15-40	SL100 (RUI).....	15-31
RS-XX-180.....	15-42	SLHD (FUI)	15-30
RS-XX-181.....	15-41, 15-42	SLHD (FUO)	15-26
RS-XX-210.....	15-24, 15-27	SLHD (RUI)	15-26
RS-XX-220.....	15-24, 15-27	SPRC135-6	15-29
RS-XX-230.....	15-24, 15-27	SPRC1353 (FUI)	15-30
RS-XX-240.....	15-31, 15-35	SPRC1353 (FUO)	15-26
RS-XX-380.....	15-31, 15-32	SPRC1353 (RUI).....	15-26
	15-34	SPRC1355	15-28
RT140	15-29	SPRC1356	15-29, 15-34
RT240	15-29	SPRC1357 (FUI)	15-34
RT340	15-29	SPRC1357 (FUO)	15-27
RT-XX-140 (FUI)	15-34	SPRC1357 (RUI).....	15-31
RT-XX-140 (FUO)	15-27	SPRC1734 (FUI)	15-30
RT-XX-140 (RUI).....	15-31	SPRC1734 (FUO)	15-26
RT-XX-145 (FUI)	15-34, 15-40	SPRC1734 (RUI).....	15-26
RT-XX-145 (FUO)	15-32, 15-35	SPRC1735	15-34
RT-XX-145 (RUI).....	15-31, 15-35	SPRC1736	15-28
RT-XX-160 (FUI)	15-40	SPRC1736 (FUI)	15-34
RT-XX-160 (FUO)	15-32, 15-35	SPRC1736 (FUO)	15-27
RT-XX-160 (RUI).....	15-40	SPRC1736 (RUI).....	15-31
RT-XX-180 (FUI)	15-41, 15-42	SPRC1737	15-36, 15-37
RT-XX-180 (FUO)	15-32, 15-35	SPRC1925	15-36, 15-37
RT-XX-180 (RUI).....	15-42	SPRC1926 (FUI)	15-41
RT-XX-380 (FUI)	15-41, 15-42	SPRC1926 (FUO)	15-29, 15-38
RT-XX-380 (FUO)	15-32, 15-35	SPRC1926 (RUI).....	15-29, 15-36
RT-XX-380 (RUI).....	15-31, 15-32	SPRC1927	15-39
	15-34, 15-42	SQ100 (FUI).....	15-34
S162	15-29	SQ100 (FUO).....	15-27
S163	15-29	SQ100 (RUI)	15-31, 15-35
S170	15-39	SQHD (FUI)	15-30
SFDD4640 (FUI).....	15-39	SQHD (FUO).....	15-26
SFDD4640 (FUO)	15-39	SQHD (RUI)	15-26
SFDD4640 (RUI).....	15-39	SQHP (FUI)	15-34
SHDD (FUI)	15-41	SQHP (FUO).....	15-27

(C) Cast Version
(FUI) Forward Unit Input
(FUO) Forward Unit Output
(RUI) Rear Unit Input

U.S. 888-725-9355
Canada 800-387-3889

XpresswayPlus.com

15-21

MERITOR AXLES AND TRANSFER CASES

INDEX

	Page		Page
SQHP (RUI).....	15-31	STHD (FUO)	15-29, 15-38
SR170 (FUI).....	15-41	STHD (RUI).....	15-29, 15-36
SR170 (FUO).....	15-32		15-37
SR170 (RUI)	15-39	SU170 (FUI).....	15-41
SR270 (FUI).....	15-31, 15-32	SU170 (FUO).....	15-32
	15-34	SU170 (RUI)	15-39
SR270 (FUI).....	15-41	SU270 (FUI).....	15-32
SR270 (FUO).....	15-32	SU270 (FUI).....	15-34, 15-41
SR270 (RUI)	15-31, 15-32	SU270 (FUO).....	15-32
	15-34	SU270 (RUI)	15-32, 15-34
SR280 (FUI).....	15-31, 15-32	SU280 (FUI).....	15-32, 15-34
SR280 (FUI).....	15-34, 15-41	SU280 (FUI).....	15-41
SR280 (FUO).....	15-32	SU280 (FUO).....	15-32
SR280 (RUI)	15-31, 15-32	SU280 (RUI)	15-32, 15-34
	15-34	SUDD (FUI)	15-39, 15-41
SRDD (FUI)	15-39	SUDD (FUO).....	15-29, 15-38
SRDD (FUO).....	15-39	SUDD (RUI)	15-29, 15-36
SRDD (RUI)	15-39	SUDD (RUI)	15-37
SRTD (FUI).....	15-39	SUHD (FUI)	15-39, 15-41
SRTD (FUO)	15-39	SUHD (FUO).....	15-29, 15-38
SRTD (RUI).....	15-39	SUHD (RUI)	15-29, 15-36
SSH (FUI)	15-41		15-37
SSH (FUO).....	15-29, 15-38	SW170 (FUI)	15-41
SSH (RUI).....	15-29, 15-36	SW170 (FUO).....	15-32
	15-37	SW170 (RUI)	15-39
SSH (RUI).....	15-39	SW270 (FUI)	15-32
ST170 (FUI)	15-41	SW270 (FUI)	15-34, 15-41
ST170 (FUO).....	15-32	SW270 (FUO).....	15-32
ST170 (RUI).....	15-39, 15-31	SW270 (RUI)	15-32, 15-34
ST270 (FUI)	15-32, 15-34	SW280 (FUI)	15-32, 15-34
	15-41		15-41
ST270 (FUO).....	15-32	SW280 (FUO).....	15-33
ST270 (RUI).....	15-31, 15-32	SW280 (RUI)	15-32, 15-33
	15-34		15-35
ST280 (FUI)	15-31, 15-32	T77-3	15-30
	15-34, 15-41	T182A	15-26
ST280 (FUO).....	15-32	T182B	15-26
ST280 (RUI).....	15-31, 15-32	T215.....	15-26, 15-29
	15-34		15-30, 15-38
STDD (FUI)	15-39	T218.....	15-38, 15-39
STDD (FUO).....	15-39	T218PD.....	15-30
STDD (RUI).....	15-39	T219.....	15-26, 15-29
STHD (FUI)	15-39, 15-41		15-30, 15-38

MERITOR AXLES AND TRANSFER CASES

INDEX

	Page
T223.....	15-25
T223H	15-25
T226.....	15-30
T228.....	15-30, 15-39
	15-41, 15-42
T270.....	15-33
T2111.....	15-38, 15-39
T-2120	15-38, 15-42
T2120RS.....	15-38, 15-42
TR403	15-26
U170	15-39
U180	15-39, 15-41
U200	15-29
U240	15-29, 15-36
U270	15-33
U300	15-29
W170	15-39
W270	15-33

MERITOR AXLES AND TRANSFER CASES

Model	Spline Size Dia. - Tooth Count	Spline Length	Hub Dia.	Center to End	Yoke Type	Part Number
H172						
L172						
L600						
M172						
PRC1104						
PRC672						
PRC673						
PRC864						
PRLC1754						
PRLC614						
PRLC615						
PRM672						
PRM673	1.75" - 34	2.25"	2.25"	4.19"	Easy Service	141DYS28A
PSC596						
PSC726						
PSC824						
PSC825						
PSM596						
PSM824						
PSM825						
RS-XX-120						
RS-XX-125						
RS-XX-140						
RS-XX-210						
RS-XX-220						
RS-XX-230						
C100				3.50"	Easy Service	141NYS22A
C102	1.38" - 10	1.75"	2.13"	3.50"	Easy Service	141TYS22A
C103				4.00"	Easy Service	148DYS22-4A
				3.96"	Easy Service	148NYS22-1A
				4.00"	Easy Service	155DYS22-2A
D140						
PRC264						
PRS264				3.50"	Easy Service	141DYS22A
PSC204				3.50"	Easy Service	141NYS22A4
PSC205				3.96"	Easy Service	148DYS22A
PSC353	1.38" - 10	1.75"	2.13"	3.96"	Easy Service	148N-4-8961X
PSC354				3.96"	Easy Service	148TYS22A
PSC593				2.31"	Comp.Flange	2WCS22-51A1
PSC594				2.94"	Wing Bearing	62NYS22-9A
PSM593						
PSM594						
C100						
C102	1.38" - 26	1.75"	2.13"	3.50"	Easy Service	141TYS22-8A
C103						

(C) Cast Version
(FUI) Forward Unit Input
(FUO) Forward Unit Output
(RUI) Rear Unit Input

MERITOR AXLES AND TRANSFER CASES

Model	Spline Size Dia. - Tooth Count	Spline Length	Hub Dia.	Center to End	Yoke Type	Part Number
PSC723	1.50" - 10	1.75"	2.25"	2.94"	Wing Bearing	62NYS24-36
T223	1.50" - 10	2.19"	2.13"	4.25"	Easy Service	148N-4-3731
				3.97"	Easy Service	155NYS24-6
				2.81"	Comp.Flange	2WCS24-42
				2.94"	Comp.Flange	2WCS24-43
F106 F140 FDS75 FDS90 PSC724 PSC823 PSM823	1.50" - 10	2.19"	2.25"	4.00"	Easy Service	141N-4-2241X
				3.88"	Easy Service	141NYS24A4
				4.19"	Easy Service	148DYS24-2A
				4.19"	Easy Service	148NYS24A2
				4.00"	Easy Service	155DYS24-2A
				4.00"	Easy Service	155NYS24-3A1
				4.70"	Round Bearing	155TYSB24-5
				3.88"	Wing Bearing	58WBYS24-1A
				3.47"	Wing Bearing	62NYS24-17A1
				3.94"	Wing Bearing	62NYSB24-31
FDS1600 PRC1103 PRC671 (FUI) PRC672 PRC863 PRLC1753 (FUI) PRLC614 PRM672 PSC592 PSC595 (FUI) PSC596 PSC726 PSC824 PSM824	1.63" - 10	2.13"	2.38"	3.44"	Wing Bearing	72NYS24-25A
				3.44"	Wing Bearing	72NYS24A1
				4.73"	Full Round	17NYS26
				4.75"	Easy Service	17TYS26-3
				3.19"	Wing Bearing	62NYS26-13
T223H	1.75" - 10	2.19"	2.25"	2.75"	Comp.Flange	2WCS28-33

MERITOR AXLES AND TRANSFER CASES

Model	Spline Size Dia. - Tooth Count	Spline Length	Hub Dia.	Center to End	Yoke Type	Part Number
PR401 (FUO)	1.75" - 10	2.25"	2.75"	4.75"	Full Round	16N-4-1931
PRC1313 (FUO)				5.00"	Full Round	16N-4-3621
PRC673 (FUO)				6.00"	Full Round	16N-4-3861
PRLC615 (FUO)				5.41"	Full Round	16N-4-4481
PRM673 (FUO)				6.00"	Full Round	16NYS28-11
PSC597 (FUO)				4.88"	Full Round	17N-4-2381
SLHD (FUO)				6.25"	Full Round	17N-4-4091
SPRC1353 (FUO)				3.88"	Wing Bearing	58WBYS28-3
SPRC1734 (FUO)				4.00"	Wing Bearing	62NYS28-111
SQHD (FUO)				3.31"	Wing Bearing	62NYS28-123
T182A				3.31"	Wing Bearing	62NYS28-195
T182B				3.50"	Wing Bearing	72NYS28-42
T215						
T219						
TR403						

PR401 (RUI)	1.75" - 10	2.25"	2.75"	4.75"	Full Round	16N-4-3611X
PRC1313 (RUI)				6.00"	Full Round	16N-4-4451X
PRC673 (RUI)				5.00"	Full Round	16NYS28-5A
PRM673 (RUI)				6.25"	Full Round	17N-4-4831X
PSC597 (RUI)				3.88"	Wing Bearing	58WBYS28-3A
SLHD (RUI)				4.00"	Wing Bearing	62NYS28-111A
SPRC1353 (RUI)				3.31"	Wing Bearing	62NYS28-123A
SPRC1734 (RUI)				3.31"	Wing Bearing	62NYS28-195A
SQHD (RUI)				3.50"	Wing Bearing	72NYS28-174A
T182A				3.50"	Wing Bearing	72NYS28-42A
T182B						
TR403						

MERITOR AXLES AND TRANSFER CASES

Model	Spline Size Dia. - Tooth Count	Spline Length	Hub Dia.	Center to End	Yoke Type	Part Number
H172	1.75" - 34	2.25"	2.50"	4.21"	Easy Service	141N-4-8061X
L172				4.47"	Easy Service	148DYS28A
L600				4.46"	Easy Service	148N-4-8051X
M172				4.47"	Easy Service	148TYS28A
PRC1104				4.69"	Easy Service	155DYS28-1A
PRC672				4.69"	Easy Service	155N-4-4111-1X
PRC673				4.66"	Easy Service	155NYS28-5A
PRC864				4.88"	Full Round	16N-4-5621X
PRLC1754				4.88"	Easy Service	16TYS28-13A
PRLC614				5.04"	Round Bearing	16TYSB28-53
PRLC615				4.88"	Full Round	17NYS28-43A
PRM672				4.88"	Easy Service	17TYS28-43A (C)
PRM673				4.88"	Easy Service	17TYS28-57A
PSC596				3.16"	Comp.Flange	2WCS28-72A
PSC726				2.84"	Comp.Flange	2WCS28-73A
PSC824				3.76"	Comp.Flange	2WCS28-80A
PSC825				2.84"	Comp.Flange	2WCS28-84A
PSM596				3.88"	Wing Bearing	58WBYS28-182A
PSM824				3.88"	Wing Bearing	58WBYS28-186A
PSM825				2.94"	Comp.Flange	5WCS28-54A
RS-XX-120				4.25"	Wing Bearing	62NYS28-154A
RS-XX-125				4.25"	Wing Bearing	62NYS28-155A
RS-XX-140				3.31"	Wing Bearing	62NYS28-160A
RS-XX-210				3.94"	Wing Bearing	62NYS28-201A
RS-XX-220				3.94"	Wing Bearing	62NYS28-202A
RS-XX-230				3.75"	Wing Bearing	72NYS28-162A
				3.75"	Wing Bearing	72NYS28-166A
				4.63"	Wing Bearing	92NYS36-62A
				2.94"	Comp.Flange	16N-1-6121
				6.03"	Full Round	16N-4-6251
				5.44"	Full Round	16N-4-6261
RP611 (FUO)				5.19"	Full Round	176NYS28
RT-XX-140 (FUO)				5.97"	Full Round	17N-4-6321
SL100 (FUO)				4.88"	Full Round	17N-4-6331
SPRC1357 (FUO)	1.75" - 34	2.25"	2.50"	4.88"	Easy Service	17N-4-6331-1
SPRC1736 (FUO)				4.00"	Wing Bearing	72NYS28-165
SQ100 (FUO)				3.63"	Wing Bearing	72NYS28-176
SQHP (FUO)				4.69"	Wing Bearing	72NYS28-177
				4.25"	Wing Bearing	72NYS28-179
				3.88"	Wing Bearing	82NYS28-36
				4.25"	Wing Bearing	92NYS28-5

(C) Cast Version
(FUI) Forward Unit Input
(FUO) Forward Unit Output
(RUI) Rear Unit Input

U.S. 888-725-9355
Canada 800-387-3889

XpresswayPlus.com

15-27

MERITOR AXLES AND TRANSFER CASES

Model	Spline Size Dia. - Tooth Count	Spline Length	Hub Dia.	Center to End	Yoke Type	Part Number
PRC1044						
PRC1105						
PRC1314						
PRC671 (FUO)						
PRC675						
PRC676						
PRLC1753 (FUO)						
PRLC1756						
PRM675				5.00"	Full Round	16N-4-2501
PRM676				4.56"	Full Round	16NYS30A
PSC1614	1.88" - 10	2.38"	2.75"	4.50"	Full Round	17N-4-2271
PSC1617				5.38"	Full Round	17NYS30
PSC1794				3.63"	Wing Bearing	72NYS30-2
PSC595 (FUO)						
PSC826						
PSM1044						
PSM1614						
PSM1617						
PSM826						
Q100						
SPRC1355						
SPRC1736						
PR300						
PR400						
PR500						
PRC1315						
PRC672				5.12"	Full Round	16N-4-5281X
PRC673				4.81"	Full Round	17N-4-4181X
PRC674				5.25"	Full Round	17N-4-4361X
PRLC756				6.50"	Full Round	17N-4-4481X
PRM672				5.25"	Easy Service	17TYS31-59A
PRM673				5.53"	Full Round	18NYS31A
PRM674	1.97" - 10	2.62"	2.75"	3.44"	Comp.Flange	3WCS31-15A
PS300				3.38"	Comp.Flange	5WCS31-7A
PSC1045				3.88"	Wing Bearing	72NYS31-3A
PSC1615				3.88"	Wing Bearing	72NYS31-4A
PSC1618				4.33"	Wing Bearing	72NYS31-8A
PSM1045				3.88"	Wing Bearing	82NYS31-5A
PSM1615				3.88"	Wing Bearing	82NYS31-6A
PSM1618						
R100						
R140						
R160						

MERITOR AXLES AND TRANSFER CASES

Model	Spline Size Dia. - Tooth Count	Spline Length	Hub Dia.	Center to End	Yoke Type	Part Number
R200						
R220						
R230						
R240						
R300						
R330				5.12"	Full Round	
R340				4.81"	Full Round	16N-4-5281X
R360				5.25"	Full Round	17N-4-4181X
RT140				6.50"	Full Round	17N-4-4361X
RT240				5.25"	Easy Service	17N-4-4481X
RT340				5.53"	Full Round	17TYS31-59A
SHD (RUI)	1.97" - 10	2.62"	2.75"	3.44"	Comp.Flange	18NYS31A
SHDD (RUI)				3.38"	Comp.Flange	3WCS31-15A
SPRC135-6				3.88"	Wing Bearing	5WCS31-7A
SPRC1356				3.88"	Wing Bearing	72NYS31-3A
SPRC1926 (RUI)				4.33"	Wing Bearing	72NYS31-4A
SSHD (RUI)				3.88"	Wing Bearing	72NYS31-8A
STHD (RUI)				3.88"	Wing Bearing	72NYS31-8A
SUDD (RUI)						82NYS31-5A
SUHD (RUI)						82NYS31-6A
U200						
U240						
U300						
S162				3.44"	Comp.Flange	
S163				5.12"	Full Round	16N-1-2121
SHD (FUO)				3.38"	Comp.Flange	16N-4-3681
SHDD (FUO)				5.25"	Full Round	17N-1-1461
SPRC1926 (FUO)	1.97" - 10	2.62"	2.75"	6.50"	Full Round	17N-4-3221
SSHD (FUO)				5.53"	Full Round	17N-4-4131
STHD (FUO)				3.88"	Wing Bearing	18N-4-2251
SUDD (FUO)				3.88"	Wing Bearing	72NYS31-3
SUHD (FUO)				3.88"	Wing Bearing	72NYS31-4
				4.33"	Wing Bearing	72NYS31-8
				3.88"	Wing Bearing	72NYS31-8
				3.88"	Wing Bearing	82NYS31-5
				3.88"	Wing Bearing	82NYS31-6
				3.88"	Wing Bearing	82NYS31-6
				4.13"	Wing Bearing	85WBYS31-4
T215						
T219	2.00" - 10	2.25"	2.62"	4.34"	Comp.Flange	3WCS32-79

(C) Cast Version
(FUI) Forward Unit Input
(FUO) Forward Unit Output
(RUI) Rear Unit Input

U.S. 888-725-9355
Canada 800-387-3889

XpresswayPlus.com

15-29

MERITOR AXLES AND TRANSFER CASES

Model	Spline Size Dia. - Tooth Count	Spline Length	Hub Dia.	Center to End	Yoke Type	Part Number
SLHD (FUI) SPRC1353 (FUI) SPRC1734 (FUI) SQHD (FUI)	2.00" - 10	2.56"	2.94"	5.19"	Full Round	16N-4-5131X
				5.38"	Full Round	176N-4-181X
				5.19"	Easy Service	17N-4-3241-1
				5.19"	Full Round	17N-4-4291X
				5.38"	Easy Service	18N-4-1921-1
				5.38"	Full Round	18N-4-2341X
				3.31"	Comp.Flange	3WCS32-43A
T215 T219 T226 T228 T77-3	2.00" - 10	3.00"	2.94"	3.88"	Wing Bearing	92NYS32-2A
				5.03"	Easy Service	155TYS32-23A
				5.00"	Full Round	16NYS32-26A
				5.00"	Easy Service	16TYS32-26A
				5.81"	Full Round	176NYS32-7A
				5.63"	Easy Service	17N-4-2191-1
				5.63"	Full Round	17NYS32-10A
				5.63"	Full Round	17NYS32-10A1
				4.81"	Full Round	17NYS32-63A
				4.81"	Full Round	17NYS32-63A1
				5.06"	Easy Service	17TYS32-83A
				5.81"	Full Round	18NYS32-1A
				4.31"	Wing Bearing	58WBYS32-41A
				4.25"	Wing Bearing	62NYS32-16A
				4.25"	Wing Bearing	72NYS32-302
				4.75"	Wing Bearing	82NYS32-56A
				4.25"	Wing Bearing	92NYS32-5A
				4.25"	Wing Bearing	72NYS32-48
T218PD	2.00" - 39	2.17"	3.00"	4.26"	Easy Service	16TYS32-65A

MERITOR AXLES AND TRANSFER CASES

Model	Spline Size Dia. - Tooth Count	Spline Length	Hub Dia.	Center to End	Yoke Type	Part Number
PRC1044	2.00" - 39	2.31"	3.00"			
PRC1314						
PRC265						
PRC676				4.75"	Easy Service	148TYS32-4A
PRLC1756				4.75"	Easy Service	155DYS32-6A
PRLC415				4.38"	Easy Service	155TYS32-2A1
PRLC755				4.75"	Easy Service	155TYS32-6A
PRM676				5.54"	Full Round	16N-4-6281X
PRS265				6.22"	Full Round	16N-4-6291X
PSC1044				5.54"	Easy Service	16TYS32-32A
PSC1614				6.22"	Easy Service	16TYS32-33A
PSC205				4.88"	Easy Service	16TYS32-60A
PSC826				5.19"	Full Round	176NYS32-3A2
PSM1044				5.19"	Full Round	176NYS32-3A3
PSM1614				5.19"	Easy Service	176TYS32-3A1
PSM826				6.25"	Full Round	17N-4-6391X
Q100				5.16"	Full Round	17N-4-6421X
R125				5.16"	Easy Service	17N-4-7631-1X
R128				5.16"	Easy Service	17TYS32-55A (C)
R270				6.25"	Easy Service	17TYS32-56A
R611				5.16"	Easy Service	17TYS32-96A
RF-XX-145				5.19"	Full Round	18NYS32-12A3
RP611 (RUI)				5.75"	Full Round	18NYS32-17A2
RS-XX-145				5.19"	Easy Service	18TYS32-12A1
RS-XX-240				3.25"	Comp.Flange	2WCS32-13A
RS-XX-380				4.06"	Comp.Flange	2WCS32-15AX
RT-XX-140 (RUI)				3.38"	Comp.Flange	3WCS32-73A1
RT-XX-145 (RUI)				4.41"	Comp.Flange	3WCS32-81A
RT-XX-380 (RUI)				3.81"	Wing Bearing	58WBYS32-47A
SL100 (RUI)				3.31"	Comp.Flange	5WCS32-86A2
SPRC1357 (RUI)				2.62"	Comp.Flange	5WCS32-89A1
SPRC1736 (RUI)				3.27"	Comp.Flange	5WCS32-94A1
SQ100 (RUI)				4.00"	Wing Bearing	62NYS32-48A
SQHP (RUI)				3.81"	Wing Bearing	72NYS32-244A
SR270 (FUI)				4.88"	Wing Bearing	72NYS32-245A
SR270 (RUI)				4.06"	Wing Bearing	72NYSB32-258
SR280 (FUI)				3.88"	Wing Bearing	82NYS32-74A1
SR280 (RUI)				4.13"	Wing Bearing	85WBYS32-20A
ST270 (FUI)				4.44"	Wing Bearing	92NYS32-26A
ST270 (RUI)						
ST280 (FUI)						
ST280 (RUI)						

(C) Cast Version
(FUI) Forward Unit Input
(FUO) Forward Unit Output
(RUI) Rear Unit Input

U.S. 888-725-9355
Canada 800-387-3889

XpresswayPlus.com

15-31

MERITOR AXLES AND TRANSFER CASES

Model	Spline Size Dia. - Tooth Count	Spline Length	Hub Dia.	Center to End	Yoke Type	Part Number
SU270 (FUI)	2.00" - 39	2.31"	3.00"	5.19"	Full Round	176NYS32-3A3
SU270 (RUI)						
SU280 (FUI)						
SU280 (RUI)						
SW270 (FUI)						
SW270 (RUI)						
SW280 (FUI)						
SW280 (RUI)						
PRC4806 (FUO)	2.00" - 39	2.31"	3.00"			
R270						
RS-XX-380				4.75"	Easy Service	148TYS32-4
RT-XX-145 (FUO)				4.75"	Easy Service	155DYS32-6
RT-XX-160 (FUO)				4.38"	Easy Service	155TYS32-2
RT-XX-180 (FUO)				4.75"	Easy Service	155TYS32-6
RT-XX-380 (FUO)				6.22"	Full Round	16N-4-6241
RT-XX-380 (RUI)				5.54"	Full Round	16N-4-6271
SR170 (FUO)				5.54"	Easy Service	16N-4-6271-1
SR270 (FUI)				5.54"	Easy Service	16TYS32-60
SR270 (FUO)				5.19"	Full Round	176N-4-531
SR270 (RUI)				5.19"	Easy Service	176TYS32-3
SR280 (FUI)				6.25"	Full Round	17N-4-6371
SR280 (FUO)				5.16"	Full Round	17N-4-6401
SR280 (RUI)				5.16"	Easy Service	17TYS32-55 (C)
ST170 (FUO)				6.25"	Easy Service	17TYS32-56
ST270 (FUI)				5.16"	Easy Service	17TYS32-68
ST270 (FUO)				5.16"	Easy Service	17TYS32-96
ST270 (RUI)				5.19"	Full Round	18N-4-3371
ST280 (FUI)				5.19"	Easy Service	18TYS32-12
ST280 (FUO)				3.25"	Comp.Flange	2WCS32-13
ST280 (RUI)				3.38"	Comp.Flange	3WCS32-73
SU170 (FUO)				3.81"	Wing Bearing	58WBYS32-47
SU270 (FUI)				2.62"	Comp.Flange	5WCS32-89
SU270 (FUO)				3.27"	Comp.Flange	5WCS32-94
SU270 (RUI)				4.00"	Wing Bearing	62NYS32-48
SU280 (FUI)				3.81"	Wing Bearing	72NYS32-244
SU280 (FUO)				4.88"	Wing Bearing	72NYS32-245
SU280 (RUI)				3.88"	Wing Bearing	82NYS32-74
SW170 (FUO)				4.13"	Wing Bearing	85WBYS32-20
SW270 (FUI)				4.25"	Wing Bearing	92NYS32-25
SW270 (FUO)				4.44"	Wing Bearing	92NYS32-26
SW270 (RUI)						
SW280 (FUI)						

MERITOR AXLES AND TRANSFER CASES

Model	Spline Size Dia. - Tooth Count	Spline Length	Hub Dia.	Center to End	Yoke Type	Part Number
SW280 (FUO) SW280 (RUI) T270 U270 W270	2.00" - 39	2.31"	3.00"	4.75"	Easy Service	148TYS32-4
				4.75"	Easy Service	155DYS32-6
				4.38"	Easy Service	155TYS32-2
				4.75"	Easy Service	155TYS32-6
				6.22"	Full Round	16N-4-6241
				5.54"	Full Round	16N-4-6271
				5.54"	Easy Service	16N-4-6271-1
				5.54"	Easy Service	16TYS32-60
				5.19"	Full Round	176N-4-531
				5.19"	Easy Service	176TYS32-3
				6.25"	Full Round	17N-4-6371
				5.16"	Full Round	17N-4-6401
				5.16"	Easy Service	17TYS32-55 (C)
				6.25"	Easy Service	17TYS32-56
				5.16"	Easy Service	17TYS32-68
				5.16"	Easy Service	17TYS32-96
				5.19"	Full Round	18N-4-3371
				5.19"	Easy Service	18TYS32-12
				3.25"	Comp.Flange	2WCS32-13
				3.38"	Comp.Flange	3WCS32-73
				3.81"	Wing Bearing	58WBYS32-47
				2.62"	Comp.Flange	5WCS32-89
				3.27"	Comp.Flange	5WCS32-94
				4.00"	Wing Bearing	62NYS32-48
				3.81"	Wing Bearing	72NYS32-244
				4.88"	Wing Bearing	72NYS32-245
				3.88"	Wing Bearing	82NYS32-74
				4.13"	Wing Bearing	85WBYS32-20
				4.25"	Wing Bearing	92NYS32-25
				4.44"	Wing Bearing	92NYS32-26

MERITOR AXLES AND TRANSFER CASES

Model	Spline Size Dia. - Tooth Count	Spline Length	Hub Dia.	Center to End	Yoke Type	Part Number
				4.38"	Easy Service	155TYS32-2A
				4.75"	Easy Service	155TYS32-6A3
				5.54"	Full Round	16NYS32-32A1
				6.22"	Full Round	16NYS32-33A1
				5.54"	Easy Service	16TYS32-32A1
				4.88"	Easy Service	16TYS32-60A1
PSC1616				5.19"	Full Round	176N-4-541X
PSM1616				6.25"	Full Round	17N-4-6381X
RP611 (FUI)				5.16"	Full Round	17N-4-6411X
RT-XX-140 (FUI)				6.25"	Easy Service	17TYS32-56A1
RT-XX-145 (FUI)				5.16"	Easy Service	17TYS32-96A1
SL100 (FUI)				5.19"	Full Round	18N-4-3381X
SPRC1356	2.00" - 39	2.31"	3.00"	5.19"	Easy Service	18N-4-3841-1
SPRC1357 (FUI)				5.75"	Full Round	18NYS32-17A
SPRC1735				3.25"	Comp.Flange	2WCS32-13A2
SPRC1736 (FUI)				3.38"	Comp.Flange	3WCS32-73A
SQ100 (FUI)				3.81"	Wing Bearing	58WBYS32-47A2
SQHP (FUI)				3.31"	Comp.Flange	5WCS32-86A
				2.62"	Comp.Flange	5WCS32-89A
				3.27"	Comp.Flange	5WCS32-94A
				3.81"	Wing Bearing	72NYS32-244A1
				4.88"	Wing Bearing	72NYS32-245A1
				3.88"	Wing Bearing	82NYS32-74A
				4.13"	Wing Bearing	85WBYS32-20A1
				4.25"	Wing Bearing	92NYS32-25A
R270						
RS-XX-380				5.54"	Full Round	16NYS32-32
RT-XX-380 (RUI)				6.22"	Full Round	16NYS32-33
SR270 (FUI)				5.54"	Easy Service	16TYS32-32
SR270 (RUI)				5.19"	Easy Service	176TYS32-3A2
SR280 (FUI)				5.16"	Full Round	17NYS32-55A3
SR280 (RUI)				6.25"	Full Round	17NYS32-56A3
ST270 (FUI)				5.16"	Easy Service	17TYS32-68A2
ST270 (RUI)	2.00" - 39	2.31"	3.00"	5.19"	Full Round	18NYS32-12A2
ST280 (FUI)				5.75"	Full Round	18NYS32-17A1
ST280 (RUI)				5.19"	Easy Service	18TYS32-12A2
SU270 (FUI)				3.31"	Comp.Flange	5WCS32-86A3
SU270 (RUI)				2.62"	Comp.Flange	5WCS32-89A2
SU280 (FUI)				3.27"	Comp.Flange	5WCS32-94A2
SU280 (RUI)				3.88"	Wing Bearing	82NYS32-74A2
SW270 (FUI)				4.13"	Wing Bearing	85WBYS32-20A2
SW270 (RUI)						
SW280 (FUI)						

MERITOR AXLES AND TRANSFER CASES

Model	Spline Size Dia. - Tooth Count	Spline Length	Hub Dia.	Center to End	Yoke Type	Part Number
SW280 (RUI)	2.00" - 39	2.31"	3.00"	5.54"	Full Round	16NYS32-32
				6.22"	Full Round	16NYS32-33
				5.54"	Easy Service	16TYS32-32
				5.19"	Easy Service	176TYS32-3A2
				5.16"	Full Round	17NYS32-55A3
				6.25"	Full Round	17NYS32-56A3
				5.16"	Easy Service	17TYS32-68A2
				5.19"	Full Round	18NYS32-12A2
				5.75"	Full Round	18NYS32-17A1
				5.19"	Easy Service	18TYS32-12A2
				3.31"	Comp.Flange	5WCS32-86A3
				2.62"	Comp.Flange	5WCS32-89A2
				3.27"	Comp.Flange	5WCS32-94A2
				3.88"	Wing Bearing	82NYS32-74A2
				4.13"	Wing Bearing	85WBYS32-20A2
RS-XX-145	2.00" - 39	2.31"	3.00"	4.85"	RPL	20WYS32-1A
RS-XX-240				5.95"	RPL	20WYS32-2A
RT-XX-145 (RUI)						
SQ100 (RUI)						
RT-XX-145 (FUO)	2.00" - 39	2.31"	3.00"	4.85"	RPL	20WYS32-1
RT-XX-160 (FUO)				5.95"	RPL	20WYS32-2
RT-XX-180 (FUO)						
RT-XX-380 (FUO)						

MERITOR AXLES AND TRANSFER CASES

Model	Spline Size Dia. - Tooth Count	Spline Length	Hub Dia.	Center to End	Yoke Type	Part Number
FDS1800						
FDS2100						
PRC1315						
PRC1318				5.12"	Full Round	16N-4-5431X
PRC1925				5.94"	Full Round	16N-4-6961X
PRC3795				6.25"	Full Round	16NYS32-13A
PRC3805				5.19"	Full Round	176NYS32-4A
PRC4364				5.19"	Easy Service	176TYS32-4A
PRC4805				5.25"	Full Round	17N-4-5531X
PRC677				4.81"	Full Round	17N-4-5551X
PRC867				6.50"	Full Round	17NYS32-40A
PRLC1757				4.81"	Easy Service	17TYS32-69A
PRM677				5.25"	Easy Service	17TYS32-70A
PSC1485				5.53"	Full Round	18N-4-3171X
PSC1615				5.53"	Easy Service	18TYS32-3A
PSC1618				3.38"	Comp.Flange	2WCS32-12A
PSC1875				3.38"	Comp.Flange	3WCS32-68A
PSC827	2.00" - 39	2.44"	2.75"	3.38"	Comp.Flange	3WCS32-75A1
PSM1485				3.31"	Comp.Flange	5WCS32-75A
PSM1615				3.31"	Comp.Flange	5WCS32-76A
PSM1618				3.88"	Wing Bearing	72NYS32-219A1
PSM827				3.88"	Wing Bearing	72NYS32-220A1
R155				4.31"	Wing Bearing	72NYS32-221A2
R255				4.31"	Wing Bearing	72NYS32-222A
RF-XX-155				3.88"	Wing Bearing	82NYS32-69A1
RF-XX-156				3.88"	Wing Bearing	82NYS32-70A1
SHD (RUI)				6.25"	Full Round	16N-4-6871X
SHDD (RUI)				5.12"	Easy Service	16N-4-6951-1X
SPRC1737				5.12"	Full Round	16N-4-6951X
SPRC1925				5.19"	Full Round	176NYS32-4A1
SPRC1926 (RUI)				6.50"	Full Round	17N-4-6871X
SSHD (RUI)				4.81"	Full Round	17N-4-6941X
STHD (RUI)						
SUDD (RUI)						
SUHD (RUI)						
U240						

MERITOR AXLES AND TRANSFER CASES

Model	Spline Size Dia. - Tooth Count	Spline Length	Hub Dia.	Center to End	Yoke Type	Part Number
PRC1315	2.00" - 39	2.44"	2.75"	5.25"	Full Round	17N-4-6951X
				5.25"	Easy Service	17TYS32-70A1
				5.53"	Full Round	18N-4-3571X
				5.53"	Easy Service	18TYS32-3A1
				3.38"	Comp.Flange	3WCS32-68A2
				3.31"	Comp.Flange	5WCS32-75A2
				3.31"	Comp.Flange	5WCS32-76A2
				3.88"	Wing Bearing	72NYS32-219A
				3.88"	Wing Bearing	72NYS32-220A
				4.31"	Wing Bearing	72NYS32-221A
				4.31"	Wing Bearing	72NYS32-222A1
				3.88"	Wing Bearing	82NYS32-70A
PRC1925	2.00" - 39	2.44"	2.75"	6.25"	Full Round	16N-4-6871X
PRC3795				5.12"	Easy Service	16N-4-6951-1X
PRC3805				5.12"	Full Round	16N-4-6951X
PRC4364				5.19"	Full Round	176NYS32-4A1
PRC4805				6.50"	Full Round	17N-4-6871X
PRC677				4.81"	Full Round	17N-4-6941X
PRC867				5.25"	Full Round	17N-4-6951X
PRLC1757				5.25"	Easy Service	17TYS32-70A1
PRM677				5.53"	Full Round	18N-4-3571X
PSC1485				5.53"	Easy Service	18TYS32-3A1
PSC1615				3.38"	Comp.Flange	3WCS32-68A2
PSC1875				3.31"	Comp.Flange	5WCS32-75A2
PSC827	2.00" - 39	2.44"	2.75"	3.31"	Comp.Flange	5WCS32-76A2
PSM1485				3.88"	Wing Bearing	72NYS32-219A
PSM1615				3.88"	Wing Bearing	72NYS32-220A
PSM827				4.31"	Wing Bearing	72NYS32-221A
R155				4.31"	Wing Bearing	72NYS32-222A1
RF-XX-155				3.88"	Wing Bearing	82NYS32-70A
RF-XX-156						
SHD (RUI)						
SPRC1737						
SPRC1925						
SSHD (RUI)						
STHD (RUI)						
SUDD (RUI)						
SUHD (RUI)						

MERITOR AXLES AND TRANSFER CASES

Model	Spline Size Dia. - Tooth Count	Spline Length	Hub Dia.	Center to End	Yoke Type	Part Number
SHD (FUO) SHDD (FUO) SPRC1926 (FUO) SSHD (FUO) STHD (FUO) SUDD (FUO) SUHD (FUO)	2.00" - 39	2.44"	2.75"	5.12"	Full Round	16N-4-5421
				5.12"	Easy Service	16N-4-5421-1
				5.94"	Full Round	16N-4-5441
				6.25"	Full Round	16N-4-5461
				5.19"	Full Round	176NYS32-4
				6.50"	Full Round	17N-4-5501
				5.25"	Full Round	17N-4-5521
				4.81"	Full Round	17N-4-5541
				5.25"	Easy Service	17N-4-6951-1
				4.81"	Easy Service	17TYS32-69
				5.53"	Easy Service	18N-4-2781-1
				5.53"	Full Round	18NYS32-3
				3.38"	Comp.Flange	3WCS32-68
				3.31"	Comp.Flange	5WCS32-75
				3.88"	Wing Bearing	72NYS32-219
				3.88"	Wing Bearing	72NYS32-220
				4.31"	Wing Bearing	72NYS32-221
				4.31"	Wing Bearing	72NYS32-222
T218	2.13" - 41	2.19"	3.00"	3.88"	Wing Bearing	82NYS32-69
				3.88"	Wing Bearing	82NYS32-70
				4.13"	Wing Bearing	85WBYS32-11
				3.88"	Wing Bearing	92NYS32-15
				5.25"	Easy Service	17N-4-6951-1X
				4.26"	Easy Service	17TYS34-26A
				4.75"	Easy Service	148TYS34-3
				4.31"	Easy Service	155TYS34-6A
				4.63"	Easy Service	16TYS34-21A
				5.16"	Easy Service	17TYS34-38AX
				5.75"	Full Round	18NYS34-4A
				5.75"	Easy Service	18TYS34-4AX
T2111 T215 T219	2.13" - 41	2.31"	2.94"	3.00"	Comp.Flange	5WCS34-7
				3.00"	Comp.Flange	5WCS34-8
				3.19"	Comp.Flange	5WCS34-9
				3.69"	Wing Bearing	85WBYS34-4
				5.35"	Full Round	17NYS34-29A
				5.35"	Easy Service	17TYS34-29A
T-2120 T2111 T2120RS	2.13" - 41	2.50"	2.94"	5.94"	Full Round	18NYS34-5A
				5.94"	Easy Service	18TYS34-5A

MERITOR AXLES AND TRANSFER CASES

Model	Spline Size Dia. - Tooth Count	Spline Length	Hub Dia.	Center to End	Yoke Type	Part Number
PRC1927						
PRC3796						
PRC4264						
PRC4807						
PRC4824				3.84"	Comp.Flange	16N-1-6341X
PRC5225				5.63"	Full Round	16N-4-6891X
PRC5324				5.84"	Full Round	176N-4-731X
R170				3.75"	Comp.Flange	17N-1-5631X
R180				6.06"	Full Round	17N-4-4411X
RL170				7.19"	Full Round	17N-4-6891X
S170	2.25" - 10	3.00"	3.00"	6.06"	Easy Service	17TYS36-52A
SFDD4640 (FUI)				3.75"	Comp.Flange	18N-1-2341X
SPRC1927				5.85"	Easy Service	18N-4-2551-1X
SR170 (RUI)				5.85"	Full Round	18N-4-2551X
SRDD (FUI)				4.25"	Wing Bearing	72NYS36-40A1
ST170 (RUI)				4.25"	Wing Bearing	72NYS36-54A2
SU170 (RUI)				4.75"	Wing Bearing	82NYS36-26A1
SW170 (RUI)				4.75"	Wing Bearing	82NYS36-30A1
T228						
U170						
U180						
W170						
SFDD4640 (FUO)	2.25" - 10	3.00"	3.00"			
SFDD4640 (RUI)						
SRDD (FUO)				5.63"	Full Round	16NYS36A1
SRDD (RUI)				5.84"	Full Round	176N-4-201X
SRTD (FUI)				7.19"	Full Round	17NYS36-19A
SRTD (FUO)				6.06"	Full Round	17NYS36A
SRTD (RUI)				5.85"	Full Round	18NYS36A
SSHD (RUI)				3.75"	Comp.Flange	5WCS36-76A2
STDD (FUI)				4.25"	Wing Bearing	72NYS36-54A
STDD (FUO)				4.75"	Wing Bearing	82NYS36-26A
STDD (RUI)				4.75"	Wing Bearing	82NYS36-30A
STHD (FUI)				4.19"	Wing Bearing	92NYS36-6A1
SUDD (FUI)						
SUHD (FUI)						
T218	2.25" - 41	2.22"	3.00"	4.25"	Easy Service	16TYS34-16A
T2111	2.28" - 44	2.80"	2.94"	5.66"	Easy Service	17TYS36-59A
				5.75"	Full Round	18NYS36-17A
				5.75"	Easy Service	18TYS36-17A
				4.38"	Wing Bearing	72NYS36-97A

(C) Cast Version
(FUI) Forward Unit Input
(FUO) Forward Unit Output
(RUI) Rear Unit Input

U.S. 888-725-9355
Canada 800-387-3889

XpresswayPlus.com

15-39

MERITOR AXLES AND TRANSFER CASES

Model	Spline Size Dia. - Tooth Count	Spline Length	Hub Dia.	Center to End	Yoke Type	Part Number
				6.19"	Full Round	16NYS38-12A
				4.94"	Full Round	16NYS38-8A
				6.19"	Easy Service	16TYS38-12A
				5.06"	Full Round	176NYS38-14A
				5.38"	Easy Service	17N-4-7181-1X
				5.38"	Full Round	17N-4-7181X
				5.38"	Easy Service	17TYS38-32A (C)
				6.50"	Easy Service	17TYS38-71A
61142				5.16"	Easy Service	18N-4-3731-1X
61143				5.16"	Full Round	18NYS38-16A
RC-XX-160				5.16"	Round Bearing	18NYSB38-1
RF-XX-160	2.38" - 46	2.32"	3.25"	3.31"	Comp.Flange	3WCS38-8A1
RS-XX-160				3.88"	Comp.Flange	5WCS38-18A
RT-XX-145 (FUI)				3.56"	Comp.Flange	5WCS38-23A2
RT-XX-160 (FUI)				4.25"	Wing Bearing	72NYS38-24A
RT-XX-160 (RUI)				4.25"	Wing Bearing	72NYS38-26A
				3.80"	Wing Bearing	72NYS38-31A
				4.25"	Wing Bearing	82NYS38-31A
				4.25"	Wing Bearing	82NYS38-32A
				4.06"	Wing Bearing	85WBYS38-14A
				4.22"	Wing Bearing	92NYS38-73A
				4.90"	RPL	20WYS38-1A
				4.90"	RPL	20WYS38-4A
				4.73"	RPL	25WYS38-3A
61142						
61143						
RC-XX-160						
RF-XX-160				6.50"	Full Round	17NYS38-38A
RS-XX-160				4.88"	Full Round	17NYS38-61A
RT-XX-145 (FUI)				5.95"	RPL	20WYS38-3A
RT-XX-160 (FUI)						
RT-XX-160 (RUI)						

MERITOR AXLES AND TRANSFER CASES

Model	Spline Size Dia. - Tooth Count	Spline Length	Hub Dia.	Center to End	Yoke Type	Part Number
SHD (FUI) SHDD (FUI) SPRC1926 (FUI) SSHD (FUI) STHD (FUI) SUDD (FUI) SUHD (FUI)	2.38" - 46	2.62"	3.25"	5.44"	Easy Service	176N-4-211-1X
				5.44"	Full Round	176N-4-211X
				5.69"	Full Round	17N-4-5461X
				5.69"	Easy Service	17TYS38-52A
				5.44"	Full Round	18N-4-2711X
				5.44"	Easy Service	18TYS38A
				3.50"	Comp.Flange	5WCS38-4
				3.50"	Comp.Flange	5WCS38-5A
				3.50"	Comp.Flange	5WCS38-6A
				4.38"	Wing Bearing	72NYS38-15A
				4.58"	Wing Bearing	82NYS38-14A
				4.58"	Wing Bearing	82NYS38-15A
				3.98"	Wing Bearing	92NYS38-39A
				4.50"	Wing Bearing	92NYS38-46A1
T228	2.38" - 46	2.88"	3.00"	5.63"	Full Round	176NYS38-25A
				6.06"	Full Round	17NYS38-69A
				5.85"	Full Round	18NYS38-25A
				3.75"	Comp.Flange	3WCS38-13A
				3.75"	Comp.Flange	5WCS38-31A
				3.75"	Comp.Flange	5WCS38-32A
				4.75"	Wing Bearing	82NYS38-34A
PRC4806 (FUI)						
PRC5225						
R180						
RS-XX-181				5.63"	Full Round	176NYS38-13A1
RT-XX-180 (FUI)				5.63"	Easy Service	176TYS38-13A1
RT-XX-380 (FUI)				5.94"	Full Round	17N-4-5961X
SR170 (FUI)				6.19"	Full Round	17NYS38-17A
SR270 (FUI)				6.93"	Full Round	17NYS38-63
SR280 (FUI)				5.94"	Easy Service	17TYS38-53A1
ST170 (FUI)	2.38" - 46	2.88"	3.25"	6.93"	Easy Service	17TYS38-70A1
ST270 (FUI)				5.69"	Easy Service	18N-4-3221-1X
ST280 (FUI)				5.69"	Full Round	18N-4-3221X
SU170 (FUI)				3.63"	Comp.Flange	3WCS38-9
SU270 (FUI)				3.56"	Comp.Flange	5WCS38-12A
SU280 (FUI)				3.95"	Comp.Flange	5WCS38-34A
SW170 (FUI)				4.31"	Wing Bearing	85WBYS38-19A
SW270 (FUI)				4.19"	Wing Bearing	92NYS38-52A
SW280 (FUI)						
U180						

(C) Cast Version
(FUI) Forward Unit Input
(FUO) Forward Unit Output
(RUI) Rear Unit Input

U.S. 888-725-9355
Canada 800-387-3889

XpresswayPlus.com

15-41

MERITOR AXLES AND TRANSFER CASES

Model	Spline Size Dia. - Tooth Count	Spline Length	Hub Dia.	Center to End	Yoke Type	Part Number
RF-XX-180 RS-XX-180 RT-XX-180 (RUI) RS-XX-181	2.38" - 46	2.88"	3.25"	5.50"	Full Round	16NYS38-11A
				5.50"	Easy Service	16TYS38-11A
				5.63"	Easy Service	176N-4-861-1X
				5.63"	Full Round	176N-4-861X
				5.94"	Full Round	17N-4-6961X
				6.93"	Full Round	17N-4-7851X
				6.19"	Full Round	17NYS38-17A2
				5.94"	Easy Service	17TYS38-53A
				6.93"	Easy Service	17TYS38-70A
				5.69"	Easy Service	18N-4-3581-1X
				5.69"	Full Round	18N-4-3581X
				3.13"	Comp.Flange	3WCS38-11A
				3.56"	Comp.Flange	5WCS38-12A2
				3.63"	Comp.Flange	5WCS38-20A
				3.63"	Comp.Flange	5WCS38-24A
				3.95"	Comp.Flange	5WCS38-34A2
				4.69"	Wing Bearing	72NYS38-20A
				4.69"	Wing Bearing	72NYS38-22A
				4.63"	Wing Bearing	82NYS38-28A
				4.19"	Wing Bearing	92NYS38-52A2
				6.25"	RPL	20WYS38-8A
RT-XX-180 (FUI)	2.38" - 46	2.88"	3.25"	5.00"	RPL	20WYS38-10A
RT-XX-380 (FUI)				5.00"	RPL	25WYS38-8A
RT-XX-380 (RUI)						
T228	2.38" - 46	2.88"	3.25"	5.69"	Full Round	18NYS38-8A3
T228	2.50" - 16	3.25"	3.00"	4.75"	Wing Bearing	82NYS40-30A
59000 Series	2.53" - 16	2.75"	3.25"	6.44"	Full Round	17NYS40-106A
59732				3.48"	Comp.Flange	3WCS40-1A
59733				3.48"	Comp.Flange	3WCS40-1A1
59000 Series	2.53" - 16	2.75"	3.50"	3.75"	Comp.Flange	5WCS40-29A1
59732				3.68"	Comp.Flange	5WCS40-39
59733						
T228	2.53" - 16	3.25"	3.25"	6.06"	Full Round	176NYS40-21A
				5.81"	Full Round	17NYS40-37A
				6.06"	Easy Service	17TYS40-151A
				6.06"	Full Round	18NYS40A
T-2120	2.99" - 22	2.75"	3.75"	5.56"	Full Round	18NYS48-1A
T2120RS				4.25"	Wing Bearing	92NYS48-72A

ALLISON TRANSMISSIONS

INDEX

	Page
4460.....	15-44, 15-45
AD6.....	15-44
AT540.....	15-44
AT543.....	15-44
AT545.....	15-44
CBT5640	15-46
CLBT5840 (IN).....	15-46
CLBT5860	15-46
CLBT750 (IN).....	15-45
CLBT750 (OUT).....	15-45
CLBT750 (OUT).....	15-46
CRT5633.....	15-46
CRT5643	15-46
CRT6030	15-45
CRT7033 (IN).....	15-45
CT5640	15-46
HT70	15-45
HT740	15-45, 15-46
HT750	15-45, 15-46
HTB741	15-45
HTB755BR	15-45
MD6	15-45
MT40	15-44
MT640	15-44
MT643	15-44
MT644	15-44
MT650	15-46
MT653	15-46
MT654CR.....	15-46
R2.....	15-44
TC	15-45
TG602	15-44
TT2000 Series.....	15-44

ALLISON TRANSMISSIONS

Model	Spline Size Dia. - Tooth Count	Spline Length	Hub Dia.	Center to End	Yoke Type	Comments	Part Number
R2	1.38" - 32	3.66"	2.13"	6.65" 6.65"	Round Bearing Round Bearing	GMT 455	141TYSB22-4 141TYSB22-4A
AD6	1.63" - 31	2.56"	2.44"	3.44"	Comp.Flange	With 9"x 3"brake	5WCS28-64
AD6	1.63" - 31	2.56"	2.44"	4.19" 4.63" 4.24"	Easy Service Easy Service Easy Service	Without brake	141TYS28-19 148TYS28-17 155TYS28-20
MT40	1.78" - 27	1.91"	2.17"	2.88"	Wing Bearing		72NYS28-66
MT640 MT643 MT644	1.78" - 34	2.75"	2.56"	3.70" 4.56"	Comp.Flange Wing Bearing	With 12"x 4"brake	17N-1-5371X 58WBYS28-162A
AT540 AT543 AT545	1.78" - 34	2.75"	2.56"	6.19" 6.25" 6.19" 6.25"	Round Bearing Round Bearing Round Bearing Round Bearing	With Bendix 9"x 3"or 10"x 3"brake	148NYSB29A 148TYSB28-11A 148TYSB29-1 155TYSB28-14A
MT640 MT643 MT644	1.78" - 34	2.75"	2.56"	4.38"	Wing Bearing	Without brake, threaded	58WBYS28-144
AT540 AT543 AT545	1.78" - 34	2.75"	2.56"	3.42" 6.25" 5.17" 5.17" 6.25" 5.31" 6.00" 3.70" 3.70"	Comp.Flange Round Bearing Easy Service Easy Service Round Bearing Easy Service Easy Service Comp.Flange Comp.Flange	Without brake	148N-1-4481X 148TYSB28-20A 155N-4-4801-1X 155N-4-4801-2X 155TYSB28-22A 16TYS28-51A 17N-4-5041-1 5WCS28-66 5WCS28-66A
MT640 MT643 MT644	1.78" - 34	2.75"	2.56"	5.31" 5.31" 7.19" 6.00" 4.56" 4.69"	Full Round Easy Service Full Round Easy Service Wing Bearing Wing Bearing	Without brake	16N-4-4841X 16TYS28-8A 17N-4-5041X 17TYS28-62A 58WBYS28-163 72NYS28-141
AT540 AT543 AT545	1.81" - 34	2.75"	2.56"	6.19"	Round Bearing		141NYSB29A1
TT2000 Series	1.88" - 14	2.02"	2.56"	3.34"	Wing Bearing	With brake	58WBYS30-7
TT2000 Series	1.88" - 14	2.32"	2.56"	4.40" 4.63"	Wing Bearing Wing Bearing	Without brake	58WBYS30-6 62NYS30-22
4460 TG602	1.91" - 14	2.79"	2.62"	3.77"	Wing Bearing		72NYS30-1
MD6	2.13" - 41	2.05"	3.54"	3.08"	Comp.Flange	With 12"x 3"brake	5WCS32-96

ALLISON TRANSMISSIONS

Model	Spline Size Dia. - Tooth Count	Spline Length	Hub Dia.	Center to End	Yoke Type	Comments	Part Number
MD6	2.13" - 41	2.05"	3.54"	5.00" 4.88"	Easy Service Easy Service	Without brake	16TYS32-59 17TYS32-67 (C)
				4.88"	Easy Service		17TYS32-77
4460 HT70	2.36" - 18	2.31"	3.00"	3.00"	Wing Bearing		72NYS38-4
HTB741 HTB755BR	2.36" - 18	2.34"	2.75"	5.12" 5.50" 5.31" 5.31" 5.63" 5.85" 3.81"	Full Round Easy Service Full Round Easy Service Full Round Easy Service Wing Bearing		176NYS38-21 176TYS38-23 17NYS38-62 17TYS38-62 18NYS38-23 18TYS38-24 92NYS38-76
HTB741 HTB755BR	2.36" - 18	2.34"	3.75"	3.00" 3.00"	Comp.Flange Comp.Flange		5WCS38-25 5WCS38-26
CLBT750 (IN) CRT6030 CRT7033 (IN)	2.36" - 18	2.76"	3.00"	3.50" 4.09" 4.28"	Wing Bearing Wing Bearing Wing Bearing		72NYS38-1 72NYS38-2 85WBYS38-2
TC	2.36" - 18	3.19"	3.00"	4.00"	Wing Bearing		72NYS38
CLBT750 (OUT) HT740 HT750	2.36" - 18	3.38"	3.50"	6.12" 6.12" 5.75" 5.75" 5.75" 6.12" 6.12" 5.22"	Full Round Easy Service Full Round Easy Service Easy Service Full Round Easy Service Wing Bearing		176N-4-271 176N-4-271-1 17N-4-4561 17N-4-4561-1 17TYS38-22 (C) 18N-4-2581 18N-4-2581-1 92NYS38-12
MT650 MT653 MT654CR	2.38" - 46	3.38"	3.50"	5.22"	Wing Bearing	With 12"x 4"brake	72NYS38-10
MT650 MT653 MT654CR	2.38" - 46	3.38"	3.50"	5.75"	Full Round	Without brake	17N-4-4771
MT650 MT653 MT654CR	2.39" - 46	3.38"	3.50"	3.86"	Comp.Flange	With 12"x 4"brake	17N-1-4631X

(C) Cast Version
(FUI) Forward Unit Input
(FUO) Forward Unit Output
(RUI) Rear Unit Input

U.S. 888-725-9355
Canada 800-387-3889

XpresswayPlus.com

15-45

ALLISON TRANSMISSIONS

Model	Spline Size Dia. - Tooth Count	Spline Length	Hub Dia.	Center to End	Yoke Type	Comments	Part Number
MT650 MT653 MT654CR	2.39" - 46	3.38"	3.50"	6.12"	Full Round	Without brake	16N-4-4861
				6.12"	Easy Service		16N-4-4861-1
				6.00"	Full Round		176N-4-381
				5.75"	Easy Service		17TYS38-55
				5.75"	Easy Service		17TYS38-7 (C)
				6.16"	Full Round		18N-4-2541
				6.15"	Easy Service		18N-4-2541-1
				4.75"	Wing Bearing		82NYS38-12
CRT5633	2.50" - 19	3.00"	3.50"	4.75"	Wing Bearing		92NYS38-68
				5.00"	Wing Bearing		92NYS40
CRT5643	2.50" - 19	3.13"	3.50"	5.00"	Wing Bearing		92NYS40-3
CRT5643	2.50" - 19	3.13"	3.50"	3.98"	Wing Bearing		92NYS40-35
CLBT750 (OUT)	2.56" - 20	3.34"	3.50"	5.17"	Wing Bearing		92NYS42-16
CLBT750 (OUT)							
HT740	2.72" - 18	3.38"	3.50"	4.09"	Comp.Flange		17N-1-4541
HT750							
CBT5640							
CLBT5840 (IN)	3.00" - 23	3.00"	4.00"	4.50"	Wing Bearing		85WBYS48-14
CLBT5860							
CT5640							

CLARK TRANSMISSIONS

Model	Spline Size Dia. - Tooth Count	Spline Length	Hub Dia.	Center to End	Yoke Type	Comments	Part Number
CL450	1.75" - 10	2.00"	2.50"	5.06"	Round Bearing	With 9"x 3"brake	141TYSB28-20X
				3.50"	Comp.Flange		148N-1-6081X
				5.06"	Round Bearing		148TYSB28-7
				6.00"	Round Bearing		148TYSB28-9A
				5.98"	Round Bearing		155TYSB28-13A
				6.42"	Round Bearing		155TYSB28-38A
				6.73"	Round Bearing		16TYSB28-58A
				5.30"	Wing Bearing		58WBYS28-154
CL450	1.75" - 10	2.00"	2.50"	3.63"	Easy Service	Without brake	141TYS28-18
				4.00"	Easy Service		148DYS28-16
				4.00"	Easy Service		148TYS28-16
				4.57"	Full Round		16NYS28-45
				3.81"	Wing Bearing		58WBYS28-218
CL550	1.75" - 10	2.25"	2.50"	4.19"	Easy Service		155N-4-2511
				4.28"	Easy Service		155TYS28-8
				7.69"	Round Bearing		155TYSB31-7
				7.69"	Round Bearing		155TYSB31-7A
				4.12"	Full Round		16N-4-1051
				4.13"	Easy Service		16TYS28-20
				8.00"	Round Bearing		16TYSB31-20
				8.00"	Round Bearing		16TYSB31-20A
				4.25"	Wing Bearing		58WBYS28-54
				4.81"	Comp.Flange		5WCS28-67
CL550	1.97" - 10	2.80"	2.75"	3.50"	Wing Bearing		72NYS28-18
				5.00"	Easy Service		155TYS31-6
				5.28"	Easy Service		16TYS31-16
				5.75"	Easy Service		17TYS31-62
				4.81"	Comp.Flange		5WCS31-24
				4.81"	Comp.Flange		5WCS31-26

FULLER TRANSMISSIONS

INDEX

	Page		Page
2 Speed 62 (OUT)	15-51	FS8206	15-53
2 Speed 92	15-52	MRT11609 (OUT)	15-53, 15-55
3 Speed 62 (IN)	15-51	MRT11610 (OUT)	15-53, 15-55
3 Speed 65 (IN)	15-51	MRT11613 (OUT)	15-53, 15-55
3 Speed 65 (OUT)	15-52	MRT11615 (OUT)	15-53, 15-55
3 Speed 92	15-52	MT905 (OUT)	15-52
4-A-86	15-52	MT11605 (OUT)	15-52, 15-53
4-A-112	15-52	R96	15-52
4-A-860	15-52	R960	15-52
4-F-1440	15-57	R1150	15-52
4-FS-1440	15-57	R1160	15-52
4-MB-1440 (OUT)	15-57	R1550	15-57
4-MS-1440 (OUT)	15-57	RT510	15-52
4 Speed 75	15-52	RT610	15-52
5-C-72	15-51	RT613	15-54, 15-55
5-C-720	15-51	RT906	15-54, 15-55
5 Speed 65	15-51	RT909	15-54, 15-55
5 Speed 74	15-51	RT910	15-54, 15-55
5 Speed 75	15-51	RT913	15-54, 15-56
5 Speed 650	15-51	RT915	15-54, 15-56
5 Speed 740	15-51	RT1110	15-53, 15-55
5 Speed 1120	15-52	RT1213	15-57
5 Speed 1220	15-52	RT6609	15-52, 15-53
10 Speed 65	15-52	RT6610	15-52, 15-53
10 Speed 650	15-52	RT6613	15-54, 15-55
10 Speed 1120	15-52	RT7608LL	15-54, 15-55
15 Speed 1120	15-52	RT8608L	15-54, 15-55
11600	15-55	RT8609	15-52, 15-53
AT1202 (IN)	15-58	RT8908LL	15-58
AT1202 (OUT)	15-57	RT9109	15-54, 15-55
CL450	15-51	RT9508	15-54, 15-56
CL550	15-51	RT9509	15-54, 15-56
FS3005	15-51	RT9513	15-54, 15-56
FS4005	15-51	RT11109-ATR	15-53, 15-55
FS5005	15-51	RT11109-ATS	15-57
FS5106	15-53	RT11209	15-57
FS5106A	15-52	RT11210	15-57
FS6005	15-52	RT11509	15-53, 15-55
FS6105	15-52, 15-53	RT11608	15-53, 15-55
FS6106	15-52	RT11609	15-53, 15-55
FS6206A	15-52	RT11610	15-53, 15-55
FS7206A	15-52	RT11613	15-53, 15-55
FS8109A	15-52, 15-53	RT11615	15-53, 15-55

FULLER TRANSMISSIONS

INDEX

	Page		Page
RT11709	15-53, 15-55	RTL014618A.....	15-58
RT11710	15-53, 15-55	RTL016618A.....	15-58
RT11715	15-53, 15-55	RTLX12713A.....	15-54, 15-56
RT12109	15-54, 15-55	RTLX14713A.....	15-58
RT12209	15-57	RTLX14718B.....	15-58
RT12210	15-57	RTLX16718B.....	15-58
RT12509	15-57, 15-58	RT0958LL.....	15-54, 15-56
RT12510	15-57	RT01157.....	15-58
RT12513	15-57	RT01258LL.....	15-58
RT12609	15-54, 15-55	RT02008.....	15-58
RT12610	15-54, 15-55	RT011209.....	15-57
RT12709	15-54, 15-55	RT011210.....	15-57
RT12710	15-54, 15-55	RT011607.....	15-58
RT13209	15-57	RT011607L.....	15-58
RT13210	15-57	RT011607LL.....	15-58
RT13609	15-54, 15-55	RT011608LL.....	15-54, 15-56
RT13709	15-54, 15-55	RT011618.....	15-54, 15-56
RT13710	15-54, 15-55	RT011707LL.....	15-58
RT14109	15-57	RT011708LL.....	15-54, 15-56
RT14209	15-58	RT011908LL.....	15-58
RT14210	15-58	RT011909MLL.....	15-58
RT14608	15-57, 15-58	RT012209.....	15-57
RT14609	15-57	RT012210.....	15-57
RT14610	15-57	RT013209.....	15-57
RT14610B.....	15-57	RT013210.....	15-57
RT14613	15-57	RT014209.....	15-58
RT14615	15-57	RT014210.....	15-58
RT14709	15-57	RT014608LL.....	15-58
RT14710	15-57	RT014708LL.....	15-58
RT14715	15-57	RT014908LL.....	15-58
RT14915	15-58	RT014909MLL.....	15-58
RT15610B.....	15-57	RRT014915	15-58
RT15613	15-57, 15-58	RT015210.....	15-58
RT15615	15-57	RT015618.....	15-58
RT15715	15-57	RT016210.....	15-58
RT16610B.....	15-57	RT016908LL.....	15-59
RTA014710B	15-57	RT016915.....	15-59
RTE12609	15-54, 15-56	RTT12609	15-54, 15-56
RTL01210A.....	15-54, 15-56	T905.....	15-53
RTL01410A.....	15-57	T955.....	15-54, 15-55, 15-56
RTL012610B.....	15-54, 15-56	T1056AA	15-54, 15-56
RTL012613B.....	15-54, 15-56	T1106.....	15-54, 15-56
RTL013610B.....	15-54, 15-56	T-8607	15-53
RTL014613B.....	15-58		

(C) Cast Version
(FUI) Forward Unit Input
(FUO) Forward Unit Output
(RUI) Rear Unit Input

U.S. 888-725-9355
Canada 800-387-3889

XpresswayPlus.com

15-49

FULLER TRANSMISSIONS

INDEX

	Page
T11605.....	15-52, 15-53
T11606.....	15-54, 15-56
T11607.....	15-54, 15-56
T14607.....	15-56, 15-57
TA4510.....	15-54, 15-56

FULLER TRANSMISSIONS

Model	Spline Size Dia. - Tooth Count	Spline Length	Hub Dia.	Center to End	Yoke Type	Comments	Part Number
CL450 FS3005 FS4005	1.75" - 10	2.00"	2.50"	5.06"	Round Bearing	With 9"x 3"brake	141TYSB28-20X
				3.50"	Comp.Flange		148N-1-6081X
				5.06"	Round Bearing		148TYSB28-7
				6.00"	Round Bearing		148TYSB28-9A
				5.98"	Round Bearing		155TYSB28-13A
				6.42"	Round Bearing		155TYSB28-38A
				6.73"	Round Bearing		16TYSB28-58A
				5.30"	Wing Bearing		58WBYS28-154
CL450 FS3005 FS4005	1.75" - 10	2.00"	2.50"	3.63"	Easy Service	Without brake	141TYS28-18
				4.00"	Easy Service		148DYS28-16
				4.00"	Easy Service		148TYS28-16
				4.57"	Full Round		16NYS28-45
				3.81"	Wing Bearing		58WBYS28-218
CL550 FS5005	1.75" - 10	2.25"	2.50"	4.19"	Easy Service		155N-4-2511
				4.28"	Easy Service		155TYS28-8
				7.69"	Round Bearing		155TYSB31-7
				7.69"	Round Bearing		155TYSB31-7A
				4.12"	Full Round		16N-4-1051
				4.13"	Easy Service		16TYS28-20
				8.00"	Round Bearing		16TYSB31-20
				8.00"	Round Bearing		16TYSB31-20A
				4.25"	Wing Bearing		58WBYS28-54
				4.81"	Comp.Flange		5WCS28-67
3.50"	Wing Bearing	72NYS28-18					
CL550 FS5005	1.97" - 10	2.80"	2.75"	5.00"	Easy Service		155TYS31-6
				5.28"	Easy Service		16TYS31-16
				5.75"	Easy Service		17TYS31-62
				4.81"	Comp.Flange		5WCS31-24
				4.81"	Comp.Flange		5WCS31-26
2 Speed 62 (OUT)							
3 Speed 62 (IN)							
3 Speed 65 (IN)							
5 Speed 65							
5 Speed 650	2.00" - 10	3.00"	3.25"	4.81"	Full Round		17N-4-2131
5 Speed 74							
5 Speed 740							
5 Speed 75							
5-C-72							
5-C-720							

(C) Cast Version
(FUI) Forward Unit Input
(FUO) Forward Unit Output
(RUI) Rear Unit Input

U.S. 888-725-9355
Canada 800-387-3889

XpresswayPlus.com

15-51

FULLER TRANSMISSIONS

Model	Spline Size Dia. - Tooth Count	Spline Length	Hub Dia.	Center to End	Yoke Type	Comments	Part Number
				4.03"	Easy Service		148TYS32-5
				4.03"	Easy Service		155DYS32-7
				7.56"	Round Bearing		155TYSB32-26
				7.56"	Round Bearing		155TYSB32-26A
				4.00"	Full Round		16N-4-6321
FS5106A				4.50"	Easy Service		16TYS32-61
FS6005				7.87"	Round Bearing		16TYSB32-72
FS6105	2.00" - 38	2.13"	2.75"	7.87"	Round Bearing		16TYSB32-72A
FS6106				5.63"	Full Round		176NYS32-6
FS6206A				5.25"	Full Round		17N-4-7301
FS7206A				5.25"	Easy Service		17TYS32-66 (C)
				5.25"	Easy Service		17TYS32-73
				7.97"	Round Bearing		17TYSB32-84
				7.97"	Round Bearing		17TYSB32-84A
				3.94"	Wing Bearing		58WBYS32-44
				4.13"	Wing Bearing		72NYS32-250

10 Speed 1120

10 Speed 65

10 Speed 650

15 Speed 1120

2 Speed 92

3 Speed 65 (OUT)

3 Speed 92

4 Speed 75

5.50" Full Round

16N-4-3321

4-A-112

5.50" Easy Service

16N-4-3321-1

4-A-86

5.75" Full Round

16N-4-4961

4-A-860

5.65" Full Round

176N-4-701

5 Speed 1120

5.65" Easy Service

176N-4-761-1X

5 Speed 1220

2.25" - 10 3.00" 3.50"

5.25" Full Round

17N-4-2141

FS8109A

5.25" Full Round

17N-4-6861

MT11605 (OUT)

5.25" Easy Service

17N-4-6901-1X

MT905 (OUT)

5.84" Easy Service

18N-4-2021-1

R1150

3.63" Comp.Flange

3WCS36-25

R1160

3.63" Comp.Flange

3WCS36-3

R96

3.69" Comp.Flange

5WCS36-112

R960

RT510

RT610

RT6609

RT6610

RT8609

T11605

FULLER TRANSMISSIONS

Model	Spline Size Dia. - Tooth Count	Spline Length	Hub Dia.	Center to End	Yoke Type	Comments	Part Number
T905	2.25" - 10	3.00"	3.50"	5.50"	Full Round		16N-4-3321
				5.50"	Easy Service		16N-4-3321-1
				5.75"	Full Round		16N-4-4961
				5.65"	Full Round		176N-4-701
				5.65"	Easy Service		176N-4-761-1X
				5.25"	Full Round		17N-4-2141
				5.25"	Full Round		17N-4-6861
				5.25"	Easy Service		17N-4-6901-1X
				5.84"	Easy Service		18N-4-2021-1
				3.63"	Comp.Flange		3WCS36-25
				3.63"	Comp.Flange		3WCS36-3
				3.69"	Comp.Flange		5WCS36-112
FS8109A	2.25" - 10	3.00"	3.75"	5.75"	Easy Service		16TYS36-11A
MT11605 (OUT)				5.65"	Easy Service		176N-4-1101-1X
RT6609				5.25"	Full Round		17NYS36-48A
RT6610				5.25"	Easy Service		17TYS36-48A (C)
RT8609				5.25"	Easy Service		17TYS36-55A
T11605				5.84"	Easy Service		18TYS36-15A
				4.84"	Wing Bearing		92NYS36-68A
FS5106 FS6105 FS8206 T-8607	2.34" - 45	3.00"	3.75"	5.75"	Easy Service		16TYS38-22A
				5.65"	Easy Service		176N-4-901-1X
				5.65"	Full Round		176N-4-901X
				5.75"	Full Round		17N-4-7271X
				5.75"	Easy Service		17TYS38-50A (C)
				5.75"	Easy Service		17TYS38-64A
				3.69"	Comp.Flange		5WCS38-28A
MRT11609 (OUT) MRT11610 (OUT) MRT11613 (OUT) MRT11615 (OUT) RT1110 RT11109-ATR RT11509 RT11608 RT11609 RT11610 RT11613 RT11615 RT11709 RT11710 RT11715	2.50" - 10	3.00"	2.94"	5.75"	Easy Service		16TYS38-22A
				5.65"	Easy Service		176N-4-901-1X
				5.65"	Full Round		176N-4-901X
				5.75"	Full Round		17N-4-7271X
				5.75"	Easy Service		17TYS38-50A (C)
	2.50" - 10	3.00"	2.94"	5.75"	Easy Service		17TYS38-64A
				3.69"	Comp.Flange		5WCS38-28A
				3.69"	Comp.Flange		5WCS38-29A
				5.88"	Full Round		18N-4-1961
				4.44"	Wing Bearing		72NYS40-99
				4.44"	Wing Bearing		72NYS40-99A
				4.75"	Wing Bearing		82NYS40-28

(C) Cast Version
(FUI) Forward Unit Input
(FUO) Forward Unit Output
(RUI) Rear Unit Input

U.S. 888-725-9355
Canada 800-387-3889

XpresswayPlus.com

15-53

FULLER TRANSMISSIONS

Model	Spline Size Dia. - Tooth Count	Spline Length	Hub Dia.	Center to End	Yoke Type	Comments	Part Number
RT12109							
RT12609							
RT12610							
RT12709							
RT12710							
RT13609							
RT13709							
RT13710							
RT613							
RT6613							
RT7608LL							
RT8608L							
RT906							
RT909							
RT910							
RT9109							
RT913							
RT915				5.88"	Full Round		18N-4-1961
RT9508	2.50" - 10	3.00"	2.94"	4.44"	Wing Bearing		72NYS40-99
RT9509				4.44"	Wing Bearing		72NYS40-99A
RT9513				4.75"	Wing Bearing		82NYS40-28
RTE12609							
RTL01210A							
RTL012610B							
RTL012613B							
RTL013610B							
RTLX12713A							
RT011608LL							
RT011618							
RT011708LL							
RT0958LL							
RTT12609							
T1056AA							
T1106							
T11606							
T11607							
T955							
TA4510							

FULLER TRANSMISSIONS

Model	Spline Size Dia. - Tooth Count	Spline Length	Hub Dia.	Center to End	Yoke Type	Comments	Part Number
11600							
RT11608							
RT11610							
RT11613							
RT11615							
RT11709	2.50" - 10	3.00"	3.75"	5.15"	RPL		20WYS40-2A
RT11710				5.15"	RPL		25WYS40-2A
RT11715							
RT6613							
RT909							
T955							
MRT11609 (OUT)							
MRT11610 (OUT)							
MRT11613 (OUT)							
MRT11615 (OUT)							
RT1110							
RT11109-ATR							
RT11509				6.12"	Full Round		16N-4-4971
RT11608				6.12"	Easy Service		16N-4-4971-1
RT11609				6.03"	Full Round		176N-4-781X
RT11610				6.03"	Easy Service		176TYS40-14A
RT11613				5.63"	Full Round		17N-4-3611
RT11615				5.63"	Easy Service		17N-4-3611-1
RT11709				5.63"	Full Round		17N-4-6921X
RT11710				5.63"	Easy Service		17TYS40-125A (C)
RT11715				5.63"	Easy Service		17TYS40-144A
RT12109	2.50" - 10	3.00"	3.75"	5.63"	Easy Service		17TYS40-9 (C)
RT12609				5.88"	Easy Service		18N-4-3551-1X
RT12610				5.88"	Full Round		18N-4-3551X
RT12709				3.63"	Comp.Flange		5WCS40-40
RT12710				3.63"	Comp.Flange		5WCS40-40A
RT13609				3.63"	Comp.Flange		5WCS40-41
RT13709				3.63"	Comp.Flange		5WCS40-41A
RT13710				4.31"	Wing Bearing		85WBYS40-34
RT613				4.31"	Wing Bearing		85WBYS40-34A
RT6613				4.25"	Wing Bearing		92NYS40-40A
RT7608LL							
RT8608L							
RT906							
RT909							
RT910							
RT9109							

(C) Cast Version
(FUI) Forward Unit Input
(FUO) Forward Unit Output
(RUI) Rear Unit Input

U.S. 888-725-9355
Canada 800-387-3889

XpresswayPlus.com

15-55

FULLER TRANSMISSIONS

Model	Spline Size Dia. - Tooth Count	Spline Length	Hub Dia.	Center to End	Yoke Type	Comments	Part Number
RT913							
RT915				6.12"	Full Round		16N-4-4971
RT9508				6.12"	Easy Service		16N-4-4971-1
RT9509				6.03"	Full Round		176N-4-781X
RT9513				6.03"	Easy Service		176TYS40-14A
RTE12609				5.63"	Full Round		17N-4-3611
RTL01210A				5.63"	Easy Service		17N-4-3611-1
RTL012610B				5.63"	Full Round		17N-4-6921X
RTL012613B				5.63"	Easy Service		17TYS40-125A (C)
RTL013610B				5.63"	Easy Service		17TYS40-144A
RTLX12713A	2.50" - 10	3.00"	3.75"	5.63"	Easy Service		17TYS40-9 (C)
RT011608LL				5.88"	Easy Service		18N-4-3551-1X
RT011618				5.88"	Full Round		18N-4-3551X
RT011708LL				3.63"	Comp.Flange		5WCS40-40
RT0958LL				3.63"	Comp.Flange		5WCS40-40A
RTT12609				3.63"	Comp.Flange		5WCS40-41
T1056AA				3.63"	Comp.Flange		5WCS40-41A
T1106				4.31"	Wing Bearing		85WBYS40-34
T11606				4.31"	Wing Bearing		85WBYS40-34A
T11607				4.25"	Wing Bearing		92NYS40-40A
T955							
TA4510							
T14607	2.50" - 49	3.00"	3.75"	6.03"	Easy Service		176N-4-771-1X
				6.03"	Full Round		176N-4-771X
				5.63"	Full Round		17N-4-7041X
				5.63"	Easy Service		17TYS40-131A (C)
				5.63"	Easy Service		17TYS40-143A
				5.88"	Easy Service		18N-4-3621-1X
				5.88"	Full Round		18N-4-3621X
				3.63"	Comp.Flange		5WCS40-42A
				3.63"	Comp.Flange		5WCS40-43A
				4.63"	Wing Bearing		92NYS40-39A

FULLER TRANSMISSIONS

Model	Spline Size Dia. - Tooth Count	Spline Length	Hub Dia.	Center to End	Yoke Type	Comments	Part Number
RT11209							
RT11210							
RT12209							
RT12210							
RT13209							
RT13210	2.54" - 49	2.75"	3.75"	5.63"	RPL		20WYS40-3
RT011209				6.25"	RPL		25WYS40-3
RT011210							
RT012209							
RT012210							
RT013209							
RT013210							
T14607				5.15"	RPL		20WYS40-4A
				5.18"	RPL		25WYS40-4A
4-F-1440							
4-FS-1440							
4-MB-1440 (OUT)							
4-MS-1440 (OUT)							
AT1202 (OUT)							
R1550				5.97"	Full Round		176N-4-711
RT11109-ATS				5.97"	Easy Service		176N-4-711-1
RT1213				5.97"	Easy Service		176N-4-791-1X
RT12509				5.97"	Full Round		176N-4-791X
RT12510				5.75"	Full Round		17N-4-6821
RT12513				5.75"	Easy Service		17N-4-6821-1
RT14109				5.75"	Easy Service		17N-4-6931-1X
RT14608				5.75"	Full Round		17N-4-6931X
RT14609	2.75" - 10	3.00"	3.75"	5.75"	Easy Service		17TYS44-7A (C)
RT14610				6.06"	Full Round		18N-4-3491
RT14610B				6.06"	Easy Service		18N-4-3491-1
RT14613				6.06"	Easy Service		18N-4-3561-1X
RT14615				6.06"	Full Round		18N-4-3561X
RT14709				4.06"	Comp.Flange		5WCS44-3
RT14710				4.06"	Comp.Flange		5WCS44-3A
RT14715				4.50"	Wing Bearing		85WBYS44-1
RT15610B				4.50"	Wing Bearing		85WBYS44-1A
RT15613				4.84"	Wing Bearing		92NYS44-22A
RT15615							
RT15715							
RT16610B							
RTA014710B							
RTL01410A							

(C) Cast Version
(FUI) Forward Unit Input
(FUO) Forward Unit Output
(RUI) Rear Unit Input

U.S. 888-725-9355
Canada 800-387-3889

XpresswayPlus.com

15-57

FULLER TRANSMISSIONS

Model	Spline Size Dia. - Tooth Count	Spline Length	Hub Dia.	Center to End	Yoke Type	Comments	Part Number
				5.97"	Full Round		176N-4-711
RTL014613B				5.97"	Easy Service		176N-4-711-1
RTL014618A				5.97"	Easy Service		176N-4-791-1X
RTL016618A				5.97"	Full Round		176N-4-791X
RTLX14713A				5.75"	Full Round		17N-4-6821
RTLX14718B				5.75"	Easy Service		17N-4-6821-1
RTLX16718B				5.75"	Easy Service		17N-4-6931-1X
RT01157				5.75"	Full Round		17N-4-6931X
RT011607L	2.75" - 10	3.00"	3.75"	5.75"	Easy Service		17TYS44-7A (C)
RT011607LL				6.06"	Full Round		18N-4-3491
RT011707LL				6.06"	Easy Service		18N-4-3491-1
RT01258LL				6.06"	Easy Service		18N-4-3561-1X
RT014608LL				6.06"	Full Round		18N-4-3561X
RT014708LL				4.06"	Comp.Flange		5WCS44-3
RT015618				4.06"	Comp.Flange		5WCS44-3A
RT02008				4.50"	Wing Bearing		85WBYS44-1
				4.50"	Wing Bearing		85WBYS44-1A
				4.84"	Wing Bearing		92NYS44-22A
AT1202 (IN)	2.75" - 10	3.00"	3.75"	5.97"	Easy Service		176N-4-721-1X
				5.97"	Full Round		176N-4-721X
				5.75"	Full Round		17N-4-6841X
				5.75"	Easy Service		17TYS44-12A
				6.06"	Full Round		18N-4-3501X
				6.06"	Easy Service		18TYS44-3A
				4.84"	Wing Bearing		92NYS44-23A
RT12509							
RT14608	2.75" - 10	3.00"	3.75"	5.09"	RPL		20WYS44-2A
RT15613				5.09"	RPL		25WYS44-2A
RT011607							
RT14209							
RT14210							
RT14915							
RT8908LL							
RT011908LL							
RT011909MLL							
RT014209	2.79" - 54	2.75"	3.75"	5.63"	RPL		20WYS45
RT014210				6.25"	RPL		25WYS45
RT014908LL							
RT014909MLL							
RT014915							
RT015210							
RT016210							

FULLER TRANSMISSIONS

Model	Spline Size Dia. - Tooth Count	Spline Length	Hub Dia.	Center to End	Yoke Type	Comments	Part Number
RT016908LL	2.79" - 54	2.75"	3.75"	5.63"	RPL		20WYS45
RT016915				6.25"	RPL		25WYS45

MERITOR TRANSMISSIONS

Model	Spline Size Dia. - Tooth Count	Spline Length	Hub Dia.	Center to End	Yoke Type	Part Number
RM-10-115	2.50" - 10	3.00"	3.75"			
RM-10-125						
RMO-10-115				6.03"	Full Round	176N-4-781X
RMO-10-125				6.03"	Easy Service	176TYS40-14A
RMO-10-135				5.88"	Easy Service	18N-4-3551-1X
RMO-9-115				5.88"	Full Round	18N-4-3551X
RMO-9-125				5.15"	RPL	20WYS40-2A
RMX-10-115				5.15"	RPL	25WYS40-2A
RMX-9-115	2.75" - 10	3.00"	3.75"			
RMX-9-125						
RM-10-135						
RM-10-145						
RM-13-145						
RM-9-135						
RM-9-145						
RM-9-155						
RMO-10-135						
RMO-10-145				5.97"	Easy Service	176N-4-791-1X
RMO-10-155				5.97"	Full Round	176N-4-791X
RMO-10-165				5.75"	Easy Service	17N-4-6931-1X
RMO-13-145				5.75"	Full Round	17N-4-6931X
RMO-9-135				6.06"	Easy Service	18N-4-3561-1X
RMO-9-145				6.06"	Full Round	18N-4-3561X
RMO-9-155				5.09"	RPL	20WYS44-2A
RMO-9-165				5.09"	RPL	25WYS44-2A
RMX-10-135				4.84"	Wing Bearing	92NYS44-22A
RMX-10-145						
RMX-10-155						
RMX-10-165						
RMX-13-145						
RMX-9-135						
RMX-9-145						
RMX-9-155						
RMX-9-165						

NEW PROCESS TRANSMISSIONS

Model	Spline Size Dia. - Tooth Count	Spline Length	Hub Dia.	Center to End	Yoke Type	Comments	Part Number
NP435 NP540 NP542	1.50" - 10	2.00"	2.13"	3.70"	Wing Bearing	Drilled	58WBYS24-7
NP435 NP540 NP542	1.50" - 10	2.00"	2.13"	3.75"	Wing Bearing	Threaded	58WBYS24
NP435 NP540 NP542	1.50" - 35	2.00"	2.13"	5.06" 4.13"	Easy Service Easy Service		141TYS24-6 155N-4-5381-1
D SPEC NP435 NP540 NP542	1.50" - 35	2.00"	2.50"	5.06" 5.06" 5.06" 5.06"	Round Bearing Easy Service Round Bearing Round Bearing	For GMC, GMT 455	141TYSB24-6A 148NYS24-7A 148NYSB24-7A 148TYSB24-4A
NP541	1.75" - 10	2.00"	2.50"	3.63" 4.00" 4.00" 4.57" 3.81"	Easy Service Easy Service Easy Service Full Round Wing Bearing	Without brake	141TYS28-18 148DYS28-16 148TYS28-16 16NYS28-45 58WBYS28-218

SPICER TRANSMISSIONS

INDEX

	Page		Page
1241 (IN)	15-65, 15-67	8553.....	15-66
1241C (OUT).....	15-68	8554.....	15-66
1241D (OUT).....	15-68	8555.....	15-66
5105B	15-65	8716.....	15-66
5106.....	15-65	8742.....	15-66
6041 (IN and OUT).....	15-64	8744.....	15-66
6105A	15-65	8753.....	15-66
6105B	15-65	8755.....	15-66
6231 (IN and OUT).....	15-64	CL550	15-64
6241.....	15-64	CM50	15-64
6440.....	15-64	CM55	15-65
7016.....	15-65	CM5552C.....	15-65
7041 (IN)	15-64	CM5552D.....	15-65
7041 (OUT)	15-65	CM5852A.....	15-65
7216.....	15-65	CM60	15-64
7231 (IN and OUT).....	15-64	FS5005.....	15-64
738 (IN and OUT).....	15-65	FS5106A	15-65
8012.....	15-65	FS6005.....	15-65
8016.....	15-65	FS6105.....	15-65
8031 (IN and OUT).....	15-65	FS6106.....	15-65
8035.....	15-65	FS6206A	15-65
8041.....	15-65	FS7206A	15-65
8045.....	15-65	P1241C (OUT).....	15-68
8051.....	15-65	P1241D (OUT)	15-68
8052.....	15-65	PS125-7B.....	15-67
8054.....	15-65	PS140-7A.....	15-67
8055.....	15-65	PS97-7A.....	15-67
8212.....	15-65	SP5000	15-64
8216.....	15-65	SP5052	15-64
8245.....	15-65	SP5252	15-64
8251.....	15-65	SP5652	15-64
8252.....	15-65	SP5662	15-64
8255.....	15-65	SP5752	15-64
8341 (IN)	15-66	SP5753	15-64
8341 (OUT)	15-65	SP5756	15-64
8345 (IN)	15-66	SP5852	15-64
8345 (OUT)	15-65	SP5853	15-64
8440.....	15-65	SP6000	15-64
8445.....	15-65	SP6052	15-64
8512.....	15-65	SP6252	15-64
8516.....	15-65	SP6253	15-64
8542.....	15-66	SP6352	15-64
8545.....	15-66	SP6452	15-64

SPICER TRANSMISSIONS

INDEX

	Page		Page
SP6453	15-64	SST1372	15-66, 15-67
SP6852	15-64		15-68
SP6853	15-64	SST1412	15-66, 15-67
SP7000	15-64		15-68
SP7352	15-64	SST1414	15-66, 15-67
SP7452	15-64		15-68
SP7453	15-64	SST1420-3A.....	15-66, 15-67
SP8000	15-66		15-68
SST1006	15-66, 15-67	SST1452	15-66, 15-67
	15-68		15-68
SST1007	15-66, 15-67	SST1453	15-66, 15-68
	15-68	SST1463	15-66, 15-68
SST1010	15-67	SST9072	15-66, 15-68
SST1020	15-66, 15-67		
	15-68		
SST1052	15-67		
SST1062	15-67		
SST1064	15-67		
SST1207	15-66, 15-67		
	15-68		
SST1211	15-66, 15-67		
SST1211	15-68		
SST1212	15-66, 15-67		
	15-68		
SST1214	15-66, 15-67		
	15-68		
SST1252	15-67		
SST1253	15-67		
SST1254	15-67		
SST1262	15-67		
SST1263	15-67		
SST1264	15-67		
SST1265	15-67		
SST1272	15-66, 15-67		
	15-68		
SST1274-A.....	15-66, 15-67		
	15-68		
SST1310	15-66, 15-67		
	15-68		
SST1352	15-66, 15-67		
	15-68		
SST1362	15-66, 15-67		
	15-68		

SPICER TRANSMISSIONS

Model	Spline Size Dia. - Tooth Count	Spline Length	Hub Dia.	Center to End	Yoke Type	Part Number
CL550						
CM50				4.19"	Easy Service	155N-4-2511
FS5005				4.28"	Easy Service	155TYS28-8
SP5000				7.69"	Round Bearing	155TYSB31-7
SP5052				7.69"	Round Bearing	155TYSB31-7A
SP5252				4.12"	Full Round	16N-4-1051
SP5652	1.75" - 10	2.25"	2.50"	4.13"	Easy Service	16TYS28-20
SP5662				8.00"	Round Bearing	16TYSB31-20
SP5752				8.00"	Round Bearing	16TYSB31-20A
SP5753				4.25"	Wing Bearing	58WBYS28-54
SP5756				4.81"	Comp.Flange	5WCS28-67
SP5852				3.50"	Wing Bearing	72NYS28-18
SP5853						
6041 (IN and OUT)						
6231 (IN and OUT)						
6241	1.97" - 6	3.00"	2.75"	5.00"	Full Round	16N-4-1431
6440				5.19"	Full Round	17N-4-3191
7041 (IN)						
7231 (IN and OUT)						
CM60						
SP6000						
SP6052						
SP6252				5.19"	Full Round	16NYS32-49
SP6253				5.19"	Easy Service	16TYS32-49
SP6352				5.25"	Full Round	17NYS32-21
SP6452	2.00" - 10	3.00"	2.75"	5.25"	Easy Service	17TYS32-21 (C)
SP6453				5.25"	Easy Service	17TYS32-75
SP6852				4.63"	Wing Bearing	58WBYS32-39
SP6853				4.63"	Wing Bearing	72NYS32-157
SP7000				4.25"	Wing Bearing	72NYS32-172
SP7352						
SP7452						
SP7453						

(C) Cast Version
(FUI) Forward Unit Input
(FUO) Forward Unit Output
(RUI) Rear Unit Input

SPICER TRANSMISSIONS

Model	Spline Size Dia. - Tooth Count	Spline Length	Hub Dia.	Center to End	Yoke Type	Part Number
5105B	2.00" - 38	2.13"	2.75"	4.03"	Easy Service	148TYS32-5
5106				4.03"	Easy Service	155DYS32-7
6105A				7.56"	Round Bearing	155TYSB32-26
6105B				7.56"	Round Bearing	155TYSB32-26A
CM55				4.00"	Full Round	16N-4-6321
CM5552C				4.50"	Easy Service	16TYS32-61
CM5552D				7.87"	Round Bearing	16TYSB32-72
CM5852A				7.87"	Round Bearing	16TYSB32-72A
FS5106A				5.63"	Full Round	176NYS32-6
FS6005				5.25"	Full Round	17N-4-7301
FS6105				5.25"	Easy Service	17TYS32-66 (C)
FS6106				5.25"	Easy Service	17TYS32-73
FS6206A				7.97"	Round Bearing	17TYSB32-84
FS7206A				7.97"	Round Bearing	17TYSB32-84A
				3.94"	Wing Bearing	58WBYS32-44
				4.13"	Wing Bearing	72NYS32-250
1241 (IN)	2.22" - 6	3.25"	3.00"			
7016						
7041 (OUT)						
7216						
738 (IN and OUT)						
8012						
8016						
8031 (IN and OUT)						
8035				5.72"	Full Round	16N-4-4741
8041				6.00"	Easy Service	176TYS36-2
8045				5.31"	Full Round	17N-4-3031
8051				5.31"	Easy Service	17N-4-3031-1
8052				5.31"	Easy Service	17TYS36-4 (C)
8054				6.00"	Full Round	18N-4-1971
8055				6.00"	Easy Service	18N-4-1971-1
8212				4.69"	Wing Bearing	72NYS36-51
8216				4.50"	Wing Bearing	82NYS36-63
8245				5.17"	Wing Bearing	92NYS36-41
8251						
8252						
8255						
8341 (OUT)						
8345 (OUT)						
8440						
8445						
8512						
8516						

(C) Cast Version
(FUI) Forward Unit Input
(FUO) Forward Unit Output
(RUI) Rear Unit Input

U.S. 888-725-9355
Canada 800-387-3889

XpresswayPlus.com

15-65

SPICER TRANSMISSIONS

Model	Spline Size Dia. - Tooth Count	Spline Length	Hub Dia.	Center to End	Yoke Type	Part Number
8542	2.22" - 6	3.25"	3.00"	5.72"	Full Round	
8545				6.00"	Easy Service	16N-4-4741
8553				5.31"	Full Round	176TYS36-2
8554				5.31"	Easy Service	17N-4-3031
8555				5.31"	Easy Service	17N-4-3031-1
8716				5.31"	Easy Service	17TYS36-4 (C)
8742				6.00"	Full Round	18N-4-1971
8744				6.00"	Easy Service	18N-4-1971-1
8753				4.69"	Wing Bearing	72NYS36-51
8755				4.50"	Wing Bearing	82NYS36-63
SP8000				5.17"	Wing Bearing	92NYS36-41

8341 (IN)	2.22" - 6	3.25"	3.00"	6.00"	Full Round	176N-4-171X
8345 (IN)				6.00"	Easy Service	176TYS36-2A
				5.31"	Full Round	17N-4-3041X
				5.31"	Easy Service	17TYS36-54A

SST1006
SST1007
SST1020
SST1207
SST1211
SST1212
SST1214
SST1272
SST1274-A
SST1310
SST1352
SST1362
SST1372
SST1412
SST1414
SST1420-3A
SST1452
SST1453
SST1463
SST9072

SPICER TRANSMISSIONS

Model	Spline Size Dia. - Tooth Count	Spline Length	Hub Dia.	Center to End	Yoke Type	Part Number
SST1010						
SST1052						
SST1062						
SST1064						
SST1252	2.34" - 16	2.75"	2.81"	5.19"	Full Round	17N-4-5341
SST1253				5.56"	Full Round	18N-4-3011
SST1254				4.19"	Wing Bearing	92NYS38-45
SST1262						
SST1263						
SST1264						
SST1265						
PS125-7B PS140-7A PS97-7A	2.50" - 49	2.75"	3.06"	5.56"	Full Round	176N-4-1251
				5.56"	Easy Service	176N-4-1251-1
				5.19"	Full Round	17N-4-7691
				5.19"	Easy Service	17N-4-7691-1
				5.56"	Full Round	18N-4-3821
				5.56"	Easy Service	18N-4-3821-1
4.25"	Wing Bearing	92NYS40-41				
1241 (IN)	2.63" - 20	2.75"	3.00"	5.56"	Easy Service	176N-4-871-1X
				5.56"	Full Round	176N-4-871X
				5.19"	Full Round	17N-4-7071X
				5.19"	Easy Service	17TYS42-5A
				5.56"	Full Round	18N-4-3541
				5.56"	Easy Service	18N-4-3541-1X
				4.25"	Wing Bearing	92NYS42-18
				4.25"	Wing Bearing	92NYS42-18A
SST1006						
SST1007						
SST1020						
SST1207						
SST1211						
SST1212						
SST1214						
SST1272						
SST1274-A	2.63" - 20	2.75"	3.00"	5.56"	Full Round	176N-4-41
5.56"				Full Round	18N-4-3021	
SST1310						
SST1352						
SST1362						
SST1372						
SST1412						
SST1414						
SST1420-3A						
SST1452						

(C) Cast Version
(FUI) Forward Unit Input
(FUO) Forward Unit Output
(RUI) Rear Unit Input

U.S. 888-725-9355
Canada 800-387-3889

XpresswayPlus.com

15-67

SPICER TRANSMISSIONS

Model	Spline Size Dia. - Tooth Count	Spline Length	Hub Dia.	Center to End	Yoke Type	Part Number
SST1453	2.63" - 20	2.75"	3.00"	5.56"	Full Round	176N-4-41
SST1463				5.56"	Full Round	18N-4-3021
SST9072						
SST1006	2.63" - 20	2.75"	3.75"			
SST1007						
SST1020						
SST1207						
SST1211						
SST1212						
SST1214						
SST1272				5.56"	Easy Service	16TYS42
SST1274-A				5.19"	Full Round	17N-4-5351
SST1310				5.19"	Easy Service	17TYS42-1 (C)
SST1352				5.19"	Easy Service	17TYS42-4
SST1362				5.56"	Easy Service	18N-4-3031-1
SST1372				4.25"	Wing Bearing	92NYS42-14
SST1412						
SST1414						
SST1420-3A						
SST1452						
SST1453						
SST1463						
SST9072						
	2.75" - 10	2.94"	3.38"	6.00"	Full Round	176N-4-61
				6.00"	Easy Service	176N-4-61-1
1241C (OUT)				5.31"	Full Round	17N-4-4651
1241D (OUT)				5.31"	Easy Service	17TYS44-11
P1241C (OUT)				5.31"	Easy Service	17TYS44-5 (C)
P1241D (OUT)				6.00"	Full Round	18N-4-2171
				6.00"	Easy Service	18N-4-2171-1
				4.38"	Wing Bearing	92NYS44-18

(C) Cast Version
(FUI) Forward Unit Input
(FUO) Forward Unit Output
(RUI) Rear Unit Input

SECTION 16

INDEX

Tech Tips	Page
Decimal and Millimeter Equivalents.....	16-1
Driveline Series Information Chart	16-2
Yoke Identification Chart.....	16-3
Driveline Tips I –Tolerances	16-4
Driveline Tips II –Torque.....	16-5
Driveline Tips III – Angles & Vibrations	16-6
Driveline Tips IV – Failure Analysis	16-7
Driveline Tips V – Hints on Driveline Setup	16-8

MERITOR® ONLINE TRAINING



Courses Specifically for the Busy Professional

- **Component Identification**
- **Diagnostics**
- **Repair Procedures**
- **and more!**

MeritorBullPen.com




DECIMAL AND MILLIMETER EQUIVALENTS

INCH	INCH	MM	INCH	INCH	MM
1/64	.0156	.397	33/64	.5156	13.097
1/32	.0313	.794	17/32	.5313	13.494
3/64	.0469	1.191	35/64	.5469	13.890
1/16	.0625	1.587	9/16	.5625	14.287
5/64	.0781	1.984	37/64	.5781	14.684
3/32	.0938	2.381	19/32	.5938	15.081
7/64	.1094	2.778	39/64	.6094	15.478
1/8	.125	3.175	5/8	.625	15.875
9/64	.1406	3.572	41/64	.6406	16.272
5/32	.1563	3.969	21/32	.6563	16.669
11/64	.1719	4.366	43/64	.6719	17.065
3/16	.1875	4.762	11/16	.6875	17.462
13/64	.2031	5.159	45/64	.7031	17.859
7/32	.2188	5.556	23/32	.7188	18.265
15/64	.2344	5.953	47/64	.7344	18.653
1/4	.25	6.350	3/4	.75	19.050
17/64	.2656	6.747	49/64	.7656	19.447
9/32	.2813	7.144	25/32	.7813	19.884
19/64	.2969	7.541	51/64	.7969	20.240
5/16	.3125	7.937	13/16	.8125	20.637
21/64	.3281	8.334	53/64	.8281	21.034
11/32	.3438	8.731	27/32	.8438	21.431
23/64	.3594	9.128	55/64	.8594	21.828
3/8	.375	9.525	7/8	.875	22.225
25/64	.3906	9.922	57/64	.8906	22.622
13/32	.4063	10.319	29/32	.9063	23.019
27/64	.4219	10.716	59/64	.9219	23.415
7/16	.4375	11.113	15/16	.9375	23.812
29/64	.4531	11.509	61/64	.9531	24.209
15/32	.4688	11.906	31/32	.9688	24.606
31/64	.4844	12.303	63/64	.9844	25.003
1/2	.5	12.700	1	1.000	25.400


DRIVELINE SERIES INFORMATION CHART

SERIES	PRODUCT LINE	APPLICATION
L6	Steering	- Medium/Heavy Truck - Off-Highway
L15	Marine	- Inboard/Outboard Drives
121N 131N 133N 135N	Light/Medium Truck	- Components - Assemblies
141N 148N 155N	Medium Truck	- Class 5 & 6 - Off-Highway - Flange/Drum Components - Components - Assemblies
10N	Heavy Truck	- Components - Assemblies
16N 17N 176N 18N	Heavy Truck	- Class 7 & 8 - Off-Highway - Easy Service and Round - Components - Assemblies
58WB 85WB 62N 72N 82N 92N	Wing Style	- Off-Highway - Construction - Heavy Truck - Components - Assemblies
750N 850N 950N	Axle Shafts	- Military - Off-Highway - Construction
WCS	Companion Flange	- Military - Off-Highway - Construction
CB CP	Center Bearings Center Parts Kits	- Medium Truck thru Off-Highway - All Above Series
RPL	Heavy Truck	- Components - Assemblies





YOKE IDENTIFICATION

ROUND BEARING	ACROSS EARWORK (X)	BETWEEN EARWORK (Y)	BEARING DIAMETER (Z)	SERIES	TYPE
		1.44"	.97"	L6N	
	2.19"		.94"	10N	
		2.38"	1.06"	131N	ISR
	3.47"		1.06"	131N	OSR
		2.56"	1.19"	135N	ISR
	3.88"		1.19"	135N	OSR
	3.13"	1.19"	1.41N	ISR	
	4.44"		1.19"	141N	OSR
		3.13"	1.38"	148N	ISR
	4.44"		1.38"	148N	OSR
	4.19"		1.38"	148N	BRG. ST.
	5.25"		1.38"	155N	OSR
	4.97"		1.38"	155N	BRG. ST.
	5.31"		1.88"	16N	
	6.09"		1.94"	17N	
	7.00"		1.94"	176N	
	7.55"		1.94"	18N	
	5.19"		1.63"	750N	
	6.06"		1.94"	850N	
	7.89"		2.50"	950N	
	7.00"		2.06"	20RPL	
	8.33"		2.06"	25RPL	




U-BOLT AND STRAP & BOLT	BETWEEN LUGS (X)	BEARING DIM. (Z)	SERIES	RPL DRIVELINE
	3.22"	1.06"	131N	
	3.63"	1.06"	133N	
	3.63"	1.19"	135N	
	4.19"	1.19"	141N	
	4.19"	1.38"	148N	
	4.97"	1.38"	155N	
	5.31"	1.88"	16N	
	6.19"	1.94"	17N	
	7.09"	1.94"	176N	
	7.63"	1.94"	18N	



7.06" 20WYS
8.38" 25WYS

WING BEARING	SWING DIA. (X)	PILOT DIA. (Y)	SERIES
	5.63"	5.31"	58WB
	5.84"	5.53"	62N
	6.22"	5.84"	72N
	6.88"	6.50"	85WB
	8.50"	8.13"	82N
	8.63"	8.25"	92N




ISR - Inside Snap Ring OSR - Outside Snap Ring BRG. ST. - Bearing Strap



DRIVELINE TIPS I

TOLERANCES

1. Check for excess tolerances before lubing application. Lube may mask, or hide excessive play and tolerances.
2. U-Joint maximum end play is .006. More than that will result in failure.
3. Slip movement, up and down, maximum allowance is .017. More than that will result in failure.
4. Dents, missing weights, dirt and foreign material buildup on shaft, can cause vibration and balance issues, resulting in failure that can also cause damage to transmission and axle.
5. Center Bearings, new self aligning style, has gold colored collar, without deflectors. Self align style became available in 2002 and will allow + / -5° angle deflection.
6. Driveshaft standard slip application has splines that face the power source and end yoke.
7. Driveshaft outboard slip assembly has splines that face toward rear of application.
8. Phasing - mark slip position with paint stripe during disassembly to make sure that you reassemble in same position and phasing to avoid timing and vibration issues.
9. Lubrication Basic Procedures:
 - U-joints - make sure that grease purges at all four seals to ensure that old grease does not contaminate new grease resulting in potential chemical incompatibility.
 - Slip Splines - 6 to 8 pumps from grease gun is acceptable.
10. Refer to Maintenance Manual MM-96147 on Literature on Demand at meritor.com for additional information regarding torque specifications and troubleshooting information.






DRIVELINE TIPS II

TORQUE

1. Universal joints have a torque rotation direction. Installing joints in reverse rotation to zerk fitting will result in premature failure. Proper rotation should be with zerk and rotation to the right.
2. End Yoke Torque Value - Nut holding end yoke to application should have torque value of 600 Ft Lbs. A torque multiplier may be necessary to achieve specified setting.
3. Bearing Straps - Torque settings should be between 30 to 40 Ft Lbs.
4. Yokes are directional and have arrows indicating side away from transmission and power source.
5. Go - No Go Gauges - Tools available to pre-determine if yoke ears may be sprung. If bar, gauge will not fit through ears, yoke is probably damaged.
6. Yoke Throat - Center area of yoke where material is machined down to narrowest point. Seam of welded tubing should be towards one ear or the other, but never in center of throat area.
7. Critical Speed - Maximum speed at which shaft may safely operate, based on length vs. RPM vs. diameter. Exceeding critical speed value may result in spontaneous disassembly.
8. Shaft Length - 60" to 80" is safe margin. Consider using a 2 piece system for shafts in excess of 80".
9. Balance Weights - Recommended number of weights per shaft is 7 for a single shaft and 9 for a two shaft configuration.
10. Inclinometer - Tool available to help determine driveline angles and slope. Provides a digital readout of degrees.






DRIVELINE TIPS III

ANGLES AND VIBRATIONS

1. Driveline vibrations can occur as five various types, transverse, torsional, inertial excitation, critical speed, and secondary coupling vibrations.
2. Transverse vibrations are simplest to repair and usually involve balance issues on driveshaft.
3. Torsional vibrations are more serious vibration issues that are usually related to driveline working angles, and bending and twisting motion experienced by driveshaft.
4. Large working angles will usually introduce torsional vibrations. Keeping driveline slope 3° to 6° is preferred. The smaller the angles, the less chance of torsionals.
5. Cancellation angles is the process where you keep the front and rear working angles to a + / - 1° of each other. Keeping angles small and + / - 1° of each other will help cancel out torsionals.
6. Ride height will affect angles and relate to vibration issues. When checking into a vibration issue the truck should be loaded.
7. There are two types of angles to be aware of simple 1 plane angles and compound angles.
8. Simple 1 plane angles are where the driveshaft connects to the rear axle and is in a straight line plane.
9. Compound angle is where the driveshaft is offset in relation to the transmission and rear axle, not in a straight line plane.
10. Driveline slop is the direction, up, or down, of the driveshaft and the slope should not exceed 3° to 6° to avoid torsional vibrations.






DRIVELINE TIPS IV

FAILURE ANALYSIS

1. Shock Load is failure where engineered values are exceeded and sudden sharp spike in load value will shear related parts. Clean break in appearance.
2. Brinelling is where the needle bearings will embed themselves into the trunnion surface, due to lack of movement (rotation) and lube. Appearance will be multiple ridges around the trunnion surface.
3. Galling is the condition where due to lack of lube and the presence of heat, two metal surfaces will weld, fusing together. The bearing cap will become permanently attached to end of trunnion.
4. Spalling is where due to foreign presence of material (moisture) lube will be diluted and no longer protect against heat resulting in eventual failure.
5. Fatigue is where due to time, heat, stress loads and various chemical exposures to materials, the surface will began to deteriorate and break down. A surface pitting or flaking will occur resulting in structural weakening and eventual failure.
6. Beach Marks are visual markings on failed surface related to shock load. You can see cracks, fissure marks on surface that increased over time prior to ultimate failure.
7. Critical Speed/Tube Failure is where tubing collapsed, crimped, separated due to shock load / critical speed.
8. Imbalance issue is when weights are missing or placed too close to tube weld seam. Can cause static vibrations as a jump rope, resulting in ultimate failure.
9. Lube recommended is NLGI EP 2. Lack of proper lubrication will result in premature failure.
10. Driveline slope should have a minimum of $1/2^\circ$ to spread lube in the U-joint bearing caps, and avoid failure due to lack of lube.






DRIVELINE TIPS V

HINTS ON DRIVELINE SETUP

1. Determine the length of a driveline by measuring from U-joint center to U-joint center.
2. Meritor Maintenance Manual MM-96147 (available on Literature on Demand at meritor.com) contains helpful information on driveline specifications and service.
3. Meritor Driveline Angle Analysis CD TP-0255 (order your free copy on Literature on Demand at meritor.com) has a valuable worksheet program and explanations for multiple driveline and axle setups.
4. Various tools used to measure and setup drivelines include the following: Spirit Level Protractor, Electronic Protractor, Inclinator, and Anglemaster.
5. Vehicle data important to driveline setup is as follows: Maximum Engine HP, Maximum Engine RPM, Trans Top Gear Ratio, Trans Angle, Phasing Type, and Rear Suspension Height.
6. Make sure that vehicle ride height is within normal specification.
7. Measurements over weld seams and balance weights will invalidate angle measurements.
8. Typically the Hypoid Forward Rear Axle Plane is the same as the Engine/Transmission Plane (usually 3° to 3.5°) in relation to measuring drivelines and angles.
9. Typically the Hypoid Rear - Rear Axle Plane is 10.5° to 11.5° in relation to measuring drivelines and angles.
10. Safest driveline operating angles are below 5° .



SUPERCESSION LISTING

Old#	New#	Old#	New#	Old#	New#
141DYS242	141N-4-2241	16NYS2820	16N-4-1051	16TYSC2863	16N-4-7171-1
141NF1	141N-2-159	16NYS2826	16N-4-4481	176NY601	176N-28-17
141NLS243DC	141N-3-2041KX	16NYS2829	16N-4-3901	176NYS321	176N-4-71
141NLS249DC	141N-3-118KX	16NYS2829A	16N-4-4761X	176NYS321A	176N-4-181X
141NY453	141N-28-97	16NYS282A1	16N-4-3611X	176NYS323	176N-4-531
141NY54	141N-28-557	16NYS282A1	16N-4-3601X	176NYS323A	176N-4-541X
141NYS22	141N-4-3941	16NYS2834	16N-4-6251	176NYS331	176N-4-421
141NYS287	141N-4-2511	16NYS2835	16N-4-6261	176NYS341	176N-4-121
141NYS289	141N-4-1841	16NYS284	16N-4-2081	176NYS341A	176N-4-231X
141NYSC241	141N-4-6561	16NYS285	16N-4-3621	176NYS361	176N-4-41-1
141NYSC241A	141N-4-6631X	16NYS286	16N-4-3861	176NYS361	176N-4-411
148DYS242	148N-4-3781	16NYS286A	16N-4-4451X	176NYS3611	176N-4-321
148NF2	148N-2-479	16NYS286A1	16N-4-4441X	176NYS3611	176N-4-1421
148NLS259A	148N-3-1601KX	16NYS287	16N-4-781	176NYS363A1	176N-4-731X
148NY53	148N-28-567	16NYS288A	16N-4-4841X	176NYS365A	176N-4-331X
148NY54	148N-28-547	16NYS301	16N-4-2501	176NYS3811	176N-4-391
148NY547	148N-28-537	16NYS31	16N-4-3681	176NYS3813A	176N-4-861X
148NYS2412	148N-4-3731	16NYS312C	16N-4-4471	176NYS3816A	176N-4-851X
148NYS249	148N-4-3081	16NYS313	16N-4-4541	176NYS3820A	176N-4-1161X
148NYS2823	148N-4-3061	16NYS319	16N-4-4551	176NYS383	176N-4-211X
148NYS283	148N-4-3571	16NYS31A	16N-4-5281X	176NYS385	176N-4-271
148NYS2836	148N-4-10261-1	16NYS321	16N-4-1631	176NYS386	176N-4-441
148NYS317	148N-4-3861	16NYS3213	16N-4-5461	176NYS388	176N-4-381
148NYS317A	148N-4-5821X	16NYS3215	16N-4-5721	176NYS391A	176N-4-241X
148NYSC244	148N-4-3091	16NYS321A1	16N-4-5131X	176NYS4013	176N-4-151
148NYSC244A	148N-4-4421X	16NYS3232	16N-4-6271	176NYS4014	176N-4-651
148TYS2819A	148N-4-10471-1X	16NYS3232A	16N-4-6281X	176NYS4014A	176N-4-781X
155NF2	155N-2-669	16NYS3248	16N-4-6321	176NYS421	176N-4-41
155NLS2815A	155N-3-1241X	16NYS325	16N-4-5421	176NYS422A	176N-4-871X
155NY534	155N-28-307	16NYS325A	16N-4-5431X	176NYS441	176N-4-791X
155NYS241	155N-4-2051	16NYS325A1	16N-4-6951X	176NYS444	176N-4-711
155NYS282	155N-4-1891	16NYS3273	16N-4-5981	176NYSC3829	176N-4-821
155NYS285	155N-4-4101	16NYS3273Z	16N-4-5991X	176NYSC384	176N-4-161
155NYS289	155N-4-1901	16NYS3276	16N-4-6241	176TYS323	176N-4-531-1
155NYS314	155N-4-2431	16NYS3276A	16N-4-6291X	176TYS323A	176N-4-541-1X
155NYSC244	155N-4-4211	16NYS329	16N-4-5441	176TYS3611	176N-4-1421-1
155TYS243	155N-4-5381-1	16NYS329A1	16N-4-6961X	176TYS3611A	176N-4-1481-1X
155TYS2815	155N-4-5551-1	16NYS33	16N-4-4401	176TYS365A	176N-4-331-1X
155TYS2815A	155N-4-5611-1X	16NYS34	16N-4-5731	176TYS3813	176N-4-291-1
155TYS29A	155N-4-4801-1X	16NYS343	16N-4-5751	176TYS3813A	176N-4-861-1X
155TYS3227A	155N-4-6831-1X	16NYS347	16N-4-5031	176TYS3820A	176N-4-1161-1X
155TYS342	155N-4-5581	16NYS347A	16N-4-5161X	176TYS3820A1	176N-4-1651-1X
155TYSC24	155N-4-4211-1	16NYS364	16N-4-3321	176TYS383	176N-4-101-1
159TYS281A	159N-4-761-1X	16NYS36A	16N-4-6891X	176TYS383A	176N-4-211-1X
16NF1	16N-2-279	16NYS382	16N-4-5741	176TYS385	176N-4-271-1
16NF3	16N-2-629	16NYS383	16N-4-5631	176TYS4014	176N-4-651-1
16NLS3226CA	16N-3-288X	16NYSC2821	16N-4-1721	176TYS4014A	176N-4-781-1X
16NLS3227CA	16N-3-1411X	16TYS2813	16N-4-5571-1	176TYS4014A	176N-4-781-1X
16NLS3228CA	16N-3-2261X	16TYS312	16N-4-4471-1	176TYS4017A	176N-4-771-1X
16NLS3229A	16N-3-108X	16TYS3232	16N-4-6271-1	176TYS4020	176N-4-1251-1
16NLS3230A	16N-3-128X	16TYS325A2	16N-4-6951-1X	176TYS444A	176N-4-791-1X
16NY51	16N-28-207	16TYS3261	16N-4-6321-1	176TYS45	176N-4-1681-1
16NY52	16N-28-627	16TYS3276	16TYS32-76A	176TYSC3826	176N-4-821-1
16NY53	16N-28-167	16TYS3286	16N-4-6421-1	176TYSC384	176N-4-161-1
16NY60	16N-28-327	16TYS3286A1	16N-4-6431-1X	17NF2	17N-2-739
16NYS2812	16N-4-4571	16TYS364	16N-4-3321-1	17NLS402DC	17N-3-1461X
16NYS2813	16N-4-5571	16TYS381	16N-4-4861-1	17NY51	17N-28-137
16NYS2813A	16N-4-5621X	16TYS388	16N-4-7331-1	17NY60	17N-28-347
16NYS2817A1	16N-4-5081X	16TYS388A	16N-4-7341-1X	17NYS2810	17N-4-3391
16NYS282	16N-4-1931	16TYSC2821	16N-4-1721-1	17NYS2810A	17N-4-4301X

SUPERCESSION LISTING

Old#	New#	Old#	New#	Old#	New#
17NYS2811.....	17N-4-2381	17NYS3291A	17N-4-9001X	17NYSM40155.....	17N-82-1061-3
17NYS2816.....	17N-4-4141	17NYS3299A1	17N-4-6391X	17NYSM4060.....	17N-82-1171-2
17NYS2816A	17N-4-4861X	17NYS332A	17N-4-4291X	17NYSM4060.....	17N-82-1091-2
17NYS282.....	17N-4-4091	17NYS332A2	17N-4-4741X	17NYSM4064.....	17N-82-1171-1
17NYS282A1	17N-4-4831X	17NYS331.....	17N-4-3791	17NYSM4065.....	17N-82-1171-12
17NYS2846.....	17N-4-5031	17NYS3411.....	17N-4-5821	17NYSM4088.....	17N-82-1171-5
17NYS2846A	17N-4-5041X	17NYS3418.....	17N-4-7541	17NYSM4089.....	17N-82-1211
17NYS2865.....	17N-4-6451	17NYS343.....	17N-4-2181	17NYSM4095.....	17N-82-1061-8
17NYS2865A	17N-4-8521X	17NYS343Z	17N-4-4171X	17TYS3157.....	17N-4-4721-1
17NYS2866.....	17N-4-6481	17NYS345.....	17N-4-4161	17TYS32100A.....	17N-4-7641-1X
17NYS2868.....	17N-4-6331	17NYS347.....	17N-4-4961	17TYS32100A1.....	17N-4-7631-1X
17NYS2868A	17N-4-5131X	17NYS347A	17N-4-5061X	17TYS3268.....	17N-4-7621-1
17NYS2869.....	17N-4-6321	17NYS348.....	17N-4-4591	17TYS3270A1.....	17N-4-6951-1X
17NYS2869A	17N-4-5111X	17NYS348A	17N-4-5481X	17TYS3274.....	17N-4-2191-1
17NYS287.....	17N-4-2081	17NYS349.....	17N-4-5791	17TYS3291A.....	17N-4-9001-1X
17NYS30.....	17N-4-3361	17NYS349Z	17N-4-7171X	17TYS3293A.....	17N-4-8991-1X
17NYS303.....	17N-4-2271	17NYS36.....	17N-4-1991	17TYS3414Z.....	17N-4-7321-1X
17NYS31.....	17N-4-3221	17NYS361.....	17N-4-2141	17TYS3651.....	17N-4-6031-1
17NYS311.....	17N-4-2161	17NYS3613.....	17N-4-2151	17TYS3654.....	17N-4-3031-1
17NYS3119.....	17N-4-4371	17NYS3615A	17N-4-2501	17TYS3655.....	17N-4-7371-1
17NYS311A	17N-4-4181X	17NYS3618.....	17N-4-2511	17TYS3656.....	17N-4-6861-1
17NYS3122.....	17N-4-3291	17NYS3619A1.....	17N-4-6891X	17TYS3656A.....	17N-4-6901-1X
17NYS3123.....	17N-4-4131	17NYS362.....	17N-4-2441	17TYS3660.....	17N-4-8461-1
17NYS3123A	17N-4-4481X	17NYS3623.....	17N-4-3501	17TYS3660A.....	17N-4-8551-1X
17NYS3124.....	17N-4-3721	17NYS364.....	17N-4-3031	17TYS3660Z.....	17N-4-6041-1X
17NYS3126.....	17N-4-3191	17NYS3640.....	17N-4-8461	17TYS3831AX.....	17N-4-6961-1X
17NYS3129.....	17N-4-4151	17NYS3640A	17N-4-6041X	17TYS3831X.....	17N-4-5931-1
17NYS3129A	17N-4-4851X	17NYS364A	17N-4-3041X	17TYS3852A.....	17N-4-5461-1X
17NYS3131.....	17N-4-5141	17NYS365.....	17N-4-1971	17TYS3855.....	17N-4-4771-1
17NYS3131A	17N-4-5151X	17NYS3660A	17N-4-8551X	17TYS3857.....	17N-4-4561-1
17NYS3136.....	17N-4-4721	17NYS36A2	17N-4-4411X	17TYS3871A.....	17N-4-7771-1X
17NYS3136A	17N-4-4731X	17NYS3810.....	17N-4-5451	17TYS38C56.....	17N-4-4601-1
17NYS317.....	17N-4-2211	17NYS3810A	17N-4-5461X	17TYS40142.....	17N-4-3611-1
17NYS318.....	17N-4-2391	17NYS3815.....	17N-4-5341	17TYS40144.....	17N-4-6611-1
17NYS31A	17N-4-4361X	17NYS3816.....	17N-4-5801	17TYS40144A.....	17N-4-6921-1X
17NYS31C5	17N-4-1981	17NYS3816Z.....	17N-4-7241X	17TYS40149.....	17N-4-7691-1
17NYS32.....	17N-4-3241	17NYS3821.....	17N-4-5711	17TYS40149.....	17N-4-7691-1
17NYS321.....	17N-4-3271	17NYS3822.....	17N-4-4561	17TYS424.....	17N-4-5351-1
17NYS3210.....	17N-4-2191	17NYS3828.....	17N-4-6601	17TYS4410.....	17N-4-6821-1
17NYS32100A	17N-4-6411X	17NYS3829.....	17N-4-5841	17TYS4410A.....	17N-4-6931-1X
17NYS321A	17N-4-4391X	17NYS3831A	17N-4-6961X	17TYSC3271.....	17N-4-7141-1
17NYS3221.....	17N-4-2361	17NYS3831A1.....	17N-4-5961X	18NY64.....	18N-28-127
17NYS3227.....	17NYS32-100	17NYS3832.....	17N-4-7161	18NY68.....	18N-28-117
17NYS324.....	17N-4-2131	17NYS3832A	17N-4-7181X	18NYS311.....	18N-4-2001
17NYS3240.....	17N-4-5501	17NYS3863A	17N-4-7851X	18NYS311A	18N-4-2351X
17NYS3240A2	17N-4-6871X	17NYS387.....	17N-4-4771	18NYS312.....	18N-4-2051
17NYS3241.....	17N-4-5521	17NYS393.....	17N-4-4581	18NYS3211.....	18N-4-1921
17NYS3241A3	17N-4-6951X	17NYS40125A	17N-4-6921X	18NYS3211A	18N-4-2341X
17NYS3242.....	17N-4-5541	17NYS40128.....	17N-4-4421	18NYS3212.....	18N-4-3371
17NYS3242A1	17N-4-6941X	17NYS40131A	17N-4-7041X	18NYS3212A	18N-4-3381X
17NYS3248.....	17N-4-5781	17NYS409.....	17N-4-3611	18NYS323.....	18N-4-2781
17NYS3248Z.....	17N-4-7231X	17NYS421.....	17N-4-5351	18NYS323A3	18N-4-3571X
17NYS3259.....	17N-4-6201	17NYS423A	17N-4-7071X	18NYS34.....	18N-4-2441
17NYS326.....	17N-4-2371	17NYS4413.....	17N-4-4551	18NYS341.....	18N-4-2291
17NYS328.....	17N-4-3171	17NYS445.....	17N-4-4651	18NYS341A1	18N-4-2401X
17NYS3285.....	17N-4-5991	17NYS446A	17N-4-6841X	18NYS342A1	18N-4-3691X
17NYS3285A	17N-4-8531X	17NYS447.....	17N-4-6821	18NYS343.....	18N-4-3931
17NYS3286.....	17N-4-6011	17NYS3244	17N-4-7141	18NYS34A	18N-4-2451X
17NYS3286A	17N-4-6021X	17NYS388	17N-4-4601	18NYS36.....	18N-4-1911
17NYS3290A	17N-4-9041X	17NYS388A	17N-4-5071X	18NYS3611.....	18N-4-3271

SUPERCESSION LISTING

Old#	New#	Old#	New#	Old#	New#
18NYS3619A	18N-4-4351X	BSS22139X.....	135N-53-1181		
18NYS3619A	18N-4-3281X	BSS22140.....	135N-53-1351		
18NYS366.....	18N-4-1971	BSS22142.....	141N-53-1371		
18NYS366A	18N-4-2271X	BSS2458.....	141N-53-1081		
18NYS36A1	18N-4-2551X	BSS2467.....	141N-53-1031		
18NYS38.....	18N-4-2701	BSS2840.....	16N-53-141		
18NYS3810.....	18N-4-2581	BSS2863.....	16N-53-191		
18NYS3813.....	18N-4-3251	BSS2888.....	155N-53-61		
18NYS3819.....	18N-4-3161	BSS3110.....	17N-53-151		
18NYS382.....	18N-4-1981	BSS3118.....	17N-53-201		
18NYS3820A	18N-4-3641X	BSS3810.....	17N-53-311		
18NYS3821A	18N-4-3921X	BSS3827.....	18N-53-171		
18NYS3821A	18N-4-3921X	BSS3828.....	176N-53-21		
18NYS388.....	18N-4-3201	BSS385.....	18N-53-91		
18NYS388A	18N-4-3221X	BSS386A.....	18N-53-51		
18NYS388A2	18N-4-3581X	CCB206.....	CB210121-1XSA		
18NYS38A	18N-4-2711X	CP155N23.....	CP155X		
18NYS39.....	18N-4-1991	CP155N23.....	CP155N		
18NYS39A	18N-4-2361X	CP92N73.....	CP92N-HWD		
18NYS401.....	18N-4-1961	CSC62456.....	SP-1013		
18NYS404.....	18N-4-3451	CSC82047.....	SP-1014		
18NYS404A	18N-4-3551X	DCB2.....	DEFR37-1		
18NYS406A	18N-4-3621X	PS25167.....	148N-40-1571		
18NYS42.....	18N-4-2011	PS25168.....	148N-40-1391		
18NYS421.....	18N-4-3021	PS281619.....	155N-40-761		
18NYS441.....	18N-4-2171	PS28168.....	155N-40-721		
18NYS443A	18N-4-3501X	PS321628.....	16N-40-1011		
18NYS444.....	18N-4-3491	PS40106.....	17N-40-61		
18NYS444A	18N-4-3561X	PS401615.....	17N-40-521		
18NYS3826	18N-4-3591	PS401625.....	17N-40-541		
18NYS383	18N-4-1891	PS48165.....	18N-40-191		
18NYS383A	18N-4-2531X	PS48166.....	18N-40-201		
18TYS3212	18N-4-3371-1	S1652	S-165B-2		
18TYS3212A.....	18N-4-3381-1X				
18TYS341Z	18N-4-2401-1X				
18TYS3619	18N-4-3271-1				
18TYS3619Z.....	18N-4-3281-1X				
18TYS3620A.....	18N-4-4571-1X				
18TYS3813A.....	18N-4-4271-1X				
18TYS3821	18N-4-3911-1				
18TYS3821A.....	18N-4-3921-1X				
18TYS388A	18N-4-3581-1X				
18TYS388A1.....	18N-4-3221-1X				
18TYS404	18N-4-3451-1				
18TYS404A.....	18N-4-3551-1X				
18TYS406A	18N-4-3621-1X				
18TYS422	18N-4-3031-1				
18TYS441	18N-4-2171-1				
18TYS444	18N-4-3491-1				
18TYS444A.....	18N-4-3561-1X				
18TYS3826.....	18N-4-3591-1				
18TYS383.....	18N-4-1891-1				
3280Z2418.....	155N-4-1941-1				
547301X	16N-4-7301X				
5WCS3696A1.....	18N-1-2341X				
647321X	17N-4-7321X				
82N1433A.....	CP82N-HWD				
BPS25161.....	148N-53-451				
BSS22120.....	141N-53-1361				
BSS22138.....	121N-53-501				

How to use this listing:

Look for one digit at a time until you find the part number you wish to interchange. The listing is in alphanumeric sequence and numbers have precedence over letters. Dashes and spaces should be ignored.

EXAMPLES:

1-6301	would be followed by
16-74-101	would be followed by
5-7000X	would be followed by
D2C	would be followed by
N10270-SF	

NOTE:

This cross reference has been carefully researched to make it as accurate as possible. However, we cannot guarantee that it is completely and perfectly accurate. To be certain, compare the information in this cross reference to the appropriate catalog pages and double check for part dimensions and application information. Use this cross reference as a guide only. If you are not sure which part to use, always follow the vehicle manufacturer's specifications.

CROSS REFERENCE LISTING

PART#	COMPETITOR	MERITOR#	PART#	COMPETITOR	MERITOR#
3789	DANA/Spicer	RRIR24-2	84091	DANA/Spicer	PS48-16-19
10229	DANA/Spicer	10N-2-29	85341	DANA/Spicer	BSS36-10
10412	DANA/Spicer	10N-4-12	98741	DANA/Spicer	LPHC37-1
10413	DANA/Spicer	10N-4-13	104103	DANA/Spicer	10N-4-103
10422	DANA/Spicer	10N-4-22	104113	DANA/Spicer	10N-4-113
10423	DANA/Spicer	10N-4-23	104123	DANA/Spicer	10N-4-123
10432	DANA/Spicer	10N-4-32	104133	DANA/Spicer	10N-4-133
10433	DANA/Spicer	10N-4-33	104139	DANA/Spicer	10N-4-139
10443	DANA/Spicer	10N-4-43	104143	DANA/Spicer	10N-4-143
10452	DANA/Spicer	10N-4-52	104173	DANA/Spicer	10N-4-143
10453	DANA/Spicer	10N-4-53	104173	DANA/Spicer	10N-4-173
10463	DANA/Spicer	10N-4-63	104183	DANA/Spicer	10N-4-183
10473	DANA/Spicer	10N-4-73	104193	DANA/Spicer	10N-4-193
10483	DANA/Spicer	10N-4-83	104282	DANA/Spicer	10N-4-282
10493	DANA/Spicer	10N-4-93	104443	DANA/Spicer	10N-4-443
21203	DANA/Spicer	CP1203X	104453	DANA/Spicer	10N-4-453
22329	DANA/Spicer	131N-2-329	104481	DANA/Spicer	10N-4-481
22349	DANA/Spicer	131N-2-349	104573	DANA/Spicer	10N-4-573
22479	DANA/Spicer	131N-2-479	104703	DANA/Spicer	10N-4-703
22899	DANA/Spicer	121N-2-899	106458	DANA/Spicer	72NYS34-42
22939	DANA/Spicer	131N-2-939	126316	DANA/Spicer	72NYS34-42
24473	DANA/Spicer	131N-4-473	210774	DANA/Spicer	92NYS38-75
24503	DANA/Spicer	131N-4-503	210801	DANA/Spicer	92NYS36-75A
24533	DANA/Spicer	131N-4-533	221049	DANA/Spicer	121N-2-1049
24573	DANA/Spicer	131N-4-573	226497	DANA/Spicer	131N-26-497
24583	DANA/Spicer	131N-4-583	228277	DANA/Spicer	131N-28-277
24783	DANA/Spicer	131N-4-783	228307	DANA/Spicer	131N-28-307
24803	DANA/Spicer	131N-4-803	228327	DANA/Spicer	131N-28-327
26600	DANA/Spicer	CP141N	228357	DANA/Spicer	131N-28-357
32119	DANA/Spicer	135N-2-119	228367	DANA/Spicer	131N-28-367
32159	DANA/Spicer	141N-2-159	228397	DANA/Spicer	131N-28-397
32429	DANA/Spicer	141N-2-429	228417	DANA/Spicer	131N-28-417
32479	DANA/Spicer	148N-2-479	228427	DANA/Spicer	131N-28-427
32574	DANA/Spicer	RRIR24-2	228437	DANA/Spicer	131N-28-437
32847	DANA/Spicer	135N-28-47	228991	DANA/Spicer	131N-2-899-1
32857	DANA/Spicer	135N-28-57	230104	DANA/Spicer	DEFR22-4
32897	DANA/Spicer	141N-28-97	230118	DANA/Spicer	DEFR33-1
33158	DANA/Spicer	CP20RPLS	230121	DANA/Spicer	DEFR22-5
34152	DANA/Spicer	CP4102	230129	DANA/Spicer	WAR13-5
37069	DANA/Spicer	REBC141	230141	DANA/Spicer	DEFR28-4
37079	DANA/Spicer	REBC148	230151	DANA/Spicer	DEFR41-1
37089	DANA/Spicer	REBC141-1	230166	DANA/Spicer	DEFR35-1
37099	DANA/Spicer	REBC148-2	230207	DANA/Spicer	DEFR40-5
42669	DANA/Spicer	155N-2-669	230208	DANA/Spicer	DEFR25-2
45122	DANA/Spicer	CP5122	230209	DANA/Spicer	DEFR25-1
45361	DANA/Spicer	155N-53-61	230323	DANA/Spicer	LPHC39-3
45801	DANA/Spicer	CP58WB-DWT	230363	DANA/Spicer	DEFR28-3
45802	DANA/Spicer	CP58WB-HB	230386	DANA/Spicer	DEFR38-3
52279	DANA/Spicer	16N-2-279	230746	DANA/Spicer	DEFR55-1
52629	DANA/Spicer	16N-2-629	230794	DANA/Spicer	DEFR47-6
54781	DANA/Spicer	16N-4-781	230795	DANA/Spicer	DEFR47-4
58668	DANA/Spicer	SERUR25-2	230897	DANA/Spicer	DEFR43-1
62739	DANA/Spicer	17N-2-739	230900	DANA/Spicer	DEFR44-1
62749	DANA/Spicer	17NF1	230909	DANA/Spicer	DEFR42-1
62749	DANA/Spicer	17NF20	230921	DANA/Spicer	DEFR50-2
62759	DANA/Spicer	17NF25	231000	DANA/Spicer	DEFR25-4
64061	DANA/Spicer	17N-40-61	231004	DANA/Spicer	DEFR34-1
64521	DANA/Spicer	PS40-16-15	231013	DANA/Spicer	DEFR55-2
71876	DANA/Spicer	72NYS28-65	231015	DANA/Spicer	DEFR47-12

CROSS REFERENCE LISTING

PART#	COMPETITOR	MERITOR#	PART#	COMPETITOR	MERITOR#
231022	DANA/Spicer	DEFR48-5	2430327400	DANA/Spicer	RT-3-16-72
231028	DANA/Spicer	DEFR48-2	2430427400	DANA/Spicer	RT-3-14-72
231047	DANA/Spicer	DEFR56-2	2830227400	DANA/Spicer	RT-35-13-72
231059	DANA/Spicer	WAR8-14	2830427400	DANA/Spicer	RT-35-16-72
231101	DANA/Spicer	DEFR47-7	2830527400	DANA/Spicer	RT-35-156-72
231102	DANA/Spicer	DEFR50-4	2830627400	DANA/Spicer	RT-35-14-72
231179	DANA/Spicer	DEFR54-1	2830924700	DANA/Spicer	RT-35-10-72
231206	DANA/Spicer	DEFR40-4	3230227400	DANA/Spicer	RT-4-14-72
231359	DANA/Spicer	DEFR50-7	3230527400	DANA/Spicer	RT-4-10-72
231599	DANA/Spicer	DEFR47-13	3230727300	DANA/Spicer	RT-4095-7-72
231616	DANA/Spicer	DEFR62-1	3230727400	DANA/Spicer	RT-4095-7-72
231789	DANA/Spicer	DEFR44-1	3630227300	DANA/Spicer	RT-45-3-72
231803	DANA/Spicer	DEFR56-7	3630227400	DANA/Spicer	RT-45-3-72
232039	DANA/Spicer	DEFR42-1	3630627300	DANA/Spicer	RT-45-10-72
232168	DANA/Spicer	DEFR48-10	3630627400	DANA/Spicer	RT-45-10-72
241233	DANA/Spicer	131N-4-1233	6602750220	DANA/Spicer	17N-82-1061-4
243331	DANA/Spicer	131N-4-3331	6602750308	DANA/Spicer	17N-82-1061-9
244341	DANA/Spicer	131N-4-4341	9038621409	DANA/Spicer	R903862-1409W
245441	DANA/Spicer	133N-4-5441	9038621602	DANA/Spicer	R903862-1602W
253471	DANA/Spicer	121N-53-471	9093622600	DANA/Spicer	R909365-2600
253501	DANA/Spicer	121N-53-501	9093632600	DANA/Spicer	R909363-2600
253691	DANA/Spicer	121N-53-691	9118182600	DANA/Spicer	R911818-2600
253711	DANA/Spicer	131N-53-711	9121701511	DANA/Spicer	R912170-1511W
313211	DANA/Spicer	2WCS28-33	9121701803	DANA/Spicer	R912170-1803W
328367	DANA/Spicer	141N-28-367	10304210000	DANA/Spicer	R10270-SF
328427	DANA/Spicer	135N-28-427	10329210800	DANA/Spicer	RT-125-11-108
328507	DANA/Spicer	148N-28-507	13029210000	DANA/Spicer	RT-125-11-108
328537	DANA/Spicer	148N-28-537	14301210000	DANA/Spicer	RT-175-16-108
328547	DANA/Spicer	148N-28-547	16306210000	DANA/Spicer	RT-2-14-108
328557	DANA/Spicer	141N-28-557	20301210000	DANA/Spicer	RT-25-16-108
328567	DANA/Spicer	148N-28-567	20302210000	DANA/Spicer	RT-25-14-108
341841	DANA/Spicer	141N-4-1841	22302210000	DANA/Spicer	RT-275-14-108
343061	DANA/Spicer	148N-4-3061	24301210000	DANA/Spicer	RT-3-13-108
343081	DANA/Spicer	148N-4-3081	24303210000	DANA/Spicer	RT-3-16-108
343091	DANA/Spicer	148N-4-3091	24304210000	DANA/Spicer	RT-3-14-108
343571	DANA/Spicer	148N-4-3571	28302210000	DANA/Spicer	RT-35-13-108
343731	DANA/Spicer	148N-4-3731	28304210000	DANA/Spicer	RT-35-16-108
343781	DANA/Spicer	148N-4-3781	28305210000	DANA/Spicer	RT-35-156-108
343861	DANA/Spicer	148N-4-3861	28306210000	DANA/Spicer	RT-35-14-108
343941	DANA/Spicer	141N-4-3941	28309210000	DANA/Spicer	RT-35-10-108
346561	DANA/Spicer	141N-4-6561	32302210000	DANA/Spicer	RT-4-14-108
347151	DANA/Spicer	141NYS24-4	32305210000	DANA/Spicer	RT-4-10-108
444491	DANA/Spicer	CP153X	32307210000	DANA/Spicer	RT-4095-7-108
444491	DANA/Spicer	GCP153X	36301027300	DANA/Spicer	RT-459-7-72
840101	DANA/Spicer	PS48-16-16	36302210000	DANA/Spicer	RT-45-3-108
873316	DANA/Spicer	SP-1014	36306210000	DANA/Spicer	RT-45-10-108
981362	DANA/Spicer	DEFR47-2	50096422600	DANA/Spicer	R909365-2600
1674101	DANA/Spicer	1227-C-939	50096432600	DANA/Spicer	R909363-2600
2301214	DANA/Spicer	DEFR37-1	101V	DANA/Spicer	GCP101X
2315362	DANA/Spicer	BLWR18-6	101V	DANA/Spicer	GCP101X
2318174	DANA/Spicer	BLWP32-2	103122X	DANA/Spicer	10N-3-122X
17046411	DANA/Spicer	170TYS32-2	10313X	DANA/Spicer	10N-3-12X
17046611	DANA/Spicer	170TYS32-1	103162X	DANA/Spicer	10N-3-162X
23204210	DANA/Spicer	DEFR54-12	103163X	DANA/Spicer	10N-3-163X
50021000	DANA/Spicer	CP2033	103183X	DANA/Spicer	10N-3-183X
50776020	DANA/Spicer	CP5177	10318KX	DANA/Spicer	10N-3-18KX
1630627400	DANA/Spicer	RT-2-14-72	10322X	DANA/Spicer	10N-3-22X
2030227400	DANA/Spicer	RT-25-14-72	10323X	DANA/Spicer	10N-3-23X
2230227400	DANA/Spicer	RT-275-14-72	1032925-40-0	DANA/Spicer	RT-125-11-72

CROSS REFERENCE LISTING

PART#	COMPETITOR	MERITOR#	PART#	COMPETITOR	MERITOR#
10332X	DANA/Spicer	10N-3-32X	2108661X	DANA/Spicer	CB210866-1X
10333X	DANA/Spicer	10N-3-33X	2108661X	DANA/Spicer	GCB210866-1X
10351X	DANA/Spicer	10N-3-33X	2108731X	DANA/Spicer	CB210873-1X
10381X	DANA/Spicer	10N-3-81X	2108731X	DANA/Spicer	GCB210873-1X
10383X	DANA/Spicer	10N-3-83X	2108811X	DANA/Spicer	CB310012-1XSA
1041101X	DANA/Spicer	10N-4-103	211175X	DANA/Spicer	CB211187X
104611SX	DANA/Spicer	10N-4-611	211175X	DANA/Spicer	GCB211187X
111V	DANA/Spicer	GCP111X	211355X	DANA/Spicer	131N-CV82-HD
115V	DANA/Spicer	GCP115X	2116V	DANA/Spicer	GCP2116
1200V	DANA/Spicer	GCP1200X	213V	DANA/Spicer	GCP213X
1204V	DANA/Spicer	GCP1204X	2-28-1177	DANA/Spicer	133N-28-1177
1206V	DANA/Spicer	GCP1206X	2-28-1617	DANA/Spicer	131N-28-1617
124V	DANA/Spicer	GCP124X	2-28-1697	DANA/Spicer	133N-28-1697
129V	DANA/Spicer	GCP129X	2-28-1707	DANA/Spicer	133N-28-1707
13061V	DANA/Spicer	GCP1306-1X	2-28-1717	DANA/Spicer	133N-28-1717
1306V	DANA/Spicer	GCP1306X	2-28-1747X	DANA/Spicer	131N-28-1747X
1309V	DANA/Spicer	GCP1309X	2-28-1757	DANA/Spicer	131N-28-1757
134V	DANA/Spicer	GCP134X	2-28-1777X	DANA/Spicer	131N-28-1777X
1501V	DANA/Spicer	GCP1501X	2-28-1947	DANA/Spicer	121N-28-1947
1505V	DANA/Spicer	GCP1505X	2-28-1977	DANA/Spicer	133N-28-1977
1510V	DANA/Spicer	GCP1510X	2-28-3067X	DANA/Spicer	133N-28-3067X
155V	DANA/Spicer	GCP155X	230386	DANA/Spicer	DEFR38-5
160V	DANA/Spicer	GCP160X	230895	DANA/Spicer	DEFR38-1
165V	DANA/Spicer	GCP165X	230902	DANA/Spicer	DEFR65-1
17046511X	DANA/Spicer	170TYS32-2A	230910	DANA/Spicer	DEFR47-5
17046811X	DANA/Spicer	170TYS32-2A2	2-3-10621KX	DANA/Spicer	131N-3-7260KX
17046911X	DANA/Spicer	170TYS32-1A2	2-3-1142	DANA/Spicer	CSH5-24-37
17047211X	DANA/Spicer	170TYS38-4A	2-3-128KX	DANA/Spicer	131N-3-128KX
170V	DANA/Spicer	GCP170X	2-3-1502	DANA/Spicer	1227-Z-936
178V	DANA/Spicer	GCP178X	231615	DANA/Spicer	DEFR54-5
188V	DANA/Spicer	GCP188X	231750	DANA/Spicer	DEFR48-6
192MU51P11	DANA/Spicer	92NYS40-17	232166	DANA/Spicer	DEFR44-10
192MU51P27	DANA/Spicer	92NYS38-73A	232167	DANA/Spicer	DEFR44-11
192MU51P28	DANA/Spicer	92NYS38-52A	232610	DANA/Spicer	DEFR55-3
192MU51P35	DANA/Spicer	92NYS38-75A1	232750	DANA/Spicer	DEFR43-3
192MU51P8	DANA/Spicer	92NYS38-69A	2-3-4441KX	DANA/Spicer	131N-3-4441KX
2011V	DANA/Spicer	GCP2011X	2-3-4951KX	DANA/Spicer	131N-3-7981KX
2030125-40-0	DANA/Spicer	RT-25-16-72	2-3-6061KX	DANA/Spicer	131N-3-6061KX
2100842X	DANA/Spicer	CB210084-2X	2-3-7171KX	DANA/Spicer	131N-3-7171KX
2100842X	DANA/Spicer	GCB210084-2X	2-3-7681KX	DANA/Spicer	133N-3-7681KX
2100881X	DANA/Spicer	CB210088-1X	2-3-7961KX	DANA/Spicer	133N-3-7961KX
2100881X	DANA/Spicer	GCB210088-1X	2-3-8001KX	DANA/Spicer	131N-3-8001KX
2100901X	DANA/Spicer	CB210090-1X	2-3-8021KX	DANA/Spicer	131N-3-8021KX
2100901X	DANA/Spicer	GCB210090-1X	2-3-8041KX	DANA/Spicer	133N-3-8041KX
2101211X	DANA/Spicer	CB210121-1XSA	2-3-8861X	DANA/Spicer	121N-3-8861KX
2101401X	DANA/Spicer	CB210140-1X	2-40-1031	DANA/Spicer	131N-40-1031
2101401X	DANA/Spicer	GCB210140-1X	2-40-1221	DANA/Spicer	131N-40-1221
2101441X	DANA/Spicer	CB210144-1X	2-40-1251	DANA/Spicer	131N-40-1251
2101441X	DANA/Spicer	GCB210144-1X	2-40-1291	DANA/Spicer	131N-40-1291
2102071X	DANA/Spicer	CB210207-1X	2-40-1521	DANA/Spicer	131N-40-1521
2102071X	DANA/Spicer	GCB210207-1X	2-40-1671	DANA/Spicer	131N-40-1231
2103671X	DANA/Spicer	CB210367-1X	2-40-1701	DANA/Spicer	131N-40-1701
2103671X	DANA/Spicer	GCB210367-1X	2-40-1711	DANA/Spicer	131N-40-1711
2103701X	DANA/Spicer	CB210370-1X	2-40-1741	DANA/Spicer	121N-40-1741
2103701X	DANA/Spicer	GCB210370-1X	2-40-1771	DANA/Spicer	131N-40-1771
2103911X	DANA/Spicer	CB210391-1X	2-40-1811	DANA/Spicer	131N-40-1811
2104331X	DANA/Spicer	CB210433-1X	2-40-1851	DANA/Spicer	131N-40-1851
2104331X	DANA/Spicer	GCB210433-1X	2-40-1871	DANA/Spicer	131N-40-1871
210527X	DANA/Spicer	CB210527X	2-40-2051	DANA/Spicer	131N-40-2051
210527X	DANA/Spicer	GCB210527X	2-40-2091	DANA/Spicer	131N-40-2091

CROSS REFERENCE LISTING

PART#	COMPETITOR	MERITOR#	PART#	COMPETITOR	MERITOR#
2-40-2211	DANA/Spicer	121N-40-2211	3-53-1371	DANA/Spicer	141N-53-1371
2-40-2301	DANA/Spicer	121N-40-2301	3-53-1791	DANA/Spicer	141N-53-1081
242V	DANA/Spicer	GCP242X	3-53-1821	DANA/Spicer	BSS24-52
243214210000	DANA/Spicer	RT-3-11-108	3-53-451	DANA/Spicer	148N-53-451
243217210800	DANA/Spicer	RT-3-11-108	353V	DANA/Spicer	GCP353X
243V	DANA/Spicer	GCP243X	363010210000	DANA/Spicer	RT-459-7-108
248091X	DANA/Spicer	131N-4-8091X	37028X	DANA/Spicer	KT122
25042911X	DANA/Spicer	250TYS38-1A	37038X	DANA/Spicer	KT124
25043511X	DANA/Spicer	250TYS38-2A	39418X	DANA/Spicer	KT117
260V	DANA/Spicer	GCP260X	39428X	DANA/Spicer	KT118
284123	DANA/Spicer	CP4101	4002V	DANA/Spicer	GCP4002
28N10N2	DANA/Spicer	CPL10N-2	4143V	DANA/Spicer	GCP4143X
29428X	DANA/Spicer	KT116	4-28-307	DANA/Spicer	155N-28-307
297V	DANA/Spicer	GCP297X	4-28-417	DANA/Spicer	155NY53-5
3022V	DANA/Spicer	GCP3022X	4-3-1241KX	DANA/Spicer	155N-3-1241X
3147V	DANA/Spicer	GCP3147X	4-40-481	DANA/Spicer	50NPS28-45
3-28-1327X	DANA/Spicer	135N-28-1327X	4-40-721	DANA/Spicer	155N-40-721
3-3-118KX	DANA/Spicer	141N-3-118KX	4-40-721	DANA/Spicer	PS28-16-8
3-3-1481KX	DANA/Spicer	141N-3-1481KX	4-40-761	DANA/Spicer	155N-40-761
3-3-1501KX	DANA/Spicer	135N-3-1501KX	4-4-1891	DANA/Spicer	155N-4-1891
3-3-1561KX	DANA/Spicer	135N-3-1561KX	4-4-1901	DANA/Spicer	155N-4-1901
3-3-1601KX	DANA/Spicer	148N-3-1601KX	4-4-19411	DANA/Spicer	155N-4-1941-1
3-3-1641KX	DANA/Spicer	148N-3-1641KX	4-4-2051	DANA/Spicer	155N-4-2051
3-3-2041KX	DANA/Spicer	141N-3-2041KX	4-4-2431	DANA/Spicer	155N-4-2431
3-3-2471KX	DANA/Spicer	135N-3-2471KX	443V	DANA/Spicer	GCP443X
3-3-488KX	DANA/Spicer	135N-3-488KX	4-4-4101	DANA/Spicer	155N-4-4101
3-3-508KX	DANA/Spicer	141N-3-508KX	4-4-41011	DANA/Spicer	155TYS28-1
3-3-598KX	DANA/Spicer	135N-3-598KX	4-4-41111X	DANA/Spicer	155TYS28-1A
3-3-758KX	DANA/Spicer	135N-3-758KX	4-4-4111X	DANA/Spicer	155NYS28-5A
3-3-788KX	DANA/Spicer	141N-3-788KX	4-4-4211	DANA/Spicer	155N-4-4211
3-40-1101	DANA/Spicer	135N-40-1101	4-4-42111	DANA/Spicer	155N-4-4211-1
3-40-1471	DANA/Spicer	135N-40-1471	4448011X	DANA/Spicer	155N-4-4801-1X
3-40-1491	DANA/Spicer	135N-40-1491	4448012X	DANA/Spicer	155N-4-4801-1X
3-40-1531	DANA/Spicer	135N-40-1531	4-4-50311	DANA/Spicer	155N-4-5031-1
3-40-1571	DANA/Spicer	148N-40-1571	4-4-52511	DANA/Spicer	155TYS28-8
3-40-1611	DANA/Spicer	135N-40-1611	4-4-53811	DANA/Spicer	155N-4-5381-1
3-40-1621	DANA/Spicer	135N-40-1561	4-4-55511	DANA/Spicer	155N-4-5551-1
3-40-1871	DANA/Spicer	148N-40-1391	4-4-5581	DANA/Spicer	155N-4-5581
3-4-102611	DANA/Spicer	148N-4-10261-1	4-4-55811	DANA/Spicer	155N-4-5581
3-4-10461X	DANA/Spicer	141NYS28-19A	4-4-56111x	DANA/Spicer	155N-4-5611-1X
3-4-104711X	DANA/Spicer	148N-4-10471-1X	4-4-56111X	DANA/Spicer	155TYS28-1
3-4-104711X	DANA/Spicer	148TYS28-19A	4-4-56111X	DANA/Spicer	155TYS28-15A
3-4-130611X	DANA/Spicer	148TYS32-14A	4-4-56911X	DANA/Spicer	155N-4-6831-1X
3-4-133411	DANA/Spicer	148NYS34	4-4-56911X	DANA/Spicer	155TYS32-27A
3-4-22411	DANA/Spicer	141N-4-2241	4-4-77311	DANA/Spicer	155TYS28-26
3-4-25111	DANA/Spicer	141N-4-2511	4-53-361	DANA/Spicer	BSS24-53A
3-4-4421x	DANA/Spicer	148N-4-4421X	4-53-401	DANA/Spicer	BSS24-60A
3-4-58211X	DANA/Spicer	148N-4-5821X	5003323	DANA/Spicer	CB210661-1XSA
3-4-5821X	DANA/Spicer	148N-4-5821X	5003326	DANA/Spicer	CB210875-1XSA
3-4-62211X	DANA/Spicer	148DYS24-2A	5003553-	DANA/Spicer	17TYS38-76A2
3-4-6221X	DANA/Spicer	148DYS24-2A	5003555	DANA/Spicer	176TYS38-27A2
3-4-6631X	DANA/Spicer	141N-4-6631X	5003556	DANA/Spicer	18TYS38-27A2
3-4-80511X	DANA/Spicer	148TYS28A	5003558	DANA/Spicer	170TYS38-4A1
3-4-92711	DANA/Spicer	148TYS28-16	5003559	DANA/Spicer	170TYS38-2A1
3-4-92712	DANA/Spicer	148TYS28-16	5003560	DANA/Spicer	250TYS38-2A1
35024	DANA/Spicer	REBC131	5004768	DANA/Spicer	18NYS38-27A2
3-53-1031	DANA/Spicer	141N-53-1031	5-100X	DANA/Spicer	CP105X
3-53-1181	DANA/Spicer	135N-53-1181	5-101X	DANA/Spicer	CP101X
3-53-1351	DANA/Spicer	135N-53-1351	5-105X	DANA/Spicer	CP105X
3-53-1361	DANA/Spicer	141N-53-1361	5-111X	DANA/Spicer	CP111X

CROSS REFERENCE LISTING

PART#	COMPETITOR	MERITOR#	PART#	COMPETITOR	MERITOR#
5-115X	DANA/Spicer	CP115X	5-40-1041	DANA/Spicer	16N-40-1041
5-1200X	DANA/Spicer	CP1200X	5-40-1051	DANA/Spicer	16N-40-1051
5-1201X	DANA/Spicer	CP1201X	5-40-1191	DANA/Spicer	16N-40-1191
5-1204X	DANA/Spicer	CP1204X	5-4015X	DANA/Spicer	CP4015
5-1205X	DANA/Spicer	CP1205X	5-40-741	DANA/Spicer	PS32-16-28
5-124X	DANA/Spicer	CP124X	5-407X	DANA/Spicer	M407X
5-1300X	DANA/Spicer	CP51625-2	5-407X	DANA/Spicer	US407X
5-1301X	DANA/Spicer	CP1301X	5-4-1051	DANA/Spicer	16N-4-1051
5-13061X	DANA/Spicer	CP1306-1X	5-4143X	DANA/Spicer	CP4143X
5-1306X	DANA/Spicer	CP1306X	5-4-1631	DANA/Spicer	16N-4-1631
5-134X	DANA/Spicer	CP134X	5-4-1661	DANA/Spicer	16NYS32-49
5-153X	DANA/Spicer	GCP153X	5-4-1721	DANA/Spicer	16N-4-1721
5-155X	DANA/Spicer	CP155N	5-4-17211	DANA/Spicer	16N-4-1721-1
5-155X	DANA/Spicer	CP155X	5-4-1931	DANA/Spicer	16N-4-1931
5-160X	DANA/Spicer	CP160X	5-4-2081	DANA/Spicer	16N-4-2081
5-165X	DANA/Spicer	CP165X	5-4-2501	DANA/Spicer	16N-4-2501
5-170X	DANA/Spicer	CP170X	543311X	DANA/Spicer	16N-4-3321
5-177V	DANA/Spicer	GCP5177X	5-4-3321	DANA/Spicer	16N-4-3321
5-178X	DANA/Spicer	CP178X	5-4-33211	DANA/Spicer	16N-4-3321-1
5-188X	DANA/Spicer	CP188X	5-4-3601X	DANA/Spicer	16N-4-3601X
5-200X	DANA/Spicer	CP200X	5-4-3611X	DANA/Spicer	16N-4-3611X
5-2011X	DANA/Spicer	CP2011X	5-4-3621	DANA/Spicer	16N-4-3621
5-2031X	DANA/Spicer	CP2031	5-4-3681	DANA/Spicer	16N-4-3681
5-2033X	DANA/Spicer	CP2033	5-4-3861	DANA/Spicer	16N-4-3861
5-2116X	DANA/Spicer	CP2116	5-4-3861	DANA/Spicer	16N-4-4451X
5-212X	DANA/Spicer	GCP212X	5-4-3901	DANA/Spicer	16N-4-3901
5-213X	DANA/Spicer	CP213X	5-443X	DANA/Spicer	CP443X
5-2140X	DANA/Spicer	CP2140	5-4-4401	DANA/Spicer	16N-4-4401
5-248X	DANA/Spicer	CP248X	5-4-4441X	DANA/Spicer	16N-4-4441X
5-260X	DANA/Spicer	CP260X	5-4-4451X	DANA/Spicer	16N-4-4451X
5-279X	DANA/Spicer	US279X	5-4-4471	DANA/Spicer	16N-4-4471
5-280X	DANA/Spicer	M280X	5-4-44711	DANA/Spicer	16N-4-4471-1
5-280X	DANA/Spicer	US280X	5-4-4481	DANA/Spicer	16N-4-4481
5-28-167	DANA/Spicer	16N-28-167	5-4-4521	DANA/Spicer	16N-4-4521
5-281X	DANA/Spicer	M281X	5-4-4541	DANA/Spicer	16N-4-4541
5-281X	DANA/Spicer	US281X	5-4-4551	DANA/Spicer	16N-4-4551
5-28-207	DANA/Spicer	16N-28-207	5-4-4561	DANA/Spicer	16N-4-4561
5-28-327	DANA/Spicer	16N-28-327	5-4-4571	DANA/Spicer	16N-4-4571
5-28-627	DANA/Spicer	16N-28-627	5-4-4741	DANA/Spicer	16NYS36-7
5-2971X	DANA/Spicer	CP297-1X	5-4-4761X	DANA/Spicer	16N-4-4761X
5-297X	DANA/Spicer	CP297X	5-4-48411X	DANA/Spicer	16TYS28-8A
5-3000X	DANA/Spicer	CP3000	5-4-4841X	DANA/Spicer	16N-4-4841X
5-3012X	DANA/Spicer	CP3012	5-4-48611	DANA/Spicer	16N-4-4861-1
5-3022X	DANA/Spicer	CP3022X	5-4-4961	DANA/Spicer	16N-4-3321
5-308X	DANA/Spicer	GCP308X	5-4-5031	DANA/Spicer	16N-4-5031
5-3-108KX	DANA/Spicer	16N-3-108X	5-4-50311	DANA/Spicer	16N-4-5031-1
5-3-128KX	DANA/Spicer	16N-3-128X	5-4-5081X	DANA/Spicer	16N-4-5081X
5-3-1411KX	DANA/Spicer	16N-3-1411X	5-4-5111X	DANA/Spicer	16N-4-2081
5-3147X	DANA/Spicer	CP3147X	5-4-5111X	DANA/Spicer	16NYS28-4A
5-3-2261KX	DANA/Spicer	16N-3-2261X	5-4-5131X	DANA/Spicer	16N-4-5131X
5-324X	DANA/Spicer	CP18N-96	5-4-5161X	DANA/Spicer	16N-4-5161X
5-326X	DANA/Spicer	GCP326X	5-4-5281X	DANA/Spicer	16N-4-5281X
5-3-288KX	DANA/Spicer	16N-3-288X	5-4-5-4-211	DANA/Spicer	16TYS32-5
5-332X	DANA/Spicer	CP332X	5-4-5-4-31X	DANA/Spicer	16N-4-5431X
5-353X	DANA/Spicer	CP353X	5-4-5441	DANA/Spicer	16N-4-5441
5-354X	DANA/Spicer	CP354X	5-4-5-4-71X	DANA/Spicer	16NYS32-13A
5-357X	DANA/Spicer	CP357X	5-4-5571	DANA/Spicer	16N-4-5571
5-4002X	DANA/Spicer	CP4002	5-4-55711	DANA/Spicer	16N-4-5571-1
5-40-1011	DANA/Spicer	16N-40-1011	5-4-56211X	DANA/Spicer	16TYS28-13A
5-40-1011	DANA/Spicer	PS32-16-28	5-4-5621X	DANA/Spicer	16N-4-5621X

CROSS REFERENCE LISTING

PART#	COMPETITOR	MERITOR#	PART#	COMPETITOR	MERITOR#
5-4-5631	DANA/Spicer	16N-4-5631	5-4-9271X	DANA/Spicer	16NYS32-77A
5-4-5721	DANA/Spicer	16N-4-5721	5-5008X	DANA/Spicer	CP5008
5-4-5731	DANA/Spicer	16N-4-5731	5-5015X	DANA/Spicer	CP5015
5-4-5741	DANA/Spicer	16N-4-5741	5-5121X	DANA/Spicer	CP5101
5-4-5751	DANA/Spicer	16N-4-5751	5-5177X	DANA/Spicer	CP5177
5-4-5881	DANA/Spicer	16NYS32-43	5-527X	DANA/Spicer	CP527X
5-4-5941	DANA/Spicer	16NYS32-74	5-53-111	DANA/Spicer	BSS28-92
5-4-5981	DANA/Spicer	16N-4-5981	5-53-141	DANA/Spicer	16N-53-141
5-4-5991X	DANA/Spicer	16N-4-5981	5-53-191	DANA/Spicer	16N-53-191
5-4-5991X	DANA/Spicer	16N-4-5991X	5-5800X	DANA/Spicer	CP58WB-HWD
5-460X	DANA/Spicer	CP460X	5-6000X	DANA/Spicer	CP62N-DWT
5-4-61311	DANA/Spicer	16N-4-6131-1	5-6102X	DANA/Spicer	CP62N-HB
5-4-6241	DANA/Spicer	16N-4-6241	5-6106X	DANA/Spicer	CP62N-HWD
5-4-62411	DANA/Spicer	16TYS32-76	5-6108X	DANA/Spicer	CP62N-50
5-4-6251	DANA/Spicer	16N-4-6251	5-6109X	DANA/Spicer	CP62N-51
5-4-6261	DANA/Spicer	16N-4-6261	5-674X	DANA/Spicer	R674X
5-4-6271	DANA/Spicer	16N-4-6271	5-675X	DANA/Spicer	M675X
5-4-6271	DANA/Spicer	16NYS32-32	5-675X	DANA/Spicer	US675X
5-4-62711	DANA/Spicer	16N-4-6271-1	5-676X	DANA/Spicer	M676X
5-4-62711	DANA/Spicer	16TYS32-32	5-676X	DANA/Spicer	US676X
5-4-62811X	DANA/Spicer	16TYS32-32A	5-677X	DANA/Spicer	M677X
5-4-6281X	DANA/Spicer	16N-4-6281X	5-677X	DANA/Spicer	US677X
5-4-62911X	DANA/Spicer	16TYS32-76A	5-7000X	DANA/Spicer	CP72N-DWT
5-4-6291X	DANA/Spicer	16N-4-6291X	5-70-119	DANA/Spicer	REBC16S
5-4-6321	DANA/Spicer	16N-4-6321	5-7028X	DANA/Spicer	KT16SB
5-4-63211	DANA/Spicer	16N-4-6321-1	5-7105X	DANA/Spicer	CP72N-HWD
5-4-63211	DANA/Spicer	16TYS32-61	5-7202X	DANA/Spicer	CP72N-HB
5-4-6341	DANA/Spicer	16NYS28-60	5-73-709	DANA/Spicer	S-155B-2
5-4-6381X	DANA/Spicer	16NYS36-8A	5-760X	DANA/Spicer	CP297-1X
5-4-64211	DANA/Spicer	16N-4-6421-1	5-789X	DANA/Spicer	CP1306-1X
5-4-64311X	DANA/Spicer	16N-4-6431-1X	5-8105X	DANA/Spicer	CP82N-HWD
5-4-64411X	DANA/Spicer	16TYS32-86A	5-8202X	DANA/Spicer	CP82N-HB
5-4-6891X	DANA/Spicer	16N-4-6891X	5-9001X	DANA/Spicer	CP92N-HWD
5-4-69511X	DANA/Spicer	16N-4-6951-1X	5-92X	DANA/Spicer	CPL6R-50
5-4-6951X	DANA/Spicer	16N-4-6951X	6.3-28-17	DANA/Spicer	176N-28-17
5-4-6961X	DANA/Spicer	16N-4-6961X	6.3-3-21KX	DANA/Spicer	176N-3-21XMXL
5-4-71711	DANA/Spicer	16N-4-7171-1	6.3-3-41KX	DANA/Spicer	176N-3-41XMXL
5-4-7181X	DANA/Spicer	16NYS34-10A	6.3-4-101	DANA/Spicer	176NYS38-3
5-4-7221X	DANA/Spicer	16NYS34-11A	6.3-4-1011	DANA/Spicer	176N-4-101-1
5-4-7231X	DANA/Spicer	16NYS38-13A	6.3-4-1031	DANA/Spicer	176NYS38-14
5-4-7301X	DANA/Spicer	16N-4-7301X	6.3-4-10311	DANA/Spicer	176N-4-1031-1
5-4-73111X	DANA/Spicer	16TYS34-9A	6.3-4-10311	DANA/Spicer	176TYS38-27
5-4-73311	DANA/Spicer	16N-4-7331-1	6.3-4-10411X	DANA/Spicer	176N-4-1041-1X
5-4-73411X	DANA/Spicer	16N-4-7341-1X	6.3-4-10411X	DANA/Spicer	176TYS38-27A
5-4-73911X	DANA/Spicer	16TYS36-11A	6.3-4-1041X	DANA/Spicer	176NYS38-14A
5-4-7571X	DANA/Spicer	16NYS34-14A	6.3-4-11	DANA/Spicer	176N-4-11
5-4-76511X	DANA/Spicer	16TYS38-22A	6.3-4-11411X	DANA/Spicer	176TYS32-3A1
5-4-80611X	DANA/Spicer	16TYS28-51A	6.3-4-1141X	DANA/Spicer	176NYS32-3A2
5-4-8401X	DANA/Spicer	16NYS32-74A	6.3-4-11611X	DANA/Spicer	176N-4-1161-1X
5-4-8411X	DANA/Spicer	16NYS32-73A	6.3-4-11611X	DANA/Spicer	176TYS38-20A
5-4-8421X	DANA/Spicer	16NYS32-68A1	6.3-4-1161X	DANA/Spicer	176N-4-1161X
5-4-8441X	DANA/Spicer	16NYS28-59A	6.3-4-121	DANA/Spicer	176N-4-121
5-4-8451X	DANA/Spicer	16NYS28-60A	6.3-4-12511	DANA/Spicer	176N-4-1251-1
5-4-84911	DANA/Spicer	16TYS28-39	6.3-4-1421	DANA/Spicer	176N-4-1421
5-4-8851	DANA/Spicer	16N-4-4471	6.3-4-1421	DANA/Spicer	176N-4-321
5-4-91011X	DANA/Spicer	16TYS36-14A1	6.3-4-14211	DANA/Spicer	176N-4-1421-1
5-4-91111X	DANA/Spicer	16TYS34-9A1	6.3-4-14811X	DANA/Spicer	176N-4-1481-1X
5-4-9131X	DANA/Spicer	16NYS34-13A1	6.3-4-14811X	DANA/Spicer	176TYS36-11A
5-4-9241X	DANA/Spicer	16NYS32-80A	6.3-4-1481X	DANA/Spicer	176NYS36-11A
5-4-92611X	DANA/Spicer	16TYS36-16A	6.3-4-151	DANA/Spicer	176N-4-151

CROSS REFERENCE LISTING

PART#	COMPETITOR	MERITOR#	PART#	COMPETITOR	MERITOR#
6.3-4-161	DANA/Spicer	176N-4-161	6.5-1-2341X	DANA/Spicer	18N-1-2341X
6.3-4-1611	DANA/Spicer	176N-4-161-1	6.5-28-117	DANA/Spicer	18N-28-117
6.3-4-16211X	DANA/Spicer	176TYS36-10A1	6.5-28-127	DANA/Spicer	18N-28-127
6.3-4-1621X	DANA/Spicer	176NYS36-10A1	6.5-3-1351KX	DANA/Spicer	18N-3-1351XMXL
6.3-4-16511X	DANA/Spicer	176N-4-1651-1X	6.5-3-1431KX	DANA/Spicer	18N-3-1431XMXL
6.3-4-16511X	DANA/Spicer	176TYS38-20A1	6.5-3-1431KX	DANA/Spicer	18N-3-1431XMXL
6.3-4-1651X	DANA/Spicer	176NYS38-20A1	6.5-40191	DANA/Spicer	PS48-16-5
6.3-4-16811	DANA/Spicer	176N-4-1681-1	6.5-4-0191	DANA/Spicer	18N-40-191
6.3-4-16811	DANA/Spicer	176TYS45	6.5-4-0201	DANA/Spicer	18N-40-201
6.3-4-181X	DANA/Spicer	176N-4-181X	6.5-4-1891	DANA/Spicer	18N-4-1891
6.3-4-2111X	DANA/Spicer	176N-4-211-1X	6.5-4-18911	DANA/Spicer	18N-4-1891-1
6.3-4-211X	DANA/Spicer	176N-4-211X	6.5-4-1911	DANA/Spicer	18N-4-1911
6.3-4-231X	DANA/Spicer	176N-4-231X	6.5-4-1921	DANA/Spicer	18N-4-1921
6.3-4-241X	DANA/Spicer	176N-4-241X	6.5-4-1961	DANA/Spicer	18N-4-1961
6.3-4-271	DANA/Spicer	176N-4-271	6.5-4-1971	DANA/Spicer	18N-4-1971
6.3-4-2711	DANA/Spicer	176N-4-271-1	6.5-4-19711	DANA/Spicer	18N-4-1971-1
6.3-4-2911	DANA/Spicer	176N-4-291-1	6.5-4-1981	DANA/Spicer	18N-4-1981
6.3-4-3011X	DANA/Spicer	176TYS38-13A1	6.5-4-1991	DANA/Spicer	18N-4-1991
6.3-4-321	DANA/Spicer	176N-4-321	6.5-4-2001	DANA/Spicer	18N-4-2001
6.3-4-3311X	DANA/Spicer	176N-4-331-1X	6.5-4-2011	DANA/Spicer	18N-4-2011
6.3-4-331X	DANA/Spicer	176N-4-331X	6.5-4-2051	DANA/Spicer	18N-4-2051
6.3-4-381	DANA/Spicer	176N-4-381	6.5-4-2101	DANA/Spicer	18NYS40-5
6.3-4-391	DANA/Spicer	176N-4-391	6.5-4-2171	DANA/Spicer	18N-4-2171
6.3-4-41	DANA/Spicer	176N-4-41	6.5-4-21711	DANA/Spicer	18N-4-2171-1
6.3-4-411	DANA/Spicer	176N-4-411	6.5-4-2271X	DANA/Spicer	18N-4-2271X
6.3-4-411	DANA/Spicer	176N-4-41-1	6.5-4-2291	DANA/Spicer	18N-4-2291
6.3-4-421	DANA/Spicer	176N-4-421	6.5-4-2341X	DANA/Spicer	18N-4-2341X
6.3-4-441	DANA/Spicer	176N-4-441	6.5-4-2351X	DANA/Spicer	18N-4-2351X
6.3-4-52211X	DANA/Spicer	176TYS36-12A	6.5423611X	DANA/Spicer	18TYS39A
6.3-4-5221X	DANA/Spicer	176NYS36-12A	6.5-4-2361X	DANA/Spicer	18N-4-2361X
6.3-4-531	DANA/Spicer	176N-4-531	6.5-4-24011X	DANA/Spicer	18N-4-2401-1X
6.3-4-531	DANA/Spicer	176NYS32-3	6.5-4-2401X	DANA/Spicer	18N-4-2401X
6.3-4-5311	DANA/Spicer	176N-4-531-1	6.5-4-2441	DANA/Spicer	18N-4-2441
6.3-4-5311	DANA/Spicer	176TYS32-3	6.5-4-2451X	DANA/Spicer	18N-4-2451X
6.3-4-5411X	DANA/Spicer	176N-4-541-1X	6.5-4-2531X	DANA/Spicer	18N-4-2531X
6.3-4-541X	DANA/Spicer	176N-4-541X	6.5-4-2551X	DANA/Spicer	18N-4-2551X
6.3-4-641	DANA/Spicer	176NYS38-10	6.5-4-2581	DANA/Spicer	18N-4-2581
6.3-4-651	DANA/Spicer	176N-4-651	6.5-4-25811	DANA/Spicer	18TYS38-9
6.3-4-6511	DANA/Spicer	176N-4-651-1	6.5-4-2701	DANA/Spicer	18N-4-2701
6.3-4-71	DANA/Spicer	176N-4-71	6.5427111X	DANA/Spicer	18TYS38A
6.3-4-711	DANA/Spicer	176N-4-711	6.5-4-2711X	DANA/Spicer	18N-4-2711X
6.3-4-7111	DANA/Spicer	176TYS44-4	6.5-4-2751	DANA/Spicer	18NYS44-3
6.3-4-731X	DANA/Spicer	176N-4-731X	6.5-4-2781	DANA/Spicer	18N-4-2781
6.3-4-7511	DANA/Spicer	176TYS38-23	6.5-4-2781	DANA/Spicer	18NYS32-3
6.3-4-7711X	DANA/Spicer	176N-4-771-1X	6.5-4-3021	DANA/Spicer	18N-4-3021
6.3-4-7811X	DANA/Spicer	176N-4-781-1X	6.5-4-30211	DANA/Spicer	18N-4-3031-1
6.3-4-7811X	DANA/Spicer	176N-4-781-1X	6.5-4-3161	DANA/Spicer	18N-4-3161
6.3-4-7811X	DANA/Spicer	176TYS40-14A	6.5-4-3201	DANA/Spicer	18N-4-3201
6.3-4-781X	DANA/Spicer	176N-4-781X	6.5-4-32211X	DANA/Spicer	18N-4-3221-1X
6.3-4-7911X	DANA/Spicer	176N-4-791-1X	6.5-4-3221X	DANA/Spicer	18N-4-3221X
6.3-4-791X	DANA/Spicer	176N-4-11	6.5-4-3251	DANA/Spicer	18N-4-3251
6.3-4-791X	DANA/Spicer	176N-4-791X	6.5-4-3271	DANA/Spicer	18N-4-3271
6.3-4-821	DANA/Spicer	176N-4-821	6.5-4-32811X	DANA/Spicer	18N-4-3281-1X
6.3-4-8211	DANA/Spicer	176N-4-821-1	6.5-4-3281X	DANA/Spicer	18N-4-3281X
6.3-4-851X	DANA/Spicer	176N-4-851X	6.5-4-3281X	DANA/Spicer	18NYS36-19A
6.3-4-8611X	DANA/Spicer	176N-4-861-1X	6.5-4-3371	DANA/Spicer	18N-4-3371
6.3-4-861X	DANA/Spicer	176N-4-861X	6.5-4-33711	DANA/Spicer	18TYS32-12
6.3-4-871X	DANA/Spicer	176N-4-871X	6.5-4-33711	DANA/Spicer	18N-4-3371-1
6.3-5321	DANA/Spicer	176N-53-21	6.5-4-33811X	DANA/Spicer	18N-4-3381-1X
6.3-8618	DANA/Spicer	SERUR33-4	6.5-4-3381X	DANA/Spicer	18N-4-3371

CROSS REFERENCE LISTING

PART#	COMPETITOR	MERITOR#	PART#	COMPETITOR	MERITOR#
6.5-4-3381X	DANA/Spicer	18N-4-3381X	6.5-53-91	DANA/Spicer	18N-53-91
6.5-4-3441	DANA/Spicer	18NYS38-15	6.57018X	DANA/Spicer	KT17SB
6.5-4-34411	DANA/Spicer	18TYS38-15	6.5-70-89	DANA/Spicer	REBC17S
6.5-4-3451	DANA/Spicer	18N-4-1961	60675PQ	DANA/Spicer	CP675X
6.5-4-3451	DANA/Spicer	18N-4-3451	60676PQ	DANA/Spicer	CP676X
6.5-4-34511	DANA/Spicer	18N-4-3451-1	60677PQ	DANA/Spicer	CP677X
6.5-4-3461	DANA/Spicer	18NYS44-3	6102V	DANA/Spicer	GCP62N-HB
6.5-4-3491	DANA/Spicer	18N-4-3491	6106V	DANA/Spicer	GCP62N-HWD
6.5-4-34911	DANA/Spicer	18N-4-3491-1	6-28-137	DANA/Spicer	17N-28-137
6.5435011X	DANA/Spicer	18TYS44-3A	6-28-347	DANA/Spicer	17N-28-347
6.5-4-3501X	DANA/Spicer	18N-4-3501X	6-3-1461KX	DANA/Spicer	17N-3-1461X
6.5-4-35511X	DANA/Spicer	18N-4-3551-1X	6-3-2551KX	DANA/Spicer	17N-3-2401XMXL
6.5-4-3551X	DANA/Spicer	18N-4-3551X	6-3-2571X	DANA/Spicer	17N-3-2571XMXL
6.5-4-35611X	DANA/Spicer	18N-4-3561-1X	6-3-2591KX	DANA/Spicer	17NLS40-121A
6.5-4-3561X	DANA/Spicer	18N-4-3561X	6-3-2591KX	DANA/Spicer	17NLS40-121A1MXL
6.5435711X	DANA/Spicer	18TYS32-3A1	6-3-2631KX	DANA/Spicer	17N-3-2631XMXL
6.5-4-3571X	DANA/Spicer	18N-4-3571X	6-3-2651KX	DANA/Spicer	17N-3-2651XMXL
6.5-4-35811X	DANA/Spicer	18N-4-3581-1X	6-3-2671KX	DANA/Spicer	17N-3-2671XMXL
6.5-4-3581X	DANA/Spicer	18N-4-3581X	6-3-2761KX	DANA/Spicer	17N-3-2761XMXL
6.5-4-3591	DANA/Spicer	18N-4-3591	6-3-3021KX	DANA/Spicer	17N-3-3021XMXL
6.5-4-35911	DANA/Spicer	18N-4-3591-1	6-40-521	DANA/Spicer	17N-40-521
6.5-4-36211X	DANA/Spicer	18N-4-3621-1X	6-40-521	DANA/Spicer	PS40-16-15
6.5-4-3621X	DANA/Spicer	18N-4-3621X	6-40-541	DANA/Spicer	17N-40-541
6.5-4-3641X	DANA/Spicer	18N-4-3641X	6-40-621	DANA/Spicer	17N-40-621
6.5-4-3651X	DANA/Spicer	18NYS38-19A	6-40-631	DANA/Spicer	17N-40-631
6.5-4-3691X	DANA/Spicer	18N-4-3691X	6-4-1971	DANA/Spicer	17N-4-1971
6.5-4-3691X	DANA/Spicer	18NYS34-2A1	6-4-1981	DANA/Spicer	17N-4-1981
6.5-4-3721	DANA/Spicer	18NYS38-27	6-4-19811	DANA/Spicer	17TYS31-54
6.5-4-37211	DANA/Spicer	18TYS38-27	6-4-2081	DANA/Spicer	17N-4-2081
6.5-4-37211	DANA/Spicer	18N-4-3721-1	6-4-2131	DANA/Spicer	17N-4-2131
6.5-4-37311X	DANA/Spicer	18N-4-3731-1X	6-4-2141	DANA/Spicer	17N-4-2141
6.5-4-37311X	DANA/Spicer	18TYS38-27A	6-4-2151	DANA/Spicer	17N-4-2151
6.5-4-3731X	DANA/Spicer	18NYS38-27A	6-4-2161	DANA/Spicer	17N-4-2161
6.5-4-3911	DANA/Spicer	18NYS38-21	6-4-2181	DANA/Spicer	17N-4-2181
6.5-4-39111	DANA/Spicer	18N-4-3911-1	6-4-21811	DANA/Spicer	17TYS34-23
6.5439211X	DANA/Spicer	18TYS38-21A	6-4-2191	DANA/Spicer	17N-4-2191
6.5-4-39211X	DANA/Spicer	18N-4-3921-1X	6-4-21911	DANA/Spicer	17N-4-2191-1
6.5-4-3921X	DANA/Spicer	18N-4-3921X	6-4-2211	DANA/Spicer	17N-4-2211
6.5-4-3921X	DANA/Spicer	18N-4-3921X	6-4-2271	DANA/Spicer	17N-4-2271
6.5-4-3931	DANA/Spicer	18N-4-3931	6-4-2361	DANA/Spicer	17N-4-2361
6.5440611X	DANA/Spicer	18TYS32-12A1	6-4-2361	DANA/Spicer	17NYS32-21
6.5-4-4091X	DANA/Spicer	18NYS36-16A1	6-4-2371	DANA/Spicer	17N-4-2371
6.5-4-4191X	DANA/Spicer	18NYS32-12A2	6-4-2381	DANA/Spicer	17N-4-2381
6.5-4-42111	DANA/Spicer	18TYS38-24	6-4-2391	DANA/Spicer	17N-4-2391
6.5-4-42711X	DANA/Spicer	18N-4-4271-1X	6-4-2441	DANA/Spicer	17N-4-2441
6.5-4-4321	DANA/Spicer	18N-4-3271	6-4-2501	DANA/Spicer	17N-4-2501
6.5-4-43211	DANA/Spicer	18N-4-3271-1	6-4-2511	DANA/Spicer	17N-4-2511
6.5443511X	DANA/Spicer	18TYS38-19A	6-4-3031	DANA/Spicer	17N-4-3031
6.5-4-4351X	DANA/Spicer	18N-4-4351X	6-4-30311	DANA/Spicer	17N-4-3031-1
6.5444211X	DANA/Spicer	18TYS38-20A	6430411X	DANA/Spicer	17TYS36-54A
6.5445711X	DANA/Spicer	18TYS36-20A	643041X	DANA/Spicer	17N-4-3031
6.5-4-45711X	DANA/Spicer	18N-4-4571-1X	643041X	DANA/Spicer	17N-4-3041X
6.5-4-4571X	DANA/Spicer	18NYS36-20A	6-4-3171	DANA/Spicer	17N-4-3171
6.5445911X	DANA/Spicer	18TYS36-16A1	6-4-3191	DANA/Spicer	17N-4-3191
6.5446111X	DANA/Spicer	18TYS38-21A1	6-4-3221	DANA/Spicer	17N-4-3221
6.5-4-4611X	DANA/Spicer	18NYS38-21A1	6-4-3241	DANA/Spicer	17N-4-3241
6.5-4-4621X	DANA/Spicer	18NYS34-3A1	6-4-3271	DANA/Spicer	17N-4-3271
6.5-4-46311	DANA/Spicer	18TYS45	6-4-3291	DANA/Spicer	17N-4-3291
6.5-53-171	DANA/Spicer	18N-53-171	643361	DANA/Spicer	17NYS30
6.5-53-51	DANA/Spicer	18N-53-51	6-4-3361	DANA/Spicer	17N-4-3361

CROSS REFERENCE LISTING

PART#	COMPETITOR	MERITOR#	PART#	COMPETITOR	MERITOR#
6-4-3391	DANA/Spicer	17N-4-3391	6-4-5071X	DANA/Spicer	17N-4-5071X
6-4-3501	DANA/Spicer	17N-4-3501	6-4-5111X	DANA/Spicer	17N-4-5111X
6-4-3581X	DANA/Spicer	17N-4-3191	6-4-51311X	DANA/Spicer	17TYS28-57A
6-4-3611	DANA/Spicer	17N-4-3611	6-4-5131X	DANA/Spicer	17N-4-5131X
6-4-36111	DANA/Spicer	17N-4-3611-1	6-4-5141	DANA/Spicer	17N-4-5141
6-4-3721	DANA/Spicer	17N-4-3721	6-4-5151X	DANA/Spicer	17N-4-5151X
6-4-3791	DANA/Spicer	17N-4-3791	6-4-5341	DANA/Spicer	17N-4-5341
6-4-4091	DANA/Spicer	17N-4-4091	6-4-5351	DANA/Spicer	17N-4-5351
6-4-4091	DANA/Spicer	17N-4-4831X	6-4-53511	DANA/Spicer	17N-4-5351-1
6-4-4131	DANA/Spicer	17N-4-4131	6-4-53511	DANA/Spicer	17TYS42-4
6-4-4131	DANA/Spicer	17N-4-4481X	6-4-5451	DANA/Spicer	17N-4-5451
6-4-4141	DANA/Spicer	17N-4-4141	6-4-54611X	DANA/Spicer	17N-4-5461-1X
6-4-4151	DANA/Spicer	17N-4-4151	6-4-54611X	DANA/Spicer	17TYS38-52A
6-4-4161	DANA/Spicer	17N-4-4161	6-4-5461X	DANA/Spicer	17N-4-5461X
6-4-4161	DANA/Spicer	17NYS34-5	6-4-5481X	DANA/Spicer	17N-4-5481X
6-4-4171X	DANA/Spicer	17N-4-4171X	6-4-5501	DANA/Spicer	17N-4-5501
6-4-4181X	DANA/Spicer	17N-4-2161	6-4-5521	DANA/Spicer	17N-4-5521
6-4-4181X	DANA/Spicer	17N-4-4181X	6-4-5541	DANA/Spicer	17N-4-5541
6-4-4291X	DANA/Spicer	17N-4-4291X	6-4-5701X	DANA/Spicer	17N-4-2151
6-4-4301X	DANA/Spicer	17N-4-4301X	6-4-5711	DANA/Spicer	17N-4-5711
6-4-4361X	DANA/Spicer	17N-4-4361X	6-4-5781	DANA/Spicer	17N-4-5781
6-4-4371	DANA/Spicer	17N-4-4371	6-4-5791	DANA/Spicer	17N-4-5791
6-4-43711	DANA/Spicer	17TYS31-55	6-4-5801	DANA/Spicer	17N-4-5801
6-4-4391X	DANA/Spicer	17N-4-4391X	6-4-5811	DANA/Spicer	17NYS34-15
6-4-44111X	DANA/Spicer	17TYS36-52A	6-4-5821	DANA/Spicer	17N-4-5821
6-4-4411X	DANA/Spicer	17N-4-1991	6-4-5841	DANA/Spicer	17N-4-5841
6-4-4411X	DANA/Spicer	17N-4-4411X	6-4-5851	DANA/Spicer	17NYS32-60
6-4-4421	DANA/Spicer	17N-4-4421	6-4-58511	DANA/Spicer	17TYS32-60
6-4-44211	DANA/Spicer	17TYS40-152	6-4-5931	DANA/Spicer	17NYS38-31
6-4-44581	DANA/Spicer	17N-4-4581	6-4-59311	DANA/Spicer	17N-4-5931-1
644481X	DANA/Spicer	17N-4-4481X	6-4-5961X	DANA/Spicer	17N-4-5961X
6-4-4551	DANA/Spicer	17N-4-4551	6-4-5991	DANA/Spicer	17N-4-5991
6-4-45511	DANA/Spicer	17TYS44-14	6-4-60011X	DANA/Spicer	17TYS32-89A
6-4-4561	DANA/Spicer	17N-4-4561	6-4-6001X	DANA/Spicer	17NYS32-85A
6-4-45611	DANA/Spicer	17N-4-4561-1	6-4-6011	DANA/Spicer	17N-4-6011
6-4-4591	DANA/Spicer	17N-4-4591	6-4-6021X	DANA/Spicer	17N-4-6011
6-4-4601	DANA/Spicer	17N-4-4601	6-4-6021X	DANA/Spicer	17N-4-6021X
6-4-46011	DANA/Spicer	17N-4-4601-1	6-4-6021X	DANA/Spicer	17NYS32-86A
6-4-4651	DANA/Spicer	17N-4-4651	6-4-6031	DANA/Spicer	17N-4-6031
6-4-46511	DANA/Spicer	17TYS44-11	6-4-6031	DANA/Spicer	17N-4-8461
6-4-4681X	DANA/Spicer	17N-4-2501	6-4-60311	DANA/Spicer	17N-4-6031-1
6-4-4721	DANA/Spicer	17N-4-4721	6-4-60411X	DANA/Spicer	17N-4-6041-1X
6-4-47211	DANA/Spicer	17N-4-4721-1	6-4-6041X	DANA/Spicer	17N-4-6041X
6-4-47311X	DANA/Spicer	17TYS31-57A	6-4-6201	DANA/Spicer	17N-4-6201
6-4-4731X	DANA/Spicer	17N-4-4731X	6-4-6321	DANA/Spicer	17N-4-6321
6-4-4741X	DANA/Spicer	17N-4-4741X	6-4-6331	DANA/Spicer	17N-4-6331
6-4-47511X	DANA/Spicer	17TYS39-4A	6-4-63311	DANA/Spicer	17TYS28-57
6-4-4771	DANA/Spicer	17N-4-4771	6-4-63311	DANA/Spicer	17TYS28-63
6-4-47711	DANA/Spicer	17N-4-4771-1	6-4-6371	DANA/Spicer	17NYS32-99
6-4-47711	DANA/Spicer	17TYS38-55	6-4-63711	DANA/Spicer	17TYS32-99
6-4-4831X	DANA/Spicer	17N-4-4831X	6-4-6381X	DANA/Spicer	17NYS32-99A
6-4-4851X	DANA/Spicer	17N-4-4851X	6-4-63911X	DANA/Spicer	17TYS32-99A
6-4-4861X	DANA/Spicer	17N-4-4861X	6-4-6391X	DANA/Spicer	17N-4-6391X
6-4-4901	DANA/Spicer	17NYS32-100	6-4-6411X	DANA/Spicer	17TYS32-68
6-4-4961	DANA/Spicer	17N-4-4961	6-4-6411X	DANA/Spicer	17N-4-6411X
6-4-5001	DANA/Spicer	17NYS38-17	6-4-6411X	DANA/Spicer	17NYS32-100A1
6-4-5031	DANA/Spicer	17N-4-5031	6-4-6421X	DANA/Spicer	17N-4-6421X
6-4-50411X	DANA/Spicer	17TYS28-62A	6-4-6421X	DANA/Spicer	17NYS32-100A
6-4-5041X	DANA/Spicer	17N-4-5041X	6-4-6451	DANA/Spicer	17N-4-6451
6-4-5061X	DANA/Spicer	17N-4-5061X	6-4-6481	DANA/Spicer	17N-4-6481

CROSS REFERENCE LISTING

PART#	COMPETITOR	MERITOR#	PART#	COMPETITOR	MERITOR#
6-4-6601	DANA/Spicer	17N-4-6601	6-4-7771X	DANA/Spicer	17NYS38-38A
6-4-66111	DANA/Spicer	17N-4-6611-1	6-4-7831	DANA/Spicer	17NYS38-63
6-4-6821	DANA/Spicer	17N-4-6821	6-4-78511X	DANA/Spicer	17TYS38-70A
6-4-68211	DANA/Spicer	17N-4-6821-1	6-4-7851X	DANA/Spicer	17N-4-7851X
6468411X	DANA/Spicer	17TYS44-12A	6-4-83311X	DANA/Spicer	17TYS32-60A
6-4-6841X	DANA/Spicer	17N-4-6841X	6-4-84411	DANA/Spicer	17TYS32-59
6-4-68611	DANA/Spicer	17N-4-6861-1	6-4-8461	DANA/Spicer	17N-4-6031
6-4-6871X	DANA/Spicer	17N-4-6871X	6-4-84611	DANA/Spicer	17N-4-6031-1
6-4-6891X	DANA/Spicer	17N-4-6891X	6-4-84611	DANA/Spicer	17N-4-8461-1
6-4-69011X	DANA/Spicer	17N-4-6901-1X	6-4-85111X	DANA/Spicer	17TYS28-59A
6-4-69211X	DANA/Spicer	17N-4-6921-1X	6-4-8511X	DANA/Spicer	17NYS28-66A
6-4-69211X	DANA/Spicer	17TYS40-144A	6-4-8521X	DANA/Spicer	17N-4-8521X
6-4-6921X	DANA/Spicer	17N-4-3611	6-4-8521X	DANA/Spicer	17NYS28-65A
6-4-69311X	DANA/Spicer	17N-4-6931-1X	6-4-8531X	DANA/Spicer	17N-4-8531X
6-4-6931X	DANA/Spicer	17N-4-6931X	6-4-85511X	DANA/Spicer	17N-4-8551-1X
6-4-6941X	DANA/Spicer	17N-4-6941X	6-4-8551X	DANA/Spicer	17N-4-8551X
6-4-69511X	DANA/Spicer	17N-4-6951-1X	6-4-8551X	DANA/Spicer	17NYS36-60A
6-4-69511X	DANA/Spicer	17TYS32-70A1	6-4-8571X	DANA/Spicer	17NYS32-99A3
6-4-6951X	DANA/Spicer	17N-4-6951X	6-4-8671	DANA/Spicer	17NYS34-10
6-4-69611X	DANA/Spicer	17N-4-6961-1X	6-4-89811X	DANA/Spicer	17TYS36-62A
6-4-6961X	DANA/Spicer	17N-4-6961X	6-4-8981X	DANA/Spicer	17NYS36-62A
6-4-70411X	DANA/Spicer	17TYS40-143A	6-4-89911X	DANA/Spicer	17N-4-8991-1X
6-4-7041X	DANA/Spicer	17N-4-7041X	6-4-8991X	DANA/Spicer	17NYS32-93A
6-4-70711X	DANA/Spicer	17TYS42-5A	6-4-90011X	DANA/Spicer	17N-4-9001-1X
6-4-7071X	DANA/Spicer	17N-4-7071X	6-4-9001X	DANA/Spicer	17N-4-9001X
6-4-7141	DANA/Spicer	17N-4-7141	6-4-9001X	DANA/Spicer	17NYS32-91A
6-4-71411	DANA/Spicer	17N-4-7141-1	6-4-90311X	DANA/Spicer	17TYS32-92A
6-4-7161	DANA/Spicer	17N-4-7161	6-4-9041X	DANA/Spicer	17N-4-9041X
6-4-71611	DANA/Spicer	17TYS38-76	6-4-91611X	DANA/Spicer	17TYS36-58A1
6-4-7171X	DANA/Spicer	17N-4-7171X	6-4-91711X	DANA/Spicer	17TYS34-14A1
6-4-71811X	DANA/Spicer	17N-4-7181-1X	6-4-9181X	DANA/Spicer	17NYS34-19A1
6-4-71811X	DANA/Spicer	17TYS38-76A	6-4-91911X	DANA/Spicer	17TYS34-18A1
6-4-7181X	DANA/Spicer	17N-4-7181X	6-4-9191X	DANA/Spicer	17NYS34-18A1
6-4-7211X	DANA/Spicer	17NYS38-41A	6-53-151	DANA/Spicer	17N-53-151
6-4-7221X	DANA/Spicer	17NYS34-15A	6-53-201	DANA/Spicer	17N-53-201
6-4-7231X	DANA/Spicer	17N-4-7231X	6-53-201	DANA/Spicer	BSS31-18
6-4-7241X	DANA/Spicer	17N-4-7241X	6-53-241	DANA/Spicer	17N-53-241
6-4-72711X	DANA/Spicer	17TYS38-64A	6-53-311	DANA/Spicer	17N-53-311
6-4-73011	DANA/Spicer	17TYS32-73	6-53-411	DANA/Spicer	17N-53-411
6-4-73211X	DANA/Spicer	17N-4-7321-1X	6-73-209	DANA/Spicer	S-165B-2
6-4-7321X	DANA/Spicer	17N-4-7321X	6-73-412	DANA/Spicer	SP-1013
6-4-73711	DANA/Spicer	17N-4-7371-1	674V	DANA/Spicer	CP674X
6-4-73811X	DANA/Spicer	17TYS36-55A	6-82-10613	DANA/Spicer	17N-82-1061-3
6-4-75311X	DANA/Spicer	17TYS38-60A	6-82-10618	DANA/Spicer	17N-82-1061-8
6-4-7531X	DANA/Spicer	17NYS38-44A	6-82-10912	DANA/Spicer	17N-82-1091-2
6-4-7541	DANA/Spicer	17NYS34-18	6-82-11711	DANA/Spicer	17N-82-1171-1
6-4-7541	DANA/Spicer	17N-4-7541	6-82-117112	DANA/Spicer	17N-82-1171-12
6-4-7551	DANA/Spicer	17NYS34-19	6-82-11712	DANA/Spicer	17N-82-1171-2
6-4-75611X	DANA/Spicer	17N-4-7561-1X	6-82-11715	DANA/Spicer	17N-82-1171-5
6-4-7561X	DANA/Spicer	17N-4-7561X	6-82-1211	DANA/Spicer	17N-82-1211
6-4-76211	DANA/Spicer	17N-4-7621-1	6-82-134113	DANA/Spicer	17N-82-1091-2
6-4-76311X	DANA/Spicer	17N-4-7631-1X	6-82-13416	DANA/Spicer	17N-82-1061-8
6-4-76411X	DANA/Spicer	17N-4-7641-1X	6-82-13417	DANA/Spicer	17N-82-1061-3
6-4-76911	DANA/Spicer	17N-4-7691-1	7000V	DANA/Spicer	GCP72N-DWT
6-4-76911	DANA/Spicer	17N-4-7691-1	7105V	DANA/Spicer	GCP72N-HWD
6-4-77511	DANA/Spicer	17TYS26-3	7202V	DANA/Spicer	GCP72N-HB
6-4-7761	DANA/Spicer	17NYS38-38	8105V	DANA/Spicer	GCP82N-HWD
6-4-77611	DANA/Spicer	17TYS38-71	8200V	DANA/Spicer	GCP85WB-DWT
6-4-77711X	DANA/Spicer	17N-4-7771-1X	8202V	DANA/Spicer	GCP82N-HB
6-4-77711X	DANA/Spicer	17TYS38-71A	829W	DANA/Spicer	DEFR49-1

CROSS REFERENCE LISTING

PART#	COMPETITOR	MERITOR#	PART#	COMPETITOR	MERITOR#
9000V	DANA/Spicer	GCP92N-DWT	1050	NEAPCO	CP3022X
9001V	DANA/Spicer	GCP92N-HWD	10045	NEAPCO	KT16SB
9002V	DANA/Spicer	GCP92N-HB	10046	NEAPCO	KT17SB
9047611X	DANA/Spicer	159N-4-761-1X	10089	NEAPCO	KT116
92NF26	DANA/Spicer	92NF26	10099	NEAPCO	KT117
95-53-4724	DANA/Spicer	R95-53--SF	10105	NEAPCO	CP105X
D2C	DANA/Spicer	ND2C	10109	NEAPCO	KT118
D2K	DANA/Spicer	ND2K	10134	NEAPCO	CP134X
D3A	DANA/Spicer	ND3A	10153	NEAPCO	CP153X
D3E	DANA/Spicer	ND3E	10174	NEAPCO	CP260X
D3H	DANA/Spicer	DC148N-1	10200	NEAPCO	CP200X
D3H	DANA/Spicer	ND3H	10248	NEAPCO	CP248X
D3J	DANA/Spicer	DC148N-1	10297	NEAPCO	CP297X
D3K	DANA/Spicer	ND3K	10298	NEAPCO	CP297-1X
D6A	DANA/Spicer	DC17N	10300	NEAPCO	CP101X
D6B	DANA/Spicer	DC17N	10300	NEAPCO	CP111X
DT155	DANA/Spicer	CP155X	10443	NEAPCO	CP443X
DT279	DANA/Spicer	CP279X	11475	NEAPCO	CPL6R-50
DT280	DANA/Spicer	CP280X	11554	NEAPCO	CP2031
DT281	DANA/Spicer	CP281X	11875	NEAPCO	CP2011X
DT407X	DANA/Spicer	CP407X	12185	NEAPCO	CP2116
N211302X	DANA/Spicer	CB310008-1X	13650	NEAPCO	CP2140
N212050X	DANA/Spicer	CB310011-1X	14635	NEAPCO	CP1201X
N221050	DANA/Spicer	121N-2-1050	15900	NEAPCO	CP1200X
N22579	DANA/Spicer	131N-2-579	16300	NEAPCO	CP1306-1X
N2281777X	DANA/Spicer	131N-28-2947X	16301	NEAPCO	CP1306X
N238961X	DANA/Spicer	121N-3-8961KX	16301	NEAPCO	CP72625-4
N2401382	DANA/Spicer	131N-40-138-2	20053	NEAPCO	CP178X
N24301272	DANA/Spicer	RT-3-13-72	20054	NEAPCO	CP160X
N3531351	DANA/Spicer	135N-53-1181-2	20527	NEAPCO	CP527X
N646921X	DANA/Spicer	17N-4-6921X	21203	NEAPCO	CP1203X
N9194423400	DANA/Spicer	R919990-3400	21569	NEAPCO	CP1204X
SPL1001X	DANA/Spicer	US90X	22700	NEAPCO	CP2033
SPL1001X3	DANA/Spicer	US90X	23011	NEAPCO	CP3147X
SPL1703X	DANA/Spicer	US170X	23100	NEAPCO	CP353X
SPL170X3	DANA/Spicer	US170X	23102	NEAPCO	CP3012
SPL2503X	DANA/Spicer	US250X	23190	NEAPCO	CP357X
SPL250X	DANA/Spicer	US250X	24800	NEAPCO	CP213X
SPL250X3	DANA/Spicer	US250X	26200	NEAPCO	CP1205X
86605	Fuller	18N-4-2171-1	26600	NEAPCO	CP141N
86716	Fuller	176N-4-651	30155	NEAPCO	CP155N
86716	Fuller	176N-4-781X	30188	NEAPCO	CP148N
86717	Fuller	17N-4-3611	30332	NEAPCO	CP332X
86717	Fuller	17N-4-3611-1	33140	NEAPCO	CP460X
86719	Fuller	17N-4-6821	33158	NEAPCO	CP3121
86720	Fuller	176N-4-11	34123	NEAPCO	CP4101
86720	Fuller	176N-4-791X	41090	NEAPCO	US90X
86721	Fuller	18NYS44-3	42791	NEAPCO	US674X
86733	Fuller	17N-4-2141	45801	NEAPCO	CP58WB-DWT
86748	Fuller	17N-4-7371-1	45802	NEAPCO	CP58WB-HB
86749	Fuller	17N-4-6611-1	52801	NEAPCO	M675X
86757	Fuller	16N-4-3321	57206	NEAPCO	CP72N-HB
86762	Fuller	176N-4-651-1	60324	NEAPCO	CP18N-96
86765	Fuller	17N-4-6821-1	60407	NEAPCO	CP407X
86769	Fuller	18N-4-3451-1	61170	NEAPCO	US170X
5505506	Fuller	17N-4-6861-1	61250	NEAPCO	US250X
5505506	Fuller	17N-4-6901-1X	62811	NEAPCO	M676X
5505545	Fuller	176N-4-1681-1	69014	NEAPCO	CP92N-70
5505545	Fuller	176TYS45	70082	NEAPCO	131N-CV82-HD
5505547	Fuller	18TYS45	100323	NEAPCO	10N-3-23X

CROSS REFERENCE LISTING

PART#	COMPETITOR	MERITOR#	PART#	COMPETITOR	MERITOR#
100423	NEAPCO	10N-4-23	DS401KF	NEAPCO	CB210084-2X
100452	NEAPCO	10N-4-52	DS401KF	NEAPCO	GCB210084-2X
100453	NEAPCO	10N-4-53	DS401KG	NEAPCO	CB210207-1X
100473	NEAPCO	10N-4-73	DS401KG	NEAPCO	GCB210207-1X
100483	NEAPCO	10N-4-83	DS501KF	NEAPCO	CB210090-1X
103122	NEAPCO	10N-3-122X	DS501KF	NEAPCO	GCB210090-1X
103183	NEAPCO	10N-3-183X	DS601KF	NEAPCO	CB210661-1XSA
280194	NEAPCO	R280194	N10193	NEAPCO	10N-4-193
280196	NEAPCO	R280196	N10229	NEAPCO	10N-2-29
280600	NEAPCO	CP3000	N10270SF	NEAPCO	R10270-SF
283131	NEAPCO	CP354X	N10312	NEAPCO	10N-3-12X
284140	NEAPCO	CP4002	N103122	NEAPCO	10N-3-22X
284143	NEAPCO	CP4143X	N103162	NEAPCO	10N-3-162X
284152	NEAPCO	CP4102	N103163	NEAPCO	10N-3-163X
285122	NEAPCO	CP5122	N10318KX	NEAPCO	10N-3-18KX
285127	NEAPCO	CP5101	N10332	NEAPCO	10N-3-32X
285132	NEAPCO	CP5008	N10333	NEAPCO	10N-3-33X
285177	NEAPCO	CP5177	N10381	NEAPCO	10N-3-81X
286103	NEAPCO	CP62N-HB	N10383	NEAPCO	10N-3-83X
286108	NEAPCO	CP62N-50	N104103	NEAPCO	10N-4-103
286109	NEAPCO	CP62N-51	N104113	NEAPCO	10N-4-113
286128	NEAPCO	CP62N-HWD	N10412	NEAPCO	10N-4-12
286143	NEAPCO	CP62N-DWT	N104123	NEAPCO	10N-4-123
287126	NEAPCO	CP72N-HWD	N10413	NEAPCO	10N-4-13
287205	NEAPCO	CP72N-DWT	N104133	NEAPCO	10N-4-133
288105	NEAPCO	CP82N-HWD	N104143	NEAPCO	10N-4-143
288207	NEAPCO	CP82N-HB	N104173	NEAPCO	10N-4-173
289015	NEAPCO	CP92N-HWD	N104183	NEAPCO	10N-4-183
4137268	NEAPCO	4137268	N10422	NEAPCO	10N-4-22
0505X	NEAPCO	CP170X	N104282	NEAPCO	10N-4-282
12266J	NEAPCO	62NYS24-17	N10432	NEAPCO	10N-4-32
17072J	NEAPCO	62NPS28-4	N10443	NEAPCO	10N-4-43
18114J	NEAPCO	82NY58	N104481	NEAPCO	10N-4-481
2075X	NEAPCO	CP279X	N104573	NEAPCO	10N-4-573
21033J	NEAPCO	72NYS31-2	N104611	NEAPCO	10N-4-611
2675X	NEAPCO	CP188X	N10463	NEAPCO	10N-4-63
28055X	NEAPCO	CP115X	N104703	NEAPCO	10N-4-703
28056X	NEAPCO	CP1301X	N10493	NEAPCO	10N-4-93
28059X	NEAPCO	CP280X	N10V5	NEAPCO	R10V5
28059X	NEAPCO	M280X	N163062108	NEAPCO	RT-2-14-108
28124X	NEAPCO	CP124X	N16306272	NEAPCO	RT-2-14-72
28155X	NEAPCO	CP155X	N203012108	NEAPCO	RT-25-16-108
28165X	NEAPCO	CP165X	N20301272	NEAPCO	RT-25-16-72
28281X	NEAPCO	CP281X	N203022108	NEAPCO	RT-25-14-108
2858WB	NEAPCO	CP58WB-HWD	N20302272	NEAPCO	RT-25-14-72
28N10N2	NEAPCO	CPL10N-2	N2101401X	NEAPCO	CB210140-1X
35024	NEAPCO	REBC131	N2101401X	NEAPCO	CB310002-1X
5567J	NEAPCO	62NLS28-2A	N2101401X	NEAPCO	GCB210140-1X
8021J	NEAPCO	82NPS40	N2101401X	NEAPCO	GCB310002-1X
8401J	NEAPCO	72NYS28-5	N2103671X	NEAPCO	CB210367-1X
9138J	NEAPCO	62NY53-1	N2103671X	NEAPCO	GCB210367-1X
DLW-5	NEAPCO	BLWR18-6	N2103701X	NEAPCO	CB210370-1X
DS101K	NEAPCO	CB210527X	N2103701X	NEAPCO	GCB210370-1X
DS101K	NEAPCO	GCB210527X	N2103911X	NEAPCO	GCB210391-1X
DS201KF	NEAPCO	CB210088-1X	N2104331X	NEAPCO	CB210433-1X
DS201KF	NEAPCO	GCB210088-1X	N2104331X	NEAPCO	GCB210433-1X
DS204KF	NEAPCO	CB210866-1X	N2108731X	NEAPCO	CB210873-1X
DS204KF	NEAPCO	GCB210866-1X	N2108731X	NEAPCO	GCB210873-1X
DS301KG	NEAPCO	CB210144-1X	N2108751X	NEAPCO	CB210875-1XSA
DS301KG	NEAPCO	GCB210144-1X	N2108811X	NEAPCO	CB310012-1XSA

CROSS REFERENCE LISTING

PART#	COMPETITOR	MERITOR#	PART#	COMPETITOR	MERITOR#
N210969X	NEAPCO	CB310007-1X	N2401251	NEAPCO	131N-40-1251
N210969X	NEAPCO	GCB310007-1X	N2401291	NEAPCO	131N-40-1291
N211016X	NEAPCO	CB211016X	N2401382	NEAPCO	131N-40-138-2
N211016X	NEAPCO	GCB211016X	N2401521	NEAPCO	131N-40-1521
N2110981X	NEAPCO	CB310001-1X	N2401701	NEAPCO	131N-40-1701
N2110981X	NEAPCO	GCB310001-1X	N2401711	NEAPCO	131N-40-1711
N211187X	NEAPCO	CB211187X	N2401741	NEAPCO	121N-40-1741
N211187X	NEAPCO	GCB211187X	N2401771	NEAPCO	131N-40-1771
N211302X	NEAPCO	CB310008-1X	N2401811	NEAPCO	131N-40-1811
N212050X	NEAPCO	CB310011-1X	N2401851	NEAPCO	131N-40-1851
N221049	NEAPCO	121N-2-1049	N2401871	NEAPCO	131N-40-1871
N221050	NEAPCO	121N-2-1050	N2402051	NEAPCO	131N-40-2051
N223012108	NEAPCO	RT-275-14-108	N2402091	NEAPCO	131N-40-2091
N22329	NEAPCO	131N-2-329	N2402211	NEAPCO	121N-40-2211
N22349	NEAPCO	131N-2-349	N2402301	NEAPCO	121N-40-2301
N22479	NEAPCO	131N-2-479	N2-4-1233	NEAPCO	131N-4-1233
N22579	NEAPCO	131N-2-579	N243012108	NEAPCO	RT-3-13-108
N226367	NEAPCO	131N-26-497	N24301272	NEAPCO	RT-3-13-72
N22799	NEAPCO	131N-2-799	N243032108	NEAPCO	RT-3-16-108
N227991	NEAPCO	131N-2-799-1	N24303272	NEAPCO	RT-3-16-72
N2281177	NEAPCO	133N-28-1177	N243042108	NEAPCO	RT-3-14-108
N2281617	NEAPCO	131N-28-1617	N24304272	NEAPCO	RT-3-14-72
N2281697	NEAPCO	133N-28-1697	N2-4-4341	NEAPCO	131N-4-4341
N2281707	NEAPCO	133N-28-1707	N24473	NEAPCO	131N-4-473
N2281717	NEAPCO	133N-28-1717	N24503	NEAPCO	131N-4-503
N2281757	NEAPCO	131N-28-1757	N24533	NEAPCO	131N-4-533
N2281777X	NEAPCO	131N-28-2947X	N2-4-5441	NEAPCO	133N-4-5441
N228277	NEAPCO	131N-28-277	N2-4-583	NEAPCO	131N-4-583
N2-28-3067X	NEAPCO	133N-28-3067X	N2-4-783	NEAPCO	131N-4-783
N228307	NEAPCO	131N-28-307	N2-4-803	NEAPCO	131N-4-803
N228327	NEAPCO	131N-28-327	N2-53-471	NEAPCO	121N-53-471
N228357	NEAPCO	131N-28-357	N253711	NEAPCO	131N-53-711
N228367	NEAPCO	131N-28-367	N2537111	NEAPCO	131N-53-711-1
N228397	NEAPCO	131N-28-397	N283022108	NEAPCO	RT-35-13-108
N228417	NEAPCO	131N-28-417	N28302272	NEAPCO	RT-35-13-72
N228427	NEAPCO	131N-28-427	N283042108	NEAPCO	RT-35-16-108
N228437	NEAPCO	131N-28-437	N28304272	NEAPCO	RT-35-16-72
N22899	NEAPCO	121N-2-899	N283052108	NEAPCO	RT-35-156-108
N228991	NEAPCO	131N-2-899-1	N28305272	NEAPCO	RT-35-156-72
N22939	NEAPCO	131N-2-939	N283062108	NEAPCO	RT-35-14-108
N230129	NEAPCO	WAR13-5	N28306272	NEAPCO	RT-35-14-72
N230794	NEAPCO	DEF47-6	N283092108	NEAPCO	RT-35-10-108
N230795	NEAPCO	DEF47-4	N28309272	NEAPCO	RT-35-10-72
N23128KX	NEAPCO	131N-3-128KX	N283388X	NEAPCO	131N-83-388X
N232321X	NEAPCO	121N-3-2321X	N283489X	NEAPCO	121N-83-489X
N234441KX	NEAPCO	131N-3-4441KX	N32119	NEAPCO	135N-2-119
N234951KX	NEAPCO	131N-3-7981KX	N32159	NEAPCO	141N-2-159
N235821KX	NEAPCO	131N-3-8021KX	N323022108	NEAPCO	RT-4-14-108
N236061KX	NEAPCO	131N-3-6061KX	N32302272	NEAPCO	RT-4-14-72
N237171KX	NEAPCO	131N-3-7171KX	N323052108	NEAPCO	RT-4-10-108
N237260KX	NEAPCO	131N-3-7260KX	N32305272	NEAPCO	RT-4-10-72
N237681KX	NEAPCO	133N-3-7681KX	N323072108	NEAPCO	RT-4095-7-108
N237961KX	NEAPCO	133N-3-7961KX	N32307272	NEAPCO	RT-4095-7-72
N238001KX	NEAPCO	131N-3-8001KX	N32429	NEAPCO	141N-2-429
N238041KX	NEAPCO	133N-3-8041KX	N32479	NEAPCO	148N-2-479
N238861KX	NEAPCO	121N-3-8861KX	N3-28-1327-1X	NEAPCO	135N-28-1327X
N238961KX	NEAPCO	121N-3-8961KX	N328367	NEAPCO	141N-28-367
N2401031	NEAPCO	131N-40-1031	N328427	NEAPCO	135N-28-427
N2401221	NEAPCO	131N-40-1221	N32847	NEAPCO	135N-28-47
N2401231	NEAPCO	131N-40-1231	N328507	NEAPCO	148N-28-507

CROSS REFERENCE LISTING

PART#	COMPETITOR	MERITOR#	PART#	COMPETITOR	MERITOR#
N328537	NEAPCO	148N-28-537	N440721	NEAPCO	155N-40-721
N328547	NEAPCO	148N-28-547	N4-40-721	NEAPCO	PS28-16-8
N328557	NEAPCO	141N-28-557	N440761	NEAPCO	155N-40-761
N328567	NEAPCO	148N-28-567	N442051	NEAPCO	155N-4-2051
N32857	NEAPCO	135N-28-57	N45361	NEAPCO	155N-53-61
N328571	NEAPCO	135N-28-57-1	N52279	NEAPCO	16N-2-279
N328572	NEAPCO	135N-28-57-2	N528167	NEAPCO	16N-28-167
N32897	NEAPCO	141N-28-97	N528207	NEAPCO	16N-28-207
N33118KX	NEAPCO	141N-3-118KX	N528327	NEAPCO	16N-28-327
N3314561KX	NEAPCO	135N-3-1561KX	N528627	NEAPCO	16N-28-627
N331481KX	NEAPCO	141N-3-1481KX	N531411KX	NEAPCO	16N-3-1411X
N331501KX	NEAPCO	135N-3-1501KX	N532261KX	NEAPCO	16N-3-2261X
N331601KX	NEAPCO	148N-3-1601KX	N53288KX	NEAPCO	16N-3-288X
N331641KX	NEAPCO	148N-3-1641KX	N5401011	NEAPCO	16N-40-1011
N332041KX	NEAPCO	141N-3-2041KX	N5-40-1051	NEAPCO	16N-40-1051
N332471KX	NEAPCO	135N-3-2471KX	N5-40-1191	NEAPCO	16N-40-1191
N33488KX	NEAPCO	135N-3-488KX	N541721	NEAPCO	16N-4-1721
N33508KX	NEAPCO	141N-3-508KX	N5417211X	NEAPCO	16N-4-1721-1
N33598KX	NEAPCO	135N-3-598KX	N541931	NEAPCO	16N-4-1931
N33758KX	NEAPCO	135N-3-758KX	N543601X	NEAPCO	16N-4-3601X
N33788KX	NEAPCO	141N-3-788KX	N5-4-3611X	NEAPCO	16N-4-3611X
N3401101	NEAPCO	135N-40-1101	N543621	NEAPCO	16N-4-3621
N3401391	NEAPCO	148N-40-1391	N544401	NEAPCO	16N-4-4401
N3401471	NEAPCO	135N-40-1471	N544541	NEAPCO	16N-4-4541
N3401491	NEAPCO	135N-40-1491	N544551	NEAPCO	16N-4-4551
N3401531	NEAPCO	135N-40-1531	N545721	NEAPCO	16N-4-5721
N3401561	NEAPCO	135N-40-1561	N545751	NEAPCO	16N-4-5751
N3401571	NEAPCO	148N-40-1571	N546241	NEAPCO	16N-4-6241
N3401611	NEAPCO	135N-40-1611	N546291X	NEAPCO	16N-4-6291X
N346631X	NEAPCO	141N-4-6631X	N5464411X	NEAPCO	16TYS32-86A
N3531031	NEAPCO	141N-53-1031	N5-53-191	NEAPCO	16N-53-191
N3531081	NEAPCO	141N-53-1081	N6.3-4-271-1	NEAPCO	176N-4-271-1
N3531181	NEAPCO	135N-53-1181	N62739	NEAPCO	17N-2-739
N35311811	NEAPCO	135N-53-1181-1	N62749	NEAPCO	17NF20
N3531351	NEAPCO	135N-53-1351	N628137	NEAPCO	17N-28-137
N3531361	NEAPCO	141N-53-1361	N628347	NEAPCO	17N-28-347
N3531371	NEAPCO	141N-53-1371	N632817	NEAPCO	176N-28-17
N353431	NEAPCO	BSS24-52A	N63321KX	NEAPCO	176N-3-21XMXL
N3-53-431	NEAPCO	BSS24-52	N63321KX	NEAPCO	176N-3-21XMXL
N353451	NEAPCO	148N-53-451	N63410411X	NEAPCO	176TYS38-27A
N363062108	NEAPCO	RT-45-10-108	N634161	NEAPCO	176N-4-161
N36306272	NEAPCO	RT-45-10-72	N6341611	NEAPCO	176N-4-161-1
N3R26057	NEAPCO	R3R-26-57	N6343311X	NEAPCO	176N-4-331-1X
N3R28157	NEAPCO	R3R-28-157	N634331X	NEAPCO	176N-4-331X
N3R28307	NEAPCO	R3R-28-307	N634391	NEAPCO	176N-4-391
N3R28325	NEAPCO	R3R-28-325	N634531	NEAPCO	176N-4-531
N3R28327	NEAPCO	R3R-28-327	N6345411X	NEAPCO	176N-4-541-1X
N3R28397	NEAPCO	R3R-28-397	N634541X	NEAPCO	176N-4-541X
N3R28427	NEAPCO	R3R-28-427	N634641	NEAPCO	176NYS38-10
N3R28437	NEAPCO	R3R-28-437	N6347811X	NEAPCO	176N-4-781-1X
N3R28869	NEAPCO	R3R-28-869	N6347811X	NEAPCO	176N-4-781-1X
N3R36081X	NEAPCO	R3R-3-6081X	N634781X	NEAPCO	176N-4-781X
N3R39101X	NEAPCO	R3R-3-9101X	N6347911X	NEAPCO	176N-4-791-1X
N3R39131X	NEAPCO	R3R-3-9131X	N634791X	NEAPCO	176N-4-791X
N3R39161X	NEAPCO	R3R-3-9161X	N6348211	NEAPCO	176N-4-821-1
N3R39165KX	NEAPCO	R3R-3-9165KX	N638618	NEAPCO	SERUR33-4
N3R83482	NEAPCO	R3R-83-482	N640521	NEAPCO	17N-40-521
N42669	NEAPCO	155N-2-669	N640541	NEAPCO	17N-40-541
N428417	NEAPCO	155NY53-5	N641981	NEAPCO	17N-4-1981
N431241KX	NEAPCO	155N-3-1241X	N6419811	NEAPCO	17TYS31-54

CROSS REFERENCE LISTING

PART#	COMPETITOR	MERITOR#	PART#	COMPETITOR	MERITOR#
N641991	NEAPCO	17N-4-1991	N651891	NEAPCO	18N-4-1891
N642141	NEAPCO	17N-4-2141	N6528117	NEAPCO	18N-28-117
N642381	NEAPCO	17N-4-2381	N6528127	NEAPCO	18N-28-127
N642391	NEAPCO	17N-4-2391	N653151	NEAPCO	17N-53-151
N642441	NEAPCO	17N-4-2441	N653201	NEAPCO	17N-53-201
N643031	NEAPCO	17N-4-3031	N6-53-201	NEAPCO	BSS31-18
N643041X	NEAPCO	17N-4-3041X	N6-53-241	NEAPCO	17N-53-241
N643221	NEAPCO	17N-4-3221	N653311	NEAPCO	17N-53-311
N643241	NEAPCO	17N-4-3241	N6540191	NEAPCO	18N-40-191
N643611	NEAPCO	17N-4-3611	N6540201	NEAPCO	18N-40-201
N643611	NEAPCO	17N-4-6921X	N65418911	NEAPCO	18N-4-1891-1
N643791	NEAPCO	17N-4-3791	N6542171	NEAPCO	18N-4-2171
N644091	NEAPCO	17N-4-4091	N6542271X	NEAPCO	18N-4-2271X
N644291X	NEAPCO	17N-4-4291X	N6542531X	NEAPCO	18N-4-2531X
N644411X	NEAPCO	17N-4-4411X	N6542701	NEAPCO	18N-4-2701
N644551	NEAPCO	17N-4-4551	N6542711X	NEAPCO	18N-4-2711X
N644561	NEAPCO	17N-4-4561	N6543161	NEAPCO	18N-4-3161
N644601	NEAPCO	17N-4-4601	N6543221X	NEAPCO	18N-4-3221X
N6446011	NEAPCO	17N-4-4601-1	N6543251	NEAPCO	18N-4-3251
N644741X	NEAPCO	17N-4-4741X	N6543281X	NEAPCO	18N-4-3281X
N644831X	NEAPCO	17N-4-4831X	N65433811X	NEAPCO	18N-4-3381-1X
N645071X	NEAPCO	17N-4-5071X	N6543381X	NEAPCO	18N-4-3381X
N645131X	NEAPCO	17N-4-5131X	N6543441	NEAPCO	18NYS38-15
N645151X	NEAPCO	17N-4-5151X	N65435511X	NEAPCO	18N-4-3551-1X
N645461X	NEAPCO	17N-4-5461X	N6543551X	NEAPCO	18N-4-3551X
N645501	NEAPCO	17N-4-5501	N65435611X	NEAPCO	18N-4-3561-1X
N645711	NEAPCO	17N-4-5711	N6543561X	NEAPCO	18N-4-3561X
N645781	NEAPCO	17N-4-5781	N65435911	NEAPCO	18N-4-3591
N645791	NEAPCO	17N-4-5791	N65435911	NEAPCO	18N-4-3591-1
N646021X	NEAPCO	17N-4-6021X	N65437211	NEAPCO	18TYS38-27
N6460411X	NEAPCO	17N-4-6041-1X	N65437311X	NEAPCO	18TYS38-27A
N646041X	NEAPCO	17N-4-6041X	N65439211X	NEAPCO	18N-4-3921-1X
N646041X	NEAPCO	17N-4-8551X	N6543921X	NEAPCO	18N-4-3921X
N646331	NEAPCO	17N-4-6331	N6543921X	NEAPCO	18N-4-3921X
N646371	NEAPCO	17NYS32-99	N655391	NEAPCO	18N-53-91
N646371	NEAPCO	17TYS32-99	N9093632600	NEAPCO	R909363-2600
N646391X	NEAPCO	17N-4-6391X	N9093652600	NEAPCO	R909365-2600
N646401	NEAPCO	17NYS32-100	N9118182600	NEAPCO	R911818-2600
N646411X	NEAPCO	17N-4-6411X	N912747	NEAPCO	R912747
N6-4-6411X	NEAPCO	17NYS32-100A1	N912777	NEAPCO	R912777
N646421X	NEAPCO	17N-4-6421X	N9137973400	NEAPCO	R919976-3400
N646451	NEAPCO	17N-4-6451	N91382SF	NEAPCO	R91382SF
N646481	NEAPCO	17N-4-6481	N9553SF	NEAPCO	R9553-SF
N646841X	NEAPCO	17N-4-6841X	NCB2101211XSA	NEAPCO	CB210121-1XSA
N646871X	NEAPCO	17N-4-6871X	NCB2103911X	NEAPCO	CB210391-1X
N6469211X	NEAPCO	17N-4-6921-1X	ND2C	NEAPCO	ND2C
N6469311X	NEAPCO	17N-4-6931-1X	ND2K	NEAPCO	ND2K
N646931X	NEAPCO	17N-4-6931X	ND3A	NEAPCO	ND3A
N646941X	NEAPCO	17N-4-6941X	ND3E	NEAPCO	ND3E
N646951X	NEAPCO	17N-4-6951X	ND3H	NEAPCO	DC148N-1
N6471411	NEAPCO	17N-4-7141-1	ND3H	NEAPCO	ND3H
N647181X	NEAPCO	17N-4-7181X	ND3K	NEAPCO	ND3K
N647541	NEAPCO	17N-4-7541			
N647561X	NEAPCO	17NYS34-19A1			
N6476311X	NEAPCO	17N-4-7631-1X			
N6476411X	NEAPCO	17N-4-7641-1X			
N647771X	NEAPCO	17NYS38-38A			
N6-4-8331-1X	NEAPCO	17TYS32-60A			
N648531X	NEAPCO	17N-4-8531X			
N6-4-9001X	NEAPCO	17N-4-9001X			

NOTES

This image shows a single sheet of white paper with horizontal blue or grey ruling lines. The lines are evenly spaced and run across the width of the page. There are approximately 20 lines visible. The paper has a slight shadow on its right side, suggesting it's resting on a surface.

NUMERICAL PARTS LISTING

PART NUMBER	PAGE
2WCS22-51A1	15-24
2WCS24-42	15-25
2WCS24-43	15-25
2WCS28-33	15-25
2WCS28-72A	15-27
2WCS28-73	1-1
2WCS28-73A	15-27
2WCS28-80A	15-27
2WCS28-84A	15-27
2WCS32-12A	15-36
2WCS32-13	15-32, 15-33
2WCS32-13A	15-31
2WCS32-13A2	15-34
2WCS32-15AX	15-31
3WCS28-93A	1-1
3WCS31-15A	15-28, 15-29
3WCS32-43A	15-30
3WCS32-68	15-38
3WCS32-68A	15-36
3WCS32-68A2	15-37
3WCS32-68A2	15-37
3WCS32-73	1-1, 15-32, 15-33
3WCS32-73A	15-34
3WCS32-73A1	15-31
3WCS32-75A1	1-1, 15-36
3WCS32-79	15-29
3WCS32-81A	15-31
3WCS36-3	15-52, 15-53
3WCS36-25	15-52
3WCS36-25	15-53
3WCS38-8A1	15-40
3WCS38-9	15-41
3WCS38-11A	15-42
3WCS38-13A	15-41
3WCS40-1A	15-42
3WCS40-1A1	15-42
5WCS28-54A	15-27
5WCS28-64	15-44
5WCS28-66	15-44
5WCS28-66A	15-44
5WCS28-67	15-47, 15-51, 15-64
5WCS31-7A	15-28, 15-29
5WCS31-7A1	1-1
5WCS31-24	15-47, 15-51
5WCS31-26	15-47, 15-51
5WCS32-75	15-38
5WCS32-75A	15-36
5WCS32-75A2	15-37
5WCS32-76A	15-36
5WCS32-76A2	15-37
5WCS32-83	1-1
5WCS32-86	1-1
5WCS32-86A	1-1, 15-34
5WCS32-86A2	1-1, 15-31
5WCS32-86A3	15-34, 15-35
5WCS32-89	15-32, 15-33
5WCS32-89A	15-34
5WCS32-89A1	15-31
5WCS32-89A2	15-34, 15-35

PART NUMBER	PAGE
5WCS32-94	15-32, 15-33
5WCS32-94A	15-34
5WCS32-94A1	15-31
5WCS32-94A2	15-34, 15-35
5WCS32-96	15-44
5WCS32-103	1-1
5WCS32-103A1	1-1
5WCS34-7	15-38
5WCS34-8	15-38
5WCS34-9	15-38
5WCS36-76A2	15-39
5WCS36-112	15-52, 15-53
5WCS38-4	15-41
5WCS38-5A	15-41
5WCS38-6A	15-41
5WCS38-12A	15-41
5WCS38-12A2	15-42
5WCS38-18A	1-1, 15-40
5WCS38-20A	15-42
5WCS38-23A2	1-1, 15-40
5WCS38-24A	1-1, 15-42
5WCS38-25	15-45
5WCS38-26	15-45
5WCS38-28A	15-53
5WCS38-29A	15-53
5WCS38-31A	15-41
5WCS38-32A	15-41
5WCS38-34A	15-41
5WCS38-34A2	15-42
5WCS40-29A1	1-1, 15-42
5WCS40-39	15-42
5WCS40-40	15-55, 15-56
5WCS40-40A	15-55, 15-56
5WCS40-41	15-55, 15-56
5WCS40-41A	15-55, 15-56
5WCS40-42A	15-56
5WCS40-43A	15-56
5WCS40-45A	1-1
5WCS40-39	1-1
5WCS44-3	15-57, 15-58
5WCS44-3A	15-57, 15-58
10N-2-29	14-1
10N-3-12X	14-2
10N-3-18KX	14-1
10N-3-22X	14-2
10N-3-23X	14-2
10N-3-32X	14-2
10N-3-33X	14-2
10N-3-81X	14-2
10N-3-83X	14-2
10N-3-122X	14-2
10N-3-162X	14-2
10N-3-163X	14-2
10N-3-183X	14-2
10N-4-12	14-3
10N-4-13	14-3
10N-4-22	14-3
10N-4-23	14-3
10N-4-32	14-3
10N-4-33	14-3

PART NUMBER	PAGE
10N-4-43	14-3
10N-4-52	14-3
10N-4-53	14-3
10N-4-63	14-3
10N-4-73	14-3
10N-4-83	14-3
10N-4-93	14-3
10N-4-103	14-3
10N-4-113	14-3
10N-4-123	14-3
10N-4-133	14-3
10N-4-143	14-3
10N-4-173	14-3
10N-4-183	14-3
10N-4-193	14-3
10N-4-282	14-3
10N-4-443	14-3
10N-4-453	14-3
10N-4-473	14-3
10N-4-481	14-3
10N-4-573	14-3
10N-4-703	14-3
10N-4-139	14-3
10N-4-611	14-3
16N-1-2121	15-29
16N-1-6121	15-27
16N-1-6341X	15-39
16N-2-279	1-3
16N-2-629	1-3
16N-3-108X	2-4
16N-3-128X	2-4
16N-3-288X	2-4
16N-3-1411X	2-4
16N-3-2261X	2-4
16N-4-781	3-1, 15-9
16N-4-1051	3-1, 15-47, 15-51, 15-64
16N-4-1431	15-64
16N-4-1631	3-2
16N-4-1721	3-1
16N-4-1721-1	4-6
16N-4-1931	3-1, 15-26
16N-4-2081	3-1, 15-9
16N-4-2501	3-2, 15-28
16N-4-3321	3-3, 15-52, 15-53
16N-4-3321-1	15-52, 15-53
16N-4-3601X	3-1, 15-26
16N-4-3621	3-1, 15-26
16N-4-3681	3-2, 15-29
16N-4-3861	3-1, 15-26
16N-4-3901	15-9
16N-4-3911	15-10
16N-4-4391	15-3
16N-4-4401	3-3
16N-4-4441X	3-1
16N-4-4451X	3-1, 15-26
16N-4-4471	3-2, 15-10
16N-4-4471-1	15-10
16N-4-4481	3-1, 15-26
16N-4-4541	3-2

NUMERICAL PARTS LISTING

PART NUMBER	PAGE	PART NUMBER	PAGE	PART NUMBER	PAGE
16N-4-4551	3-2, 15-3	16N-28-167	5-3	16NYS38-13A	15-5
16N-4-4571	3-1, 15-9	16N-28-207	5-3	16NYS38-14A	15-5
16N-4-4571-1	15-9	16N-28-327	5-3	16NYS38-15A	15-4
16N-4-4741	15-65, 15-66	16N-28-627	5-3	16TYS28-8A	15-44
16N-4-4761X	3-1	16N-28-887	5-3	16TYS28-13A	4-6, 15-27
16N-4-4841X	3-2, 15-44	16N-40-1011	7-4	16TYS28-20	15-47, 15-51, 15-64
16N-4-4861	15-46	16N-40-1041	7-4	16TYS28-39	15-10
16N-4-4861-1	15-46	16N-40-1051	7-4	16TYS28-43A	15-9
16N-4-4961	15-52, 15-53	16N-40-1191	7-4	16TYS28-44A	15-3
16N-4-4971	15-55, 15-56	16N-53-141	7-1, 9-ii	16TYS28-51A	15-44
16N-4-4971-1	15-55, 15-56	16N-53-191	7-1, 9-ii	16TYS31-16	15-47, 15-51
16N-4-5031	3-3, 15-15	16NLS32-47A2 MXL	2-4	16TYS32-5	4-6
16N-4-5031-1	15-15	16NLS32-48A2 MXL	2-4	16TYS32-26A	15-30
16N-4-5031-1X	15-15	16NYS61	5-3	16TYS32-32	15-34, 15-35
16N-4-5081X	3-1	16NYS28-4A	3-1	16TYS32-32A	4-6, 15-31
16N-4-5111X	15-9	16NYS28-5A	15-26	16TYS32-32A1	15-34
16N-4-5131X	15-30	16NYS28-11	15-26	16TYS32-32A3	4-6
16N-4-5161X	15-15	16NYS28-28A	15-3	16TYS32-33A	15-31
16N-4-5281X	3-2, 15-28, 15-29	16NYS28-45	15-47, 15-51	16TYS32-49	15-64
16N-4-5421	15-38	16NYS28-45	15-61	16TYS32-55	15-3
16N-4-5421-1	15-38	16NYS28-59A	15-10	16TYS32-59	15-45
16N-4-5431X	15-36	16NYS28-60	3-2	16TYS32-60	15-32, 15-33
16N-4-5441	3-3, 15-38	16NYS28-60A	15-10	16TYS32-60A	15-31
16N-4-5461	3-3, 15-38	16NYS28-64A	3-2	16TYS32-60A1	15-34
16N-4-5501	15-15	16NYS30A	3-2, 15-28	16TYS32-61	4-6, 15-52, 15-65
16N-4-5511X	15-15	16NYS32-13A	15-36	16TYS32-65A	15-30
16N-4-5571	3-1	16NYS32-26A	15-30	16TYS32-75A	15-11
16N-4-5571-1	4-6	16NYS32-32	15-34, 15-35	16TYS32-76	4-6
16N-4-5621X	3-1, 15-27	16NYS32-32A1	15-34	16TYS32-76A	4-6
16N-4-5631	3-3, 15-4	16NYS32-32A3	3-2	16TYS32-78A	15-12
16N-4-5721	3-2, 15-3	16NYS32-33	15-34, 15-35	16TYS32-79A	15-11
16N-4-5731	3-3, 15-3	16NYS32-33A1	15-34	16TYS32-81A	15-11
16N-4-5741	3-3, 15-4	16NYS32-43	3-2	16TYS32-86A	4-6
16N-4-5751	3-3, 15-4	16NYS32-47	3-2	16TYS34-9A	15-13
16N-4-5981	3-2	16NYS32-49	15-64	16TYS34-9A1	15-13
16N-4-5991X	3-2	16NYS32-55	15-3	16TYS34-10A	15-4
16N-4-6131-1	15-3	16NYS32-68A1	15-11	16TYS34-11A	15-4
16N-4-6241	3-3, 15-32, 15-33	16NYS32-73A	15-11	16TYS34-16A	15-39
16N-4-6251	15-27	16NYS32-74	3-2	16TYS34-21A	4-6, 15-38
16N-4-6261	3-1, 15-27	16NYS32-74A	3-2, 15-11	16TYS36-11A	15-53
16N-4-6271	3-2, 15-32, 15-33	16NYS32-77A	15-12	16TYS36-14A1	15-16
16N-4-6271-1	4-6, 15-32, 15-33	16NYS32-78A	15-12	16TYS36-15A	15-16
16N-4-6281X	3-2, 15-31	16NYS32-79A	15-11	16TYS36-16A	15-16
16N-4-6291X	3-3, 15-31	16NYS32-80A	15-11	16TYS38-11A	4-6, 15-42
16N-4-6321	3-2, 15-52, 15-65	16NYS34-9A1	15-13	16TYS38-12A	15-40
16N-4-6321-1	4-6	16NYS34-10A	15-4	16TYS38-13A	15-5
16N-4-6421-1	4-6	16NYS34-11A	15-4	16TYS38-14A	15-5
16N-4-6431-1X	4-6	16NYS34-12	15-13	16TYS38-15A	15-4
16N-4-6871X	15-36, 15-37	16NYS34-13A1	15-13	16TYS38-22A	15-53
16N-4-6891X	3-3, 15-39	16NYS34-14A	15-13	16TYS42	15-68
16N-4-6951-1X	4-6, 15-36, 15-37	16NYS34-14A1	15-13	16TYSB28-53	15-27
16N-4-6951X	3-2, 15-36, 15-37	16NYS34-23A	3-3	16TYSB28-58A	15-47, 15-51
16N-4-6961X	3-3, 15-36	16NYS36-7	3-3	16TYSB31-20	15-47, 15-51, 15-64
16N-4-7171-1	4-6	16NYS36-8A	15-16	16TYSB31-20A	15-47, 15-51, 15-64
16N-4-7291X	15-3	16NYS36-14A1	15-16	16TYSB32-72	15-52, 15-65
16N-4-7301X	15-9	16NYS36A1	15-39	16TYSB32-72A	15-52, 15-65
16N-4-7311X	15-13	16NYS38-8A	3-3, 15-40	17N-1-1461	15-29
16N-4-7331-1	4-6	16NYS38-11A	3-3, 15-42	17N-1-4541	15-46
16N-4-7341-1X	4-6	16NYS38-12	3-3	17N-1-4631X	15-45
16N-4-7551	15-13	16NYS38-12A	3-3, 15-40	17N-1-5371X	15-44

NUMERICAL PARTS LISTING

PART NUMBER PAGE

17N-1-5631X	15-39
17N-2-739	1-3
17N-3-1461X	2-4
17N-3-2401X MXL	2-4
17N-3-2571X MXL	2-4
17N-3-2631X MXL	2-4
17N-3-2651X MXL	2-4
17N-3-2671X MXL	2-4
17N-3-2761X MXL	2-4
17N-3-3021X MXL	2-4
17N-4-1971	3-8
17N-4-1991	3-8
17N-4-2081	15-9
17N-4-2131	3-5, 15-51
17N-4-2141	3-8, 15-52, 15-53
17N-4-2151	3-8
17N-4-2161	3-5
17N-4-2181	3-7, 3-8, 15-15
17N-4-2191	3-5
17N-4-2191-1	15-30
17N-4-2211	3-5, 15-11
17N-4-2271	3-4, 15-28
17N-4-2361	3-5
17N-4-2371	3-5
17N-4-2381	3-4, 15-26
17N-4-2391	3-5
17N-4-2441	3-8
17N-4-2501	3-8
17N-4-2511	3-8
17N-4-3031	3-7, 15-65, 15-66
17N-4-3031-1	15-65, 15-66
17N-4-3041X	3-7, 15-66
17N-4-3171	3-5
17N-4-3191	15-64
17N-4-3221	3-5, 15-29
17N-4-3241	3-5
17N-4-3241-1	15-30
17N-4-3271	3-5
17N-4-3291	3-4
17N-4-3361	3-4
17N-4-3391	3-4, 15-9
17N-4-3501	3-8
17N-4-3611	3-9, 15-55, 15-56
17N-4-3611-1	15-55, 15-56
17N-4-3721	3-5, 15-3
17N-4-3791	3-6
17N-4-4091	3-4, 15-26
17N-4-4131	3-5, 15-29
17N-4-4141	3-4, 15-9
17N-4-4151	3-5, 15-10
17N-4-4161	15-15
17N-4-4171X	3-7, 3-8, 15-15
17N-4-4181X	3-5, 15-28, 15-29
17N-4-4291X	3-5, 15-30
17N-4-4301X	3-4, 15-9
17N-4-4361X	3-5, 15-28, 15-29
17N-4-4371	3-4, 15-3
17N-4-4391X	3-5
17N-4-4411X	3-8, 15-39
17N-4-4421	3-9

PART NUMBER PAGE

17N-4-4481X	3-5, 15-28, 15-29
17N-4-4551	3-10
17N-4-4561	3-8, 15-45
17N-4-4561-1	4-8, 15-45
17N-4-4581	3-9
17N-4-4591	3-7, 3-8, 15-15
17N-4-4601-1	4-8, 4-9
17N-4-4651	15-68
17N-4-4721	3-5
17N-4-4721-1	15-10
17N-4-4731X	3-5, 15-11
17N-4-4741X	3-5
17N-4-4751X	15-18
17N-4-4771	3-9, 15-45
17N-4-4771-1	4-8
17N-4-4831X	3-4, 15-26
17N-4-4851X	3-5
17N-4-4861X	3-4
17N-4-4961	3-7, 15-14
17N-4-4961-1	15-14
17N-4-5031	3-4
17N-4-5041-1	15-44
17N-4-5041X	3-4, 15-44
17N-4-5061X	3-7, 3-8, 15-14
17N-4-5071X	3-8
17N-4-5111X	3-4
17N-4-5131X	3-4
17N-4-5141	3-5, 15-10
17N-4-5151X	3-5
17N-4-5341	3-8, 15-67
17N-4-5351	3-10, 15-68
17N-4-5351-1	4-9
17N-4-5451	3-9
17N-4-5461-1X	4-8
17N-4-5461X	3-9, 15-41
17N-4-5481X	3-7, 3-8, 15-15
17N-4-5501	3-6, 15-38
17N-4-5521	3-6, 15-38
17N-4-5531X	15-36
17N-4-5541	3-6, 15-38
17N-4-5551X	15-36
17N-4-5711	3-8, 15-4
17N-4-5711-1	15-4
17N-4-5781	3-5, 15-3
17N-4-5791	3-7
17N-4-5801	3-8, 15-4
17N-4-5821	3-7, 15-3
17N-4-5841	3-9
17N-4-5931-1	4-8
17N-4-5961X	3-9, 15-41
17N-4-5991	3-6
17N-4-6011	3-6
17N-4-6021X	3-6
17N-4-6031	3-8
17N-4-6031-1	4-8
17N-4-6041-1X	4-8
17N-4-6041X	3-8
17N-4-6201	15-3
17N-4-6321	3-4, 15-27
17N-4-6331	3-4, 15-27

PART NUMBER PAGE

17N-4-6331-1	15-27
17N-4-6371	15-32, 15-33
17N-4-6381X	15-34
17N-4-6391X	3-6, 15-31
17N-4-6401	15-32, 15-33
17N-4-6411X	3-6, 15-34
17N-4-6421X	3-6, 15-31
17N-4-6451	3-4
17N-4-6481	3-4
17N-4-6611-1	4-9
17N-4-6821	3-10, 15-57, 15-58
17N-4-6821-1	4-9, 15-57, 15-58
17N-4-6841X	3-10, 15-58
17N-4-6861	15-52, 15-53
17N-4-6861-1	4-8
17N-4-6871X	3-6, 15-36, 15-37
17N-4-6891X	3-8, 15-39
17N-4-6901-1X	4-8, 15-52, 15-53
17N-4-6921-1X	4-9
17N-4-6921X	3-9, 15-55, 15-56
17N-4-6931-1X	4-9, 15-57, 15-58, 15-60
17N-4-6931X	3-10, 15-57, 15-58, 15-60
17N-4-6941X	3-6, 15-36, 15-37
17N-4-6951-1	15-38
17N-4-6951-1X	4-7, 15-38
17N-4-6951X	3-6, 15-37
17N-4-6961-1X	4-8
17N-4-6961X	3-9, 15-42
17N-4-7041X	15-56
17N-4-7071X	3-10, 15-67
17N-4-7141	3-5
17N-4-7141-1	4-7
17N-4-7161	3-9
17N-4-7171X	3-6
17N-4-7181-1X	4-8, 15-40
17N-4-7181X	3-9, 15-40
17N-4-7231X	3-5
17N-4-7241X	3-8
17N-4-7271X	15-53
17N-4-7301	15-52, 15-65
17N-4-7321-1X	4-7
17N-4-7321X	15-13
17N-4-7371-1	4-8
17N-4-7541	3-7, 15-13
17N-4-7561-1X	4-7
17N-4-7561X	3-7
17N-4-7621-1	4-7
17N-4-7631-1X	4-7, 15-31
17N-4-7641-1X	4-7
17N-4-7691	15-67
17N-4-7691-1	4-9, 15-67
17N-4-7771-1X	4-8
17N-4-7851X	3-9, 15-42
17N-4-8461	3-8
17N-4-8461-1	4-8, 4-9
17N-4-8521X	3-4
17N-4-8531X	3-6
17N-4-8551-1X	4-8

NUMERICAL PARTS LISTING

PART NUMBER	PAGE	PART NUMBER	PAGE	PART NUMBER	PAGE
17N-4-8551X	3-8	17NYS32-60	3-6	17NYS40-106	3-9
17N-4-8991-1X	4-7	17NYS32-63A	15-30	17NYS40-106A	3-9, 15-42
17N-4-9001-1X	4-7	17NYS32-63A1	15-30	17NYS40-106A1	3-9
17N-4-9001X	3-6, 3-7	17NYS32-65	15-3	17NYS48-43A	15-5
17N-4-9041X	3-6, 3-7	17NYS32-85A	15-11	17NYSM40-122	8-2
17N-4-1981	3-5	17NYS32-86A	15-11	17NYSM40-170	8-2
17N-4-4601	3-8	17NYS32-90A	3-6, 15-12	17NYSM40-172	8-2
17N-4-4651	3-10	17NYS32-91A	3-6, 15-12	17NYSM40-173	8-2
17N-4-6601	3-9	17NYS32-93A	15-11	17NYSM40-177	8-2
17N-28-137	5-3	17NYS32-99	3-6	17TYS26-3	15-25
17N-28-347	5-3	17NYS32-99A	3-6	17TYS28-7 (C)	15-9
17N-40-61	7-4	17NYS32-99A3	3-6	17TYS28-43A (C)	15-27
17N-40-521	7-4	17NYS32-100	3-6	17TYS28-51 (C)	15-10
17N-40-541	7-4	17NYS32-100A	3-6	17TYS28-57	4-7
17N-40-621	7-4	17NYS32-100A1	3-6	17TYS28-57A	4-7, 15-27
17N-40-631	7-4	17NYS32-100A2	3-6	17TYS28-58A	15-9
17N-53-151	7-1, 9-ii	17NYS34-5	3-7, 3-8	17TYS28-59A	15-10
17N-53-201	7-1, 9-ii	17NYS34-5A	15-15	17TYS28-60	15-9
17N-53-241	7-1, 9-ii	17NYS34-9A	3-7, 15-3	17TYS28-62A	15-44
17N-53-311	7-1, 9-ii	17NYS34-10	15-4	17TYS28-63	4-7
17N-53-411	7-1, 9-ii	17NYS34-14A1	15-13	17TYS28-64	15-9
17N-82-1061-3	8-2	17NYS34-15	3-7	17TYS31-19 (C)	15-3
17N-82-1061-4	8-2	17NYS34-15A	15-4	17TYS31-36A (C)	15-11
17N-82-1061-8	8-2	17NYS34-16A	15-4	17TYS31-49A (C)	15-10
17N-82-1061-9	8-2	17NYS34-17	15-13	17TYS31-55	15-3
17N-82-1091-2	8-2	17NYS34-18	3-7	17TYS31-57A	15-11
17N-82-1171-1	8-2	17NYS34-18A1	3-7, 15-13	17TYS31-58A	15-10
17N-82-1171-2	8-2	17NYS34-19	3-7	17TYS31-59A	15-28, 15-29
17N-82-1171-5	8-2	17NYS34-19A	15-13	17TYS31-62	15-47, 15-51
17N-82-1171-12	8-2	17NYS34-19A1	3-7, 15-13	17TYS31-66A	4-7
17N-82-1211	8-2	17NYS34-20	3-7	17TYS32-21 (C)	15-64
17NF1	1-3	17NYS34-20A	3-7	17TYS32-55A (C)	15-31
17NF20	1-3	17NYS34-29	3-7	17TYS32-55 (C)	15-32, 15-33
17NF25	1-3	17NYS34-29A	3-7, 15-38	17TYS32-56	15-32, 15-33
17NF27	1-3	17NYS36-19A	15-39	17TYS32-56A	15-31
17NF28	1-3	17NYS36-48A	15-53	17TYS32-56A1	15-34
17NLS40-82DC	2-4	17NYS36-57A1	15-16	17TYS32-59 (C)	15-3
17NLS40-98CA1 MXL	2-4	17NYS36-60A	15-16	17TYS32-60	4-7
17NLS40-121A	2-4	17NYS36-62A	3-8, 15-16	17TYS32-60A	4-7
17NLS40-121A1MXL	2-4	17NYS36A	15-39	17TYS32-65	15-3
17NLS40-124A1 MXL	2-4	17NYS38-17	3-9	17TYS32-66 (C)	15-52, 15-65
17NY60-15	5-3	17NYS38-17A	15-41	17TYS32-67 (C)	15-45
17NYS26	3-4, 15-25	17NYS38-17A2	3-9, 15-42	17TYS32-68	15-32, 15-33
17NYS28-5	15-3	17NYS38-31	3-9	17TYS32-68A2	15-34, 15-35
17NYS28-43A	3-4, 15-27	17NYS38-32A2	3-9	17TYS32-69	15-38
17NYS28-55A	15-9	17NYS38-38	3-9	17TYS32-69A	15-36
17NYS28-65A	15-10	17NYS38-38A	3-9, 15-40	17TYS32-70A	15-36
17NYS28-66A	3-4, 15-10	17NYS38-41A	15-4	17TYS32-70A1	15-37, 15-37
17NYS28-11	3-4	17NYS38-42A	15-5	17TYS32-73	4-7, 15-52
17NYS30	3-4, 15-28	17NYS38-44A	15-17	17TYS32-73	15-65
17NYS31-13A	15-11	17NYS38-44A1	3-9, 15-17	17TYS32-75	15-64
17NYS32-10A	15-30	17NYS38-61	3-9	17TYS32-76	15-3
17NYS32-10A1	15-30	17NYS38-61A	3-9, 15-40	17TYS32-77	15-45
17NYS32-21	15-64	17NYS38-62	15-45	17TYS32-83A	15-30
17NYS32-40A	15-36	17NYS38-63	3-9, 15-41	17TYS32-89A	15-11
17NYS32-40A1	3-6	17NYS38-69A	15-41	17TYS32-92A	4-7, 15-11
17NYS32-41A1	3-6	17NYS38-78	3-9	17TYS32-94A	4-7, 15-12
17NYS32-41A2	3-6	17NYS39-1A	15-18	17TYS32-95A1	4-7
17NYS32-55A3	15-34, 15-35	17NYS39-2A	15-18	17TYS32-96	15-32, 15-33
17NYS32-56A3	15-34, 15-35	17NYS40-37A	3-9, 15-42	17TYS32-96A	15-31

NUMERICAL PARTS LISTING

PART NUMBER	PAGE
17TYS32-96A1.....	15-34
17TYS32-99.....	4-7
17TYS32-99A.....	4-7
17TYS34-3A (C).....	15-15
17TYS34-14A1.....	4-7, 15-13
17TYS34-14A (C).....	15-13
17TYS34-15A (C).....	15-4
17TYS34-16A.....	15-4
17TYS34-18A1.....	4-7
17TYS34-21A.....	15-13
17TYS34-22A.....	15-4
17TYS34-23.....	15-15
17TYS34-23A.....	15-15
17TYS34-26A.....	15-38
17TYS34-29.....	4-7
17TYS34-29A.....	15-38
17TYS34-38AX.....	15-38
17TYS36-4 (C).....	15-65, 15-66
17TYS36-48A (C).....	15-53
17TYS36-52A.....	4-8, 15-39
17TYS36-54A.....	15-66
17TYS36-55A.....	15-53
17TYS36-58A1.....	4-8, 15-16
17TYS36-59A.....	15-39
17TYS36-61A.....	15-16
17TYS36-62A.....	4-8, 15-16
17TYS37-1A.....	4-8
17TYS38-7 (C).....	15-46
17TYS38-22 (C).....	15-45
17TYS38-29A.....	4-8
17TYS38-32A (C).....	15-40
17TYS38-41A (C).....	15-4
17TYS38-42A (C).....	15-5
17TYS38-43.....	15-5
17TYS38-43A.....	15-5
17TYS38-44A1.....	15-17
17TYS38-44A (C).....	15-17
17TYS38-50A (C).....	15-53
17TYS38-52A.....	15-41
17TYS38-53A.....	15-42
17TYS38-53A1.....	15-41
17TYS38-55.....	15-46
17TYS38-58A.....	15-4
17TYS38-59A.....	15-5
17TYS38-60A.....	15-17
17TYS38-62.....	15-45
17TYS38-64A.....	15-53
17TYS38-70A.....	4-8, 15-42
17TYS38-70A1.....	15-41
17TYS38-71.....	4-8
17TYS38-71A.....	15-40
17TYS38-75A.....	4-8
17TYS38-76.....	4-8
17TYS38-76A.....	4-8
17TYS38-76A2.....	4-8
17TYS38-78A.....	4-8
17TYS39-2A.....	15-18
17TYS39-3A (C).....	15-18
17TYS39-4A.....	15-18
17TYS40-9 (C).....	15-55, 15-56

PART NUMBER	PAGE
17TYS40-125A (C).....	15-55, 15-56
17TYS40-131A (C).....	15-56
17TYS40-143A.....	15-56
17TYS40-144A.....	15-55, 15-56
17TYS40-151A.....	15-42
17TYS40-152.....	4-9
17TYS42-1 (C).....	15-68
17TYS42-4.....	15-68
17TYS42-5A.....	15-67
17TYS44-5 (C).....	15-68
17TYS44-7A (C).....	15-57, 15-58
17TYS44-11.....	15-68
17TYS44-12A.....	15-58
17TYS44-14.....	4-9
17TYSB32-84.....	15-52, 15-65
17TYSB32-84A.....	15-52, 15-65
17TYSB32-98A.....	4-7
17TYS31-54.....	4-7
18N-1-2341X.....	15-39
18N-3-1351X MXL.....	2-4
18N-3-1371X MXL.....	2-4
18N-3-1431X MXL.....	2-4
18N-4-1891-1.....	4-12
18N-4-1911.....	3-12
18N-4-1921.....	3-12
18N-4-1921-1.....	15-30
18N-4-1961.....	3-13, 15-53, 15-54
18N-4-1971.....	3-12, 15-65, 15-66
18N-4-1971-1.....	15-65, 15-66
18N-4-1981.....	3-13
18N-4-1991.....	3-13
18N-4-2011.....	3-13
18N-4-2021-1.....	15-52, 15-53
18N-4-2051.....	3-12, 15-3
18N-4-2171.....	15-68
18N-4-2171-1.....	4-12, 15-68
18N-4-2251.....	15-29
18N-4-2271X.....	3-12
18N-4-2291.....	3-12, 15-15
18N-4-2341X.....	3-12, 15-30
18N-4-2351X.....	15-11
18N-4-2361X.....	3-13, 15-18
18N-4-2401-1X.....	15-15
18N-4-2401X.....	15-15
18N-4-2441.....	3-12, 15-14
18N-4-2451X.....	3-12
18N-4-2531X.....	3-12
18N-4-2541.....	15-46
18N-4-2541-1.....	15-46
18N-4-2551-1X.....	15-39
18N-4-2551X.....	3-12, 15-39
18N-4-2581.....	3-13, 15-45
18N-4-2581-1.....	15-45
18N-4-2701.....	3-13
18N-4-2711X.....	3-13, 15-41
18N-4-2781.....	3-12
18N-4-2781-1.....	15-38
18N-4-3011.....	15-67
18N-4-3021.....	3-13, 15-67, 15-68
18N-4-3031-1.....	15-68

PART NUMBER	PAGE
18N-4-3161.....	3-13, 15-4
18N-4-3171X.....	15-36
18N-4-3201.....	3-13
18N-4-3221-1X.....	4-12, 15-41
18N-4-3221X.....	3-13, 15-41
18N-4-3251.....	3-13
18N-4-3271.....	3-12
18N-4-3271-1.....	4-12
18N-4-3281-1X.....	4-11
18N-4-3281X.....	3-12
18N-4-3371.....	3-12, 15-32, 15-53
18N-4-3371-1.....	4-11, 4-12
18N-4-3381-1X.....	4-11
18N-4-3381X.....	3-12, 15-34
18N-4-3451.....	3-13
18N-4-3451-1.....	4-12
18N-4-3491.....	15-57, 15-58
18N-4-3491-1.....	4-12, 15-57, 15-58
18N-4-3501X.....	15-58
18N-4-3541.....	15-67
18N-4-3541-1X.....	15-67
18N-4-3551-1X.....	4-12, 15-55, 15-56
18N-4-3551X.....	3-13, 15-55, 15-56
18N-4-3561-1X.....	4-12, 15-57, 15-58
18N-4-3561X.....	15-57, 15-58, 15-60
18N-4-3571X.....	3-12, 15-37
18N-4-3581-1X.....	4-12, 15-42
18N-4-3581X.....	3-13, 15-42
18N-4-3591.....	3-13
18N-4-3591-1.....	4-12
18N-4-3621-1X.....	4-12, 15-56
18N-4-3621X.....	15-56
18N-4-3641X.....	15-4
18N-4-3691X.....	3-12, 15-13
18N-4-3721-1.....	4-12
18N-4-3731-1X.....	4-12, 15-40
18N-4-3821.....	15-67
18N-4-3821-1.....	15-67
18N-4-3841-1.....	4-11, 15-34
18N-4-3911-1.....	4-12
18N-4-3921-1X.....	4-12
18N-4-3921X.....	3-13, 15-17
18N-4-3931.....	15-13
18N-4-4271-1X.....	4-12
18N-4-4351X.....	3-12
18N-4-4571-1X.....	4-11
18N-4-1891.....	3-12
18N-4-2171.....	3-13
18N-28-117.....	5-3
18N-28-127.....	5-3
18N-40-191.....	7-5
18N-40-201.....	7-5
18N-53-51.....	7-1, 9-ii
18N-53-91.....	7-1, 9-ii
18N-53-171.....	7-1, 9-ii
18NLS48-13A.....	2-4
18NYS31A.....	15-28, 15-29

NUMERICAL PARTS LISTING

PART NUMBER	PAGE	PART NUMBER	PAGE	PART NUMBER	PAGE
18NYS32-1A	15-30	18TYS38-27A2	4-12	25WYS38-3A	15-40
18NYS32-3	15-38	18TYS38A	15-41	25WYS38-6A	3-25, 15-17
18NYS32-12A2	3-12, 15-34, 15-35	18TYS39A	15-18	25WYS38-8A	3-25, 15-42
18NYS32-12A3	15-31	18TYS40-9A	4-12	25WYS38-8A1	3-25
18NYS32-17A	15-34	18TYS44-3A	15-58	25WYS38-9A1	3-25
18NYS32-17A1	15-34, 15-35	18TYS45	4-12	25WYS38-13	3-25
18NYS32-17A2	15-31	20RLS40-2A1S	2-2	25WYS38-13A	3-25
18NYS34-2A1	15-13	20RLS40-3A1S	2-2	25WYS40-2A	3-25, 15-55, 15-60
18NYS34-3A1	3-12, 15-13	20RLS40-11A1S	2-2	25WYS40-3	3-25, 15-57
18NYS34-4A	15-38	20RY60-7	5-2	25WYS40-4A	3-25, 15-57
18NYS34-5A	3-12, 15-38	20RY60-5	5-2	25WYS44-2	3-25
18NYS36-16A1	15-16	20RY60-6 ¹	5-2	25WYS44-2A	3-25, 15-58, 15-60
18NYS36-17	3-12	20RYSM40-24	8-2	25WYS45	3-25, 15-58, 15-59
18NYS36-17A	15-39	20RYSM40-26	8-2	25WYS57-1	3-25
18NYS36-19A	15-16	20RYSM40-27	8-2	25WYSC38-11	3-25
18NYS36-20A	3-12, 15-16	20RYSM40-28	8-2	40-X-1233	9-3, 15-1
18NYS36A	15-39	20RYSM40-31	8-2	40-X-1236	9-3, 15-1
18NYS38-6A	3-13	20RYSM40-35	8-2	40-X-1237	9-3, 15-1
18NYS38-8A3	15-42	20WYS28-1A	3-23, 15-10	50NPS28-45	7-4
18NYS38-15	3-13	20WYS28-2A	3-23, 15-10	58WBLS28-41A	2-5
18NYS38-16A	15-40	20WYS32-1	15-35	58WBLS28-42A	2-5
18NYS38-19A	15-5	20WYS32-1A	15-35	58WBYS3-1	5-4
18NYS38-21	3-13	20WYS32-2	3-23, 15-35	58WBYS24-6	3-22
18NYS38-21A1	15-17	20WYS32-2A	3-23, 15-35	58WBYS26	3-22
18NYS38-23	15-45	20WYS32-5A	3-23	58WBYS32-34	3-22
18NYS38-25A	15-41	20WYS32-6A	3-23	58WBYS22-3	3-14
18NYS38-27	3-13	20WYS32-7A	3-23, 15-12	58WBYS24	15-61
18NYS38-27A	3-13	20WYS32-8A	3-23, 15-12	58WBYS24-1A	15-25
18NYS38-27A1	3-13	20WYS32-9A	3-23, 15-12	58WBYS24-7	15-61
18NYS38-27A2	3-13	20WYS32-10A	3-23, 15-11	58WBYS25-8	3-14
18NYS40-5	3-13	20WYS32-10A	3-23, 15-11	58WBYS25-8	3-14
18NYS40A	15-42	20WYS32-17	3-23	58WBYS28-1	3-14
18NYS44-3	3-13	20WYS32-17A	3-23	58WBYS28-3	15-26
18NYS48-1A	15-42	20WYS34-1A	3-23, 15-13	58WBYS28-3A	15-26
18NYSB38-1	15-40	20WYS34-2A	3-23, 15-13	58WBYS28-14	3-14
18TYS31-1A	15-11	20WYS34-3A	3-23, 15-14	58WBYS28-54	15-47, 15-51, 15-64
18TYS31-5A	4-11	20WYS34-4A	3-23, 15-14	58WBYS28-6	3-14
18TYS32-3A	15-36	20WYS36-1A	3-23, 15-16	58WBYS28-82	3-14
18TYS32-3A1	15-37	20WYS36-2A	3-23	58WBYS28-144	15-44
18TYS32-12	15-32, 15-33	20WYS36-3A	3-23, 15-16	58WBYS28-145	3-15
18TYS32-12A1	4-11, 4-12, 15-31	20WYS38-1A	15-40	58WBYS28-154	15-47, 15-51
18TYS32-12A2	4-11, 15-34, 15-35	20WYS38-3A	3-23, 15-40	58WBYS28-162A	15-44
18TYS34-2A1	15-13	20WYS38-4A	3-23, 15-40	58WBYS28-163	15-44
18TYS34-4AX	15-38	20WYS38-8	3-23	58WBYS28-172	3-15
18TYS34-5	4-11	20WYS38-8A	3-23, 15-42	58WBYS28-182A	15-27
18TYS34-5A	15-38	20WYS38-10A	3-23, 15-42	58WBYS28-186A	3-15, 15-27
18TYS36-15A	15-53	20WYS38-10A1	3-23	58WBYS28-218	15-47, 15-51
18TYS36-16A1	15-16	20WYS38-11A	3-23, 15-17	58WBYS28-218	15-61
18TYS36-17	4-12	20WYS40-2A	3-23, 15-55, 15-60	58WBYS28-51	3-14
18TYS36-17A	15-39	20WYS40-3	3-24, 15-57	58WBYS30	3-15
18TYS36-19A	15-16	20WYS40-4A	3-24, 15-57	58WBYS30-6	15-44
18TYS36-20A	4-12, 15-16	20WYS44-2A	3-24, 15-58, 15-60	58WBYS30-7	15-44
18TYS38-9	4-12	20WYS45	3-24, 15-58, 15-59	58WBYS31-13	3-15
18TYS38-15	4-12	20WYS57-1	3-24	58WBYS31-21	3-15
18TYS38-19A	15-5	20WYSC38-18	3-23	58WBYS32-39	15-64
18TYS38-20A	15-4	25RLS48-1A1S	2-2	58WBYS32-41A	15-30
18TYS38-21A	15-17	25RPL-SLIP	7-5	58WBYS32-44	15-52, 15-65
18TYS38-21A1	15-17	25RY68-3	5-2	58WBYS32-47	15-32, 15-33
18TYS38-24	4-12, 15-45	25WYS36-1A	3-25, 15-16	58WBYS32-47A	15-31
18TYS38-27A	4-12	25WYS36-2A	3-25	58WBYS32-47A2	15-34
		25WYS36-3A	3-25, 15-16	58WBYS34-7	3-15, 15-14, 15-15

NUMERICAL PARTS LISTING

PART NUMBER	PAGE
62NLS28-2A	2-5
62NLS28-3DC	2-5
62NLS28-43DC	2-5
62NLS28-82A	2-5
62NPS28	7-3
62NPS28-4	7-4
62NY52-7	5-4
62NY53-1	5-4
62NYS22-9A	15-24
62NYS22-10	3-16
62NYS24-17	3-16
62NYS24-17A1	3-16, 15-25
62NYS24-36	15-25
62NYS26-11	3-16
62NYS26-11A	3-16
62NYS26-13	3-16, 15-25
62NYS28-21	3-16
62NYS28-26	3-16
62NYS28-32	3-16
62NYS28-111	15-26
62NYS28-111A	15-26
62NYS28-123	3-16, 15-26
62NYS28-123A	3-16, 15-26
62NYS28-154A	15-27
62NYS28-155	3-16
62NYS28-155A	3-16, 15-27
62NYS28-160	3-16
62NYS28-160A	3-16, 15-27
62NYS28-195	15-26
62NYS28-195A	15-26
62NYS28-201A	15-27
62NYS28-202	3-16
62NYS28-202A	3-16, 15-27
62NYS30-22	15-44
62NYS31-5	3-16
62NYS32-16A	15-30
62NYS32-48	15-32, 15-33
62NYS32-48A	3-16, 15-31
62NYS36-2	3-16
62NYSB24-31	1-6, 15-25
72NLS32-1DC	2-5
72NLS32-20DC	2-5
72NLS32-142A	2-5
72NY52-20	5-4
72NYR24-2	3-22
72NYS24	3-17
72NYS24-22	3-17
72NYS24-25A	15-25
72NYS24A1	15-25
72NYS26-3	3-17
72NYS26-7	3-17
72NYS28-1	3-17
72NYS28-2	3-17
72NYS28-5	3-17
72NYS28-6	3-17
72NYS28-10	3-17, 15-47
72NYS28-18	15-51, 15-64
72NYS28-23	3-17
72NYS28-42	15-26
72NYS28-42A	15-26

PART NUMBER	PAGE
72NYS28-51	3-17
72NYS28-66	15-44
72NYS28-84	3-17
72NYS28-123	3-17
72NYS28-141	3-17, 15-44
72NYS28-141A	3-17
72NYS28-162A	15-27
72NYS28-165	15-27
72NYS28-166	3-17
72NYS28-166A	3-17, 15-27
72NYS28-174A	15-26
72NYS28-176	15-27
72NYS28-177	3-17, 15-27
72NYS28-179	15-27
72NYS28-183	3-17
72NYS28-200	3-17
72NYS28-65	3-17
72NYS30-1	15-44
72NYS30-2	3-17, 15-28
72NYS30-2A	3-17
72NYS30-3	3-17
72NYS31	3-18
72NYS31-1	3-18
72NYS31-2	3-18
72NYS31-2A	3-18, 15-10
72NYS31-3	3-18, 15-29
72NYS31-3A	15-28, 15-29
72NYS31-4	3-18, 15-29
72NYS31-4A	3-18, 15-28, 15-29
72NYS31-8	3-18, 15-29
72NYS31-8A	15-28, 15-29
72NYS31-27	3-18
72NYS31-93	3-18
72NYS32	3-18
72NYS32-9	3-18
72NYS32-12	3-18
72NYS32-16	3-18
72NYS32-39	3-18
72NYS32-48	3-18, 15-30
72NYS32-104	3-18
72NYS32-110	3-18
72NYS32-157	15-64
72NYS32-172	15-64
72NYS32-219	3-18, 15-38
72NYS32-219A	15-37
72NYS32-219A1	15-36
72NYS32-220	3-18, 15-38
72NYS32-220A	3-18, 15-37, 15-37
72NYS32-220A1	15-36
72NYS32-221	3-18, 15-38
72NYS32-221A	15-37
72NYS32-221A2	15-36
72NYS32-222	3-18, 15-38
72NYS32-222A	15-36
72NYS32-222A1	3-18, 15-37
72NYS32-244	3-18, 15-32, 15-33
72NYS32-244A	3-18, 15-31
72NYS32-244A1	3-18, 15-34
72NYS32-245	15-32, 15-33
72NYS32-245A	15-31

PART NUMBER	PAGE
72NYS32-245A1	15-34
72NYS32-250	3-18, 15-52, 15-65
72NYS32-256	3-18
72NYS32-302	15-30
72NYS33	3-19
72NYS34-24	3-19
72NYS34-24A	15-15
72NYS34-28	3-19
72NYS34-41	15-13
72NYS34-41A	15-13
72NYS34-42	3-19
72NYS34-42A	15-13
72NYS34-42A1	3-19, 15-13
72NYS36-1	3-19
72NYS36-13	3-19
72NYS36-19	3-19
72NYS36-22	3-19
72NYS36-38	3-19
72NYS36-40	3-19
72NYS36-40A1	15-39
72NYS36-51	15-65, 15-66
72NYS36-54	3-19
72NYS36-54A	15-39
72NYS36-54A2	3-19, 15-39
72NYS36-97A	15-39
72NYS38	15-45
72NYS38-1	15-45
72NYS38-2	15-45
72NYS38-4	15-45
72NYS38-10	15-45
72NYS38-15A	15-41
72NYS38-20A	15-42
72NYS38-22A	15-42
72NYS38-24A	15-40
72NYS38-26A	3-19, 15-40
72NYS38-31A	15-40
72NYS40-99	3-19, 15-53, 15-54
72NYS40-99A	15-53, 15-54
72NYSB32-258	1-6, 15-31
72NYSM32-58	8-3
72NYSM40-12	8-3
72NYSM40-87	8-3
82NLS40-83A	2-5
82NLS40-85A	2-5
82NPS40	7-4
82NY58	5-4
82NY58-2	5-4
82NY60-19	5-4
82NYS28-36	15-27
82NYS31-5	15-29
82NYS31-5A	15-28, 15-29
82NYS31-6	15-29
82NYS31-6A	15-28, 15-29
82NYS31-16	3-20
82NYS31-32	3-20
82NYS32	3-20
82NYS32-56A	15-30
82NYS32-69	15-38
82NYS32-69A1	15-36
82NYS32-70	3-20, 15-38

NUMERICAL PARTS LISTING

PART NUMBER	PAGE	PART NUMBER	PAGE	PART NUMBER	PAGE
82NYS32-70A	15-37	92NYS32-27	3-21	121N-3-1224-1X	2-6
82NYS32-70A1	15-36	92NYS33-2	3-21	121N-3-1224X	2-6
82NYS32-74	3-20, 15-32, 15-33	92NYS34-6A	15-14	121N-3-2321X	2-6
82NYS32-74A	3-20, 15-34	92NYS36-6A1	15-39	121N-3-8861KX	2-1
82NYS32-74A1	3-20, 15-31	92NYS36-41	3-21, 15-65, 15-66	121N-3-8961KX	2-1
82NYS32-74A2	15-34, 15-35	92NYS36-62A	15-27	121N-28-1947	5-1
82NYS36-26	3-20	92NYS36-68A	15-53	121N-40-1741	7-3
82NYS36-26A	15-39	92NYS36-73A1	15-16	121N-40-2211	7-3
82NYS36-26A1	15-39	92NYS36-74	3-21, 15-16	121N-40-2301	7-3
82NYS36-30A	15-39	92NYS36-74A	3-21, 15-16	121N-53-471	7-2
82NYS36-30A1	15-39	92NYS36-75A	3-21, 15-17	121N-53-501	7-2
82NYS36-63	15-65, 15-66	92NYS38-12	3-21, 15-45	121N-53-691	7-2
82NYS38-12	15-46	92NYS38-39	3-21	121N-83-489X	12-6
82NYS38-14A	15-41	92NYS38-39A	3-21, 15-41	131N-2-329	1-2
82NYS38-15	3-20	92NYS38-45	15-67	131N-2-349	1-2
82NYS38-15A	3-20, 15-41	92NYS38-46A	3-21	131N-2-479	1-2
82NYS38-28A	15-42	92NYS38-46A1	15-41	131N-2-579	1-2
82NYS38-31A	3-20, 15-40	92NYS38-52	3-21	131N-2-799	1-2
82NYS38-32A	15-40	92NYS38-52A	3-21, 15-41	131N-2-799-1	1-2
82NYS38-33A	15-17	92NYS38-52A2	15-42	131N-2-899-1	1-2
82NYS38-33A1	15-17	92NYS38-67	3-21	131N-2-939	1-2
82NYS38-34A	15-41	92NYS38-68	15-46	131N-3-128KX	2-1
82NYS40-28	3-20, 15-53, 15-54	92NYS38-69	3-21	131N-3-4441KX	2-1
82NYS40-30A	15-42	92NYS38-69A	3-21	131N-3-6061KX	2-1
85WBY60-11	5-4	92NYS38-73A	3-21, 15-40	131N-3-7171KX	2-1
85WBY31-4	15-29	92NYS38-75	3-21	131N-3-7260KX	2-3
85WBY32-11	15-38	92NYS38-75A	15-17	131N-3-7981KX	2-1, 12-8
85WBY32-20	15-32, 15-33	92NYS38-75A1	3-21	131N-3-8001KX	2-1
85WBY32-20A	15-31	92NYS38-76	15-45	131N-3-8021KX	2-1
85WBY32-20A1	15-34	92NYS39A	15-18	131N-4-473	3-14
85WBY32-20A2	15-34, 15-35	92NYS40	15-46	131N-4-503	3-14
85WBY34-4	15-38	92NYS40-3	15-46	131N-4-533	3-14, 12-8
85WBY38-2	15-45	92NYS40-17	3-21	131N-4-573	3-14
85WBY38-14A	15-40	92NYS40-17A	3-21	131N-4-583	3-14
85WBY38-19A	15-41	92NYS40-35	15-46	131N-4-783	3-14
85WBY40-34	15-55, 15-56	92NYS40-39A	15-56	131N-4-803	3-14
85WBY40-34A	15-55, 15-56	92NYS40-40A	15-55, 15-56	131N-4-1233	3-14
85WBY44-1	15-57, 15-58	92NYS40-41	15-67	131N-4-8091X	4-2
85WBY44-1A	15-57, 15-58	92NYS42-4	3-22	131N-4-4341	4-2
85WBY48-14	15-46	92NYS42-14	15-68	131N-4-3331	3-1
85WBY38-30	1-6	92NYS42-16	15-46	131N-26-367	12-5
85WBY38-16	1-6	92NYS42-18	3-22, 15-67	131N-26-497	12-5
92NF26	1-3	92NYS42-18A	15-67	131N-28-277	5-1
92NLS48-3DC	2-5	92NYS44-18	3-22, 15-68	131N-28-307	5-1
92NLS48-47DC	2-5	92NYS44-19	3-22	131N-28-327	5-1
92NLS48-66A	2-5	92NYS44-22A	3-22, 15-57, 15-58	131N-28-357	5-1
92NY64	5-4		15-60	131N-28-367	5-1
92NY66	5-4	92NYS44-23A	15-58	131N-28-397	5-1
92NY68-2	5-4	92NYS44-22	3-22	131N-28-417	5-1
92NYR28-3	3-22	92NYS45-2	3-22	131N-28-427	5-1
92NYS28-5	15-27	92NYS48-72A	15-42	131N-28-437	5-1
92NYS28-6	3-21	92NYS51	3-22	131N-28-1617	5-1
92NYS31-2	15-11	92NYSB36-72	1-6	131N-28-1757	5-1
92NYS32-2A	15-30	92NYS38-106	3-21	131N-40-138-2	12-8
92NYS32-5A	15-30	121N-2-686	1-2	131N-40-1031	7-3
92NYS32-15	15-38	121N-2-899	1-2	131N-40-1221	7-3
92NYS32-25	3-21, 15-32, 15-33	121N-2-1049	1-2	131N-40-1231	7-3
92NYS32-25A	3-21, 15-34	121N-2-1050	1-2	131N-40-1251	7-3
92NYS32-26	3-21, 15-32, 15-33	121N-2-2323	1-2	131N-40-1291	7-3
92NYS32-26A	3-21, 15-31	121N-3-686X	2-6	131N-40-1521	7-3

NUMERICAL PARTS LISTING

PART NUMBER PAGE

131N-40-1701	7-3
131N-40-1711	7-3
131N-40-1771	7-3
131N-40-1811	7-3
131N-40-1851	7-3
131N-40-1871	7-3
131N-40-2051	7-3
131N-40-2091	7-3
131N-53-711	7-2
131N-53-711-1	7-2
131N-83-288X	12-6
131N-83-388X	12-6
131N-CV82-HD	12-4
133N-3-7681KX	2-1
133N-3-7961KX	2-1
133N-3-8041KX	2-1
133N-4-5441	4-2
133N-28-1177	5-1
133N-28-1697	5-1
133N-28-1707	5-1
133N-28-1717	5-1
133N-28-1977	5-1
135N-2-119	1-2
135N-3-488KX	2-1
135N-3-598KX	2-1
135N-3-758KX	2-1
135N-3-1501KX	2-1
135N-3-1561KX	2-1
135N-3-2471KX	2-1
135N-28-47	5-1
135N-28-57	5-1
135N-28-57-1	5-1
135N-28-57-2	5-1
135N-28-427	5-1
135N-40-1101	7-3
135N-40-1471	7-3
135N-40-1491	7-3
135N-40-1531	7-3
135N-40-1561	7-3
135N-40-1611	7-3
135N-53-1181	7-2
135N-53-1181-1	7-2
135N-53-1181-2	7-2
135N-53-1351	7-2
141DYS22A	15-24
141DYS28A	15-24
141N-2-159	1-2
141N-2-429	1-2
141N-3-118KX	2-1
141N-3-508KX	2-1
141N-3-788KX	2-1
141N-3-1481KX	2-1
141N-3-2041KX	2-1
141N-4-1841	4-3
141N-4-2241	4-3
141N-4-2241X	15-25
141N-4-2511	4-3
141N-4-3941	4-3
141N-4-5581-1X	15-9
141N-4-5581X	15-9

PART NUMBER PAGE

141N-4-6561	4-3
141N-4-6631X	4-3
141N-4-8061X	15-27
141N-28-97	5-1
141N-28-367	5-1
141N-28-557	5-1
141N-53-1031	7-2
141N-53-1081	7-1, 9-ii
141N-53-1361	7-2
141N-53-1371	7-2
141NYS22A	4-3, 15-24
141NYS22A4	15-24
141NYS24-4	4-3, 15-9
141NYS24A4	15-25
141NYS28-19A	4-3
141NYSB28-4	1-4
141NYSB29A1	15-44
141TYS22-8A	15-24
141TYS22A	15-24
141TYS24-2A1	15-9
141TYS24-6	15-61
141TYS28-17	15-9
141TYS28-17A	15-9
141TYS28-18	15-47, 15-51, 15-61
141TYS28-19	15-44
141TYSB22-4	15-44
141TYSB22-4A	1-4, 15-44
141TYSB22-11	1-5
141TYSB22-11A	1-5
141TYSB22-18A	1-5
141TYSB24-6	1-4
141TYSB24-6A	1-4, 15-61
141TYSB28-20X	15-47, 15-51
141TYSB29-1A	1-5
148DYS22-4A	15-24
148DYS22A	15-24
148DYS24-2A	15-25
148DYS28-16	15-47, 15-51, 15-61
148DYS28-18A	15-3
148DYS28A	15-27
148N-1-4481X	15-44
148N-1-6081X	1-1, 15-47, 15-51
148N-2-479	1-2
148N-3-1601KX	2-1
148N-3-1641KX	2-1
148N-4-3091	4-4
148N-4-3571	4-4, 15-9
148N-4-3731	15-25
148N-4-3781	4-4, 15-9
148N-4-3861	4-4
148N-4-4421X	4-4
148N-4-5821X	15-10
148N-4-6051X	15-9
148N-4-8051X	15-27
148N-4-8961X	15-24
148N-4-10261-1	4-4
148N-4-10471-1X	4-4
148N-4-3061	4-4
148N-4-3081	4-4
148N-28-507	5-1

PART NUMBER PAGE

148N-28-537	5-1
148N-28-547	5-1
148N-28-567	5-1
148N-40-1391	7-3
148N-40-1571	7-3
148N-53-451	7-2
148NYS22-1A	15-24
148NYS24-7A	15-61
148NYS24A2	15-25
148NYS28-30A	15-10
148NYS31-3	15-3
148NYS32-7A	15-3
148NYS32-9A	15-11
148NYS32-10A	15-11
148NYS34	15-4
148NYS34-1	15-4
148NYSB24-7A	15-61
148NYSB28-17	1-4
148NYSB29	1-4
148NYSB29A	1-4, 15-44
148TYS22A	4-4, 15-24
148TYS24-2A1	15-9
148TYS28-16	15-47, 15-51, 15-61
148TYS28-17	15-44
148TYS28-19A	15-9
148TYS28-23A	15-10
148TYS28-25	15-10
148TYS28A	15-27
148TYS32-3	15-3
148TYS32-3A	15-3
148TYS32-4	4-4, 15-32, 15-33
148TYS32-4A	4-4, 15-31
148TYS32-5	15-52, 15-65
148TYS32-7A	15-11
148TYS32-14A	15-11
148TYS32-15A	15-11
148TYS34-1	15-4
148TYS34-2	15-4
148TYS34-3	15-38
148TYSB24-4A	15-61
148TYSB28-7	15-47, 15-51
148TYSB28-9A	15-47, 15-51
148TYSB28-11A	1-4, 15-44
148TYSB28-20A	15-44
148TYSB29-1	1-4, 15-44
148TYSB29-1A	1-4
148TYSB32-2A	1-4
155DYS22-2A	15-24, 15-25
155DYS28-1A	4-5, 15-27
155DYS28-21A	15-3
155DYS32-6	4-5, 15-32, 15-33
155DYS32-6A	4-5, 15-31
155DYS32-7	15-52, 15-65
155N-2-669	1-2
155N-3-1241X	2-2
155N-4-1891	4-5, 15-9
155N-4-1901	4-5
155N-4-1941-1	4-5
155N-4-2051	4-5
155N-4-2431	4-5, 15-10

NUMERICAL PARTS LISTING

PART NUMBER	PAGE	PART NUMBER	PAGE	PART NUMBER	PAGE
155N-4-2511	15-47, 15-51, 15-64	155TYSB31-7.....	15-64	176N-4-731X	3-11, 15-39
155N-4-4101	4-5	155TYSB31-7A	15-47, 15-51, 15-64	176N-4-761-1X	15-52, 15-53
155N-4-4111-1X.....	15-27	155TYSB32-13A	1-4	176N-4-771-1X	4-11, 15-56
155N-4-4211	4-5	155TYSB32-26.....	15-52, 15-65	176N-4-771X	15-56
155N-4-4211-1	4-5	155TYSB32-26A	15-52, 15-65	176N-4-781-1X	4-11
155N-4-4801-1X.....	15-44	155TYSB32-43	4-5	176N-4-781X	3-11, 15-55, 15-56
155N-4-4801-2X.....	15-44	159N-4-761-1X	4-13		15-60
155N-4-5031-1	4-5	170TYS32-1	4-13	176N-4-791-1X	4-11, 15-57, 15-58
155N-4-5381-1	15-61	170TYS32-1A	4-13		15-60
155N-4-5431-1X.....	15-15	170TYS32-1A2	4-13	176N-4-791X	3-11, 15-57, 15-58
155N-4-5551-1	4-5	170TYS32-2	4-13		15-60
155N-4-5581	15-13	170TYS32-2A	4-13	176N-4-821	3-11
155N-4-5611-1X	4-5	170TYS32-2A2	4-13	176N-4-821-1	4-10
155N-4-5671X	15-3	170TYS38-2A1	4-13	176N-4-851X	3-11, 15-4
155N-4-6831-1X	4-5	170TYS38-4A	4-13	176N-4-861-1X	4-10, 15-42
155N-28-307	5-2	170TYS38-4A1	4-13	176N-4-861X	3-11, 15-42
155N-40-721	7-4	176N-3-21X MXL	2-4	176N-4-871-1X	15-67
155N-40-761	7-4	176N-3-41X MXL	2-4	176N-4-871X	15-67
155N-53-61	7-2	176N-4-11	3-11	176N-4-901-1X.....	15-53
155NYS3-5	5-2	176N-4-41	15-67, 15-68	176N-4-901X	15-53
155NYS24-3A	15-9	176N-4-41-1	15-66	176N-4-1031-1	4-10
155NYS24-3A1	15-25	176N-4-61	15-68	176N-4-1041-1X	4-10
155NYS24-6	4-5, 15-25	176N-4-61-1	15-68	176N-4-1071X	15-13
155NYS28-5A	4-5, 15-27	176N-4-71	3-10	176N-4-1101-1X.....	15-53
155NYS38	15-4	176N-4-101-1	4-10	176N-4-1161-1X	4-10
155RY62	5-2	176N-4-121	3-10	176N-4-1161X	3-11, 15-17
155TYS28-1	4-5	176N-4-131-1X.....	15-18	176N-4-1171	15-13
155TYS28-1A	4-5	176N-4-141	15-15	176N-4-1251	15-67
155TYS28-8.....	15-47, 15-51, 15-64	176N-4-141-1	15-15	176N-4-1251-1	15-67
155TYS28-15A.....	15-9	176N-4-151	3-11	176N-4-1421	3-11
155TYS28-20.....	15-44	176N-4-161-1	4-10	176N-4-1421-1	4-10
155TYS28-23.....	15-10	176N-4-171X	15-66	176N-4-1481-1X	4-10
155TYS28-26	4-5	176N-4-181X	3-10, 15-30	176N-4-161	3-11
155TYS28-49	4-5	176N-4-201X	15-39	176N-4-1651-1X	4-10
155TYS28-49A	4-5	176N-4-211-1X	4-10, 15-41	176N-4-1681-1	4-11
155TYS31-6.....	15-47, 15-51	176N-4-211X	3-11, 15-41	176N-4-651	3-11
155TYS32-2.....	15-32, 15-33	176N-4-231X	15-14	176N-28-17	5-3
155TYS32-2A.....	15-34	176N-4-241X	15-18	176N-53-21	7-1, 9-ii
155TYS32-2A1.....	15-31	176N-4-251X	15-15	176NYS28	15-27
155TYS32-6	4-5, 15-32, 15-33	176N-4-271	3-11, 15-45	176NYS32-3	3-10
155TYS32-6A	4-5, 15-31	176N-4-271-1	4-10, 15-45	176NYS32-3A2	3-10, 15-31
155TYS32-6A3	4-5, 15-34	176N-4-291-1	4-10	176NYS32-3A3	15-31, 15-32
155TYS32-23A.....	15-30	176N-4-321	3-11	176NYS32-4	15-38
155TYS32-27A.....	15-11	176N-4-331-1X	4-10	176NYS32-4A	15-36
155TYS32-31A.....	15-11	176N-4-331X	3-11	176NYS32-4A1	15-36, 15-37
155TYS34	15-15	176N-4-381	3-11, 15-46	176NYS32-6	15-52, 15-65
155TYS34-1.....	15-4	176N-4-391	3-11	176NYS32-7A	15-30
155TYS34-6A.....	15-38	176N-4-411	3-11	176NYS34-3A1	15-13
155TYS36-1A1.....	15-16	176N-4-421	3-10	176NYS36-10A1	15-16
155TYS36A.....	15-16	176N-4-441	3-11	176NYS36-11A	15-16
155TYS38-2.....	15-4	176N-4-531	3-10, 15-32, 15-33	176NYS36-12A	3-11, 15-16
155TYS38-3.....	15-5	176N-4-531-1	4-10	176NYS38-3	3-11
155TYSB24-5	1-4	176N-4-541-1X	4-10	176NYS38-4A1	15-13
155TYSB24-5.....	15-25	176N-4-541X	3-10, 15-34	176NYS38-10	3-11
155TYSB28-13A	15-47, 15-51	176N-4-651-1	4-10	176NYS38-13A1	3-11, 15-41
155TYSB28-14A	1-4 15-44	176N-4-701	15-52, 15-53	176NYS38-14	3-11
155TYSB28-22A	1-4, 15-44	176N-4-711	15-57, 15-58	176NYS38-14A	3-11, 15-40
155TYSB28-38A	15-47, 15-51	176N-4-711-1	15-57, 15-58	176NYS38-15A	15-5
155TYSB28-40A	1-4	176N-4-721-1X.....	15-58	176NYS38-20A1	15-17
155TYSB31-7.....	15-47, 15-51	176N-4-721X	15-58	176NYS38-21	15-45

NUMERICAL PARTS LISTING

PART NUMBER	PAGE	PART NUMBER	PAGE	PART NUMBER	PAGE
176NYS38-25A	15-41	1229-A-2653	9-3, 9-4, 15-1	CB310006-1X	11-4
176NYS40-21A	15-42	1229-E-1071	9-3, 9-4, 15-1	CB310006-2X	11-4
176TYS32-3	15-32, 15-33	1229-E-1331	9-3, 9-4, 15-1	CB310006-3X	11-4
176TYS32-3A1	4-10, 15-31	1229-F-2918	9-4, 15-1	CB310007-1X	11-5
176TYS32-3A2	15-34, 15-35	1229-G-1281	9-4, 15-1	CB310008-1X	11-3
176TYS32-4A	15-36	1229-N-1548	9-4, 15-1	CB310011-1X	11-3
176TYS34-3A	15-13	1229-N-1730	9-3, 9-4, 15-1	CB310012-1XSA	11-3
176TYS36-2	15-65, 15-66	1229-S-1397	9-3, 9-4, 15-1	CB310013-1X	11-3
176TYS36-2A	15-66	1229-S-1605	9-3, 9-4, 15-1	CB310015-1X	11-5
176TYS36-10A1	4-10, 15-16	1229-T-1736	9-3, 9-4, 15-1	CP20 RPL S	10-16
176TYS36-11A	15-16	1229-W-4521	9-3, 9-4, 15-1	CP25 RPL S	10-16
176TYS36-12A	15-16	1898-Q-771	9-11	CP58WB-DWT	10-9
176TYS38-3A1	15-13	1898-R-720	9-11	CP58WB-DWT-PL	10-9
176TYS38-13A1	15-41	2206-C-1121	9-11	CP58WB-HB	10-9
176TYS38-15A	15-5	3264-P-172	9-7	CP58WB-HB-PL	10-9
176TYS38-16A	15-4	4137268	12-4	CP58WB-HWD	10-9
176TYS38-20A	15-17	A-3260-D-4	1-1	CP58WB-HWD-PL	10-9
176TYS38-20A1	15-17	BLWP11-2	9-12	CP62N-50	10-9
176TYS38-23	15-45	BLWP22-1	9-12	CP62N-51	10-9
176TYS38-27	4-10	BLWP32	9-12	CP62N-DWT	10-9
176TYS38-27A	4-10	BLWP32-2	9-12	CP62N-DWT-PL	10-9
176TYS38-27A2	4-10	BLWP32-3	9-12	CP62N-HB	10-10
176TYS40-14A	15-55, 15-56, 15-60	BLWP33-1	9-12	CP62N-HB-PL	10-9
176TYS44-4	4-10	BLWP33-2	9-12	CP62N-HWD	10-10
176TYS45	4-11	BLWR18-1	9-12	CP62N-HWD-PL	10-10
176TYS38-4A	4-10	BLWR18-2	9-12	CP72N-118	10-10
250TYS38-1A	4-14	BLWR18-3	9-12	CP72N-136	10-10
250TYS38-2A	4-14	BLWR18-4	9-12	CP72N-170	10-11
250TYS38-2A1	4-14	BLWR18-6	9-12	CP72N-DWT	10-10
750NYSM27-12	8-1	BPS28-16-1	7-4	CP72N-DWT-PL	10-10
750NYSM27-13	8-1	BSS24-52	7-1, 9-ii	CP72N-HB	10-10
750NYSM28-112	8-1	BSS24-52A	7-1, 9-ii	CP72N-HB-PL	10-10
850NYSM28-2	8-1	BSS24-53	7-1, 9-ii	CP72N-HWD	10-10
850NYSM30-20	8-1	BSS24-53A	7-1, 9-ii	CP72N-HWD-PL	10-10
850NYSM30-25	8-1	BSS24-60A	7-1, 9-ii	CP82N-68	10-11
850NYSM32-18	8-1	BSS28-92	7-1, 9-ii	CP82N-77	10-11
950NYSM38-1	8-1	BSS31-18	7-1, 9-ii	CP82N-DWT-PL	10-11
950NYSM38-15	8-1	BSS32-34	7-1, 9-ii	CP82N-HB	10-11
950NYSM38-20	8-1	BSS36-10	7-1, 9-ii	CP82N-HB-PL	10-11
950NYSM38-21	8-1	CB210084-2X	11-5	CP82N-HWD	10-11
983-14-2	6-4	CB210088-1X	11-4	CP82N-HWD-PL	10-11
983-15-2	6-4	CB210090-1X	11-4	CP85WB-DWT-PL	10-10
1199-A-963	9-11	CB210121-1XSA	11-5	CP85WB-HB	10-10
1199-A-3329	9-11	CB210140-1X	11-4	CP85WB-HB-PL	10-10
1199-B-2576	9-11	CB210144-1X	11-4	CP85WB-HWD-PL	10-10
1199-H-1620	9-11	CB210207-1X	11-5	CP92N-70	10-10
1199-L-2118	9-11	CB210367-1X	11-4	CP92N-DWT-PL	10-10
1199-N-1860	9-11	CB210370-1X	11-4	CP92N-HB-PL	10-10
1199-T-2854	9-11	CB210391-1X	11-5	CP92N-HWD	10-11
1199-X-1870	9-11	CB210433-1X	11-5	CP92N-HWD-PL	10-10
1227-A-937	9-3, 15-1	CB210527X	11-6	CP101X	10-6
1227-C-939	9-3, 15-1	CB210661-1XSA	11-5	CP105X	10-5
1227-D-940	9-3, 15-1	CB210866-1X	11-4	CP111X	10-6
1227-G-943	9-3, 15-1	CB210873-1X	11-4	CP115X	10-14
1227-J-946	9-3, 15-1	CB210875-1XSA	11-3	CP124X	10-14
1227-K-1051	9-3, 15-1	CB211016X	11-4	CP134X	10-6
1227-N-898	9-3, 15-1	CB211187X	11-4	CP141N	10-8
1227-Q-901	9-3, 15-1	CB310001-1X	11-5	CP148N	10-6
1227-R-902	9-3, 15-1	CB310002-1X	11-4	CP153X	10-6, 12-8
1227-Z-936	9-3, 15-1	CB310003-1X	11-4	CP155N	10-6

NUMERICAL PARTS LISTING

PART NUMBER	PAGE	PART NUMBER	PAGE	PART NUMBER	PAGE
CP155X	10-6	CP4102	10-12	DEFR53-4	9-7
CP160X	10-6	CP4143X	10-9	DEFR55-3	9-7
CP165X	10-7	CP4555	10-6	DEFR61-1	9-7
CP170X	10-5	CP5008	10-12	DEFR62-1	9-7
CP178X	10-6	CP5015	10-12	GCB210084-2X	11-5
CP188X	10-6	CP5101	10-9	GCB210088-1X	11-4
CP200X	10-6	CP5122	10-9	GCB210090-1X	11-4
CP213X	10-6	CP5177	10-9	GCB210121-1X	11-5
CP248X	10-8	CP51625-2	10-5	GCB210130-1X	11-5
CP260X	10-5	CP72625-4	10-5	GCB210140-1X	11-4
CP279X	10-14	CP2033	10-12	GCB210144-1X	11-5
CP280X	10-14	CPL6R-50	10-5	GCB210207-1X	11-5
CP281X	10-14	CPL6R-51	10-5	GCB210367-1X	11-4
CP297-1X	10-5	CPL6R-53	10-5	GCB210370-1X	11-4
CP297X	10-5	CPL10N-2	10-6	GCB210391-1X	11-5
CP332X	10-5	CPL15N-1S	10-5	GCB210433-1X	11-5
CP353X	10-8	CPL15N 7	10-5	GCB210527X	11-6
CP354X	10-8	CSC8-20-52	9-2	GCB210661-1X	11-5
CP357X	10-8	CSH4-28-13	9-2	GCB210866-1X	11-4
CP407X	10-14	CSH5-24-27	9-2	GCB210873-1X	11-4
CP443X	10-6	CSH5-24-28	9-2	GCB210875-1X	11-3
CP460X	10-6	CSH5-24-34	9-2	GCB211016X	11-4
CP527X	10-5	CSH5-24-37	9-2	GCB211187X	11-4
CP541X	10-8	DC5N-16	9-5	GCB310001-1X	11-5
CP674X	10-15	DC17N	9-5	GCB310002-1X	11-5
CP675X	10-15	DC17N-3	9-5	GCB310005-1X	11-4
CP676X	10-15	DC62N-1	9-5	GCB310006-1X	11-4
CP677X	10-15	DC72N	9-5	GCB310007-1X	11-5
CP750N	10-7	DC72N-1	9-5	GCB310013-1X	11-5
CP750N-1	10-7	DC82N-1	9-5	GCB310014-1X	11-5
CP750N-7	10-7	DC82N-4	9-5	GCB310015-1X	11-5
CP750N-4	10-7	DC148N-1	9-5	GCP62N-DWT	10-10
CP750N-8	10-7	DC155N	9-5	GCP62N-HB	10-10
CP850N-4	10-7	DEFR22-4	9-7	GCP62N-HWD	10-10
CP850N-9	10-7	DEFR22-5	9-7	GCP72N-DWT	10-10
CP950N	10-7	DEFR25-1	9-7	GCP72N-HB	10-10
CP950N-3	10-7	DEFR25-2	9-7	GCP72N-HWD	10-10
CP1200X	10-8	DEFR25-4	9-7	GCP82N-DWT	10-11
CP1201X	10-8	DEFR28-3	9-7	GCP82N-HB	10-11
CP1203X	10-8	DEFR28-4	9-7	GCP82N-HWD	10-11
CP1204X	10-8	DEFR33-1	9-7	GCP85WB-DWT	10-10
CP1205X	10-5	DEFR34-1	9-7	GCP85WB-HWD	10-10
CP1301X	10-5	DEFR35-3	9-7	GCP92N-DWT	10-11
CP1306-1X	10-5	DEFR37-1	9-7	GCP92N-HB	10-11
CP1306X	10-5	DEFR38-1	9-7	GCP92N-HWD	10-11
CP2011X	10-5	DEFR38-3	9-7	GCP101X	10-6
CP2031	10-12	DEFR38-5	9-7	GCP111X	10-6
CP2116	10-9	DEFR40-5	9-7	GCP115X	10-14
CP2140	10-8	DEFR41-1	9-7	GCP124X	10-14
CP3000	10-9	DEFR42-1	9-7	GCP129X	10-6
CP3012	10-12	DEFR43-1	9-7	GCP134X	10-6
CP3022X	10-5	DEFR44-10	9-7	GCP153X	10-6
CP3121	10-9	DEFR44-11	9-7	GCP155X	10-6
CP3147X	10-5	DEFR47-5	9-7	GCP160X	10-6
CP3415	10-6	DEFR47-6	9-7	GCP165X	10-7
CP3485	10-5	DEFR48-2	9-7	GCP170X	10-5
CP3486	10-6	DEFR48-6	9-7	GCP178X	10-6
CP4002	10-9	DEFR48-8	9-7	GCP188X	10-6
CP4015	10-5	DEFR48-10	9-7	GCP212X	10-8
CP4101	10-9	DEFR49-1	9-7	GCP213X	10-6

NUMERICAL PARTS LISTING

PART NUMBER	PAGE
GCP242X	10-5
GCP243X	10-6
GCP260X	10-5
GCP297X	10-5
GCP308X	10-7
GCP326X	10-7
GCP353X	10-8
GCP443X	10-6
GCP1200X	10-8
GCP1204X	10-8
GCP1206X	10-5
GCP1306-1X	10-5
GCP1306X	10-5
GCP1309X	10-5
GCP1501X	10-5
GCP1505X	10-5
GCP1510X	10-5
GCP2011X	10-5
GCP2116	10-9
GCP3000	10-9
GCP3022X	10-5
GCP3147X	10-5
GCP4002	10-9
GCP4143X	10-9
GCP5122X	10-6
GCP5173X	10-9
GCP5177X	10-9
KIT 6167	9-6
KIT 6168	9-6
KT16SB	9-9
KT17SB	9-9
KT116	9-9
KT117	9-9
KT118	9-9
KT121	9-9
KT122	9-9
KT123	9-9
KT124	9-9
KT125	9-9
KT126	9-9
L6NLS20-55DC	13-2
L6NLS20-63DC1	13-2
L6NLS20-65DC	13-2
L6NLS20-127	13-2
L6NLS20-133A	13-2
L6NYS12-39	13-1
L6NYS13-31	13-1
L6NYS13-34	13-1
L6NYS14-65	13-1
L6NYS14-100	13-1
L6NYS16-12	13-1
L6NYS16-16	13-1
L6NYS16-18	13-1
L6NYS16-34	13-1
LPHC37-1	9-10
LPHC39-3	9-10
M279X	10-14
M280X	10-14
M281X	10-14
M407X	10-14

PART NUMBER	PAGE
M674X	10-15
M675X	10-15
M676X	10-15
M677X	10-15
MS-212030-2	9-2
MS-212060-2	9-2
ND2C	9-6
ND2K	9-5
ND3A	9-6
ND3E	9-5
ND3H	9-6
ND3K	9-5
NL-25-1	9-3
NL-26-1	9-3
NL-112-1	9-3
NUEL8-20-8	9-3
NUHX6-24-14	9-3
NUJA8-20-6	9-3
PLEX28-1	9-12
PLEX31-14	9-12
PLEX33-1	9-12
PLEX42-2	9-12
PLWE30-1	9-12
PLWE33-2	9-12
PLWE36-1	9-12
PLWE36-2	9-12
PLWE36-6	9-12
PLWE36-7	9-12
PLWE40-5	9-12
PLWE43-1	9-12
PLWE43-2	9-12
PLWE43-12	9-12
PLWE53-4	9-12
PLWE53-15	9-12
PS28-16-8	7-4
PS28-16-13	7-4
PS32-16-28	7-4
PS32-16-30	7-4
PS32-16-76	7-4
PS32-16-77	7-4
PS40-16-15	7-4
PS40-16-23	7-4
PS40-16-34	7-4
PS40-16-56	7-4
PS40-16-61	7-4
PS40-16-62	7-4
PS48-10-1	7-4
PS48-16-1	7-5
PS48-16-5	7-5
PS48-16-16	7-5
PS48-16-19	7-5
PS48-16-38	7-5
R3R-3-6081X	2-6
R3R-3-9101X	2-6
R3R-3-9131X	2-6
R3R-3-9161X	2-6
R3R-3-9165KX	2-3
R3R-26-57	12-5
R3R-28-157	5-2
R3R-28-307	5-2

PART NUMBER	PAGE
R3R-28-325	5-2
R3R-28-327	5-2
R3R-28-397	5-2
R3R-28-427	5-2
R3R-28-437	5-2
R3R-28-869	12-7
R3R-83-482	12-6
R10V5	5-3
R490D 16	10-11
R005961	9-3
R9553-SF	12-8, 14-4
R10270-SF	12-8, 14-4
R170	10-10
R490	10-11
R600	10-11
R91382SF	12-8
R280194	9-6
R280195	9-6
R280196	9-6
R903862-1409W	12-3
R903862-1602W	12-3
R909363-2600	12-1, 12-2
R909365-2600	12-1, 12-2
R911818-2600	12-1, 12-2
R912170-1511W	12-3
R912747	12-4
R912777	12-4
R914156-1324W	12-3
R919976-3400	12-1, 12-2
R919990-3400	12-1, 12-2
RBR28-1	9-7
REBC16S	9-10
REBC17S	9-10
REBC131	9-10
REBC141	9-10
REBC141-1	9-10
REBC148	9-10
REBC148-2	9-10
RECP148	9-10
RECP155	9-10
RRER16-2	9-11
RRIR24-2	9-11
RRIR36-4	9-11
RT-2-11-72	6-1
RT-2-14-72	6-1
RT-2-14-108	6-1
RT-3-11-72	6-2
RT-3-11-108	6-2
RT-3-13-72	6-2
RT-3-13-108	6-2
RT-3-14-72	6-2
RT-3-14-108	6-2
RT-3-15-66	6-2
RT-3-16-108	6-2
RT-3-187-72	6-2
RT-3-187-108	6-2
RT-4-10-72	6-3
RT-4-10-108	6-3
RT-4-12-72	6-3
RT-4-12-108	6-3

NUMERICAL PARTS LISTING

PART NUMBER	PAGE	PART NUMBER	PAGE	PART NUMBER	PAGE
RT-4-14-72	6-3	RT-2375-14-108	6-1		
RT-4-14-108	6-3	RT-4095-7-72	6-3		
RT-4-187-72	6-3	RT-4095-7-108	6-3		
RT-4-187-108	6-3	S-155B-2	9-2		
RT-15-11-72	6-1	S-165B-2 1	9-2		
RT-15-11-108	6-1	S-168-2	9-2		
RT-15-13-72	6-1	S-179-2	9-2		
RT-15-13-108	6-1	S-1616-2	9-2		
RT-25-14-72	6-1	S-1716-2	9-2		
RT-25-14-108	6-1	S-1812-2	9-2		
RT-25-15-66	6-1	S-1818-2	9-2		
RT-25-16-108	6-1	S-1820-2	9-2		
RT-35-10-72	6-2	S-1822-2	9-2		
RT-35-10-108	6-2	S-11212	9-2		
RT-35-11-72	6-2	SERUR14-16	9-6		
RT-35-11-108	6-2	SERUR21-3	9-6		
RT-35-13-72	6-2	SERUR22-4	9-6		
RT-35-13-108	6-2	SERUR25-1	9-6		
RT-35-14-72	6-2	SERUR25-2	9-6		
RT-35-14-108	6-2	SERUR25-4	9-6		
RT-35-15-66	6-2	SERUR32-7	9-6		
RT-35-16-108	6-2	SERUR32-9	9-6		
RT-35-156-72	6-2	SERUR33-4	9-6		
RT-35-156-108	6-2	SERUR39-2	9-6		
RT-45-3-72	6-3	SERUR40-3	9-6		
RT-45-3-108	6-3	SERUR40-8	9-6		
RT-45-10-72	6-3	SERUR40-21	9-6		
RT-45-10-108	6-3	SERUS20	9-6		
RT-45-13-72	6-3	SERUS28-4	9-6		
RT-45-13-108	6-3	SP-1010	9-2		
RT-45-187-72	6-3	SP-1012	9-2		
RT-45-187-108	6-3	SP-1013	9-2		
RT-45-375-72	6-3	SP-1014	9-2		
RT-45-375-108	6-3	SP-1045	9-2		
RT-125-11-72	6-1	SP-1049	9-2		
RT-125-11-108	6-1	US90X	10-6		
RT-175-11-72	6-1	US170X	10-15		
RT-175-14-108	6-1	US250X	10-15		
RT-175-15-66	6-1	US279X	10-14		
RT-175-16-108	6-1	US280X	10-14		
RT-225-11-72	6-1	US281X	10-14		
RT-225-11-108	6-1	US407X	10-14		
RT-275-10-108	6-1	US674X	10-15		
RT-275-13-72	6-1	US675X	10-15		
RT-275-13-108	6-1	US676X	10-15		
RT-275-14-72	6-1	US677X	10-15		
RT-275-14-108	6-1	WA-15Z	9-1		
RT-325-11-72	6-2	WA-18	9-1		
RT-325-11-72	6-3	WA-46	9-1		
RT-325-11-108	6-2	WA-48	9-1		
RT-325-11-108	6-3	WALM7-2	9-1		
RT-325-13-72	6-2	WAR8-14	9-1		
RT-325-13-72	6-3	WAR13-5	9-1		
RT-325-13-108	6-2	WAR20-1	9-1		
RT-325-13-108	6-3	WIR46-2	9-11		
RT-325-187-72	6-2				
RT-325-187-72	6-3				
RT-459-7-72	6-3				
RT-459-7-108	6-3				
RT-2375-14-72	6-1				

MERITOR 2-YEAR/UNLIMITED MILE WARRANTY RPL AND MXL COMPONENTS

Meritor has brought many firsts to the trucking industry. The RPL driveline is the first commercially-available, permanently lubricated driveline in North America. The MXL is the first 10-Series compatible driveline with 100,000 mile lubrication intervals. Meritor Aftermarket is now offering a 2-YEAR/UNLIMITED MILE WARRANTY on selected RPL and MXL components.

MERITOR AFTERMARKET PARTS WARRANTY

For purchases made after January 1, 2012, we warrant all genuine Meritor® replacement RPL and MXL driveline components listed below for two years from date of shipment to the buyer against defective material or workmanship (but not against damage caused by accident, abuse or improper installation, maintenance or repair) when such parts are used on vehicles the specifications of which have been approved by our Engineering Department.

RPL DRIVELINE COMPONENTS

CP20RPLS
CP25RPLS
20RLS40-2A1S
20RLS40-3A1S
20RLS40-11A1S
25RLS48-1A1S
25RPL-SLIP
Complete RPL20 and RPL25 driveshaft assemblies

NOTE: New Meritor spline plugs must be used with these slip yokes for warranty to be valid

MSL DRIVELINE COMPONENTS

M279X	17N 3 2401X MXL
M280X	17N 3 2571X MXL
M281X	17N 3 2631X MXL
M407X	17N 3 2651X MXL
M674X	17N 3 2671X MXL
M675X	17N 3 2761X MXL
M676X	17N 3 3021X MXL
M677X	17NLS40 124A1 MXL
16NLS32-47A2 MXL	17NLS40 98CA1 MXL
16NLS32-48A2 MXL	18N 3 1351X MXL
176N 3 21X MXL	18N 3 1371X MXL
176N 3 41X MXL	18N 3 1431X MXL

Complete MXL driveshaft assemblies

NOTE: New Meritor spline plugs must be used with these slip yokes for warranty to be valid

MERITOR DRIVELINE AFTERMARKET WARRANTY

As the exclusive remedy under this warranty, we will, at our option, repair or replace such parts free of charge, or take back the non-conforming parts and refund the monies paid by buyer for such parts, if found on examination by us to be nonconforming and if any necessary return charges are prepaid. If it is necessary to return any parts under this warranty, buyer agrees not to make any deduction on account thereof from remittances on current accounts while claims are in the process of disposition. Any expense incurred without our consent for repairs or replacement will not be allowed. This warranty is a limited parts only warranty, and does not include any labor, regardless of the source of that labor.

THIS WARRANTY IS EXPRESSLY IN LIEU OF ALL OTHER WARRANTIES OR CONDITIONS, EXPRESS, IMPLIED OR STATUTORY, INCLUDING ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR PARTICULAR PURPOSE. IN NO EVENT SHALL SELLER BE LIABLE FOR INCIDENTAL OR CONSEQUENTIAL DAMAGES OF ANY NATURE.

MERITOR AFTERMARKET PARTS WARRANTY

We warrant all new parts for one year from date of shipment to the buyer against defective material or workmanship (but not against damage caused by accident, abuse or improper installation, maintenance or repair) when such parts are used on vehicles the specifications of which have been approved by our Engineering Department.

As the exclusive remedy under this warranty, we will, at our option, repair or replace such parts free of charge, or take back the nonconforming parts and refund the monies paid by buyer for such parts, if found on examination by us to be nonconforming and if any necessary return charges are prepaid.

If it is necessary to return any parts under this warranty, buyer agrees not to make any deduction on account thereof from remittances on current accounts while claims are in the process of disposition. Any expense incurred without our consent for repairs or replacement will not be allowed.

THIS WARRANTY IS EXPRESSLY IN LIEU OF ALL OTHER WARRANTIES OR CONDITIONS, EXPRESS, IMPLIED OR STATUTORY, INCLUDING ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR PARTICULAR PURPOSE. IN NO EVENT SHALL SELLER BE LIABLE FOR INCIDENTAL OR CONSEQUENTIAL DAMAGES OF ANY NATURE.

Only genuine Meritor replacement parts are covered by this aftermarket parts warranty.



Meritor Heavy Vehicle Systems, LLC
7975 Dixie Highway
Florence, KY 41042 USA

For more information:

U.S. 888-725-9355

Canada 800-387-3889

XpresswayPlus.com

meritor.com

Litho in USA Revised 08-12
PB-9895 (47865/67147)
©2012 Meritor, Inc.

Vehicle models, brands and names depicted herein are the property of their respective owners, and are not in any way associated with Meritor, Inc., or its affiliates.