Weatherly Index 090
PTO94
Nov. 1994
Supersedes PTO89
June, 1989


precision universal joint®

POWER TAKE OFF UNIVERSAL JOINTS


POWER TAKE OFF DRIVESHAFT PARTS FOR AGRICULTURAL AND TRUCK MOUNTED ASSEMBLIES



Problem Solver Sales Aids




PART NO. 104
DOMESTIC REPLACEMENT PARTS SELECTOR
FEATURES: *IDENTIFICATION OF U-JOINTS BY MEASURING OEM CROSS LENGTH AND BEARING CAP DIAMETER.*



PART NO. 105
DOMESTIC AGRICULTURAL JOINT FINDER
FEATURES: *CAN BE USED ON OR OFF THE EQUIPMENT TO FIND THE U-JOINT AND DRIVELINE SERIES. ALSO, TO MEASURE BORE AND KEYWAY SIZE.*



PART NO. 106
"METRIC" AGRICULTURAL JOINT FINDER
FEATURES: *CAN BE USED ON OR OFF THE EQUIPMENT TO EASILY FIND THE REPLACEMENT U-JOINT KIT.*



PART NO. 107
DIAL INDICATOR VERNIER CALIPER
FEATURES: *FOR MEASURING U-JOINTS, YOKES, SHAFTING AND TUBING.*

© Copyright 1994 by Precision Universal Joint. All Rights reserved. No part of this book may be reproduced in any form without specific written permission by the copyright owner. Manufactured in the U.S.A.

TABLE OF CONTENTS

What is PTO? 2

Identifying Domestic PTO Series & Yokes 3
Domestic PTO Series Comparison & Interchange 4
Domestic PTO Cross & Bearing Kits 5
Domestic PTO Snap Ring U-Joint Finder 6
"W" Series 7
1100 Series 8
1200 Series 10
1300 Series 13
1310 Series (Includes 1280 Series) 16
1400 Series 17
1500 Series (Includes 1700 Numbers) 19
1800 Series 23
1900 Series 26
2600 Series 28

Identifying European "Metric" PTO Series & Yokes 29
"Metric" PTO Cross & Bearing Kits 30
Bondioli & Pavesi 1 31
Bondioli & Pavesi 2 32
Bondioli & Pavesi 3 33
Bondioli & Pavesi 4 34
Bondioli & Pavesi 5 35
Bondioli & Pavesi 6 36
Bondioli & Pavesi 7 37
Bondioli & Pavesi 8 38
Waltersheid 2100 & 100 39
Waltersheid 2200 & 200 40
Waltersheid I 41
Waltersheid 2300 & 210 42
Waltersheid 220 & 720 43
Waltersheid 2400 44
Waltersheid 2500 45
"Metric" QD Yoke Repairs Kits 46


"Metric" Agricultural PTO U-Joint Assortment 47
Domestic Truck Mounted PTO U-Joint & Yoke Assortment 48
Domestic Agricultural PTO U-Joint & Yoke Assortment ..... IBC
Domestic Agricultural PTO Drive Shaft Assortment ..... IBC
Domestic Agricultural PTO Bar Stock & Tubing Assortment ..... IBC

WHAT IS PTO?


PTO stands for Power Take Off. It refers to the transmission of power (torque) from a primary source to an auxiliary piece of equipment. Two major areas of PTO usage are farming and trucking.

In farming, a PTO drive shaft is used to transmit power from a tractor to an implement such as a rotary cutter, as illustrated, or another piece of equipment such as a post hole digger, a pump or a winch.

In trucking, a PTO drive shaft is used to transmit power from the truck's transmission to a hydraulic pump which can be used to run a variety of accessories such as a dump bed or a power tailgate. The hydraulic pump may be replaced by a different type of pump for delivering liquids such as heating oil.




A TYPICAL AGRICULTURAL PTO DRIVE SHAFT



In farming, the PTO drive shaft connects the PTO output of a tractor to an implement's gearbox.
Note: The safety shield has been removed from the drive shaft in the illustration above.


A TYPICAL TRUCK MOUNTED PTO DRIVE SHAFT



In trucking, the PTO drive shaft connects the transmission's PTO output to a hydraulic pump.

WHAT IS A UNIVERSAL JOINT?

A universal joint is an assembly that consists of two yokes joined by a cross and bearing kit. They are typically used at each end of a PTO drive shaft as illustrated above. They can also be found on farm implements such as harvesters, construction equipment such as trenchers, and industrial equipment such as conveyor systems.




IDENTIFYING DOMESTIC PTO SERIES & YOKES

You do not need to know engineering data, horsepower ratings, load factors or other technical data to provide a customer with the correct replacement part. That complex job was done by the engineer who designed the original equipment drive shaft.

Here are two easy ways to identify the correct series and yokes:


Measure the ear hole of the yoke as illustrated using a measuring device or Sales Aid 105.




EAR HOLE	SERIES
9/16"	"W"
15/16"	1500
31/32"	1900
1 1/16"	1200
1 1/8"	1300
1 1/4"	1800
1 5/16"	1400
1 3/8"	2600
1 17/32"	1100

If the ear hole measures something other than the dimensions listed, the yoke is either "metric", obsolete or a size that is not available. In this case you will need to replace the complete PTO assembly consisting of both yokes and the cross and bearing kit.


Measure the yoke as illustrated below and choose the closest size.




2½" OR LESS
USE OUR 1900 SERIES




2½" TO 3"
USE OUR 1200 SERIES




3" TO 3⅜"
USE OUR 1300 SERIES



3½" TO 3⅞"
USE OUR 1800 SERIES



4" TO 4⅜"
USE OUR 1400 SERIES



4½" OR MORE
USE OUR 1100 SERIES

DOMESTIC PTO SERIES COMPARISON AND INTERCHANGE


The chart below compares our series with those of several competitors. Directly interchangeable means that the individual parts of our series are generally interchangeable with the individual parts of the series indicated. Comparable capacity means that a complete shaft or assembly, not the individual parts, is needed to replace the series indicated.

Our Series		Blood Bros. Rockwell	Neapco	Rex Chainbelt	Spicer Hayes-Dana	Weasler	Wesco
1100	Directly Interchangeable	55N				55	55N
	Comparable Capacity						
1200	Directly Interchangeable	L12N	1200	102	1140	12	12N
	Comparable Capacity						
1300	Directly Interchangeable	L14N	2000	140	1240	14	14N
	Comparable Capacity		1800				
1400	Directly Interchangeable	44R			1440	44	44N
	Comparable Capacity		2600		1480		
1500	Directly Interchangeable		N1000		1000		1A, 1B, 1C
	Comparable Capacity	L6N	0675			0675	6N
1800	Directly Interchangeable	35N	2200	350	1340	35	35N
	Comparable Capacity						
1900	Directly Interchangeable	L6N	L600			6	6N
	Comparable Capacity		0675		1000		1A, 1B, 1C


DOMESTIC PTO HORSEPOWER RATINGS

ASAE Category	Our Series	@540 RPM	@1000 RPM
1	1500	13	20
1	1900	13	20
2	1200	25	40
3	1300	38	60
4	1800	60	80
5	1400	90	120
6	1100	125	160

IDENTIFYING DOMESTIC PTO CROSS & BEARING KITS



A Plain Bearing Type
for Outside Lock Rings



B Grooved Bearing Type
for Inside Lock Rings

OEM Cross Length	Bearing Diameter	Type	Our No.	Series
1.875"	0.969"	B	**861**	1900 Series
1.953"	0.969"	B	**861**	1900 Series
2.063"	0.938"	B	**338***	1500 Series
2.063"	0.938"	B	**1501***	Neapco 0675 Series
2.078"	0.938"	B	**338***	1500 Series
2.078"	0.938"	B	**1501***	Neapco 0675 Series
2.078"	0.969"	B	**861**	1900 Series
2.250"	0.875"	A	**870**	Rockwell L10 Series
2.250"	1.063"	B	**995**	1200 Series
2.312"	1.063"	B	**995**	1200 Series
2.375"	1.125"	A	**880**	1300 Series
2.406"	1.125"	A	**880**	1300 Series
2.718"	0.875"	A	**853**	Rockwell 1FR Series
2.875"	1.000"	B	**507**	Neapco 1800 Series
2.937"	1.063"	A	**369**	Spicer 1310 Series
2.937"	1.250"	A	**964**	1800 Series
3.687"	1.000"	A	**856**	Rockwell 3DR Series
3.750"	1.310"	B	**888**	1400 Series
3.875"	1.375"	A	**351**	Neapco 2600 Series
4.032"	1.531"	A	**889**	1100 Series

*** U-Joint 338 fits 1.500" Inside Yoke Span; U-Joint 1501 fits 1.485" Inside Yoke Span.**

DOMESTIC PTO SNAP RING U-JOINT FINDER

Using this chart, a domestic PTO cross & bearing can be correctly identified by matching up the old snap ring. Simply place the old snap ring over the actual size reproduction. The part number of the complete PTO cross & bearing kit is indicated.

IF THE OLD SNAP RING MATCHES HERE	THE COMPLETE REPLACEMENT CROSS & BEARING IS:
	889
	964
	880
	856
	853

IF THE OLD SNAP RING MATCHES HERE	THE COMPLETE REPLACEMENT CROSS & BEARING IS:
	888
	995
	507
	338
	861


"W" Series

OEM Rated Capacity; 25HP @ 540RPM (Not designed for use at 1000RPM)


Pin & Block Kit

Lube Fitting in Block – **Part No. 810**

Dimension A	Dimension B
2-5/8" (2.625")	9/16" (0.563")



Quick Disconnect Yokes



Pin Type		
Bore	**Spline**	**Part No.**
1-3/8"	6	**1620**

QD Yoke Repair Kit	
Yoke	**Part No.**
1620	**1504**

Drive Shaft Components



Square Shaft – **Part No. 1627**
15/16" x 72" Long



Shaft Weld Yoke – **Part No. 1624**
For 15/16" Square Shaft

1100 Series


Standard Series 55

ASAE Category 6; 125HP @ 540RPM, 160HP @ 1000RPM


Cross & Bearing Kit

Lube Fitting in Cross – **Part No. 889**


Dimension A	Dimension B	Dimension C
4-5/16" (4.312")	1-17/32" (1.531")	4-5/8" (4.625")



Quick Disconnect Yokes



Pin Type		
Bore	**Spline**	**Part No.**
1-3/8"	6	**1106**
	21	**1121**
1-3/4"	20	**1120**



Safety Slide Lock		
Bore	**Spline**	**Part No.**
1-3/8"	6	**1107**
	21	**1119**
1-3/4"	20	**1157**

QD Yoke Repair Kits	
Yoke	**Part No.**
1106	**1504**
1107 & 1119	**1508**
1120	**1505**
1121	**1503**
1157	**1509**


End Yokes



Round Bore with Keyway on Ear and Set Screw on Keyway		
Bore	**Keyway**	**Part No.**
1-3/8"	5/16"	**1122**
1-1/2"	3/8"	**1124**
1-5/8"	3/8"	**1126**
1-3/4"	3/8"	**1128**
2"	1/2"	**1132**

1100 Series (Cont'd)


Drive Shafts & Components



Telescoping Drive Shaft Assembly – **Part No. 1148**
48" Overall Compressed Length when Yokes are Added




Yoke & Shaft Assembly – **Part No. 1147**
1-5/16" Square Shaft



Yoke, Tube & Slip Sleeve Assy. – **Part No. 1149**
2-1/2" – .134" Wall Tube



Square Shaft – **Part No. 1177**
1-5/16" × 72" Long



Round Tube – **Part No. 1187**
2-1/2" – .134" Wall × 72" Long




Splined Shaft – **Part No. 1174**
1-11/16" – 20 Spline × 36" Long



Tube Weld Yoke – **Part No. 1154**
For 2-1/2" – .134" Wall Tube



Shaft Weld Yoke – **Part No. 1155**
For 1-5/16" Square Shaft




Square Shaft Slip Sleeve – **Part No. 1190**



Shaft Weld Yoke – **Part No. 1164**
For 1-11/16" – 20 Spline Shaft



Splined Shaft Slip Sleeve – **Part No. 1194**



Safety Shield with Mtg. Kit – **Part No. 1138**
Mounting Kit Only – **Part No. 1199**

1200 Series


Standard Series 12

ASAE Category 2; 25HP @ 540RPM, 40HP @ 1000RPM


Cross & Bearing Kit

Lube Fitting in Cross – **Part No. 995**

Dimension A	Dimension B
1-13/16" (1.818")	1-1/16" (1.063")



Quick Disconnect Yokes




Pin Type		
Bore	**Spline**	**Part No.**
1-3/8"	6	**1291**
	21	**1292**



Spring Lock		
Bore	**Spline**	**Part No.**
1-3/8"	6	**1266**
	21	**1259**

QD Yoke Repair Kits	
Yoke	**Part No.**
1259 & 1266	**1507**
1291	**1504**
1292	**1503**


End Yokes




Round Bore with Keyway on Ear at 3				
Bore	**Keyway**	**Set Screw**	**Length**	**Part No.**
3/4"	3/16"	6	2-3/4"	**1200**
13/16"	1/4"	6	2-3/4"	**1201**
7/8"	1/4"	9	2-3/4"	**1203**
15/16"	1/4"	6	2-3/4"	**1206**
1"	1/4"	9	2-3/4"	**1209**
		3	3-1/2"	**1211**
	5/16"	9	2-3/4"	**1210**
1-1/16"	1/4"	9	2-3/4"	**1214**
1-1/8"	1/4"	9	2-3/4"	**1216**
	5/16"	9	2-3/4"	**1217**
		3	3-1/2"	**1219**
1-3/16"	5/16"	9	2-3/4"	**1221**
1-1/4"	1/4"	9	2-3/4"	**1223**
	5/16"	9	2-3/4"	**1224**
		3	3-1/2"	**1226**
	1/4" & 5/16"	3	3-1/2"	**1231**
1-3/8"	5/16"	3	3-1/2"	**1229**
1-1/2"	5/16"	9	2-3/4"	**1230**

1200 Series (Cont'd)


End Yokes




Round Bore with Keyway on Ear and Hole for 5/16" Pin on Gap			
Bore	**Keyway**	**Length**	**Part No.**
1"	1/4"	3-1/2"	**1213**
1-1/4"	1/4"	3-1/2"	**1227**




Square Bore with Set Screw		
Bore	**Length**	**Part No.**
7/8"	2-3/4"	**1242**
1"	2-3/4"	**1243**
	3-1/2"	**1244**
1-1/8"	2-3/4"	**1245**



Square Bore with Hole for 3/8" Pin		
Bore	**Length**	**Part No.**
1-1/8"	3-1/2"	**1246**




Spline Bore with Hole for 5/16" Pin			
Bore	**Spline**	**Length**	**Part No.**
1-1/4"	6	3-1/2"	**1254**
1-3/8"	6	2-3/4"	**1256**
		3-1/2"	**1257**




Hex Bore with Set Screw		
Bore	**Length**	**Part No.**
1-1/8"	2-3/4"	**1247**

Slip Yokes




Round Bore with Keyway on Ear at 3				
Bore	**Keyway**	**Set Screw**	**Length**	**Part No.**
1"	1/4"	9	5-1/4"	**1263**
1-1/8"	5/16"	9	5-1/4"	**1264**
1-1/4"	5/16"	9	5-1/4"	**1265**



Square Bore with Lube Fitting		
Bore	**Length**	**Part No.**
1"	5-1/4"	**1272**


1200 Series (Cont'd)

Slip Yokes




Hex Bore with Lube Fitting		
Bore	**Length**	**Part No.**
1-1/8"	5-1/4"	**1275**


Drive Shafts & Components




Telescoping Drive Shaft Assembly – **Part No. 1248**
48" Overall Compressed Length when Yokes are Added




Yoke & Shaft Assembly – **Part No. 1241**
1" × 1-1/8" Rectangular Shaft



Yoke & Tube Assembly – **Part No. 1249**
1-1/4" × 1-3/8" – 1/8" Wall Rectangular Tube



Rectangular Shaft – **Part No. 1277**
1" × 1-1/8" × 72" Long




Rectangular Tube – **Part No. 1287**
1-1/4" × 1-3/8" – 1/8" Wall × 72" Long



Shaft Weld Yoke – **Part No. 1294**
For 1" × 1-1/8" Shaft



Tube Weld Yoke – **Part No. 1293**
For 1-1/4" × 1-3/8" Tube



Safety Shield with Mtg. Kit – **Part No. 1238**
Mounting Kit Only – **Part No. 1299**

1300 Series

Standard Series 14


ASAE Category 3; 38HP @ 540RPM, 60HP @ 1000RPM

Cross & Bearing Kit


Lube Fitting in Cross – **Part No. 880**

Lube Fitting in Bearing – **Part No. 882**


Dimension A	Dimension B	Dimension C
2-5/8" (2.625")	1-1/8" (1.125")	2-29/32" (2.906")



Quick Disconnect Yokes



Pin Type		
Bore	**Spline**	**Part No.**
1-3/8"	6	**1372**
	21	**1373**



Spring Lock		
Bore	**Spline**	**Part No.**
1-3/8"	6	**1366**
	21	**1367**

QD Yoke Repair Kits	
Yoke	**Part No.**
1366 & 1367	**1507**
1372	**1504**
1373	**1503**

End Yokes



Round Bore with Keyway on Ear and Set Screw on Keyway		
Bore	**Keyway**	**Part No.**
1"	1/4"	**1300**
1-1/8"	1/4" & 5/16"	**1315**
1-3/16"	1/4" & 5/16"	**1316**
1-1/4"	1/4"	**1310**
	1/4" & 5/16"	**1317**
1-3/8"	5/16"	**1312**
1-7/16"	3/8"	**1314**
1-1/2"	3/8"	**1313**



Round Bore with Keyway on Ear and Pin Hole on Gap			
Bore	**Keyway**	**Pin Hole**	**Part No.**
1-1/4"	5/16"	5/16"	**1311**
		3/8"	**1309**

1300 Series (Cont'd)

End Yokes



Round Bore with Hole for 1/4" Shear Pin	
Bore	**Part No.**
1-1/8"	**1305**
1-1/4"	**1308**
1-3/8"	**1326**



Square Bore with Set Screw	
Bore	**Part No.**
7/8" & 1"	**1319**
15/16"	**1320**
1"	**1321**
1-3/16"	**1325**
1-1/4"	**1322**




Spline Bore with Hole for 5/16" Pin		
Bore	**Spline**	**Part No.**
1-1/4"	6	**1351**
1-3/8"	6	**1352**
	21	**1353**



Rectangular Bore	
Bore	**Part No.**
1" × 1-1/8"	**1323**

1300 Series (Cont'd)


Drive Shafts & Components



Telescoping Drive Shaft Assembly – **Part No. 1348**
48" Overall Compressed Length when Yokes are Added




Yoke & Shaft Assembly – **Part No. 1347**
1" x 1-1/8" Rectangular Shaft




Yoke, Tube & Slip Sleeve Assy. – **Part No. 1349**
2" – .083 Wall Round Tube



Rectangular Shaft – **Part No. 1277**
1" x 1-1/8" x 72" Long




Round Tube – **Part No. 1387**
2" – .083 Wall x 72" Long



Shaft Weld Yoke – **Part No. 1374**
For 1" x 1-1/8" Shaft



Tube Weld Yoke – **Part No. 1375**
For 2" – .083 Wall Tube



Safety Shield with Mtg. Kit – **Part No. 1238**
Mounting Kit Only – **Part No. 1299**




Slip Sleeve – **Part No. 1390**

1310 Series


Cross & Bearing Kit

Lube Fitting in Cross – **Part No. 369**

Dimension A	Dimension B	Dimension C
3-7/32" (3.218")	1-1/16" (1.063")	3-15/32" (3.470")



2 9/16" End Yokes



Round Bore with Keyway on Ear and Set Screw Opposite Keyway		
Bore	**Keyway**	**Part No.**
1"	1/4"	**1395**
1-1/8"	1/4"	**1396**
1-1/4"	5/16"	**1397**
1-3/8"	3/8"	**1398**

1400 Series


Standard Series 44

ASAE Category 5; 90HP @ 540RPM, 120HP @ 1000RPM


Cross & Bearing Kit

Lube Fitting in Cross – **Part No. 888**


Dimension A	Dimension B
2-51/64" (2.795")	1-5/16" (1.310")



Quick Disconnect Yokes



Pin Type		
Bore	**Spline**	**Part No.**
1-3/8"	6	**1452**
	21	**1453**
1-3/4"	20	**1450**



Safety Slide Lock		
Bore	**Spline**	**Part No.**
1-3/8"	6	**1460**
	21	**1461**
1-3/4"	20	**1457**

QD Yoke Repair Kits	
Yoke	**Part No.**
1450	**1505**
1452	**1504**
1453	**1503**
1457	**1509**
1460 & 1461	**1508**

End Yokes




Round Bore with Keyway on Ear and Set Screw on Keyway		
Bore	**Keyway**	**Part No.**
1-1/4"	1/4" & 5/16"	**1414**
1-3/8"	5/16"	**1406**
1-1/2"	3/8"	**1408**
1-3/4"	3/8"	**1412**




Spline Bore with Hole for 5/16" Pin		
Bore	**Spline**	**Part No.**
1-3/8"	6	**1442**

1400 Series (Cont'd)


Drive Shafts & Components



Telescoping Drive Shaft Assembly – **Part No. 1448**
48" Overall Compressed Length when Yokes are Added



Yoke & Shaft Assembly – **Part No. 1447**
1-5/16" Square Shaft




Yoke, Tube & Slip Sleeve Assy. – **Part No. 1449**
2-1/2" – .134" Wall Tube



Square Shaft – **Part No. 1177**
1-5/16" × 72" Long



Round Tube – **Part No. 1187**
2-1/2" – .134" Wall × 72" Long



Splined Shaft – **Part No. 1174**
1-11/16" – 20 Spline × 36" Long



Tube Weld Yoke – **Part No. 1455**
For 2-1/2" – .134" Wall Tube



Shaft Weld Yoke – **Part No. 1454**
For 1-5/16" Square Shaft




Square Shaft Slip Sleeve – **Part No. 1190**



Shaft Weld Yoke – **Part No. 1464**
For 1-11/16" – 20 Spline Shaft



Splined Shaft Slip Sleeve – **Part No. 1194**



Safety Shield with Mtg. Kit – **Part No. 1138**
Mounting Kit Only – **Part No. 1199**

1500 Series

Standard Series 1000


OEM Rated Capacity; 13HP @ 540RPM, 20HP @ 1000RPM

Cross & Bearing Kit


Lube Fitting in Cross – **Part No. 338**

Lube Fitting in Bearing – **Part No. 838**


Dimension A	Dimension B
1-1/2" (1.500")	15/16" (0.938")




2 1/2" End Yokes




Round Bore with Keyway on Gap at 12			
Bore	**Keyway**	**Set Screw**	**Part No.**
5/8"	3/16"	9	**1510**
3/4"	3/16"	9	**1511**
		6	**1512**
	1/4"	9	**1535**
13/16"	3/16"	9	**1517**
	1/4"	9	**1513**
	3/16" & 1/4"	9	**1570**
7/8"	1/4"	9	**1516**
		6	**1518**
	3/16"	9	**1546**
	3/16" & 1/4"	9	**1571**
15/16"	1/4"	9	**1519**
1"	3/16"	9	**1548**
	1/4"	9	**1521**
			1524*
		6	**1522**
	3/16" & 1/4"	9	**1572**
1-1/16"	1/4"	9	**1525**
1-1/8"	1/4"	9	**1527**
	5/16"	9	**1526**
	1/4" & 5/16"	9	**1573**
1-3/16"	5/16"	9	**1528**
	1/4" & 5/16"	9	**1574**
1-1/4"	1/4"	9	**1552**
	5/16"	9	**1529**
		6	**1530**



Round Bore with Keyway on Gap at 12 (Cont'd)			
Bore	**Keyway**	**Set Screw**	**Part No.**
1-1/4"	1/4" & 5/16"	9	**1575**
1-3/8"	5/16"	9	**1553**



Round Bore with Pin Hole		
Bore	**Pin Hole**	**Part No.**
15/16"	#6 Taper	**1520**
1"	1/4"	**1550**
	3/8"	**1523**
1-1/4"	5/16"	**1531**
1-1/2"	9/32"	**1532**




Square Bore with Set Screw	
Bore	**Part No.**
3/4"	**1534**
7/8"	**1537**
1"	**1539**
1-1/8"	**1557**


*** Same as 1521 except larger 2" diameter hub.**

1500 Series (Cont'd)


2 1/2" End Yokes




Square Bore with Pin Hole		
Bore	Pin Hole	Part No.
3/4"	5/16"	1554
1"	3/8"	1556



Hex Bore with Set Screw	
Bore	Part No.
7/8"	1560
1-1/8"	1540




Rectangular Bore	
Bore	Part No.
1" × 1-1/8"	1559




Spline Bore with Hole for 5/16" Pin		
Bore	Spline	Part No.
1-1/8"	6	1542
1-3/8"	6	1545


5 1/2" Slip Yokes



Round Bore with Keyway on Gap at 12 and Grease Fitting Opposite at 6		
Bore	Keyway	Part No.
3/4"	3/16"	1750
13/16"	1/4"	1751
7/8"	1/4"	1752
1"	1/4"	1754
1-1/8"	1/4"	1767
	5/16"	1755
1-1/4"	5/16"	1756




Square Bore with Grease Fitting	
Bore	Part No.
3/4"	1759
7/8"	1760
1"	1761




Rectangular Bore with Grease Fitting	
Bore	Part No.
3/4" × 7/8"	1769

1500 Series (Cont'd)

5 1/2" Slip Yokes




Hex Bore with Grease Fitting	
Bore	**Part No.**
7/8"	**1772**
1-1/8"	**1766**




Spline Bore with Grease Fitting		
Bore	**Spline**	**Part No.**
1-1/8"	10	**1763**
1-1/4"	6	**1765**

Special 1 11/16" Short Yokes

(Close fit requires using C & B Kit 838 with lube fitting in bearing)




Round Bore with Keyway on Gap at 12			
Bore	**Keyway**	**Set Screw**	**Part No.**
5/8"	3/16"	9	**1708**
3/4"	3/16"	9	**1700**
13/16"	1/4"	9	**1702**
7/8"	1/4"	9	**1703**
1"	1/4"	9	**1705**



Square Bore with Set Screw Hole	
Bore	**Part No.**
3/4"	**1706**
7/8"	**1707**


Quick Disconnect Yoke



Pin Type		
Bore	**Spline**	**Part No.**
1-3/8"	6	**1566**

1500 Series (Cont'd)

Unwelded Splined Slip Assembly
1 1/8" Bore – 10 Spline



Complete Assembly – **Part No. 1544**

Separate Components
Slip Yoke – **No. 1547**, Splined Stub Shaft – **No. 1551**, Yoke & Tube Assy. – **No. 1549**

Key Stock
(Priced per piece – Sold 10 per pkg.)



Size	Length	Part No.
3/16"	2"	1591
	4"	1592
1/4"	2"	1593
	4"	1594
5/16"	2"	1595
	4"	1596
3/8"	2"	1597
	4"	1598

Solid Shafting – 72" Long



Shaft Size	Keyway*	Part No.
3/4" Round	3/16"	1584
7/8" Round	1/4"	1576
1" Round	1/4"	1577
1-1/4" Round	5/16"	1579
3/4" Square	None	1581
7/8" Square	None	1582
1" Square	None	1583
7/8" Hexagonal	None	1585
1-1/8" Hexagonal	None	1587

* Full Length

Set Screws
(Priced per piece – Sold 10 per pkg.)



Part No. 1588
3/8"–16 × 3/4"
Square Head



Part No. 1589
3/8"–16 × 1/2"
Allen Head

1800 Series


Standard Series 35

ASAE Category 4; 60HP @ 540RPM, 80HP @ 1000RPM


Cross & Bearing Kit

Lube Fitting in Cross – **Part No. 964**
Lube Fitting in Bearing – **Part No. 934**


Dimension A	Dimension B	Dimension C
3-5/16" (3.210")	1-1/4" (1.250")	3-31/64" (3.484")



Quick Disconnect Yokes



Pin Type		
Bore	**Spline**	**Part No.**
1-3/8"	6	**1852**
	21	**1853**
1-3/4"	20	**1856**



Safety Slide Lock		
Bore	**Spline**	**Part No.**
1-3/8"	6	**1870**
	21	**1871**
1-3/4"	20	**1857**

QD Yoke Repair Kits	
Yoke	**Part No.**
1852	**1504**
1853	**1503**
1856	**1505**
1857	**1509**
1870 & 1871	**1508**

End Yokes



Round Bore with Keyway on Ear and Set Screw on Keyway		
Bore	**Keyway**	**Part No.**
1"	1/4"	**1800**
1-1/8"	1/4"	**1801**
1-3/16"	1/4"	**1803**
1-1/4"	1/4"	**1805**
	5/16"	**1807**
	1/4" & 5/16"	**1814**
1-3/8"	5/16"	**1809**
	5/16" & 3/8"	**1815**
1-7/16"	3/8"	**1811**
1-1/2"	3/8"	**1812**
1-5/8"	3/8"	**1813**



Round Bore with Hole for 1/4" Shear Pin	
Yoke	**Part No.**
1-1/4"	**1806**
1-3/8"	**1810**
1-1/2"	**1816**

1800 Series (Cont'd)

End Yokes




Square Bore with Set Screw	
Bore	**Part No.**
1"	**1820**
1-1/8"	**1825**
1-3/16"	**1826**
1-1/4"	**1827**




Spline Bore with Hole for 5/16" Pin		
Bore	**Spline**	**Part No.**
1-1/4"	6	**1841**
1-3/8"	6	**1842**
	21	**1843**


Drive Shafts & Components




Telescoping Drive Shaft Assembly – **Part No. 1848**
48" Overall Compressed Length when Yokes are Added



Yoke & Shaft Assembly – **Part No. 1847**
1-3/16" Square Shaft



Yoke, Tube & Slip Sleeve Assy. – **Part No. 1849**
2-1/8" – .120" Wall Tube



Square Shaft – **Part No. 1877**
1-3/16" x 72" Long



Round Tube – **Part No. 1887**
2-1/8" – .120" Wall x 72" Long
(For Square Shaft Assy.)



Splined Shaft – **Part No. 1174**
1-11/16" – 20 Spline x 36" Long

Round Tube – **Part No. 1187**
2-1/2" – .134" Wall x 72" Long
(For Splined Shaft Assy.)

1800 Series (Cont'd)

Drive Shafts & Components



Shaft Weld Yoke – **Part No. 1854**
For 1-3/16" Square Shaft



Tube Weld Yoke – **Part No. 1855**
For 2-1/8" – .120" Wall Tube
(For Square Shaft Assy.)



Shaft Weld Yoke – **Part No. 1864**
For 1-11/16" – 20 Spline Shaft




Tube Weld Yoke – **Part No. 1865**
For 2-1/2" – .134" Wall Tube
(For Splined Shaft Assy.)



Square Shaft Slip Sleeve – **Part No. 1890**



Splined Shaft Slip Sleeve – **Part No. 1194**



Safety Shield with Mtg. Kit – **Part No. 1838**
Mounting Kit Only – **Part No. 1899**

1900 Series

Standard Series 6


ASAE Category 1; 13HP @ 540RPM, 20HP @ 1000RPM

Cross & Bearing Kit


Lube Fitting in Cross – **Part No. 861**

Lube Fitting in Bearing – **Part No. 839**

Dimension A	Dimension B
1-29/64" (1.444")	31/32" (0.969")




Quick Disconnect Yokes



Pin Type		
Bore	**Spline**	**Part No.**
1-3/8"	6	**1921**

Male Spline Yoke



Diameter	Spline	Part No.
1"	15	**1953***

*** Lawn & Garden Applications**

End Yokes



Spring Lock		
Bore	**Spline**	**Part No.**
1"	15	**1952***
1-3/8"	6	**1960**
	21	**1961**

*** Lawn & Garden Applications**

QD Yoke Repair Kits	
Yoke	**Part No.**
1921	**1504**
1952, 1960 & 1961	**1507**



Round Bore with Keyway on Ear and Set Screw on Keyway		
Bore	**Keyway**	**Part No.**
3/4"	3/16"	**1900**
	1/4"	**1901**
13/16"	3/16"	**1902**
7/8"	1/4"	**1903**
	3/16" & 1/4"	**1923**
15/16"	1/4"	**1904**
1"	1/4"	**1905**
	3/16" & 1/4"	**1924**
1-1/8"	1/4"	**1907**
	5/16"	**1908**
1-3/16"	1/4" & 5/16"	**1927**
1-1/4"	5/16"	**1909**
	1/4" & 5/16"	**1926**

1900 Series (Cont'd)

End Yokes




Square Bore with Set Screw	
Bore	**Part No.**
7/8"	**1916**
1"	**1911**




Hex Bore with Set Screw	
Bore	**Part No.**
1-1/8"	**1913**

Drive Shafts & Components



Telescoping Drive Shaft Assembly – **Part No. 1948**
48" Overall Compressed Length when Yokes are Added



Yoke & Shaft Assembly – **Part No. 1947**
3/4" × 7/8" Rectangular Shaft



Yoke & Tube Assembly – **Part No. 1949**
1" × 1-1/8" – 1/8" Wall Rectangular Tube



Rectangular Shaft – **Part No. 1977**
3/4" × 7/8" × 72" Long



Rectangular Tube – **Part No. 1987**
1" × 1-1/8" – 1/8" Wall × 72" Long



Shaft Weld Yoke – **Part No. 1936**
For 3/4" × 7/8" Shaft



Tube Weld Yoke – **Part No. 1935**
For 1" × 1-1/8" Tube



Safety Shield with Mtg. Kit – **Part No. 1938**
Mounting Kit Only – **Part No. 1999**


2600 Series

ASAE Category 5; 90HP @ 540RPM, 120HP @ 1000RPM


Cross & Bearing Kit

Lube Fitting in Cross – **Part No. 351**

Dimension A	Dimension B	Dimension C
4-3/16" (4.187")	1-3/8" (1.375")	4-7/16" (4.438")




Quick Disconnect Yokes



Pin Type		
Bore	**Spline**	**Part No.**
1-3/8"	6	**1472**
	21	**1473**
1-3/4"	20	**1470**

QD Yoke Repair Kits	
Yoke	**Part No.**
1470	**1505**
1472	**1504**
1473	**1503**


End Yokes



Round Bore with Keyway on Ear and Set Screw on Keyway		
Bore	**Keyway**	**Part No.**
1-3/8"	5/16"	**1426**
1-1/2"	3/8"	**1428**
1-3/4"	3/8"	**1432**

Spline Bore with Hole for 5/16" Pin		
Bore	**Spline**	**Part No.**
1-3/8"	6	**1444**

Drive Shaft Components



Square Shaft – **Part No. 1177**
1-5/16" × 72" Long



Round Tube – **Part No. 1485**
2-3/4" – .109" Wall × 72" Long



Shaft Weld Yoke – **Part No. 1474**
For 1-5/16" Square Shaft



Slip Sleeve – **Part No. 1492**




Tube Weld Yoke – **Part No. 1475**
For 2-3/4" – .109 Wall Tube

Safety Shield with Mtg. Kit – **Part No. 1495**

IDENTIFYING EUROPEAN "METRIC" REPLACEMENT PARTS

For cross & bearing kits ~~only~~, ~~see~~ the following page to find the correct replacement part by dimensions, original size/series or part number interchange. For yokes, tubing, etc., as well as most cross & bearing kits, use the dimensional charts below to determine the size/series and page number. You only need to know the drive shaft tube profile (triangular, lemon or star) and the length of the cross & bearing kit *with the bearings installed.*


TUBE PROFILE	CROSS & BEARING LENGTH	SIZE/SERIES	PAGE
	54mm (2.12")	Bondioli & Pavesi 1	31
	61.3mm (2.41")	Bondioli & Pavesi 2	32
	70mm (2.76")	Bondioli & Pavesi 3	33
	74.6mm (2.94")	Bondioli & Pavesi 4	34
	80mm (3.15")	Bondioli & Pavesi 5	35
	92mm (3.63")	Bondioli & Pavesi 6	36
	94mm (3.70")	Bondioli & Pavesi 7	37
	106.5mm (4.19")	Bondioli & Pavesi 8	38

TUBE PROFILE	CROSS & BEARING LENGTH	SIZE/SERIES	PAGE
	55mm (2.16")	Walterscheid 2100	39
	61.2mm (2.41")	Walterscheid 2200	40
	70mm (2.76")	Walterscheid I	41
	74.5mm (2.94")	Walterscheid 2300	42
	76mm (2.98")	Walterscheid 2400	44
	92mm (3.63")	Walterscheid 220	43


TUBE PROFILE	CROSS & BEARING LENGTH	SIZE/SERIES	PAGE
	89mm (3.50")	Walterscheid 2500	45

NOTE: ALL REPLACEMENT PARTS ARE DIRECTLY INTERCHANGEABLE WITH THE ORIGINAL PARTS *EXCEPT* ROLL PINS, SAFETY SHIELDS AND SAFETY SHIELD BEARINGS.

IDENTIFYING "METRIC" PTO CROSS & BEARING KITS



A Plain Bearing Type
for Outside Lock Rings



B Grooved Bearing Type
for Inside Lock Rings

OEM Cross Length	Bearing Diameter	Type	Our No.	Original Equipment Size/Series
49.1mm (1.935")	22.0mm (0.868")	A	**812**	Walterscheid 2100 & 100
49.4mm (1.947")	22.0mm (0.868")	A	**812**	Walterscheid 2100 & 100
50.0mm (1.970")	22.0mm (0.868")	A	**811**	Bondioli & Pavesi 1
55.8mm (2.199")	23.8mm (0.938")	A	**341AG**	Walterscheid 2200 & 200
56.9mm (2.241")	23.8mm (0.938")	A	**341AG**	Bondioli & Pavesi 2
64.5mm (2.541")	27.0mm (1.064")	A	**813**	Walterscheid I
69.4mm (2.556")	27.0mm (1.064")	A	**813**	Bondioli & Pavesi 3
69.2mm (2.723")	27.0mm (1.064")	A	**344AG**	Walterscheid 2300 & 210
69.6mm (2.739")	27.0mm (1.064")	A	**344AG**	Bondioli & Pavesi 4
70.3mm (2.769")	32.0mm (1.261")	A	**814**	Walterscheid 2400
74.3mm (2.925")	30.2mm (1.189")	A	**815**	Bondioli & Pavesi 5
80.7mm (3.177")	34.0mm (1.339")	B	**816**	Walterscheid II
82.3mm (3.242")	36.0mm (1.418")	A	**817**	Walterscheid 2500
85.6mm (3.371")	30.2mm (1.189")	A	**331AG**	Bondioli & Pavesi 6 and Walterscheid 220 & 720
88.0mm (3.466")	34.9mm (1.375")	A	**818**	Bondioli & Pavesi 7
97.9mm (3.854")	34.9mm (1.375")	A	**351AG**	Walterscheid 240
99.4mm (3.914")	34.9mm (1.375")	A	**351AG**	Bondioli & Pavesi 8
99.9mm (3.935")	30.2mm (1.189")	A	**330**	Bondioli & Pavesi 7 (Old) and Walterscheid 230
107.9mm (4.250")	39.7mm (1.563")	A	**370**	Walterscheid 250

Bondioli & Pavesi

1.41 811
2.41 .....341AG
3.41 813
4.41 .....344AG
5.41 815
6.41 .....331AG
7.41 330
8.41 .....351AG
41201 811
41202 .....341AG
41203 813
41204 .....344AG
41205 815
41206 .....331AG
41207 818
41208 .....351AG

Walterscheid

10.01.00 812
11.03.00 813
12.00.00 816
20.00.00 .....341AG
21.00.00 .....344AG
22.00.00 .....331AG
23.00.00 330
24.01.00 .....351AG
25.00.00 370
35.00.00 814
36.00.00 817
040116 812
040127 813
040703 816
041662 .....331AG
042206 370
044439 .....341AG
044444 .....344AG
048182 .....351AG
082880 330
312209 817
312410 814


Bondioli & Pavesi 1

OEM Rated Capacity; 16HP @ 540RPM, 25HP @ 1000RPM


Cross & Bearing Kit

Lube Fitting in Cross – **Part No. 811**

Dimension A	Dimension B	Dimension C
54mm (2.126")	22mm (0.868")	63.5mm (2.50")



Quick Disconnect Yokes



Pin Type		
Bore	**Spline**	**Part No.**
1-3/8"	6	**1000**


Pin Repair Kit – See Page 46

End Yokes




Round Bore with Keyway on Ear and Set Screw on Keyway		
Bore	**Keyway**	**Part No.**
1"	1/4"	**1020**
1-1/4"	1/4"	**1021**

Drive Shaft Components



Inner Tube Yoke – **Part No. 1041**
Bore 26.5mm (1.05")

Outer Tube Yoke – **Part No. 1051**
Bore 33mm (1.29")




Inner Tube – **Part No. 1061**
26.5mm (1.05") × 1500mm (59")

Outer Tube – **Part No. 1071**
33mm (1.29") × 1500mm (59")



Roll Pin – **Part No. 1081**
8mm (0.315") × 50mm (1.97")



Plastic Safety Shield – **Part No. 1090**
(Mounting kits not included)

Inner Shield Mtg. Kit – **Part No. 1091**
Outer Shield Mtg. Kit – **Part No. 1092**


Bondioli & Pavesi 2

OEM Rated Capacity; 21HP @ 540RPM, 31HP @ 1000RPM


Cross & Bearing Kit

Lube Fitting in Cross – **Part No. 341AG**

Dimension A	Dimension B	Dimension C
61.3mm (2.413")	23.8mm (0.938")	70mm (2.76")



Quick Disconnect Yokes



Pin Type		
Bore	**Spline**	**Part No.**
1-3/8"	6	**1002**


Pin Repair Kit – See Page 46

End Yokes




Round Bore with Keyway on Ear and Set Screw on Keyway		
Bore	**Keyway**	**Part No.**
1"	1/4"	**1022**
1-1/4"	1/4"	**1023**

Drive Shaft Components



Inner Tube Yoke – **Part No. 1042**
Bore 29mm (1.15")

Outer Tube Yoke – **Part No. 1052**
Bore 36mm (1.43")




Inner Tube – **Part No. 1062**
29mm (1.15") x 1500mm (59")

Outer Tube – **Part No. 1072**
36mm (1.43") x 1500mm (59")



Roll Pin – **Part No. 1082**
8mm (0.315") x 60mm (2.36")



Plastic Safety Shield – **Part No. 1090**
(Mounting kits not included)

Inner Shield Mtg. Kit – **Part No. 1094**
Outer Shield Mtg. Kit – **Part No. 1096**


Bondioli & Pavesi 3

OEM Rated Capacity; 30HP @ 540RPM, 47HP @ 1000RPM


Cross & Bearing Kit

Lube Fitting in Cross – **Part No. 813**

Dimension A	Dimension B	Dimension C
70mm (2.756")	27mm (1.064")	79.5mm (3.13")




Quick Disconnect Yokes



Pin Type		
Bore	**Spline**	**Part No.**
1-3/8"	6	**1004**

Pin Repair Kit – See Page 46


End Yokes



Round Bore with Keyway on Ear or Shear Pin Hole		
Bore	**Keyway**	**Part No.**
1-1/4"	1/4"	**1024**
1-3/8"	5/16"	**1025**
35mm	None*	**1033**


*** Shear pin design with pin hole.**

Drive Shaft Components



Inner Tube Yoke – **Part No. 1043**
Bore 36mm (1.42")

Outer Tube Yoke – **Part No. 1053**
Bore 43.5mm (1.71")




Inner Tube – **Part No. 1072**
36mm (1.42") x 1500mm (59")

Outer Tube – **Part No. 1073**
43.5mm (1.71") x 1500mm (59")



Roll Pin – **Part No. 1082**
8mm (0.315") x 60mm (2.36")



Plastic Safety Shield – **Part No. 1090**
(Mounting kits not included)

Inner Shield Mtg. Kit – **Part No. 1093**
Outer Shield Mtg. Kit – **Part No. 1094**


Bondioli & Pavesi 4

OEM Rated Capacity; 35HP @ 540RPM, 55HP @ 1000RPM


Cross & Bearing Kit

Lube Fitting in Cross – **Part No. 344AG**

Dimension A	Dimension B	Dimension C
74.6mm (2.937")	27mm (1.064")	84mm (3.31")




Quick Disconnect Yokes



Pin Type		
Bore	**Spline**	**Part No.**
1-3/8"	6	**1006**

Pin Repair Kit – See Page 46


End Yokes



Round Bore with Keyway on Ear or Shear Pin Hole		
Bore	**Keyway**	**Part No.**
1-1/4"	1/4"	**1026**
1-3/8"	5/16"	**1027**
35mm	None*	**1034**


*** Shear pin design with pin hole.**

Drive Shaft Components



Inner Tube Yoke – **Part No. 1044**
Bore 36mm (1.42")

Outer Tube Yoke – **Part No. 1054**
Bore 43.5mm (1.71")




Inner Tube – **Part No. 1064**
36mm (1.42") × 1500mm (59")

Outer Tube – **Part No. 1073**
43.5mm (1.71") × 1500mm (59")



Roll Pin – **Part No. 1082**
8mm (0.315") × 60mm (2.36")



Plastic Safety Shield – **Part No. 1090**
(Mounting kits not included)

Inner Shield Mtg. Kit – **Part No. 1093**
Outer Shield Mtg. Kit – **Part No. 1094**


Bondioli & Pavesi 5

OEM Rated Capacity; 47HP @ 540RPM, 74HP @ 1000RPM


Cross & Bearing Kit

Lube Fitting in Cross – **Part No. 815**

Dimension A	Dimension B	Dimension C
80mm (3.150")	30.2mm (1.189")	91mm (3.58")



Quick Disconnect Yokes



Pin Type		
Bore	**Spline**	**Part No.**
1-3/8"	6	**1008**

Pin Repair Kit – See Page 46


End Yokes



Round Bore with Keyway on Ear or Shear Pin Hole		
Bore	**Keyway**	**Part No.**
1-1/4"	1/4"	**1028**
1-3/8"	5/16"	**1029**
35mm	None*	**1035**


*** Shear pin design with pin hole.**

Drive Shaft Components



Inner Tube Yoke – **Part No. 1045**
Bore 45mm (1.77")

Outer Tube Yoke – **Part No. 1055**
Bore 51.6mm (2.03")




Inner Tube – **Part No. 1065**
45mm (1.77") x 1500mm (59")

Outer Tube – **Part No. 1075**
51.6mm (2.03") x 1500mm (59")



Roll Pin – **Part No. 1085**
10mm (0.394") x 75mm (2.95")



Plastic Safety Shield – **Part No. 1095**
(Mounting kits not included)

Inner Shield Mtg. Kit – **Part No. 1097**
Outer Shield Mtg. Kit – **Part No. 1098**


Bondioli & Pavesi 6

OEM Rated Capacity; 64HP @ 540RPM, 100HP @ 1000RPM


Cross & Bearing Kit

Lube Fitting in Cross – **Part No. 331AG**

Dimension A	Dimension B	Dimension C
92mm (3.622")	30.2mm (1.189")	103mm (4.06")




Quick Disconnect Yokes



Pin Type		
Bore	**Spline**	**Part No.**
1-3/8"	6	**1010**
	21	**1011**

Pin Repair Kit – See Page 46


End Yokes



Round Bore with Keyway on Ear or Shear Pin Hole		
Bore	**Keyway**	**Part No.**
1-3/8"	5/16"	**1030**
35mm	None*	**1036**


*** Shear pin design with pin hole.**

Drive Shaft Components



Inner Tube Yoke – **Part No. 1046**
Bore 45mm (1.77")

Outer Tube Yoke – **Part No. 1056**
Bore 54mm (2.10")




Inner Tube – **Part No. 1065**
45mm (1.77") x 1500mm (59")

Outer Tube – **Part No. 1076**
54mm (2.10") x 1500mm (59")



Roll Pin – **Part No. 1086**
10mm (0.394") x 80mm (3.15")



Safety Shield with Mtg. Kit – **Part No. 1686**


Bondioli & Pavesi 7

OEM Rated Capacity; 75HP @ 540RPM, 118HP @ 1000RPM


Cross & Bearing Kit

Lube Fitting in Cross – **Part No. 818**

Dimension A	Dimension B	Dimension C
94mm (3.701")	35mm (1.375")	106mm (4.17")




Quick Disconnect Yokes



Pin Type		
Bore	**Spline**	**Part No.**
1-3/8"	6	**1012**
	21	**1013**
1-3/4"	20	**1003**


Pin Repair Kit – See Page 46

Drive Shaft Components



Inner Tube Yoke – **Part No. 1047**
Bore 45mm (1.77")

Outer Tube Yoke – **Part No. 1057**
Bore 54mm (2.10")




Inner Tube – **Part No. 1067**
45mm (1.77") x 1500mm (59")

Outer Tube – **Part No. 1076**
54mm (2.10") x 1500mm (59")



Roll Pin – **Part No. 1086**
10mm (0.394") x 80mm (3.15")



Safety Shield with Mtg. Kit – **Part No. 1687**


Bondioli & Pavesi 8

OEM Rated Capacity; 95HP @ 540RPM, 150HP @ 1000RPM


Cross & Bearing Kit

Lube Fitting in Cross – **Part No. 351AG**

Dimension A	Dimension B	Dimension C
106.5mm (4.187")	35mm (1.375")	117mm (4.61")



Quick Disconnect Yokes



Pin Type		
Bore	**Spline**	**Part No.**
1-3/8"	6	**1472**
	21	**1473**
1-3/4"	20	**1470**

Pin Repair Kit for OEM Yokes – See Page 46
Pin Repair Kit for Our Yokes – See Page 28


End Yokes



Round Bore with Keyway on Ear and Set Screw on Keyway		
Bore	**Keyway**	**Part No.**
38.1mm	8.0mm	**1031**
44.5mm	9.5mm	**1032**


Additional End Yokes – See Page 28

Drive Shaft Components



Inner Tube Yoke – **Part No. 1048**
Bore 54mm (2.13")

Outer Tube Yoke – **Part No. 1058**
Bore 63mm (2.48")




Inner Tube – **Part No. 1068**
54mm (2.13") x 1500mm (59")

Outer Tube – **Part No. 1078**
63mm (2.48") x 1500mm (59")



Inner Roll Pin – **Part No. 1087**
8mm (0.315") x 80mm (3.15")

Outer Roll Pin – **Part No. 1088**
12mm (0.472") x 80mm (3.15")



Safety Shield with Mtg. Kit – **Part No. 1688**


Walterscheid 2100 & 100

OEM Rated Capacity; 26HP @ 540RPM, 40HP @ 1000RPM


Cross & Bearing Kit

Lube Fitting in Cross – **Part No. 812**

Dimension A	Dimension B	Dimension C
55mm (2.157")	22mm (0.868")	62mm (2.44")



Quick Disconnect Yokes



Pin Type		
Bore	**Spline**	**Part No.**
1-3/8"	6	**1600**


Pin Repair Kit – See Page 46

End Yokes




Round Bore with Shear Pin Hole	
Bore	**Part No.**
1"	**1630**
1-1/4"	**1631**

Drive Shaft Components



Inner Shaft Yoke – **Part No. 1641**
Bore 23.7mm (0.93")

Outer Tube Yoke – **Part No. 1651**
Bore 30mm (1.18")




Inner Shaft – **Part No. 1661**
23.7mm (0.93") x 1500mm (59")

Outer Tube – **Part No. 1671**
30mm (1.18") x 1500mm (59")



Roll Pin – **Part No. 1081**
8mm (0.315") x 50mm (1.97")



Plastic Safety Shield – **Part No. 1090**
(Mounting kits not included)

Inner Shield Mtg. Kit – **Part No. 1691**
Outer Shield Mtg. Kit – **Part No. 1691**


Walterscheid 2200 & 200

OEM Rated Capacity; 43HP @ 540RPM, 66HP @ 1000RPM


Cross & Bearing Kit

Lube Fitting in Cross – **Part No. 341AG**

Dimension A	Dimension B	Dimension C
61.2mm (2.411")	23.8mm (0.938")	68mm (2.68")



Quick Disconnect Yokes



Pin Type		
Bore	**Spline**	**Part No.**
1-3/8"	6	**1002**


Pin Repair Kit – See Page 46

End Yokes




Round Bore with Keyway on Ear and Set Screw on Keyway		
Bore	**Keyway**	**Part No.**
1"	1/4"	**1022**
1-1/4"	1/4"	**1023**

Drive Shaft Components



Inner Tube Yoke – **Part No. 1642**
Bore 34.5mm (1.36")

Outer Tube Yoke – **Part No. 1652**
Bore 41.25mm (1.62")




Inner Tube – **Part No. 1662**
34.5mm (1.36") x 1500mm (59")

Outer Tube – **Part No. 1672**
41.25mm (1.62") x 1500mm (59")



Roll Pin – **Part No. 1083**
10mm (0.394") x 60mm (2.36")



Plastic Safety Shield – **Part No. 1090**
(Mounting kits not included)

Inner Shield Mtg. Kit – **Part No. 1692**
Outer Shield Mtg. Kit – **Part No. 1692**


Walterscheid I

OEM Rated Capacity; 43HP @ 540RPM, 66HP @ 1000RPM


Cross & Bearing Kit

Lube Fitting in Cross – **Part No. 813**

Dimension A	Dimension B	Dimension C
70mm (2.756")	27mm (1.064")	77mm (3.03")



Quick Disconnect Yokes



Pin Type		
Bore	**Spline**	**Part No.**
1-3/8"	6	**1004**


Pin Repair Kit – See Page 46

End Yokes



Round Bore with Keyway on Ear and Set Screw on Keyway		
Bore	**Keyway**	**Part No.**
1-1/4"	1/4"	**1024**
1-3/8"	5/16"	**1025**

Drive Shaft Components




Inner Tube Yoke – **Part No. 1643**
Bore 34.5mm (1.36")

Outer Tube Yoke – **Part No. 1653**
Bore 41mm (1.62")




Roll Pin – **Part No. 1084**
10mm (0.394") x 65mm (2.56")



Inner Tube – **Part No. 1662**
34.5mm (1.36") x 1500mm (59")

Outer Tube – **Part No. 1672**
41mm (1.62") x 1500mm (59")



Plastic Safety Shield – **Part No. 1090**
(Mounting kits not included)

Inner Shield Mtg. Kit – **Part No. 1692**
Outer Shield Mtg. Kit – **Part No. 1692**


Walterscheid 2300 & 210

OEM Rated Capacity; 61HP @ 540RPM, 94HP @ 1000RPM


Cross & Bearing Kit

Lube Fitting in Cross – **Part No. 344AG**

Dimension A	Dimension B	Dimension C
74.5mm (2.935")	27mm (1.064")	83mm (3.27")




Quick Disconnect Yokes



Pin Type		
Bore	**Spline**	**Part No.**
1-3/8"	6	**1006**

Pin Repair Kit – See Page 46


End Yokes



Round Bore with Keyway on Ear or Shear Pin Hole		
Bore	**Keyway**	**Part No.**
1-1/4"	1/4"	**1026**
1-3/8"	5/16"	**1027**
35mm	None*	**1034**


*** Shear pin design with pin hole.**

Drive Shaft Components



Inner Tube Yoke – **Part No. 1644**
Bore 34.5mm (1.36")

Outer Tube Yoke – **Part No. 1654**
Bore 41mm (1.62")




Inner Tube – **Part No. 1662**
34.5mm (1.36") x 1500mm (59")

Outer Tube – **Part No. 1672**
41mm (1.62") x 59" 1500mm (59")



Roll Pin – **Part No. 1084**
10mm (0.394") x 65mm (2.56")



Plastic Safety Shield – **Part No. 1090**
(Mounting kits not included)

Inner Shield Mtg. Kit – **Part No. 1692**
Outer Shield Mtg. Kit – **Part No. 1692**


Walterscheid 220 & 720

OEM Rated Capacity; 85HP @ 540RPM, 131HP @ 1000RPM


Cross & Bearing Kit

Lube Fitting in Cross – **Part No. 331AG**

Dimension A	Dimension B	Dimension C
92mm (3.622")	30.2mm (1.189")	101mm (3.98")




Quick Disconnect Yokes



Pin Type		
Bore	**Spline**	**Part No.**
1-3/8"	6	**1010**


Pin Repair Kit – See Page 46

Drive Shaft Components



Inner Tube – **Part No. 1666**
39.5mm (1.56") × 1500mm (59")

Outer Tube – **Part No. 1676**
48mm (1.89") × 1500mm (59")



Plastic Safety Shield – **Part No. 1095**
(Mounting kits not included)

Inner Shield Mtg. Kit – **Part No. 1694**
Outer Shield Mtg. Kit – **Part No. 1694**



Roll Pin – **Part No. 1086**
10mm (0.394") × 80mm (3.15")


Walterscheid 2400

OEM Rated Capacity; 85HP @ 540RPM, 131HP @ 1000RPM


Cross & Bearing Kit

Lube Fitting in Cross – **Part No. 814**

Dimension A	Dimension B	Dimension C
76mm (2.992")	32mm (1.260")	86mm (3.39")




Quick Disconnect Yokes



Pin Type		
Bore	**Spline**	**Part No.**
1-3/8"	6	**1610**

Pin Repair Kit – See Page 46


End Yokes



Round Bore with Keyway on Ear or Shear Pin Hole		
Bore	**Keyway**	**Part No.**
1-1/4"	1/4"	**1632**
1-3/8"	5/16"	**1633**
35mm	None*	**1636**


*** Shear pin design with pin hole.**

Drive Shaft Components



Inner Tube Yoke – **Part No. 1646**
Bore 39.5mm (1.56")

Outer Tube Yoke – **Part No. 1656**
Bore 48mm (1.89")




Inner Tube – **Part No. 1666**
39.5mm (1.56") x 1500mm (59")

Outer Tube – **Part No. 1676**
48mm (1.89") x 1500mm (59")



Roll Pin – **Part No. 1085**
10mm (0.394") x 75mm (2.95")



Plastic Safety Shield – **Part No. 1095**
(Mounting kits not included)

Inner Shield Mtg. Kit – **Part No. 1694**
Outer Shield Mtg. Kit – **Part No. 1694**


Walterscheid 2500

OEM Rated Capacity; 109HP @ 540RPM, 167HP @ 1000RPM


Cross & Bearing Kit

Lube Fitting in Cross – **Part No. 817**

Dimension A	Dimension B	Dimension C
89mm (3.504")	36mm (1.418")	100mm (3.94")




Quick Disconnect Yokes



Pin Type		
Bore	**Spline**	**Part No.**
1-3/8"	6	**1612**
	21	**1613**
1-3/4"	20	**1614**

Pin Repair Kit – See Page 46


End Yokes



Round Bore with Keyway on Ear or Shear Pin Hole		
Bore	**Keyway**	**Part No.**
35.0mm	8.0mm	**1634**
	None*	**1637**
38.1mm	9.5mm	**1635**
	None*	**1638**


*** Shear pin design with pin hole.**

Drive Shaft Components



Inner Tube Yoke – **Part No. 1647**
Bore 51.3mm (2.02")

Outer Tube Yoke – **Part No. 1657**
Bore 61mm (2.40")




Inner Tube – **Part No. 1667**
51.3mm (2.02") x 1500mm (59")

Outer Tube – **Part No. 1677**
61mm (2.40") x 1500mm (59")




Roll Pin – **Part No. 1089**
10.3mm (0.406") x 90mm (3.54")




Safety Shield with Mtg. Kit– **Part No. 1685**

"Metric" QD Yoke Repair Kits

Bondioli & Pavesi




Pin Repair Kit – Part No. 1015
For 6 Spline QD Yokes



Pin Repair Kit – Part No. 1016
For 21 Spline QD Yokes

Walterscheid



Pin Repair Kit – Part No. 1615
Old Style—Retained in Yoke by Roll Pin



Pin Repair Kit – Part No. 1616
New Style—Retained in Yoke by Washer


MAG-100 "METRIC" PTO U-JOINT COUNTER DISPLAY

A FAST MOVING STOCK WITH THE COVERAGE YOU NEED TO GET INTO THE METRIC PTO BUSINESS!

The MAG-100 Counter Display holds the fastest moving Metric PTO Universal Joints. This colorful display is always working to catch your customers' attention. It tells them that you sell these popular metric PTO parts. Takes only seconds to set-up on your counter and you're in business.

MAG-100 Contents:

1 No. 331AG
1 No. 341AG
4 No. 344AG
2 No. 811
2 No. 812
3 No. 813
1 No. 814
1 No. 815




ORDER THROUGH YOUR DISTRIBUTOR TODAY!

PT-100 TRUCK MOUNTED PTO U-JOINT & YOKE COUNTER DISPLAY

A FAST MOVING STOCK WITH THE COVERAGE YOU NEED TO GET INTO THE TRUCK MOUNTED PTO BUSINESS!

The PT-100 Counter Display holds the fastest moving truck mounted PTO Universal Joints. This colorful display is always working to catch your customers' attention. It tells them that you carry these popular PTO parts. It takes only seconds to set up on your counter and you're in business.




PT-100 Contents:

6 No. 338 Cross & Bearing Kits
1 No. 1512 Yoke
1 No. 1513 Yoke
2 No. 1518 Yokes
3 No. 1521 Yokes
1 No. 1527 Yoke
3 No. 1530 Yokes
1 No. 1537 Yoke

ORDER THROUGH YOUR DISTRIBUTOR TODAY!

The NEW Precision AG-1AP Merchandiser/ Plan-O-Gram

This new unit will allow actual live product to be displayed. This is a key element when searching for AG/PTO replacement parts. The new design gives the user the opportunity to match product for size and configuration.



- The Precision AG-1AP can be located on an end cap or with other farm related products because of the versatile plan-o-gram system.
- Bright graphics and unique layout make it easy to locate the right PTO series.
- The part number is displayed behind each product allowing for easy re-ordering.
- AG/PTO driveline system is displayed to help customers identify the part in need.
- AG-1AP comes complete with a plan-o-gram back panel, product display hoods, graphics, 6" shelf, and header holder and card.
- Fits on standard 48" gondola with 21" base.

In addition to the assortment stock, you will receive (2) 861s, (2) 880s, (1) 964, and (2) 995s at no charge, to offset the cost of the display.

Contents of AG-1AP Merchandiser Assortment

Includes one of each of the following part numbers, except #861, #880, #964, #995
Part Nos. 861(4), 880(4), 964(4), 995(4), 1211, 1216, 1226, 1229, 1291, 1292, 1293, 1294, 1300, 1305, 1308, 1312, 1372, 1373, 1374, 1375,1390, 1801, 1807, 1809, 1812, 1826, 1842, 1852, 1853, 1854, 1855, 1890, 1903, 1905, 1907, 1909, 1921, 1935, 1936

AG-2AP Drive Shaft Assortment


This assortment can be used to complement the AG-1AP Merchandiser or can be displayed separately.




Contents of Assortment
(1) 1248 Drive Shaft Assembly
(1) 1348 Drive Shaft Assembly
(1) 1848 Drive Shaft Assembly
(1) 1948 Drive Shaft Assembly
Plus mounting brackets and hardware.

AG-3AP Bar/Stock Tubing Assortment

This assortment can be used to complement the AG-1AP and AG-2AP assortments.
Merchandiser can be displayed separately.



Contents of Assortment
(2) 1277 & (1) 1287
(1) 1387
(1) 1877 & (1) 1887
(1) 1977 & (1) 1987
Plus mounting brackets and hardware.



Or use the AG-2AP and AG-3AP in combination with the AG-1AP to complete a total P.T.O. merchandising program.

precision universal joint

precision universal joint®

COOPER
Moog Automotive

Quality From
Cooper Industries

P.O.Box 7224 • St. Louis, MO 63177
308 Orenda Rd. • Brampton, Ontario L6T-1G1

©1994 Cooper Industries, Inc.
PTO94 75M 1194 Z(DBH)K Printed in U.S.A.