SPICER®
DRIVETRAIN COMPONENTS

DANA

Price $35.00

UNIVERSAL JOINT KITS AND CENTER BEARINGS FOR PASSENGER CARS AND TRUCKS



K350-1-DSSP
MAY 2008

Supersedes
K350, Dated 1999

DANA SPICER®
Drivetrain Products

Introducing the *NEW* spicerparts.com!

The Most Useful Tool in your Shop!

Spicerparts.com is designed to be a one-stop shop for all Spicer Drivetrain Components information.

Looking for application and dimensional information? Click on the *EXPERT* icon in the left hand navigation or simply click on *"Identify Parts"*.

Want to know where you can purchase Spicer products? Click on *"Locate Parts"*.

Interested in seeing how Spicer compares to the competition? Click on *"Difference"*, where we share the testing data that proves Spicer is the best choice, every time.

Looking for the Spicer Anglemaster®? You will find calibration information and purchase information on Spicerparts.com.

Looking for Literature on Spicer Parts? Catalogs, service manuals, troubleshooting guides, nomenclature charts, and other important documents are available by selecting *"Literature"*.

Need to contact us? Spicerparts.com allows you the opportunity to submit requests or questions.

So visit www.spicerparts.com today and find out just how easy it is to find all the parts you need!

DANA **SPICER®**

Drivetrain Products

Table of Contents

Constant Velocity Centering Yokes ..... H
Constant Velocity Centering Repair Kits ..... J

Passenger Car (PASS)

ALFA ROMEO 1
AMERICAN MOTORS 1
AMBASSADOR 1
CONCORD 1
EAGLE 1
MARLIN 1
PACER 2
RAMBLER 2
RAMBLER AMERICAN 2
RAMBLER CLASSIC 3
SPIRIT 3
SX-4 KAMMBACK 3
ASTON MARTIN 3
AUSTIN 3
BENTLEY 3
BUICK 4
APOLLO 4
CENTURY 4
CUSTOM 4
ELECTRA 4
ESTATE WAGON 5
LESABRE 5
REGAL 6
RIVIERA 6
ROADMASTER 6
SKYHAWK 6
SKYLARK 6
SPECIAL 6
WILDCAT 7
CADILLAC 7
ARMORED BODY 7
COMMERCIAL CHASSIS 7
DEVILLE 8
FLEETWOOD 8
LIMOUSINE 9
CHECKER 9
AEROBUS 9
MARATHON 9
STATION WAGON 9
TAXI 10
CHEVROLET 10
BEL AIR 10
CAMARO 11
CAPRICE 11
CHEVELLE 12
CHEVETTE 12
CHEVY II 12
CORVAIR 13
CORVETTE 13
EL CAMINO 13
IMPALA 13
LAGUNA 14
MALIBU 14
CHEVROLET (Continued)
MONTE CARLO 15
MONZA 15
NOVA 15
VEGA 15
CHRYSLER 15
300 15
CONQUEST 15
CORDOBA 15
FIFTH AVENUE 16
IMPERIAL 16
LEBARON 16
NEW YORKER 16
NEWPORT 17
SARATOGA 17
TOWN & COUNTRY VAN 17
WINDSOR 18
DAIMLER 18
DODGE 18
ASPEN 18
CARAVAN 18
CHALLENGER 18
CHARGER 18
COLT 19
CONQUEST 19
CORONET 19
DART 20
DAYTONA 20
DEMON 20
DIPLOMAT 21
MAGNUM 21
MONACO & ROYAL MONACO 21
OMNI 22
SPIRIT 22
SWINGER 22
VIPER 22
EAGLE 22
FIAT 22
FORD 23
CROWN VICTORIA 23
CUSTOM 23
EDSEL 23
ELITE 23
FAIRLANE 24
FAIRMONT 24
FALCON 24
GALAXIE 25
GRANADA 25
LTD 26
LTD CROWN VICTORIA 26
LTD II 27
MAVERICK 27
MUSTANG 27
PINTO 28
RANCHERO 28
TEMPO 29
THUNDERBIRD 29
TORINO 30

FORD BRITISH 30
HILLMAN 30
HYUNDAI 30
JAGUAR 31
JENSEN 31
LAGONDA 31
LINCOLN 31
CAPRI 31
CONTINENTAL 31
COSMOPOLITAN 32
LIDO 32
MARK SERIES 32
PREMIERE 33
SPORT 33
TOWN CAR 33
VERSAILLES 33
LOTUS 33
MASERATI 34
MAZDA 34
MERCURY 34
BOBCAT 34
CAPRI 34
COMET 34
COUGAR/XR7 35
GRAND MARQUIS 36
MARAUDER 38
MARQUIS/MARQUIS BROUGHAM 38
METEOR 39
MONARCH 40
MONTEGO 40
MONTEREY 40
TOPAZ 41
ZEPHYR 41
MG 41
MORRIS 42
NISSAN/DATSUN 42
OLDSMOBILE 42
88 42
98 43
CUSTOM CRUISER 44
CUTLASS 44
DELTA ROYALE 44
F-85 44
OMEGA 45
STARFIRE 45
VISTA CRUISER 45
OPEL 45
PLYMOUTH 46
ACCLAIM 46
ARROW 46
BARRACUDA 46
BELVEDERE 46
CARAVELLE 47
CRICKET 47
DUSTER 47
FURY 48
FURY BROUGHAM 49
FURY SALON 50
PLYMOUTH (Continued)
GRAN FURY 51
GTX 52
ROAD 52
SAPPORO 52
SATELLITE 53
SUBURBAN 53
SUNDANCE 53
TURISMO 53
VALIANT 54
VOLARE 54
VOYAGER 54
PONTIAC 54
ASTRE 54
BONNEVILLE 54
CATALINA 55
EXECUTIVE 56
FIREBIRD 56
GRAND AM 56
GRAND LEMANS 56
GRAND PRIX 56
GRANDVILLE 56
GTO 57
LEMANS 57
SAFARI STATION WAGON 57
SUNBIRD 57
TEMPEST 57
TRANS. AM 57
ROLLS-ROYCE 57
ROVER 57
SIMCA 57
SUNBEAM 58
TOYOTA 58
TRIUMPH 58
VANDEN PLAS 59
VAUXHALL 59
VOLVO 59
122, 142, 144, 145, 164 59
1800 SPORT COUPE 59
240 & 260 SERIES 59
740 SERIES 59
760 SERIES 60

Two Wheel Drive (2WD)

BUICK 61
RAINIER 61
CADILLAC 61
ESCALADE 61
CHEVROLET 61
ASTRO VAN 61
AVALANCHE 1500 61
AVALANCHE 2500 61
BLAZER - FULL SIZE 61
BLAZER - R-10 & R-20 SERIES 62
BLAZER - S-10 62
C-10 SERIES TRUCK / SUBURBAN 62
C-20 SERIES TRUCK / SUBURBAN 66

Table of Contents

CHEVROLET (Continued)
- C-30 SERIES TRUCK 72
- COLORADO PICK-UP 74
- G-10 SERIES, G1500 SERIES & EXPRESS 74
- G-20 SERIES, G2500 SERIES & EXPRESS 74
- G-30 SERIES, G3500 SERIES & EXPRESS 76
- LUV 78
- P-10 & P-20 SERIES 78
- P-30 SERIES 79
- POSTAL LLV 83
- R-10 SERIES SUBURBAN 83
- R-10 SERIES TRUCK 83
- R-20 SERIES SUBURBAN 84
- R-20 SERIES TRUCK 84
- R-30 SERIES TRUCK 85
- S-10 PICK-UP 85
- SILVERADO 1500 85
- SILVERADO 2500 88
- SILVERADO 3500 88
- SSR 89
- TAHOE 89
- TRACKER 89
- TRAILBLAZER 89

DODGE 89
- A100 SERIES 89
- B100 SERIES 89
- B150 SERIES 90
- B200 SERIES 90
- B250 SERIES 90
- B300 SERIES 90
- B350 SERIES 91
- CB300/CB350 SERIES 91
- CV400 SERIES 91
- D-50 91
- D100 SERIES 91
- D150 SERIES 92
- D200 SERIES 92
- D250 SERIES 92
- D300 SERIES 93
- D350 SERIES 93
- DAKOTA 93
- DURANGO 95
- M400 SERIES 95
- M500 SERIES 96
- M600 SERIES 96
- MB200/250 SERIES 96
- MB300/350 SERIES 96
- MB400 SERIES 96
- MR300 SERIES 96
- MR400 SERIES 96
- MR500 SERIES 97
- MR600 SERIES 97
- P200 97
- R1500 SERIES 97
- R2500 SERIES 98
- RAM 1500 98
- RAM 1500 VAN 99
- RAM 2500 99

DODGE (Continued)
- RAM 2500 VAN 100
- RAM 3500 PICK-UP 101
- RAM 3500 VAN 102
- RAM 50 103
- RAMCHARGER 103
- RD200 FORWARD 103

FORD 103
- AEROSTAR 103
- E-SUPERDUTY VAN 104
- E100 ECONOLINE 104
- E150 ECONOLINE 105
- E200 ECONOLINE 106
- E250 ECONOLINE 106
- E300 ECONOLINE 107
- E350 ECONOLINE 107
- EXCURSION 109
- EXPEDITION 109
- EXPLORER 109
- F-SUPER DUTY PICK-UP 109
- F100 109
- F150 110
- F250 114
- F250 SUPER DUTY 118
- F350 119
- F350 PARCEL DELIVERY 124
- F350 SUPER DUTY 125
- F450 SUPER DUTY 125
- F53 STRIPPED CHASSIS 125
- F550 SUPERDUTY 125
- F59 STRIPPED CHASSIS 125
- P100 125
- RANGER 126
- TRUCK COURIER 126

GEO 126

GMC 126
- C-15 SERIES TRUCK / SUBURBAN 126
- C-25 SERIES TRUCK / SUBURBAN 130
- C-35 SERIES TRUCK / SUBURBAN 132
- CABALLERO 133
- CANYON PICK-UP 133
- ENVOY 133
- G-15 SERIES, G1500 SERIES & SAVANA 134
- G-25 SERIES, G2500 SERIES & SAVANA 134
- G-35 SERIES, G3500 SERIES & SAVANA 135
- JIMMY (FULL SIZE) 137
- P-15 SERIES 137
- P-25 SERIES 137
- P-35 SERIES 138
- R-15 SERIES JIMMY 142
- R-15 SERIES PICK-UP 142
- R-15 SERIES SUBURBAN 142
- R-25 SERIES PICK-UP 142
- R-25 SERIES SUBURBAN 142
- R-35 SERIES 143
- S-15 JIMMY 143
- S-15 PICK-UP/SONOMA 143
- SAFARI 143

GMC (Continued)
SIERRA 1500 144
SIERRA 2500 146
SIERRA 3500 147
SPRINT 148
YUKON 148
HONDA 148
PASSPORT 148
IHC 148
METRO SERIES 149
SCOUT 8000 SERIES 149
INFINITI 149
ISUZU 149
AMIGO 149
ASCENDER 149
AXIOM 149
HOMBRE 149
PICK-UP 149
PUP 150
RODEO 150
TROOPER II 150
JEEP 150
CHEROKEE COMPACT (XJ) 150
CHEROKEE COMPACT (XJ) 151
COMANCHE 151
COMMANDO 151
GRAND CHEROKEE 151
J262 151
JEEPSTER C101 151
LIBERTY 151
SPORTWAGON 151
WAGONEER 151
WAGONEER J162 152
LINCOLN 152
AVIATOR 152
NAVIGATOR 152
MAZDA 152
NAVAJO 152
PICK-UP 152
MERCURY 152
MOUNTAINEER 152
MITSUBISHI 152
MONTERO 152
PICK-UP 153
NISSAN/DATSUN 153
ARMADA 153
FRONTIER PICK-UP 153
PATHFINDER 153
PICK-UP 153
TITAN PICK-UP 154
XTERRA 154
OLDSMOBILE 154
BRAVADA 154
PLYMOUTH 154
1 TON VAN 154
1/2 TON VAN 154
3/4 TON VAN 154
ARROW 154
PLYMOUTH (Continued)
PB100 COMPACTS 154
PB200 COMPACTS 155
PB300 COMPACTS 155
SUBARU 155
BRAT 155
STATION WAGON 155
SUZUKI 155
GRAND VITARA 155
SIDEKICK 155
VITARA 155
TOYOTA 155
4-RUNNER 155
PICK-UP 155
PREVIA 156
SEQUOIA 156
T100 PICK-UP 156
TACOMA PICK-UP 156
TUNDRA PICK-UP 156
VAN 156

Four Wheel Drive (4WD)

ACURA 157
AM GENERAL/HUMMER 157
BUICK 157
CADILLAC 157
CHEVROLET 157
ASTRO VAN 157
AVALANCHE 1500 157
AVALANCHE 2500 157
BLAZER - FULL SIZE 157
BLAZER - K-5 157
BLAZER - S-10 159
BLAZER - V-10 SERIES 159
COLORADO PICK-UP 159
G-10 SERIES, G1500 SERIES & EXPRESS ... 159
K-10 SERIES PICK-UP 160
K-10 SERIES SUBURBAN 163
K-20 SERIES PICK-UP 164
K-20 SERIES SUBURBAN 167
K-30 SERIES PICK-UP 168
LUV 169
S-10 PICK-UP 169
SILVERADO 1500 170
SILVERADO 2500 171
SILVERADO 3500 175
TAHOE 176
TRACKER 176
TRAILBLAZER 177
V-10 SERIES PICK-UP 177
V-10 SERIES SUBURBAN 177
V-20 SERIES PICK-UP 177
V-20 SERIES SUBURBAN 177
V-30 SERIES PICK-UP 178
DODGE 179
COLT 179
DAKOTA 179

Table of Contents

DODGE (Continued)
- DURANGO 180
- POWER RAM 50 180
- RAIDER 180
- RAM 1500 181
- RAM 2500 182
- RAM 3500 PICK-UP 183
- RAMCHARGER AW100 185
- W100/W150 SERIES 185
- W200/W250 SERIES 187
- W300/W350 SERIES 189
- W400 SERIES 191
- WM300 SERIES 191

FORD 192
- AEROSTAR 192
- BRONCO 192
- BRONCO II 194
- ESCAPE 195
- EXCURSION 195
- EXPEDITION 195
- EXPLORER 195
- F100 (FULL TIME & PART TIME 4WD) 196
- F150 (FULL TIME 4WD) 197
- F150 (PART TIME 4WD) 198
- F250 (FULL TIME & PART TIME 4WD) 201
- F250 SUPER DUTY 206
- F350 (FULL TIME 4WD) 208
- F350 (PART TIME 4WD) 209
- F350 SUPER DUTY 212
- F450 SUPER DUTY 213
- F550 SUPERDUTY 214
- RANGER 214

GEO 216

GMC 217
- CANYON PICK-UP 217
- ENVOY 217
- H1500 SERIES SAVANA 217
- H2500 SERIES SAVANA 217
- JIMMY (FULL SIZE) 217
- K-15 SERIES PICK-UP 218
- K-15 SERIES SUBURBAN 220
- K-25 SERIES PICK-UP 222
- K-25 SERIES SUBURBAN 224
- K-35 SERIES 224
- S-15 JIMMY 225
- S-15 PICK-UP/SONOMA 226
- SAFARI 227
- SIERRA 1500 227
- SIERRA 2500 228
- SIERRA 3500 230
- V-15 SERIES JIMMY 231
- V-15 SERIES PICKUP 231
- V-15 SERIES SUBURBAN 232
- V-25 SERIES PICK-UP 232
- V-25 SERIES SUBURBAN 232
- V-35 SERIES 232
- YUKON 232

HONDA 233
- PASSPORT 233

IHC 234
- 100, 110, 120, 130, 900, 1000 & 1200 Series 234
- 1300 (INCL. STATION WAGONS) Series 234
- SCOUT 800 Series 234

INFINITI 234

ISUZU 235
- AMIGO 235
- ASCENDER 235
- AXIOM 235
- PUP 235
- RODEO 235
- TROOPER II 235
- VEHICROSS 235

JEEP 236
- 10, 20, 40 Series 236
- BRIARWOOD 236
- C101 237
- CHEROKEE COMPACT (XJ) 237
- CHEROKEE FULLSIZE (SJ) 238
- CJ5, CJ6, CJ7 239
- COMANCHE 240
- COMMANDO 240
- GLADIATOR 241
- GRAND CHEROKEE 241
- GRAND WAGONEER 242
- J262, J264, J362 & J364 242
- JEEPSTER 242
- JEEPSTER C101 243
- LIBERTY 243
- SCRAMBLER CJ8 243
- WAGONEER 244
- WAGONEER COMPACT (XJ) 244
- WRANGLER (TJ) 245
- WRANGLER (YJ) 246
- LAND ROVER 246

LEXUS 246

LINCOLN 246

MAZDA 247
- MPV 247
- NAVAJO 247
- PICK-UP 247

MERCURY 247
- MARINER 247
- MOUNTAINEER 247

MITSUBISHI 248
- MONTERO 248
- PICK-UP 248

NISSAN/DATSUN 248
- ARMADA 248
- FRONTIER PICK-UP 248
- PATHFINDER 249
- PICK-UP 249
- TITAN PICK-UP 250
- XTERRA 250

OLDSMOBILE 250
- BRAVADA 250

PLYMOUTH 250
SCAMP 250
TRAIL DUSTER 251
SUBARU 251
BRAT 251
LEGACY 251
STATION WAGON 251
SUZUKI 252
GRAND VITARA 252
XL-7 252
SAMURAI 252
SIDEKICK 252
VITARA 252
TOYOTA 252
4-RUNNER 252
LANDCRUISER 252
PICK-UP 253
PREVIA 253
SEQUOIA 253
T100 PICK-UP 253
TACOMA PICK-UP 253
TUNDRA PICK-UP 253

Center Bearing Detail 254
Spicer® Driveshaft Lubrication Specifications 270
Common U-Joint Kits By Series 271
Driveline Conversion Kits 272
Universal Joint Kit Attaching Hardware
& Torque Specifications 273
U-Joint Kit Method of Retention and
Hardware Kit Part Numbers 275

Outside Snap Ring Style 276
Inside Snap Ring Style 281
Outside Snap Ring/Inside Snap Ring Style 283
Outside Snap Ring/Wing Bearing Style 285
Inside Snap Ring/Wing Bearing Style 286
Wing Bearing Style 287
Bearing Plate/Wing Bearing Style 291
Spicer Life Series™ (Spring Tab Style) 292
Bearing Plate Style 293
Half Round Style 294
Pot Style 295
Threaded Cap style 296
Cap & Bolt Style 298
Outside Snap Ring style GWB 299

Notes

Constant Velocity Centering Yokes



Figure 1



Figure 2



Figure 3

Year	Model	Fig.	Part Number
CHECKER			
1962-1975	AEROBUS	1	211355X
1947-1951	STATION WAGON	1	211355X
1947-1951	TAXI	1	211355X
CHEVROLET			
1969-1978	BLAZER - K-5	1	211355X
1967-1978	K-10 SERIES PICK-UP	1	211355X
1968-1978	K-10 SERIES SUBURBAN	1	211355X
1967-1978	K-20 SERIES PICK-UP	1	211355X
1979	K-30 SERIES PICK-UP	1	211355X
CHRYSLER			
1970-1973	IMPERIAL	1	210841X
DODGE			
1988-1999	DAKOTA	1	211355X
1974-1977	RAMCHARGER AW100	1	211355X
1975-1977	W100/W150 SERIES	1	211355X
1975-1977	W200/W250 SERIES	1	211355X
1975-1977	W300/W350 SERIES	1	211355X
FORD			
1979-1989	BRONCO	1	211179X
1966-1978	BRONCO	1	211355X
1975-1977	F100 (FULL TIME 4WD)	1	211355X
1979	F150 (FULL TIME 4WD)	1	211179X
1976-1978	F150 (FULL TIME 4WD)	1	211355X
1979	F150 (PART TIME 4WD)	1	211179X
1979	F250 (FULL TIME 4WD)	1	211179X
1975-1978	F250 (FULL TIME 4WD)	1	211355X
1979	F250 (PART TIME 4WD)	1	211179X
1978	F250 (PART TIME 4WD)	1	211355X
1979	F350 (FULL TIME 4WD)	1	211179X
1979	F350 (PART TIME 4WD)	1	211179X
1983-1985	RANGER	1	211342X
1980-1982	THUNDERBIRD	3	211229X
GMC			
1969-1978	JIMMY (FULL SIZE)	1	211355X
1967-1978	K-15 SERIES PICK-UP	1	211355X
1967-1978	K-15 SERIES SUBURBAN	1	211355X
1964-1978	K-25 SERIES PICK-UP	1	211355X
1979	K-35 SERIES	1	211355X

Constant Velocity Centering Yokes



Figure 1



Figure 2



Figure 3

Year	Model	Fig.	Part Number
JEEP			
1982-1988	10 SERIES	1	211355X
1979-1988	20 SERIES	1	211355X
1979-1981	40 SERIES	1	211355X
1986-1993	BRIARWOOD	1	211355X
1986-1993	CHEROKEE COMPACT (XJ)	1	211355X
1974-1983	CHEROKEE FULLSIZE (SJ)	1	211355X
1979-1981	CJ5	1	211355X
1979-1981	CJ7	1	211355X
1986-1992	COMANCHE	1	211355X
1993	GRAND CHEROKEE	1	211355X
1983-1991	GRAND WAGONEER	1	211355X
1981	SCRAMBLER CJ8	1	211355X
1978-1991	WAGONEER	1	211355X
LINCOLN			
1963-1977	CONTINENTAL	1	210841X
1982-1983	CONTINENTAL	3	211229X
1968	MARK III	1	210841X
1979-1980	VERSAILLES	2	211198X
1977-1978	VERSAILLES	3	211520X
MERCURY			
1980-1982	COUGAR/XR7	3	211229X
PLYMOUTH			
1974-1977	TRAIL DUSTER	1	211355X



Figure 1



Figure 2

Year	Model	Fig.	Part Number
BUICK			
1979	CENTURY	1	211007X
1979	CENTURY	1	211009X
1961-1965	ELECTRA	3	211010X
1961-1965	ELECTRA	3	211011X
1966-1968	ELECTRA	4	211012X
1966-1968	ELECTRA	4	211013X
1969-1972	ELECTRA	2	211008X
1969-1981	ELECTRA	1	211007X
1973-1981	ELECTRA	1	211009X
1961-1965	LESABRE	3	211010X
1961-1965	LESABRE	3	211011X
1966-1968	LESABRE	4	211012X
1966-1968	LESABRE	4	211013X
1969-1972	LESABRE	2	211008X
1969-1981	LESABRE	1	211007X
1973-1981	LESABRE	1	211009X
1979	REGAL	1	211007X
1979	REGAL	1	211009X
1971-1978	RIVIERA	1	211007X
1971-1972	RIVIERA	2	211008X
1973-1978	RIVIERA	1	211009X
1964-1970	RIVIERA	3	211010X
1964-1970	RIVIERA	3	211011X
1966-1968	RIVIERA	4	211012X
1966-1968	RIVIERA	4	211013X
1969-1970	WILDCAT	1	211007X
1969-1970	WILDCAT	2	211008X
1962-1965	WILDCAT	3	211010X
1962-1965	WILDCAT	3	211011X
1966-1968	WILDCAT	4	211012X
1966-1968	WILDCAT	4	211013X
CADILLAC			
1991-1996	ARMORED BODY	1	211007X
1991-1996	ARMORED BODY	1	211009X
1968-1984	COMMERCIAL CHASSIS	1	211007X
1968-1972	COMMERCIAL CHASSIS	2	211008X
1973-1984	COMMERCIAL CHASSIS	1	211009X
1963-1967	COMMERCIAL CHASSIS	3	211010X
1963-1967	COMMERCIAL CHASSIS	3	211011X
1973-1979	FLEETWOOD 75 SEDAN LIMO	1	211007X
1973-1979	FLEETWOOD 75 SEDAN LIMO	1	211009X
1968-1972	FLEETWOOD 75 SERIES	1	211007X

Constant Velocity Centering Repair Kits



Figure 3



Figure 4

Year	Model	Fig.	Part Number
CADILLAC (Continued)			
1968-1972	FLEETWOOD 75 SERIES	2	211008X
1963-1967	FLEETWOOD 75 SERIES	3	211010X
1963-1967	FLEETWOOD 75 SERIES	3	211011X
1973-1979	FLEETWOOD EXC. 75 SEDAN, LIMO & COMMERCIAL CHASSIS	1	211007X
1973-1979	FLEETWOOD EXC. 75 SEDAN, LIMO & COMMERCIAL CHASSIS	1	211009X
1968-1972	FLEETWOOD EXC. 75 SERIES & COMMERCIAL CHASSIS	1	211007X
1968-1972	FLEETWOOD EXC. 75 SERIES & COMMERCIAL CHASSIS	2	211008X
1963-1967	FLEETWOOD EXC. 75 SERIES & COMMERCIAL CHASSIS	3	211010X
1963-1967	FLEETWOOD EXC. 75 SERIES & COMMERCIAL CHASSIS	3	211011X
1980-1984	LIMOUSINE	1	211007X
1980-1984	LIMOUSINE	1	211009X
CHEVROLET			
1971-1975	BEL AIR	1	211007X
1971-1972	BEL AIR	2	211008X
1973-1975	BEL AIR	1	211009X
1978-1986	BLAZER - K-5	1	211007X
1978-1986	BLAZER - K-5	1	211009X
1987-1991	BLAZER - V-10 SERIES	1	211009X
1971-1979	CAPRICE	1	211007X
1971-1972	CAPRICE	2	211008X
1973-1979	CAPRICE	1	211009X
1971-1979	IMPALA	1	211007X
1971-1972	IMPALA	2	211008X
1973-1979	IMPALA	1	211009X
1977-1986	K-10 SERIES PICK-UP	1	211007X
1977-1986	K-10 SERIES PICK-UP	1	211009X
1977-1986	K-10 SERIES SUBURBAN	1	211007X
1977-1986	K-10 SERIES SUBURBAN	1	211009X
1977-1986	K-20 SERIES PICK-UP	1	211007X
1977-1986	K-20 SERIES PICK-UP	1	211009X
1980-1986	K-30 SERIES PICK-UP	1	211007X
1980-1986	K-30 SERIES PICK-UP	1	211009X
1987-1991	V-10 SERIES PICK-UP	1	211009X
1987-1991	V-10 SERIES SUBURBAN	1	211009X
1987-1991	V-20 SERIES SUBURBAN	1	211009X
1987	V-30 SERIES PICK-UP	1	211007X
1987-1991	V-30 SERIES PICK-UP	1	211009X
DODGE			
1974-1993	RAMCHARGER AW100	1	211007X
1974-1993	RAMCHARGER AW100	1	211009X
1975-1993	W100/W150 SERIES	1	211007X



Figure 1



Figure 2

Year	Model	Fig.	Part Number
DODGE (Continued)			
1975-1993	W100/W150 SERIES	1	211009X
1975-1993	W200/W250 SERIES	1	211007X
1975-1993	W200/W250 SERIES	1	211009X
1975-1993	W300/W350 SERIES	1	211007X
1975-1993	W300/W350 SERIES	1	211009X
1977-1981	W400 SERIES	1	211007X
1977-1981	W400 SERIES	1	211009X
FORD			
1968-1971	THUNDERBIRD	1	211007X
GMC			
1978-1986	JIMMY (FULL SIZE)	1	211007X
1978-1986	JIMMY (FULL SIZE)	1	211009X
1977-1986	K-15 SERIES PICK-UP	1	211007X
1977-1986	K-15 SERIES PICK-UP	1	211009X
1977-1986	K-15 SERIES SUBURBAN	1	211007X
1977-1986	K-15 SERIES SUBURBAN	1	211009X
1977-1986	K-25 SERIES PICK-UP	1	211007X
1977-1986	K-25 SERIES PICK-UP	1	211009X
1980-1986	K-35 SERIES	1	211007X
1980-1986	K-35 SERIES	1	211009X
1987-1991	V-15 SERIES JIMMY	1	211009X
1987-1991	V-15 SERIES PICKUP	1	211009X
1987-1991	V-15 SERIES SUBURBAN	1	211009X
1987-1991	V-35 SERIES	1	211009X
1977-1979	CONTINENTAL	1	211007X
1977-1979	CONTINENTAL	1	211009X
1969-1971	MARK III	1	211007X
1969-1971	MARK III	2	211008X
OLDSMOBILE			
1971-1979	88	1	211007X
1971-1972	88	2	211008X
1973-1979	88	1	211009X
1971-1979	98	1	211007X
1971-1972	98	2	211008X
1973-1977	98	1	211009X
1971-1979	DELTA ROYALE	1	211007X
1971-1972	DELTA ROYALE	2	211008X
1973-1979	DELTA ROYALE	1	211009X
1979	VISTA CRUISER	1	211007X
1979	VISTA CRUISER	1	211009X

Constant Velocity Centering Repair Kits



Figure 1



Figure 2

Year	Model	Fig.	Part Number
PLYMOUTH			
1983	SCAMP	1	211007X
1983	SCAMP	1	211009X
1974-1985	TRAIL DUSTER	1	211007X
1974-1985	TRAIL DUSTER	1	211009X
PONTIAC			
1971-1979	BONNEVILLE	1	211007X
1971-1972	BONNEVILLE	2	211008X
1973-1979	BONNEVILLE	1	211009X
1971-1979	CATALINA	1	211007X
1971-1972	CATALINA	2	211008X
1973-1979	CATALINA	1	211009X
1971-1975	GRANDVILLE	1	211007X
1971-1972	GRANDVILLE	2	211008X
1973-1975	GRANDVILLE	1	211009X

U-Joints

Year	Model & Description	Fig.	Location	Spicer Part No.	SPL Part No.
ALFA ROMEO					
1954-1979	All Exc. Alfetta — Lube	A	1,2	5-111X	
	Non-lube	A	1,2	5-101X	
AMERICAN MOTORS					
AMBASSADOR					
1958-1962	w/AT	A	1,2	5-153X	5-785X
1963-1965		A	1	5-2011X	
1966	w/232, 287 or 327 Eng.	A	1	5-2011X	
1967	w/199 Eng.	A	1	5-2011X	
	w/232, 290, 390 or 401 Eng.	A	1,2	5-153X	5-785X
1968-1974		A	1,2	5-153X	5-785X
CONCORD					
1978	w/6 or 8 Cyl Eng. w/inside snap rings	A	1,2	5-1306X	5-789X
	Lube fitting in brg. cup	A	1,2	5-1306-1X	
	w/6 Cyl Eng. w/outside snap rings	A	1,2	5-153X	5-785X
1979-1981	w/4 inside snap rings	A	1,2	5-1306X	5-789X
	Lube fitting in brg. cup	A	1,2	5-1306-1X	
	w/4 outside snap rings	A	1	5-153X	5-785X
	w/inside & outside snap rings	A	2	5-353X	5-788X
1982-1983		A	1	5-153X	5-785X
	w/inside & outside snap rings	A	2	5-353X	5-788X
	w/4 outside snap rings	A	2	5-153X	5-785X
EAGLE					
1980-1981	Exc. 4 Cyl	L	2,3	5-153X	5-785X
	w/inside snap rings	L	4	5-1306X	5-789X
	Lube fitting in brg. cup	L	4	5-1306-1X	
	w/outside snap rings	L	4	5-153X	5-785X
	w/2 inside & 2 outside snap rings	L	5	5-353X	5-788X
	w/4 inside snap rings	L	5	5-1306X	5-789X
	Lube fitting in brg. cup	L	5	5-1306-1X	
1982-1983		L	2,3,4	5-153X	5-785X
	w/2 inside & 2 outside snap rings	L	5	5-353X	5-788X
	w/4 outside snap rings	L	5	5-153X	5-785X
1984-1988		L	2,3,4,5	5-153X	5-785X
MARLIN					
1965-1966	w/232, 287 or 327 Eng.	A	1	5-2011X	
1967	w/199 Eng.	A	1	5-2011X	
	w/232, 290, 390 or 401 Eng.	A	1,2	5-153X	5-785X



Fig. A



Fig. L

Important: See Safety Information in General Information Section (J300P-GI)

PASS

Year	Model & Description	Fig.	Location	Spicer Part No.	SPL Part No.
AMERICAN MOTORS					
PACER					
1975	w/6 Cyl Eng. w/outside snap rings w/2.438” outside yoke width	A	1,2	5-443X	
	w/6 or 8 Cyl Eng.				
	w/outside snap rings w/3.219” outside yoke width	A	1,2	5-153X	5-785X
	w/inside snap rings	A	1,2	5-1306X	5-789X
	Lube fitting in brg. cup	A	1,2	5-1306-1X	
1976	w/6 or 8 Cyl Eng. w/outside snap rings	A	1,2	5-153X	5-785X
	w/inside snap rings	A	1,2	5-1306X	5-789X
	Lube fitting in brg. cup	A	1,2	5-1306-1X	
1977-1978	w/6 Cyl Eng. w/outside snap rings	A	1,2	5-153X	5-785X
	w/6 or 8 Cyl Eng. w/inside snap rings	A	1,2	5-1306X	5-789X
	Lube fitting in brg. cup	A	1,2	5-1306-1X	
1979-1981	w/4 outside snap rings	A	1	5-153X	5-785X
	w/inside & outside snap rings	A	2	5-353X	5-788X
	w/4 inside snap rings	A	1,2	5-1306X	5-789X
	Lube fitting in brg. cup	A	1,2	5-1306-1X	
RAMBLER					
1950	w/6 Cyl Eng. Lube	A	1,2	5-105X	
	Non-lube	A	1,2	5-100X	
1951-1955	w/6 Cyl Eng. & MT w/inside snap rings Lube	A	1,2	5-105X	
	Non-Lube	A	1,2	5-100X	
	w/outside snap rings	A	1,2	5-153X	5-785X
1956-1962	w/6 Cyl Eng. w/MT or OD, Exc. HD Lube	A	1	5-111X	
	Non-Lube	A	1	5-101X	
	w/AT & 1.000 Brg. cup dia. Lube	A	1,2	5-105X	
	Non-Lube	A	1,2	5-100X	
	w/HD MT	A	1,2	5-2011X	
	w/8 Cyl. Eng.	A	1,2	5-2011X	
1967	w/199 Eng.	A	1	5-2011X	
	w/232, 290, 390 or 401 Eng.	A	1,2	5-153X	5-785X
1968-1970		A	1,2	5-153X	5-785X
RAMBLER AMERICAN					
1958-1959	w/6 Cyl Eng. Lube	A	1,2	5-105X	
	Non-lube	A	1,2	5-100X	
1960-1965	w/1.000” Brg. cup dia. Lube	A	1,2	5-105X	
	Non-lube	A	1,2	5-100X	
1966	w/199 Eng. Lube	A	1,2	5-105X	
	Non-lube	A	1,2	5-100X	
	w/232 Eng. & MT	A	2	5-2173X	
	w/290 Eng. & AT	A	1	5-2011X	
		A	2	5-2173X	



Important: See Safety Information in General Information Section (J300P-GI)

U-Joints

Year	Model & Description	Fig.	Location	Spicer Part No.	SPL Part No.
AMERICAN MOTORS					
RAMBLER AMERICAN					
1967	w/199 Eng.	A	1	5-2011X	
	w/232, 290, 390 or 401 Eng.	A	1,2	5-153X	5-785X
1968-1969		A	1,2	5-153X	5-785X
RAMBLER CLASSIC					
1963-1965	w/195, 199 or 232 Eng.	A	1	5-2011X	
	w/287 Eng.	A	1,2	5-2011X	
1966	w/232, 287 or 327 Eng.	A	1	5-2011X	
SPIRIT					
1979-1981	w/4 inside snap rings	A	1,2	5-1306X	5-789X
	Lube fitting in brg. cup	A	1,2	5-1306-1X	
	w/4 outside snap rings	A	1	5-153X	5-785X
	w/inside & outside snap rings	A	2	5-353X	5-788X
1982-1983		A	1	5-153X	5-785X
	w/4 outside snap rings	A	2	5-153X	5-785X
	w/inside & outside snap rings	A	2	5-353X	5-788X
SX-4 KAMMBACK					
1980-1981	Exc. 4 Cyl	L	2,3	5-153X	5-785X
	w/outside snap rings	L	4	5-153X	5-785X
	w/inside snap rings	L	4	5-1306X	5-789X
	Lube fitting in brg. cup	L	4	5-1306-1X	
	w/4 inside snap rings	L	5	5-1306X	5-789X
	Lube fitting in brg. cup	L	5	5-1306-1X	
	w/2 inside & 2 outside snap rings	L	5	5-353X	5-788X
1982-1983		L	2,3,4	5-153X	5-785X
	w/4 outside snap rings	L	5	5-153X	5-785X
	w/2 inside & 2 outside snap rings	L	5	5-353X	5-788X
ASTON MARTIN					
1946-1972	DB2, DB3, DB4 & MARK III	A	1,2	5-4X	
1963-1975	DB5 & DB6	A	1,2	5-153X	5-785X
AUSTIN					
1954-1968	100-6, 3000, BN4 & 5 w/MT or OD	A	1,2	5-4X	
1968-1971	AMERICA w/AT	A		5-111X	
1973-1975	MARINA Lube	S	1,2,3	5-111X	
1957-1976	SPRITE 2 SEATER MK-I, II, III, IV Non-Lube	A	1,2	5-101X	
	Lube	A	1,2	5-111X	
BENTLEY					
1959-1971	CONTINENTAL S, S2, S3	A	1,2	5-178X	5-799X







Important: See Safety Information in General Information Section (J300P-GI)

PASS

Year	Model & Description	Fig.	Location	Spicer Part No.	SPL Part No.
BUICK					
APOLLO					
1973-1979		A	1,2	5-153X	5-785X
CENTURY					
1964-1978		A	1,2	5-3147X	5-795X
1979	2 & 3-Joint driveshaft	A	1,2	5-3147X	5-795X
	3-Joint Driveshaft CV ball & seat kit	B	CV	211009X	
	CV seat repair kit	B	CV	211007X	
1980-1981		A	1,2	5-3147X	5-795X
CUSTOM					
1964-1978		A	1,2	5-3147X	5-795X
ELECTRA					
1959-1960		B	2	5-213X	5-790X
1961-1963	Exc. Station Wagon w/inside snap rings	C	1,2,3,4	5-3147X	5-795X
	CV ball & seat kit	C	CV	211011X	
	CV seat repair kit	C	CV	211010X	
	w/outside snap rings	B	1,2	5-213X	5-790X
	w/inside & outside snap rings	B	3	5-212X	
	CV Ball & Seat Kit	B	CV	210476-1X	
	Station Wagon	A	1,2	5-3147X	5-795X
1964-1965	Exc. Station Wagon	C	1	5-3147X	5-795X
		C	2,3	N/A	
	CV ball & seat kit	C	CV	211011X	
	CV seat repair kit	C	CV	211010X	
	Station Wagon	A	1,2	5-3147X	5-795X
1966-1968	Exc. Station Wagon	C	1,4	5-3147X	5-795X
		C	2,3	N/A	
	CV ball & seat kit	C	CV	211013X	
	CV seat repair kit	C	CV	211012X	
	Station Wagon	A	1,2	5-3147X	5-795X
1969-1972	Exc. Station Wagon	B	1,2,3	5-3147X	5-795X
	CV ball & seat kit	B	CV	211008X	
	CV seat repair kit	B	CV	211007X	
	Station Wagon	A	1,2	5-3147X	5-795X
1973-1975	Exc. Station Wagon	B	1,2,3	5-3147X	5-795X
	CV ball & seat kit	B	CV	211009X	
	CV seat repair kit	B	CV	211007X	
	Station Wagon	A	1,2	5-3147X	5-795X
1976-1981	3-Joint Driveshaft	B	1,2,3	5-3147X	5-795X
	CV ball & seat kit	B	CV	211009X	
	CV seat repair kit	B	CV	211007X	







Important: See Safety Information in General Information Section (J300P-GI)

U-Joints

Year	Model & Description	Fig.	Location	Spicer Part No.	SPL Part No.
BUICK					
ELECTRA					
1976-1981	2-Joint Driveshaft	A	1,2	5-3147X	5-795X
1982-1985	w/inside snap rings	A	1,2	5-3147X	5-795X
	w/outside snap rings	A	1,2	5-178X	5-799X
ESTATE WAGON					
1982-1984	w/inside snap rings	A	1,2	5-3147X	5-795X
	w/outside snap rings	A	1,2	5-178X	5-799X
1986-1990		A	1,2	5-3147X	5-795X
LESABRE					
1959-1960		B	2	5-213X	5-790X
1961-1963	Exc. Station Wagon w/inside snap rings	C	1,2,3,4	5-3147X	5-795X
	CV ball & seat kit	C	CV	211011X	
	CV seat repair kit	C	CV	211010X	
	w/outside snap rings	B	1,2	5-213X	5-790X
	w/inside & outside snap rings	B	3	5-212X	
	CV Ball & Seat Kit	B	CV	210476-1X	
	Station Wagon	A	1,2	5-3147X	5-795X
1964-1965	Station Wagon	A	1,2	5-3147X	5-795X
	Exc. Station Wagon	C	2,3	N/A	
	CV ball & seat kit	C	CV	211011X	
	CV seat repair kit	C	CV	211010X	
		C	1,2	5-3147X	5-795X
1966-1968	Exc. Station Wagon	C	1,4	5-3147X	5-795X
		C	2,3	N/A	
	CV ball & seat kit	C	CV	211013X	
	CV seat repair kit	C	CV	211012X	
	Station Wagon	A	1,2	5-3147X	5-795X
1969-1972	Exc. Station Wagon	B	1,2,3	5-3147X	5-795X
	CV ball & seat kit	B	CV	211008X	
	CV seat repair kit	B	CV	211007X	
	Station Wagon	A	1,2	5-3147X	5-795X
1973-1975	Exc. Station Wagon	B	1,2,3	5-3147X	5-795X
	CV ball & seat kit	B	CV	211009X	
	CV seat repair kit	B	CV	211007X	
	Station Wagon	A	1,2	5-3147X	5-795X
1976-1981	3-Joint Driveshaft	B	1,2,3	5-3147X	5-795X
	CV ball & seat kit	B	CV	211009X	
	CV seat repair kit	B	CV	211007X	
	2-Joint Driveshaft	A	1,2	5-3147X	5-795X







PASS

Year	Model & Description	Fig.	Location	Spicer Part No.	SPL Part No.
BUICK					
LESABRE					
1982-1985	w/inside snap rings	A	1,2	5-3147X	5-795X
	w/outside snap rings	A	1,2	5-178X	5-799X
REGAL					
1973-1978		A	1,2	5-3147X	5-795X
1979	2 & 3-Joint driveshaft	A	1,2	5-3147X	5-795X
	3-Joint Driveshaft				
	CV ball & seat kit	B	CV	211009X	
	CV seat repair kit	B	CV	211007X	
1980-1981		A	1,2	5-3147X	5-795X
1982-1987	w/inside snap rings	A	1,2	5-3147X	5-795X
	w/outside snap rings	A	1,2	5-178X	5-799X
RIVIERA					
1964-1965		F	1,2,3,4,5,6	5-3147X	5-795X
	CV ball & seat kit	F	CV	211011X	
	CV seat repair kit	F	CV	211010X	
1966-1968		F	1,2,3,4,5,6	5-3147X	5-795X
	CV ball & seat kit	F	CV	211013X	
	CV seat repair kit	F	CV	211012X	
1969-1970		F	1,2,3,4,5,6	5-3147X	5-795X
	CV ball & seat kit	F	CV	211011X	
	CV seat repair kit	F	CV	211010X	
1971-1972		B	1,2,3	5-3147X	5-795X
	CV ball & seat kit	B	CV	211008X	
	CV seat repair kit	B	CV	211007X	
1973-1978		B	1,2,3	5-3147X	5-795X
	CV ball & seat kit	B	CV	211009X	
	CV seat repair kit	B	CV	211007X	
ROADMASTER					
1957-1958		B	2	5-213X	5-790X
1991-1996		A	1,2	5-3147X	5-795X
SKYHAWK					
1974-1979		A	1,2	5-153X	5-785X
SKYLARK					
1964-1972		A	1,2	5-3147X	5-795X
SPECIAL					
1964-1978		A	1,2	5-3147X	5-795X







Important: See Safety Information in General Information Section (J300P-GI)

Year	Model & Description	Fig.	Location	Spicer Part No.	SPL Part No.
BUICK					
WILDCAT					
1962-1963	Exc. Station Wagon w/inside snap rings	C	1,2,3,4	5-3147X	5-795X
	CV ball & seat kit	C	CV	211011X	
	CV seat repair kit	C	CV	211010X	
	w/outside snap rings	B	1,2	5-213X	5-790X
	w/inside & outside snap rings	B	3	5-212X	
	CV Ball & Seat Kit	B	CV	210476-1X	
	Station Wagon	A	1,2	5-3147X	5-795X
1964-1965	Exc. Station Wagon	C	1	5-3147X	5-795X
		C	2,3	N/A	
	CV ball & seat kit	C	CV	211011X	
	CV seat repair kit	C	CV	211010X	
	Station Wagon	A	1,2	5-3147X	5-795X
1966-1968	Exc. Station Wagon	C	1,4	5-3147X	5-795X
		C	2,3	N/A	
	CV ball & seat kit	C	CV	211013X	
	CV seat repair kit	C	CV	211012X	
	Station Wagon	A	1,2	5-3147X	5-795X
1969-1970	Exc. Station Wagon	B	1,2,3	5-3147X	5-795X
	CV ball & seat kit	B	CV	211008X	
	CV seat repair kit	B	CV	211007X	
	Station Wagon	A	1,2	5-3147X	5-795X
CADILLAC					
ARMORED BODY					
1991-1996	3.73 Axle Ratio CV ball & seat kit	H	CV	211009X	
	CV seat repair kit	H	CV	211007X	
COMMERCIAL CHASSIS					
1963-1967		F	1,2,3,4,5,6	5-3147X	5-795X
	CV ball & seat kit	F	CV	211011X	
	CV seat repair kit	F	CV	211010X	
1968-1972		F	1,2,3,4,5,6	5-3147X	5-795X
	CV ball & seat kit	F	CV	211008X	
	CV seat repair kit	F	CV	211007X	
1973-1979		F	1,2,3,4,5,6	5-3147X	5-795X
	CV ball & seat kit	F	CV	211009X	
	CV seat repair kit	F	CV	211007X	
1980-1984		H	1,2,3,4	5-3147X	5-795X
	CV ball & seat kit - Front	H	CV	211009X	
	CV seat repair kit - Rear	H	CV	211007X	



PASS

Year	Model & Description	Fig.	Location	Spicer Part No.	SPL Part No.
CADILLAC					
DEVILLE					
1980-1984		A	1,2	5-3147X	5-795X
FLEETWOOD 75 SEDAN LIMO					
1973-1979		F	1,2,3,4,5,6	5-3147X	5-795X
	CV ball & seat kit	F	CV	211009X	
	CV seat repair kit	F	CV	211007X	
FLEETWOOD 75 SERIES					
1950-1956	w/2 inside snap rings & wing brgs.	A	1,2	5-3012X	
1957-1962	w/4 inside snap rings	D	1,2,3	5-3147X	5-795X
	w/4 outside snap rings	D	1,2	5-213X	5-790X
	w/2 inside & 2 outside snap rings	D	3	5-212X	
1963-1967		F	1,2,3,4,5,6	5-3147X	5-795X
	CV ball & seat kit	F	CV	211011X	
	CV seat repair kit	F	CV	211010X	
1968-1972		F	1,2,3,4,5,6	5-3147X	5-795X
	CV ball & seat kit	F	CV	211008X	
	CV seat repair kit	F	CV	211007X	
FLEETWOOD 86 SERIES					
1950-1956	w/2 inside snap rings & wing brgs.	A	1,2	5-3012X	
1957-1962	w/4 inside snap rings	D	1,2,3	5-3147X	5-795X
	w/4 outside snap rings	D	1,2	5-213X	5-790X
	w/2 inside & 2 outside snap rings	D	3	5-212X	
FLEETWOOD BROUGHAM					
1980-1996		A	1,2	5-3147X	5-795X
FLEETWOOD COUPE					
1980-1984		A	1,2	5-3147X	5-795X
FLEETWOOD EXC. 75 & 86 SERIES					
1950-1956	w/2 inside snap rings & wing brgs.	D	3	5-3012X	
1957-1962	w/4 inside snap rings	D	1,2,3	5-3147X	5-795X
	w/4 outside snap rings	D	1,2	5-213X	5-790X
	w/2 inside & 2 outside snap rings	D	3	5-212X	
1963	3-Joint Driveshaft	D	1,2,3	5-3147X	5-795X
FLEETWOOD EXC. 75 SEDAN, LIMO & COMMERCIAL CHASSIS					
1973-1979	3-Joint Driveshaft	B	1,2,3	5-3147X	5-795X
	4-Joint Driveshaft	C	1,2,3,4	5-3147X	5-795X
	CV ball & seat kit	C	CV	211009X	
	CV seat repair kit	C	CV	211007X	



Important: See Safety Information in General Information Section (J300P-GI)

U-Joints

Year	Model & Description	Fig.	Location	Spicer Part No.	SPL Part No.
CADILLAC					
FLEETWOOD EXC. 75 SERIES & COMMERCIAL CHASSIS					
1963-1967	3-Joint Driveshaft	D	1,2,3	5-3147X	5-795X
	4-Joint Driveshaft	C	1,2,3,4	5-3147X	5-795X
	CV ball & seat kit	C-D	CV	211011X	
	CV seat repair kit	C-D	CV	211010X	
1968-1972	3-Joint Driveshaft	D	1,2,3	5-3147X	5-795X
	CV ball & seat kit	D	CV	211008X	
	CV seat repair kit	D	CV	211007X	
	4-Joint Driveshaft	C	1,2,3,4	5-3147X	5-795X
	CV ball & seat kit	C	CV	211008X	
	CV seat repair kit	C	CV	211007X	
LIMOUSINE					
1980-1984		H	1,2,3,4	5-3147X	5-795X
	CV ball & seat kit - Front	H	CV	211009X	
	CV seat repair kit - Rear	H	CV	211007X	
CHECKER					
AEROBUS					
1662-1966		B	1,2,3	5-153X	5-785X
	CV centering yoke kit	B	CV	211355X	
1967-1968		B	1	5-134X	
		B	2,3	5-153X	5-785X
	CV centering yoke kit	B	CV	211355X	
1969-1972		B	1,2,3	5-153X	5-785X
	CV centering yoke kit	B	CV	211355X	
1973		C	1	5-134X	
		C	2,3,4	5-153X	5-785X
	CV centering yoke kit	C	CV	211355X	
1974-1975		C	1,2,3,4	5-153X	5-785X
	CV centering yoke kit	C	CV	211355X	
MARATHON					
1961-1968		A	1,2	5-153X	5-785X
1969-1971		A	1,2	5-213X	5-790X
1972-1973		A	1,2	5-153X	5-785X
1974-1980		A	1	5-213X	5-790X
		A	2	5-153X	5-785X
STATION WAGON					
1940-1946		B	1,2,3	5-153X	5-785X
1947-1951	Exc. 01, 81, 91 & Transit Bus	B	1,2,3	5-153X	5-785X
	CV centering yoke kit	B	CV	211355X	



Important: See Safety Information in General Information Section (J300P-GI)

PASS

Year	Model & Description	Fig.	Location	Spicer Part No.	SPL Part No.
CHECKER					
STATION WAGON					
1952-1968		A	1,2	5-153X	5-785X
1969-1971		A	1,2	5-213X	5-790X
1972-1973		A	1,2	5-153X	5-785X
1974-1980		A	1	5-213X	5-790X
		A	2	5-153X	5-785X
TAXI					
1940-1946		B	1,2,3	5-153X	5-785X
1947-1951	Exc. 01, 81, 91 & Transit Bus	B	1,2,3	5-153X	5-785X
	CV centering yoke kit	B	CV	211355X	
1952-1968		A	1,2	5-153X	5-785X
1969-1971		A	1,2	5-213X	5-790X
1972-1973		A	1,2	5-153X	5-785X
1974-1980		A	1	5-213X	5-790X
		A	2	5-153X	5-785X
CHEVROLET					
BEL AIR					
1955-1965		A	1,2	5-153X	5-785X
1966-1970	Exc. Turbo-Hydramatic Trans.	A	1,2	5-153X	5-785X
	w/Turbo-Hydramatic Trans.	A	1	5-3147X	5-795X
		A	2	5-212X	
1971-1972	Exc. Station Wagon w/Unmachined Yokes	D	1	5-3147X	5-795X
		D	2,3	5-3031X	
	w/Machined Yokes	D	1,2,3	5-3147X	5-795X
	CV ball & seat kit	D	CV	211008X	
	CV seat repair kit	D	CV	211007X	
	Station Wagon w/inside snap rings	A	1,2	5-3147X	5-795X
	w/outside snap rings	A	1,2	5-153X	5-785X
1973	Exc. Station Wagon w/Unmachined Yokes	D	1	5-3147X	5-795X
		D	2,3	5-3031X	
	w/Machined Yokes	D	1,2,3	5-3147X	5-795X
	CV ball & seat kit	D	CV	211009X	
	CV seat repair kit	D	CV	211007X	
	Station Wagon w/inside snap rings	A	1,2	5-3147X	5-795X
	w/outside snap rings	A	1,2	5-153X	5-785X
1974-1975	Exc. Station Wagon w/inside snap rings	D	1,2,3	5-3147X	5-795X
	CV ball & seat kit	D	CV	211009X	
	CV seat repair kit	D	CV	211007X	
	w/outside snap rings	B	1,2,3	5-153X	5-785X







Important: See Safety Information in General Information Section (J300P-GI)

U-Joints

Year	Model & Description	Fig.	Location	Spicer Part No.	SPL Part No.
CHEVROLET					
BEL AIR					
1974-1975	Station Wagon w/inside snap rings	A	1,2	5-3147X	5-795X
	w/outside snap rings	A	1,2	5-153X	5-785X
CAMARO					
1967-1968	w/inside snap rings	A	1	5-3147X	5-795X
		A	2	5-212X	
	w/outside snap rings	A	1,2	5-153X	5-785X
1969-1972	w/inside snap rings	A	1,2	5-3147X	5-795X
	w/outside snap rings	A	1,2	5-153X	5-785X
1973-1974		A	1,2	5-153X	5-785X
1975-1987	w/inside snap rings	A	1,2	5-3147X	5-795X
	w/outside snap rings	A	1,2	5-178X	5-799X
1988-1992	w/alum. driveshaft	A	1	5-786X	
		A	2	5-544X	
	w/steel driveshaft yoke	A	1,2	5-3147X	5-795X
1993	w/alum. driveshaft	A	1	5-786X	
	w/5.7L Eng. w/alum. driveshaft yoke	A	2	5-544X	
	w/steel driveshaft yoke	A	1,2	5-3147X	5-795X
1994	w/alum. driveshaft	A	1	5-786X	
	w/5.7L Eng. w/alum. driveshaft yoke	A	2	5-544X	
	w/steel driveshaft yoke	A	1,2	5-3147X	5-795X
	w/3.4L Eng. w/steel driveshaft yoke	A	1,2	5-3147X	5-795X
1995	w/alum. driveshaft	A	1	5-786X	
	w/5.7L Eng. w/alum. driveshaft yoke	A	2	5-544X	
	w/steel driveshaft yoke	A	1,2	5-3147X	5-795X
	w/3.4L & 3.8L Eng. w/steel driveshaft yoke	A	1,2	5-3147X	5-795X
1996-2001	w/5.7L Exc. Export w/steel driveshaft yoke	A	1,2	5-3147X	5-795X
	w/3.8L Eng. w/steel driveshaft yoke	A	1,2	5-3147X	5-795X
2002	w/3.8L & 5.7L Eng. w/steel driveshaft yoke	A	1,2	5-3147X	5-795X
CAPRICE					
1955-1965		A	1,2	5-153X	5-785X
1966-1970	w/Turbo-Hydramatic Trans.	A	1	5-3147X	5-795X
		A	2	5-212X	
	Exc. Turbo-Hydramatic Trans.	A	1,2	5-153X	5-785X
1971-1972	Exc. Station Wagon w/Unmachined Yokes	D	1	5-3147X	5-795X
		D	2,3	5-3031X	
	w/Machined Yokes CV ball & seat kit	D	CV	211008X	
	CV seat repair kit	D	CV	211007X	
		D	1,2,3	5-3147X	5-795X





Important: See Safety Information in General Information Section (J300P-GI)

PASS

Year	Model & Description	Fig.	Location	Spicer Part No.	SPL Part No.
CHEVROLET					
CAPRICE					
1971-1972	Station Wagon w/inside snap rings	A	1,2	5-3147X	5-795X
	w/outside snap rings	A	1,2	5-153X	5-785X
1973	Exc. Station Wagon w/Unmachined Yokes	D	1	5-3147X	5-795X
		D	2,3	5-3031X	
	w/Machined Yokes CV ball & seat kit	D	CV	211009X	
	CV seat repair kit	D	CV	211007X	
		D	1,2,3	5-3147X	5-795X
	Station Wagon w/inside snap rings	A	1,2	5-3147X	5-795X
	w/outside snap rings	A	1,2	5-153X	5-785X
1974-1976	Exc. Station Wagon w/inside snap rings	D	1,2,3	5-3147X	5-795X
	CV ball & seat kit	D	CV	211009X	
	CV seat repair kit	D	CV	211007X	
	w/outside snap rings	B	1,2,3	5-153X	5-785X
	Station Wagon w/inside snap rings	A	1,2	5-3147X	5-795X
	w/outside snap rings	A	1,2	5-153X	5-785X
1977-1978		A	1,2	5-3147X	5-795X
1979	Exc. CV Joint	A	1,2	5-3147X	5-795X
	w/CV Joint	D	1,2,3	5-3147X	5-795X
	CV ball & seat kit	D	CV	211009X	
	CV seat repair kit	D	CV	211007X	
1980-1996	w/inside snap rings	A	1,2	5-3147X	5-795X
	w/outside snap rings	A	1,2	5-178X	5-799X
CHEVELLE					
1964-1966		A	1,2	5-153X	5-785X
1967-1968	Exc. Turbo-Hydramatic Trans.	A	1,2	5-153X	5-785X
	w/Turbo-Hydramatic Trans.	A	1	5-3147X	5-795X
		A	2	5-212X	
1969-1970		A	1,2	5-153X	5-785X
1971-1972	Exc. 454 Eng.	A	1,2	5-153X	5-785X
	w/454 Eng.	A	1	5-3147X	5-795X
		A	2	5-212X	
1976-1977	w/inside snap rings	A	1,2	5-3147X	5-795X
	w/outside snap rings	A	1,2	5-178X	5-799X
CHEVETTE					
1976-1986		A	1,2	5-350X	
CHEVY II					
1962-1979		A	1,2	5-153X	5-785X







Important: See Safety Information in General Information Section (J300P-GI)

U-Joints

Year	Model & Description	Fig.	Location	Spicer Part No.	SPL Part No.
CHEVROLET					
CORVAIR					
1960-1969		X	1,2,3,4	5-153X	5-785X
CORVETTE					
1953-1962		E	1,2	5-153X	5-785X
1963-1974	Exc. Turbo-Hydramatic 350 Trans.	E	1,2	5-153X	5-785X
		E	3,4,5,6	5-178X	5-799X
	w/Turbo-Hydramatic 350 Trans.	E	1,2	5-213X	5-790X
1975-1979		E	1,2	5-213X	5-790X
		E	3,4,5,6	5-178X	5-799X
1980-1981	w/MT	E	1	5-213X	5-790X
		E	2	5-153X	5-785X
		E	3,4,5,6	5-178X	5-799X
	w/AT	E	1,2	5-153X	5-785X
		E	3,4,5,6	5-213X	5-790X
1982-1983		E	1,2	5-153X	5-785X
		E	3,4,5,6	5-178X	5-799X
1984-1997		E	1,2		5-786X
		E	3,4,5,6	5-447X	
EL CAMINO					
1964-1966		A	1,2	5-153X	5-785X
1967-1968	Exc. Turbo-Hydramatic Trans.	A	1,2	5-153X	5-785X
	w/Turbo-Hydramatic Trans.	A	1	5-3147X	5-795X
		A	2	5-212X	
1969-1970		A	1,2	5-153X	5-785X
1971-1972	Exc. 454 Eng.	A	1,2	5-153X	5-785X
	w/454 Eng.	A	1	5-3147X	5-795X
		A	2	5-212X	
1973-1975		A	1,2	5-3147X	5-795X
1976-1988	w/inside snap rings	A	1,2	5-3147X	5-795X
	w/outside snap rings	A	1,2	5-178X	5-799X
IMPALA					
1955-1965		A	1,2	5-153X	5-785X
1966-1970	Exc. Turbo-Hydramatic Trans.	A	1,2	5-153X	5-785X
	w/Turbo-Hydramatic Trans.	A	1	5-3147X	5-795X
		A	2	5-212X	







PASS

Year	Model & Description	Fig.	Location	Spicer Part No.	SPL Part No.
CHEVROLET					
IMPALA					
1971-1972	Exc. Station Wagon w/Unmachined Yokes	D	1	5-3147X	5-795X
		D	2,3	5-3031X	
	w/Machined Yokes	D	1,2,3	5-3147X	5-795X
	CV ball & seat kit	D	CV	211008X	
	CV seat repair kit	D	CV	211007X	
	Station Wagon w/inside snap rings	A	1,2	5-3147X	5-795X
	w/outside snap rings	A	1,2	5-153X	5-785X
1973	Exc. Station Wagon w/Unmachined Yokes	D	1	5-3147X	5-795X
		D	2,3	5-3031X	
	w/Machined Yokes	D	1,2,3	5-3147X	5-795X
	CV ball & seat kit	D	CV	211009X	
	CV seat repair kit	D	CV	211007X	
	Station Wagon w/inside snap rings	A	1,2	5-3147X	5-795X
	w/outside snap rings	A	1,2	5-153X	5-785X
1974-1976	Exc. Station Wagon w/inside snap rings	D	1,2,3	5-3147X	5-795X
	CV ball & seat kit	D	CV	211009X	
	CV seat repair kit	D	CV	211007X	
	w/outside snap rings	B	1,2,3	5-153X	5-785X
	Station Wagon w/inside snap rings	A	1,2	5-3147X	5-795X
	w/outside snap rings	A	1,2	5-153X	5-785X
1977-1978		A	1,2	5-3147X	5-795X
1979	Exc. CV Joint	A	1,2	5-3147X	5-795X
	w/CV Joint	D	1,2,3	5-3147X	5-795X
	CV ball & seat kit	D	CV	211009X	
	CV seat repair kit	D	CV	211007X	
1980-1996	w/inside snap rings	A	1,2	5-3147X	5-795X
	w/outside snap rings	A	1,2	5-178X	5-799X
LAGUNA					
1973-1975		A	1,2	5-3147X	5-795X
1976	w/inside snap rings	A	1,2	5-3147X	5-795X
	w/outside snap rings	A	1,2	5-178X	5-799X
MALIBU					
1964-1966		A	1,2	5-153X	5-785X
1967-1968	Exc. Turbo-Hydramatic Trans.	A	1,2	5-153X	5-785X
	w/Turbo-Hydramatic Trans.	A	1	5-3147X	5-795X
		A	2	5-212X	
1969-1970		A	1,2	5-153X	5-785X







Important: See Safety Information in General Information Section (J300P-GI)

U-Joints

Year	Model & Description	Fig.	Location	Spicer Part No.	SPL Part No.
CHEVROLET					
MALIBU					
1971-1972	Exc. 454 Eng.	A	1,2	5-153X	5-785X
	w/454 Eng.	A	1	5-3147X	5-795X
		A	2	5-212X	
1973-1975		A	1,2	5-3147X	5-795X
1976-1983	w/inside snap rings	A	1,2	5-3147X	5-795X
	w/outside snap rings	A	1,2	5-178X	5-799X
MONTE CARLO					
1970		A	1,2	5-153X	5-785X
1971-1972	Exc. 454 Eng.	A	1,2	5-153X	5-785X
	w/454 Eng.	A	1	5-3147X	5-795X
		A	2	5-212X	
1973-1975		A	1,2	5-3147X	5-795X
1976-1988	w/inside snap rings	A	1,2	5-3147X	5-795X
	w/outside snap rings	A	1,2	5-178X	5-799X
MONZA					
1971-1981		A	1,2	5-153X	5-785X
NOVA					
1962-1979		A	1,2	5-153X	5-785X
VEGA					
1971-1981		A	1,2	5-153X	5-785X
CHRYSLER					
300					
1957	w/MT, w/2 inside snap rings & 2 wing brgs	A	2	5-1404X	
1958-1964		A	1	5-1407X	
		A	2	5-1306X	5-789X
	Lube fitting in brg. cup	A	2	5-1306-1X	
1965	w/MT	A	1	5-1407X	
		A	2	5-1306X	5-789X
	Lube fitting in brg. cup	A	2	5-1306-1X	
CONQUEST					
1984-1989	2-Joint Driveshaft	A	1,2	5-1516X	
CORDOBA					
1975-1978	w/2.125” snap ring dim	A	1,2	5-1306X	5-789X
	Lube fitting in brg. cup	A	1,2	5-1306-1X	
	w/2.625” snap ring dim	A	1,2	5-1309X	5-811X
1979-1983		A	1,2	5-1306X	5-789X
	Lube fitting in brg. cup	A	1,2	5-1306-1X	



PASS

Year	Model & Description	Fig.	Location	Spicer Part No.	SPL Part No.
CHRYSLER					
FIFTH AVENUE					
1983-1989		A	1,2	5-1306X	5-789X
	Lube fitting in brg. cup	A	1,2	5-1306-1X	
IMPERIAL					
1953-1954	w/2 inside snap rings & 2 wing brgs	B	1,2	5-1304X	
1957	w/2 inside snap rings & 2 wing brgs	B	1,3	5-1304X	
	w/4 inside snap rings	B	2	5-1306X	5-789X
	Lube fitting in brg. cup	B	2	5-1306-1X	
1958	w/2 inside snap rings & 2 wing brgs	B	1	5-1304X	
	w/4 inside snap rings	B	2,3	5-1306X	5-789X
	Lube fitting in brg. cup	B	2,3	5-1306-1X	
1959	w/2 inside snap rings & 2 wing brgs	B	1	5-1304X	
	w/4 inside snap rings	B	1,2,3	5-1306X	5-789X
	Lube fitting in brg. cup	B	1,2,3	5-1306-1X	
1960-1961		A	1,2	5-1306X	5-789X
	Lube fitting in brg. cup	A	1,2	5-1306-1X	
1962-1964		A	1	5-1405X	
		A	2	5-1306X	5-789X
	Lube fitting in brg. cup	A	2	5-1306-1X	
1965-1969		A	1,2	5-213X	5-790X
1970-1971	w/inside snap rings	A	1,2	5-1309X	5-811X
	w/outside snap rings	F	1,2,3,5,6	5-213X	5-790X
	CV centering yoke kit	F	CV	210841X	
1972-1973		A	1,2,3,5,6	5-213X	5-790X
	CV centering yoke kit	A	CV	210841X	
	CV ball & seat kit	A	CV	210476-1X	
1974-1975		A	1,2	5-1309X	5-811X
1981-1983		A	1,2	5-1306X	5-789X
	Lube fitting in brg. cup	A	1,2	5-1306-1X	
LEBARON					
1977-1981		A	1,2	5-1306X	5-789X
	Lube fitting in brg. cup	A	1,2	5-1306-1X	
1984-1990	FWD Turbo (Trans.axle)	A	N/A	5-1306-1X	
NEW YORKER					
1953-1954	C60, C626 & 8 Cyl Eng. Estate Wagon w/2 inside snap rings & 2 wing brgs	A	2	5-1304X	
1957	w/MT, w/2 inside snap rings & 2 wing brgs	A	1	5-1404X	







Important: See Safety Information in General Information Section (J300P-GI)

Year	Model & Description	Fig.	Location	Spicer Part No.	SPL Part No.
CHRYSLER					
NEW YORKER					
1958-1964		A	1	5-1407X	
		A	2	5-1306X	5-789X
	Lube fitting in brg. cup	A	2	5-1306-1X	
1965	w/AT	A	1	5-213X	5-790X
	w/MT	A	1	5-1407X	
		A	2	5-1306X	5-789X
	Lube fitting in brg. cup	A	2	5-1306-1X	
1966-1967		A	1,2	5-1306X	5-789X
	Lube fitting in brg. cup	A	1,2	5-1306-1X	
1968-1970	w/383-2BL Eng	A	1,2	5-1306X	5-789X
	Lube fitting in brg. cup	A	1,2	5-1306-1X	
	w/383, 461 or 440 Eng	A	1,2	5-1309X	5-811X
1971-1976	Exc. 440 Eng. w/2.125” snap ring dim	A	1,2	5-1306X	5-789X
	Lube fitting in brg. cup	A	1,2	5-1306-1X	
	w/2.625” snap ring dim	A	1,2	5-1309X	5-811X
	440 Eng.	A	1,2	5-1309X	5-811X
1977		A	1,2	5-1309X	5-811X
1978	w/2.125” snap ring dim	A	1,2	5-1306X	5-789X
	Lube fitting in brg. cup	A	1,2	5-1306-1X	
	w/2.625” snap ring dim	A	1,2	5-1309X	5-811X
1979-1989		A	1,2	5-1306X	5-789X
	Lube fitting in brg. cup	A	1,2	5-1306-1X	
NEWPORT					
1953-1954	C60, C626 & 8 Cyl Eng. Estate Wagon w/2 inside snap rings & 2 wing brgs	A	2	5-1304X	
1957	w/MT, w/2 inside snap rings & 2 wing brgs	A	1	5-1404X	
1958-1964		A	1	5-1407X	
		A	2	5-1306X	5-789X
	Lube fitting in brg. cup	A	2	5-1306-1X	
SARATOGA					
1953	C60, C626 & 8 Cyl Eng. Estate Wagon w/2 inside snap rings & 2 wing brgs	A	1	5-1304X	
1957	w/MT, w/2 inside snap rings & 2 wing brgs	A	2	5-1304X	
1958-1960		A	1	5-1407X	
		A	2	5-1306X	5-789X
	Lube fitting in brg. cup	A	2	5-1306-1X	
TOWN & COUNTRY VAN					
1984-1991	FWD Intermediate shaft u-joint	N/A	N/A	5-1306X	5-789X



PASS

Year	Model & Description	Fig.	Location	Spicer Part No.	SPL Part No.
CHRYSLER					
WINDSOR					
1953-1954	w/2 inside snap rings & 2 wing brgs	A	1	5-1304X	
1955	C67 w/Power-Flite or Std Trans.	A	1	5-1304X	
1956	C71 w/Power-Flite or Std Trans.	A	2	5-1304X	
1958-1961		A	1	5-1407X	
		A	2	5-1306X	5-789X
	Lube fitting in brg. cup	A	2	5-1306-1X	
DAIMLER					
1954-1960	DK400, DK400B	A	1,2	5-178X	5-799X
1959-1962	Majestic, Majestic Major, SP250	A	1,2	5-4X	
1963-1968	2.5L 8 Cyl	A	1,2	5-153X	5-785X
1969-1971	2.5L 8 Cyl	A	1,2	5-153X	5-785X
	Soverign Exc. Half Shaft	A	1,2	5-153X	5-785X
	w/Half Shaft	E	1,6	5-160X	5-801X
	4.2L Limo Exc. Half Shaft	A	1,2	5-178X	5-799X
	w/Half Shaft	E	1,6	5-160X	5-801X
1972-1974	Soverign Exc. Half Shaft	A	1,2	5-153X	5-785X
	w/Half Shaft	E	1,6	5-160X	5-801X
	4.2L Limo Exc. Half Shaft	A	1,2	5-178X	5-799X
	w/Half Shaft	E	1,6	5-160X	5-801X
DODGE					
ASPEN					
1976-1980		A	1,2	5-1306X	5-789X
	Lube fitting in brg. cup	A	1,2	5-1306-1X	
CARAVAN					
1987-1990	FWD Intermediate shaft u-joint	N/A	N/A	5-1306X	5-789X
CHALLENGER					
1970-1972	w/2.125” snap ring dim	A	1,2	5-1306X	5-789X
	Lube fitting in brg. cup	A	1,2	5-1306-1X	
	w/2.625” snap ring dim	A	1,2	5-1309X	5-811X
1973-1976		A	1,2	5-1306X	5-789X
	Lube fitting in brg. cup	A	1,2	5-1306-1X	
1978-1980		A	1,2	5-1516X	
1981-1983	w/AT	B	1,2,3	5-1503X	
	w/MT	B	1,2,3	5-1516X	
CHARGER					
1966-1967	w/426 & 440 Eng.	A	1,2	5-213X	5-790X
	Exc. 426 & 440 Eng.	A	1,2	5-1306X	5-789X
	Lube fitting in brg. cup	A	1,2	5-1306-1X	







Important: See Safety Information in General Information Section (J300P-GI)

U-Joints

Year	Model & Description	Fig.	Location	Spicer Part No.	SPL Part No.
DODGE					
CHARGER					
1968-1978	Exc. 426 & 440 Eng.	A	1	5-1306X	5-789X
	w/2.125” snap ring dim	A	2	5-1306X	5-789X
	Lube fitting in brg. cup	A	2	5-1306-1X	
	w/2.625” snap ring dim	A	2	5-1309X	5-811X
	w/426 & 440 Eng.	A	1,2	5-1309X	5-811X
1979		A	1,2	5-1306X	5-789X
	Lube fitting in brg. cup	A	1,2	5-1306-1X	
1984-1989	w/2.2L Turbo FWD Intermediate shaft u-joint Includes Shelby Charger	N/A	N/A	5-1306X	5-789X
COLT					
1971-1977		A	1,2	5-1503X	
1978-1979	w/1600cc or 2000cc Eng.	A	1,2	5-1503X	
	w/2600cc Eng.	A	1,2	5-1516X	
1980-1984	w/1600cc or 2000cc Eng.	B	1,2,3	5-1503X	
	w/2600cc or Diesel Eng.	B	1,2,3	5-1516X	
1985-1988	Vista	B	1,2,3	5-1503X	
1989	4WD Wagon Colt LA	A	1,2	5-1503X	
	AWD Vista	B	1,2,3	5-1503X	
1990-1991	4WD Wagon Colt LA (100)	A	1,2	5-1503X	
	AWD Vista	T	1,2,3,4	5-1503X	
1992-1995	4WD Wagon, AWD Vista	A	1,2	5-1503X	
CONQUEST					
1984-1989		A	1,2	5-1516X	
CORONET					
1949-1952	7 Pass & 8 Cyl Eng. w/2 inside snap rings & 2 wing brgs	B	1,2,3	5-1304X	
1956	D-63, D-62-2, D-63-3-500 V8 models w/Power-Pack o	A	2	5-1304X	
1957	6 Cyl Eng. w/MT & Power-Flite trans.	A	1	5-1407X	
	w/2 inside snap rings & 2 wing brgs	A	2	5-1304X	
	8 Cyl Eng. Exc. Power-Flite & MT	A	1	5-1405X	
	w/2 inside snap rings & 2 wing brgs	A	2	5-1304X	
1958-1959	6 Cyl Eng. w/MT & Power-Flite trans.	A	1	5-1407X	
		A	2	5-1306X	5-789X
	Lube fitting in brg. cup	A	2	5-1306-1X	
	8 Cyl Eng. Exc. Power-Flite & MT	A	1	5-1405X	
		A	2	5-1306X	5-789X
	Lube fitting in brg. cup	A	2	5-1306-1X	
1960-1965	6 Cyl Eng.	A	1	5-1407X	
		A	2	5-1306X	5-789X
	Lube fitting in brg. cup	A	2	5-1306-1X	







PASS

Year	Model & Description	Fig.	Location	Spicer Part No.	SPL Part No.
DODGE					
CORONET					
1960-1965	8 Cyl Eng. Exc. 426 w/AT	A	1	5-1405X	
		A	2	5-1306X	5-789X
	Lube fitting in brg. cup	A	2	5-1306-1X	
	w/426 w/AT	A	1,2	5-1306X	5-789X
	Lube fitting in brg. cup	A	1,2	5-1306-1X	
1966-1967	Exc. 426 & 440 Eng.	A	1,2	5-1306X	5-789X
	Lube fitting in brg. cup	A	1,2	5-1306-1X	
	w/426 & 440 Eng.	A	1,2	5-213X	5-790X
1968-1978	Exc. 426 & 440 Eng.	A	1	5-1306X	5-789X
	w/2.125” snap ring dim	A	2	5-1306X	5-789X
	Lube fitting in brg. cup	A	2	5-1306-1X	
	w/2.625” snap ring dim	A	2	5-1309X	5-811X
	w/426 & 440 Eng.	A	1,2	5-1309X	5-811X
1979		A	1,2	5-1306X	5-789X
	Lube fitting in brg. cup	A	1,2	5-1306-1X	
DART					
1960-1963	8 Cyl Eng.	A	1	5-1407X	
	6 Cyl Eng.	A	2	5-1306X	5-789X
	Lube fitting in brg. cup	A	2	5-1306-1X	
1964-1965	8 Cyl Eng.	A	1	5-1407X	
		A	2	5-1306X	5-789X
	Lube fitting in brg. cup	A	2	5-1306-1X	
1966-1967		A	1,2	5-1306X	5-789X
	Lube fitting in brg. cup	A	1,2	5-1306-1X	
1968-1969	w/2.125” snap ring dim	A	1,2	5-1306X	5-789X
	Lube fitting in brg. cup	A	1,2	5-1306-1X	
	w/2.625” snap ring dim	A	1,2	5-1309X	5-811X
1970-1976		A	1,2	5-1306X	5-789X
	Lube fitting in brg. cup	A	1,2	5-1306-1X	
DAYTONA					
1984-1993	FWD Intermediate shaft u-joint	N/A	N/A	5-1306X	5-789X
DEMON					
1960-1963	8 Cyl Eng.	A	1	5-1407X	
	6 Cyl Eng.	A	2	5-1306X	5-789X
	Lube fitting in brg. cup	A	2	5-1306-1X	
1964-1965	8 Cyl Eng.	A	1	5-1407X	
		A	2	5-1306X	5-789X
	Lube fitting in brg. cup	A	2	5-1306-1X	



Important: See Safety Information in General Information Section (J300P-GI)

U-Joints

Year	Model & Description	Fig.	Location	Spicer Part No.	SPL Part No.
DODGE					
DEMON					
1966-1967		A	1,2	5-1306X	5-789X
	Lube fitting in brg. cup	A	1,2	5-1306-1X	
1968-1969	w/2.125” snap ring dim	A	1,2	5-1306X	5-789X
	Lube fitting in brg. cup	A	1,2	5-1306-1X	
	w/2.625” snap ring dim	A	1,2	5-1309X	5-811X
1970-1976		A	1,2	5-1306X	5-789X
	Lube fitting in brg. cup	A	1,2	5-1306-1X	
DIPLOMAT					
1977-1978		A	1,2	5-1306X	5-789X
	Lube fitting in brg. cup	A	1,2	5-1306-1X	
1979	Includes St Regis	A	1,2	5-1306X	5-789X
	Lube fitting in brg. cup	A	1,2	5-1306-1X	
1980-1981	Includes Mirada & St Regis	A	1,2	5-1306X	5-789X
	Lube fitting in brg. cup	A	1,2	5-1306-1X	
1982-1983	Includes Mirada	A	1,2	5-1306X	5-789X
	Lube fitting in brg. cup	A	1,2	5-1306-1X	
1984-1989		A	1,2	5-1306X	5-789X
	Lube fitting in brg. cup	A	1,2	5-1306-1X	
MAGNUM					
1978	Exc. 426 & 440 Eng.	A	1	5-1306X	5-789X
	w/2.125” snap ring dim	A	2	5-1306X	5-789X
	Lube fitting in brg. cup	A	2	5-1306-1X	
	w/2.625” snap ring dim	A	2	5-1309X	5-811X
	w/426 & 440 Eng.	A	1,2	5-1309X	5-811X
1979		A	1,2	5-1306X	5-789X
	Lube fitting in brg. cup	A	1,2	5-1306-1X	
MONACO & ROYAL MONACO					
1965	6 Cyl Eng.	A	1	5-1407X	
		A	2	5-1306X	5-789X
	Lube fitting in brg. cup	A	2	5-1306-1X	
	8 Cyl Eng. Exc. 426 w/AT	A	1	5-1405X	
		A	2	5-1306X	5-789X
	Lube fitting in brg. cup	A	2	5-1306-1X	
	w/426 w/AT	A	1,2	5-1306X	5-789X
	Lube fitting in brg. cup	A	1,2	5-1306-1X	
1966-1967	Exc. 426 & 440 Eng.	A	1,2	5-1306X	5-789X
	Lube fitting in brg. cup	A	1,2	5-1306-1X	
	w/426 & 440 Eng.	A	1,2	5-213X	5-790X



PASS

Year	Model & Description	Fig.	Location	Spicer Part No.	SPL Part No.
DODGE					
MONACO & ROYAL MONACO					
1968-1978	Exc. 426 & 440 Eng.	A	1	5-1306X	5-789X
	w/2.125” snap ring dim	A	2	5-1306X	5-789X
	Lube fitting in brg. cup	A	2	5-1306-1X	
	w/2.625” snap ring dim	A	2	5-1309X	5-811X
	w/426 & 440 Eng.	A	1,2	5-1309X	5-811X
OMNI					
1984-1989	FWD Intermediate shaft u-joint w/2.2L Turbo , includes 024	N/A	N/A	5-1306X	5-789X
SPIRIT					
1989-1991	FWD Intermediate shaft u-joint w/Turbo	N/A	N/A	5-1306X	5-789X
SWINGER					
1960-1963	8 Cyl Eng.	A	1	5-1407X	
	6 Cyl Eng.	A	2	5-1306X	5-789X
	Lube fitting in brg. cup	A	2	5-1306-1X	
1964-1965	8 Cyl Eng.	A	1	5-1407X	
		A	2	5-1306X	5-789X
	Lube fitting in brg. cup	A	2	5-1306-1X	
1966-1967		A	1,2	5-1306X	5-789X
	Lube fitting in brg. cup	A	1,2	5-1306-1X	
1968-1969	w/2.125” snap ring dim	A	1,2	5-1306X	5-789X
	Lube fitting in brg. cup	A	1,2	5-1306-1X	
	w/2.625” snap ring dim	A	1,2	5-1309X	5-811X
1970-1976		A	1,2	5-1306X	5-789X
	Lube fitting in brg. cup	A	1,2	5-1306-1X	
VIPER					
1992-2004		A	1,2	5-178X	5-799X
EAGLE					
1989	Summit Wagon 4WD	A	1,2	5-1503X	
1990	Talon 4WD	S	1,2,3	5-1503X	
1991-1995	Summit Wagon 4WD	A	1,2	5-1503X	
	Talon 4WD	S	1,2,3	5-1503X	
FIAT					
1965-1976	103D After Serial # 52603 Non-lube	A	1,2	5-101X	
	Lube	A	1,2	5-111X	
	Through Serial # 52603	A	1,2	5-4X	
1965-1976	103E, 103H, 1200 Non-Lube	A	1,2	5-101X	
	Lube	A	1,2	5-111X	



Important: See Safety Information in General Information Section (J300P-GI)

U-Joints

Year	Model & Description	Fig.	Location	Spicer Part No.	SPL Part No.
FIAT					
1965-1976	1100 After Serial # 52603 Non-lube	A	1,2	5-101X	
	Lube	A	1,2	5-111X	
	Through Serial # 52603	A	1,2	5-4X	
1966-1980	124, 131 Non-Lube	A	1,2	5-101X	
	Lube	A	1,2	5-111X	
1965-1979	127, 128, 130 Non-Replaceable U-Joints	A	1,2		
1965-1976	1400, 1900	A	1,2	5-4X	
1965-1976	1500, 1800, 2100, SPIDER 2000 Non-Lube	A	1,2	5-101X	
	Lube	A	1,2	5-111X	
FORD					
CROWN VICTORIA					
1992-1994	w/trailer towing Pkg.	A	1,2	5-1203X	5-790X
	Exc. trailer towing Pkg.	A	1,2	5-153X	5-785X
	Lube fitting in brg. cup	A	1,2	5-433-1X	
1995-2006	w/4.6L Eng.	A	1,2	5-213X	5-812X
CUSTOM					
1949-1955		A	1	5-2011X	
	w/2 inside snap rings & 2 wing brgs	A	2	5-2031X	
1956-1959	w/inside snap rings	A	1	5-2011X	
	w/2 inside snap rings & 2 wing brgs	A	2	5-2031X	
	w/outside snap rings	A	1,2	5-153X	5-785X
1960		A	1,2	5-153X	5-785X
1961-1962	w/223, 292, 352, 390 or 406 Eng. Exc. OD	A	1	5-1200X	
		A	2	5-1201X	5-787X
	w/223, 292, 352, 390 or 406 Eng. w/OD	A	1	5-1203X	5-790X
		A	2	5-1204X	5-792X
1963-1972	w/240, 289, 302, 351-2BL or 352-2BL Eng.	A	1	5-1200X	
		A	2	5-1201X	5-787X
	w/351-4BL, 3524BL, 390, 400, 427 or 482 Eng.	A	1	5-1203X	5-790X
		A	2	5-1204X	5-792X
EDSEL					
1958-1960		A	1,2	5-153X	5-785X
ELITE					
1974-1976	w/351 Eng. w/3.219” outside yoke dim	A	1	5-1200X	
		A	2	5-1201X	5-787X
	w/3.625” outside yoke dim	A	1	5-1203X	5-790X
		A	2	5-1204X	5-792X
	w/400 or 460 Eng.	A	1	5-1203X	5-790X
		A	2	5-1204X	5-792X



Fig. A

PASS

Year	Model & Description	Fig.	Location	Spicer Part No.	SPL Part No.
FORD					
FAIRLANE					
1962-1969	240, 289, 302, 351-2BL, 352-2BL Eng.	A	1	5-1200X	
		A	2	5-1201X	5-787X
	351-4BL, 352-4BL, 390, 427, 428 Eng.	A	1	5-1203X	5-790X
		A	2	5-1204X	5-792X
1970-1971	w/351 Eng. w/3.219” outside yoke dim	A	1	5-1200X	
		A	2	5-1201X	5-787X
	w/3.625” outside yoke dim	A	1	5-1203X	5-790X
		A	2	5-1204X	5-792X
	w/400 or 460 Eng.	A	1	5-1203X	5-790X
		A	2	5-1204X	5-792X
FAIRMONT					
1978		A	1	5-1200X	
		A	2	5-1201X	5-787X
		B	3	5-178X	5-799X
1979-1983		A	1,2	5-1200X	
FALCON					
1960-1962	Non-Lube	A	1,2	5-100X	
	Lube	A	1,2	5-105X	
1963-1964	w/inside snap rings Non-lube	A	1,2	5-100X	
	Lube	A	1,2	5-105X	
	w/2 inside & 2 outside snap rings	A	1	5-1200X	
		A	2	5-1201X	5-787X
1965-1967	w/170 Eng. Lube	A	1,2	5-105X	
	Non-lube	A	1,2	5-100X	
	w/200 or 289 Eng.				
	w/inside snap rings w/1.719” Snap Ring Dim Lube	A	1	5-105X	
	Non-lube	A	1	5-100X	
	w/2.344” Snap Ring Dim	A	1	5-2011X	
	Lube	A	2	5-105X	
	Non-Lube	A	2	5-100X	
	w/inside & outside snap rings	A	1	5-1200X	
	w/2.343” Snap Ring Dim	A	2	5-2173X	
	w/2.390” Snap Ring Dim	A	2	5-1201X	5-787X
1968-1970	w/170 Eng. Lube	A	1,2	5-105X	
	Non-lube	A	1,2	5-100X	
	w/200 Eng. w/inside snap rings Non-Lube	A	1,2	5-100X	
	Lube	A	1,2	5-105X	
	w/inside & outside snap rings	A	1	5-1200X	
		A	2	5-1201X	5-787X





Important: See Safety Information in General Information Section (J300P-GI)

Year	Model & Description	Fig.	Location	Spicer Part No.	SPL Part No.
FORD					
FALCON					
1968-1970	w/289 or 302 Eng.	A	1	5-1200X	
		A	2	5-1201X	5-787X
1971		A	1	5-1200X	
		A	2	5-1201X	5-787X
GALAXIE					
1959	w/inside snap rings	A	1	5-2011X	
	w/2 inside snap rings & 2 wing brgs	A	2	5-2031X	
	w/outside snap rings	A	1,2	5-153X	5-785X
1960		A	1,2	5-153X	5-785X
1961-1962	w/223, 292, 352, 390 or 406 Eng.				
	Exc. overdrive	A	1	5-1200X	
		A	2	5-1201X	5-787X
	w/overdrive	A	1	5-1203X	5-790X
		A	2	5-1204X	5-792X
1963-1972	w/240, 289, 302 Eng.	A	1	5-1200X	
		A	2	5-1201X	5-787X
	w/351-2BL or 352-2BL Eng.	A	1	5-1200X	
		A	2	5-1201X	5-787X
	w/351-4BL, 352-4BL Eng.	A	1	5-1203X	5-790X
		A	2	5-1204X	5-792X
	w/390, 400, 427 or 482 Eng.	A	1	5-1203X	5-790X
		A	2	5-1204X	5-792X
1973-1974	w/351 Eng. w/3.219” outside yoke dim	A	1	5-1200X	
		A	2	5-1201X	5-787X
	w/3.625” outside yoke dim	A	1	5-1203X	5-790X
		A	2	5-1204X	5-792X
	w/400 or 460 Eng.	A	1	5-1203X	5-790X
		A	2	5-1204X	5-792X
GRANADA					
1975-1978	w/3.219” outside yoke dim	A	1	5-1200X	
		A	2	5-1201X	5-787X
	w/3.625” outside yoke dim	A	1	5-1203X	5-790X
		A	2	5-1204X	5-792X
1979-1980		A	1	5-1200X	
		A	2	5-1201X	5-787X
1981-1982		A	1,2	5-1200X	



PASS

Year	Model & Description	Fig.	Location	Spicer Part No.	SPL Part No.
FORD					
LTD					
1965-1972	w/240, 289, 302, 351-2BL or 352-2BL Eng.	A	1	5-1200X	
		A	2	5-1201X	5-787X
	w/351-4BL, 352-4BL, 390, 400, 427 or 482 Eng.	A	1	5-1203X	5-790X
		A	2	5-1204X	5-792X
1973-1977	w/351 Eng. w/3.219” outside yoke dim	A	1	5-1200X	
		A	2	5-1201X	5-787X
	w/3.625” outside yoke dim	A	1	5-1203X	5-790X
		A	2	5-1204X	5-792X
	w/400 or 460 Eng.	A	1	5-1203X	5-790X
		A	2	5-1204X	5-792X
1978	w/302 Eng.	A	1	5-1200X	
		A	2	5-1201X	5-787X
	w/351 Eng. w/3.219” outside yoke dim	A	1	5-1200X	
		A	2	5-1201X	5-787X
	w/3.625” outside yoke dim	A	1	5-1203X	5-790X
		A	2	5-1204X	5-792X
1978	w/400 or 460 Eng.	A	1	5-1203X	5-790X
		A	2	5-1204X	5-792X
1979	Exc.police cars & vehicles w/trailer towing Pkg.	A	1,2	5-1200X	
	Police cars & vehicles w/trailer towing Pkg.	A	1,2	5-1203X	5-790X
1980-1981	Exc. police cars & vehicles w/trailer towing Pkg.	A	1,2	5-1200X	
	Police cars & vehicles w/trailer towing Pkg.	A	1,2	5-1203X	5-790X
1982	Exc. 351 Eng.	A	1,2	5-153X	5-785X
	w/350 Eng.	A	1,2	5-213X	5-790X
LTD CROWN VICTORIA					
1955		A	1	5-2011X	
	w/2 inside snap rings & 2 wing brgs	A	2	5-2031X	
1956	w/inside snap rings	A	1	5-2011X	
	w/outside snap rings	A	1,2	5-153X	5-785X
	w/2 inside snap rings & 2 wing brgs	A	2	5-2031X	
1979-1981	Exc. police cars & vehicles w/trailer towing Pkg.	A	1,2	5-1200X	
	Police cars & vehicles w/trailer towing Pkg.	A	1,2	5-1203X	5-790X
1982-1983	Exc. 351 Eng.	A	1,2	5-153X	5-785X
	w/351 Eng.	A	1,2	5-213X	5-790X
1984-1991	Exc. 351 Eng. Exc. trailer towing pkg.	A	1,2	5-1200X	
	w/trailer towing Pkg.	A	1,2	5-1203X	5-790X
	w/351 Eng.	A	1,2	5-1203X	5-790X
1992	Exc. trailer towing Pkg.	A	1,2	5-153X	5-785X
	Lube fitting in brg. cup	A	1,2	5-433-1X	
	w/trailer towing Pkg.	A	1,2	5-1203X	5-790X



Fig. A

Important: See Safety Information in General Information Section (J300P-GI)

U-Joints

Year	Model & Description	Fig.	Location	Spicer Part No.	SPL Part No.
FORD					
LTD II					
1977-1979		A	1	5-1203X	5-790X
		A	2	5-1204X	5-792X
MAVERICK					
1970-1973	w/170, 200, 250, 289, 302-2BL, 252-2BL Eng.	A	1	5-1203X	5-790X
		A	2	5-1204X	5-792X
	w/351-4BL, 352-4BL, 428 or 429 Eng.	A	1	5-1203X	5-790X
		A	2	5-1204X	5-792X
1974-1978		A	1	5-1200X	
		A	2	5-1201X	5-787X
1979		A	1,2	5-1200X	
MUSTANG					
1965	w/170 Eng. Non-lube	A	1,2	5-100X	
	Lube	A	1,2	5-105X	
	w/200 Eng. w/1.719” snap ring dim Non-Lube	A	1,2	5-100X	
	Lube	A	1,2	5-105X	
	w/3.219” snap ring dim	A	1	5-1200X	
		A	2	5-1201X	5-787X
	w/260 or 289 Eng. w/2.344” snap ring dim	A	1	5-2011X	
		A	2	5-2173X	
	w/3.219” outside yoke dim	A	1	5-1200X	
		A	2	5-1201X	5-787X
1966	w/200 Eng. w/MT Non-Lube	A	1,2	5-100X	
	Lube	A	1,2	5-105X	
	w/AT	A	1	5-2011X	
		A	2	5-2173X	
	w/289 Eng.	A	1	5-2011X	
		A	2	5-2173X	
1967	w/200 Eng. w/MT Non-Lube	A	1,2	5-100X	
	Lube	A	1,2	5-105X	
	w/AT	A	1	5-1200X	
		A	2	5-1201X	5-787X
	w/289 Eng.	A	1	5-1200X	
		A	2	5-1201X	5-787X
	w/390 Eng.	A	1	5-1203X	5-790X
		A	2	5-1204X	5-792X
1968-1969	w/200 Eng. Exc. 4 Spd. Trans Non-Lube	A	1,2	5-100X	
	Lube	A	1,2	5-105X	
	w/4 Spd. Trans	A	1	5-1200X	
		A	2	5-1201X	5-787X



PASS

Year	Model & Description	Fig.	Location	Spicer Part No.	SPL Part No.
FORD					
MUSTANG					
1968-1969	w/250, 302 or 351 Eng.	A	1	5-1200X	
		A	2	5-1201X	5-787X
	w/390, 427 or 428 Eng.	A	1	5-1203X	5-790X
		A	2	5-1204X	5-792X
1970-1973	w/170, 200, 250, 289, 302-2BL, 252-2BL Eng.	A	1	5-1203X	5-790X
		A	2	5-1204X	5-792X
	w/351-4BL, 352-4BL, 428 or 429 Eng.	A	1	5-1203X	5-790X
		A	2	5-1204X	5-792X
1974-1978		A	1	5-1200X	
		A	2	5-1201X	5-787X
1979-1986		A	1,2	5-1200X	
1987	w/2.3L Eng.	A	1,2	5-153X	5-785X
	w/5.0L Eng. w/AT	A	1,2	5-1200X	
	w/MT	A	1,2	5-1203X	5-790X
1988-1993	w/2.3L Eng.	A	1,2	5-153X	5-785X
	w/5.0L Eng. w/AT	A	1,2	5-153X	5-785X
	w/MT	A	1,2	5-1203X	5-790X
1994	w/3.8L Eng. Lube fitting in Body	A	1,2	5-153X	5-785X
	Lube fitting in brg. cup	A	1,2	5-433-1X	
	w/5.0L Eng.	A	1,2	5-1203X	5-790X
1995		A	1,2	5-1203X	5-790X
1996-1999		A	1,2	5-1204X	5-792X
2000-2001		A	1,2	5-213X	5-812X
2002-2004	Exc. Cobra	A	1,2	5-213X	5-812X
	Cobra	A	1,2	5-178X	5-799X
PINTO					
1971-1980		A	1	5-1200X	
		A	2	5-1201X	5-787X
RANCHERO					
1962-1969	240, 289, 302, 351-2BL, 352-2BL Eng.	A	1	5-1200X	
		A	2	5-1201X	5-787X
	351-4BL, 352-4BL, 390, 427, 428 Eng.	A	1	5-1203X	5-790X
		A	2	5-1204X	5-792X
1970-1976	w/351 Eng. w/3.219” outside yoke dim	A	1	5-1200X	
		A	2	5-1201X	5-787X
	w/3.625” outside yoke dim	A	1	5-1203X	5-790X
		A	2	5-1204X	5-792X
	w/400 or 460 Eng.	A	1	5-1203X	5-790X
		A	2	5-1204X	5-792X



Important: See Safety Information in General Information Section (J300P-GI)

U-Joints

Year	Model & Description	Fig.	Location	Spicer Part No.	SPL Part No.
FORD					
RANCHERO					
1977-1979		A	1	5-1203X	5-790X
		A	2	5-1204X	5-792X
TEMPO					
1987		U	1 THRU 7	5-443X	
1988-1992	AWD	U	1,2,3	5-1200X	
	Lube fitting in Body	U	1,2,3	5-443X	
		U	4,5,6,7	5-443X	
THUNDERBIRD					
1955-1961		A	1,2	5-1200X	
1962		A	1	5-1202X	5-787X
		A	2	5-1203X	5-790X
1963-1966		A	1,2	5-1203X	5-790X
1967	2 Door Landau or Hardtop	A	1	5-1203X	5-790X
		A	2	5-1204X	5-792X
	4 Door Landau	A	1,2	5-1203X	5-790X
1968-1971		A	1,2,3,4	5-3147X	5-795X
	CV seat repair kit	A	CV	211007X	
1972-1976		A	1,2	5-1203X	5-790X
1977-1979		A	1	5-1203X	5-790X
		A	2	5-1204X	5-792X
1980		D	1	5-153X	5-785X
		D	2,3	5-433-1X	
	CV centering yoke kit	D	CV	211229X	
1981-1982		D	1,2,3	5-1200X	
	CV centering yoke kit	D	CV	211229X	
1983-1986		A	1,2	5-1200X	
1987-1988	w/AT	A	1,2	5-1200X	
	w/MT	A	1,2	5-1203X	5-790X
1989-1991	w/MT	A	1,2	5-1203X	5-790X
	w/AT & 7.5” ring gear	A	1,2	5-1200X	
	w/AT & 8.8” ring gear	A	1,2	5-1203X	5-790X
1992	w/MT	A	1,2	5-1203X	5-790X
	w/AT & 7.5” ring gear Lube Fitting in Body	A	1,2	5-153X	5-785X
	Lube fitting in brg. cup	A	1,2	5-433-1X	
	w/AT & 8.8” ring gear	A	1,2	5-1203X	5-790X
1993	w/3.8L Exc. SC	A	1,2	5-153X	5-785X
	w/3.8L & Super Charger & w/5.0L	A	1,2	5-1203X	5-790X
1994-1997	w/3.8L & Super Coupe or 4L 8 Cyl Eng.	A	1,2	5-213X	5-790X
	w/inside & outside snap rings	A	1,2	5-1203X	5-790X







PASS

Year	Model & Description	Fig.	Location	Spicer Part No.	SPL Part No.
FORD					
TORINO					
1968-1969	240, 289, 302, 351-2BL, 352-2BL Eng.	A	1	5-1200X	
		A	2	5-1201X	5-787X
	351-4BL, 352-4BL, 390, 427, 428 Eng.	A	1	5-1203X	5-790X
		A	2	5-1204X	5-792X
1970-1976	w/351 Eng. w/3.219” outside yoke dim	A	1	5-1200X	
		A	2	5-1201X	5-787X
	w/3.625” outside yoke dim	A	1	5-1203X	5-790X
		A	2	5-1204X	5-792X
	w/400 or 460 Eng.	A	1	5-1203X	5-790X
		A	2	5-1204X	5-792X
FORD BRITISH					
1959-1961	Anglia Lube	A	1,2	5-111X	
	Non-lube	A	1,2	5-101X	
1962	Anglia Lube	A	1,2	5-111X	
	Non-lube	A	1,2	5-101X	
	Zephyr, Zodiac MKII, Consul Lube	A	1,2	5-111X	
	Non-lube	A	1,2	5-101X	
	Zodiac MKIII, MKIV	A	1,2	5-4X	
1963-1968	Anglia Lube	A	1,2	5-111X	
	Non-lube	A	1,2	5-101X	
	Cortina MKI, MKII & Corsair Lube	A	1,2	5-111X	
	Non-lube	A	1,2	5-101X	
	Zephyr, Zodiac MKII, Consul Lube	A	1,2	5-111X	
	Non-lube	A	1,2	5-101X	
	Zodiac MKIII, MKIV	A	1,2	5-4X	
1969-1970	Cortina MKI, MKII & Corsair Lube	A	1,2	5-111X	
	Non-lube	A	1,2	5-101X	
	Zephyr, Zodiac MKII, Consul Lube	A	1,2	5-111X	
	Non-lube	A	1,2	5-101X	
	Zodiac MKIII, MKIV	A	1,2	5-4X	
1971-1972	Zephyr, Zodiac MKII, Consul Lube	A	1,2	5-111X	
	Non-lube	A	1,2	5-101X	
	Zodiac MKIII, MKIV	A	1,2	5-4X	
HILLMAN					
1945-1971	California, Estate Car, Huskey, Imp, and Minx Lube	A	1,2	5-111X	
	Non-lube	A	1,2	5-101X	
HYUNDAI					
1984-1988	PONY	A	1,2	5-443X	
1984-1987	STELLAR	A	1,2	5-443X	



Important: See Safety Information in General Information Section (J300P-GI)

U-Joints

Year	Model & Description	Fig.	Location	Spicer Part No.	SPL Part No.
JAGUAR					
1953-1961	2-Joint Driveshaft	E	1,2	5-4X	
		E	3,4,5,6	5-160X	5-801X
1962-1987	2-Joint Driveshaft	E	1,2	5-153X	5-785X
		E	3,4,5,6	5-160X	5-801X
	3-Joint Driveshaft	U	1,2,3	5-153X	5-812X
		U	4,5,6,7	5-160X	5-801X
1988-1989	Driveshaft with Staked-in Joints	U	1,2,3	N/A	N/A
		U	4,5,6,7	5-160X	5-801X
JENSEN					
1954-1970		A	1,2	5-178X	5-799X
LAGONDA					
1961-1970	Raptide	A	1,2	5-178X	5-799X
	w/Half Shaft	E	3,4,5,6	5-160X	5-801X
LINCOLN					
CAPRI					
1952-1959		A	1,2	5-153X	5-785X
CONTINENTAL					
1949-1959		A	1,2	5-153X	5-785X
1960		A	1	5-213X	5-790X
		A	2	5-134X	
1961-1962		G	1,2	5-213X	5-790X
		G	3	5-134X	
1963-1965		G	1,2,3	5-213X	5-790X
	CV centering yoke kit	G	CV	210841X	
	CV ball & seat kit	G	CV	210476-1X	
1966-1976		H	1,2,3,4	5-213X	5-790X
	CV centering yoke kit	H	CV	210841X	
	CV ball & seat kit	H	CV	210476-1X	
1977	To 5-1-77	H	1,2,3,4	5-213X	5-790X
	CV centering yoke kit	H	CV	210841X	
	CV ball & seat kit	H	CV	210476-1X	
	From 5-1-77	H	1,2,3,4	5-3147X	5-795X
	CV ball & seat kit	H	CV	211009X	
	CV seat repair kit	H	CV	211007X	



PASS

Year	Model & Description	Fig.	Location	Spicer Part No.	SPL Part No.
LINCOLN					
CONTINENTAL					
1978-1979		H	1,2,3,4	5-3147X	5-795X
	CV ball & seat kit	H	CV	211009X	
	CV seat repair kit	H	CV	211007X	
1980	w/trailer towing Pkg.	A	1,2	5-1203X	5-790X
	Exc. trailer towing Pkg.	A	1,2	5-1200X	
1981		A	1,2	5-1200X	
1982-1983		A	1,2,3	5-1200X	
	CV centering yoke kit	D	CV	211229X	
1984-1987		D	1,2,3	5-1200X	
COSMOPOLITAN					
1949-1954		A	1,2	5-153X	5-785X
LIDO					
1950-1951		A	1,2	5-153X	5-785X
MARK II					
1955-1956		A	1,2	5-153X	5-785X
MARK III					
1968		H	1,2,3,4	5-213X	5-790X
	CV centering yoke kit	H	CV	210841X	
	CV ball & seat kit	H	CV	210476-1X	
1969-1971		H	1,2,3,4	5-3147X	5-795X
	CV ball & seat kit	H	CV	211008X	
	CV seat repair kit	H	CV	211007X	
MARK IV					
1972-1976		A	1,2	5-1203X	5-790X
MARK V					
1977		A	1,2	5-1203X	5-790X
1978		A	1	5-1203X	5-790X
		A	2	5-1204X	5-792X
1979		A	1,2	5-1203X	5-790X
MARK VI					
1980	w/trailer towing Pkg.	A	1,2	5-1203X	5-790X
	Exc. trailer towing Pkg.	A	1,2	5-1200X	
1981		A	1,2	5-1200X	
1982-1983	w/trailer towing Pkg.	A	1,2	5-1203X	5-790X
	Exc. trailer towing Pkg.	A	1,2	5-1200X	
MARK VII					
1984-1991		D	1,2,3	5-1200X	



Important: See Safety Information in General Information Section (J300P-GI)

U-Joints

Year	Model & Description	Fig.	Location	Spicer Part No.	SPL Part No.
LINCOLN					
MARK VII					
1992	Lube fitting in Body	A	1,2	5-153X	5-785X
	Lube fitting in brg. cup	A	1,2	5-433-1X	
MARK VIII					
1993-1994		A	1,2	5-213X	5-790X
	w/inside & outside snap rings	A	1,2	5-1203X	5-790X
1995	Includes Mark VIII LSC	A	1,2	5-213X	5-812X
	w/inside & outside snap rings	A	1,2	5-1203X	5-790X
1996-1998	Includes Mark VIII LSC	A	1,2	5-213X	5-812X
PREMIERE					
1956-1959		A	1,2	5-153X	5-785X
1960		A	1	5-213X	5-790X
		A	2	5-134X	
SPORT					
1949-1951		A	1,2	5-153X	5-785X
TOWN CAR					
1982-1991	w/trailer towing Pkg.	A	1,2	5-1203X	5-790X
	Exc. trailer towing Pkg.	A	1,2	5-1200X	
1992-1998	w/trailer towing Pkg.	A	1,2	5-1203X	5-790X
	Exc. trailer towing Pkg. Lube fitting in Body	A	1,2	5-153X	5-785X
	Lube fitting in brg. cup	A	1,2	5-433-1X	
1999-2002		A	1,2	5-1203X	5-790X
2003-2006	Exc. Long Wheelbase	A	1,2	5-213X	5-812X
	w/ Long Wheelbase	A	1,2	N/A	N/A
VERSAILLES					
1977-1978		D	1,2,3	5-213X	5-790X
	CV centering yoke kit	D	CV	211520X	
	CV ball & seat repair kit	D	CV	210476-1X	
1979	w/3.469” outside yoke dim	D	1,2,3	5-153X	5-785X
	w/3.875” outside yoke dim	D	1,2,3	5-213X	5-790X
	w/3.469” outside yoke dim CV centering yoke kit	D	CV	211198X	
	w/3.875” outside yoke dim CV ball & seat kit	D	CV	210476-1X	
1980		D	1	5-153X	5-785X
		D	2,3	5-433-1X	
	CV centering yoke kit	D	CV	211198X	
LOTUS					
1957-1961	Climax Super, LeMans, Sports Lube	A	1,2	5-111X	
	Non-lube	A	1,2	5-101X	





PASS

Year	Model & Description		Fig.	Location	Spicer Part No.	SPL Part No.
LOTUS						
1962-1963	Climax Super, LeMans, Sports	Lube	A	1,2	5-111X	
		Non-lube	A	1,2	5-101X	
	Elan, Elite	Lube	E	1,2	5-111X	
		Non-lube	E	1,2	5-101X	
		Half Shaft	E	3,4,5,6	5-4X	
1964-1971	Elan, Elite	Lube	E	1,2	5-111X	
		Non-lube	E	1,2	5-101X	
		Half Shaft	E	3,4,5,6	5-4X	
MASERATI						
1958-1962			A	1,2	5-178X	5-799X
MAZDA						
1979-1982	626		A	1,2	5-1504X	
1972-1977	828		A	1,2	5-1504X	
1977-1981	GLC		A	1,2	5-1514X	
1976-1977	MISER		A	1,2	5-1514X	
1971-1973	R100		A	1,2	5-1504X	
1971-1974	RX2		A	1,2	5-1504X	
1972-1978	RX3		A	1,2	5-1504X	
1979-1982	RX7		A	1,2	5-1504X	
MERCURY						
BOBCAT						
1974-1980			A	1	5-1200X	
			A	2	5-1201X	5-787X
CAPRI						
1979-1986			A	1,2	5-1200X	
COMET						
1960-1962	w/144, 170 or 200 Eng.	Lube	A	1,2	5-105X	
		Non-lube	A	1,2	5-100X	
1963-1964	w/144, 170 or 200 Eng.	Lube	A	1,2	5-105X	
		Non-lube	A	1,2	5-100X	
	w/260 or 289 Eng.		A	1	5-153X	5-785X
			A	2	5-1201X	5-787X
1965	w/200 Eng. w/AT		A	1	5-153X	5-785X
			A	2	5-1201X	5-787X
	w/MT	Lube	A	1,2	5-105X	
		Non-Lube	A	1,2	5-100X	



Important: See Safety Information in General Information Section (J300P-GI)

Year	Model & Description	Fig.	Location	Spicer Part No.	SPL Part No.
MERCURY					
COMET					
1965	w/289 Eng. Exc. spec 4 spd trans w/inside Snap Ring	A	1	5-2011X	
		A	2	5-2173X	
	w/outside snap rings	A	1	5-153X	5-785X
		A	2	5-1201X	5-787X
	w/Spec 4 Spd. Trans.	A	1	5-1203X	5-790X
		A	2	5-1204X	5-792X
1966-1967	w/200 or 289 Eng.	A	1	5-153X	5-785X
		A	2	5-1201X	5-787X
	w/390 Eng.	A	1	5-213X	5-790X
	To 1-1-66	A	2	5-1201X	5-787X
	From 1-1-66	A	2	5-1204X	5-792X
	w/427 Eng.	A	1	5-1203X	5-790X
		A	2	5-1204X	5-792X
1968-1969	w/200, 250, 302 or 351 Eng.	A	1	5-1200X	
		A	2	5-1201X	5-787X
	w/390, 427 or 428 Eng.	A	1	5-1203X	5-790X
		A	2	5-1204X	5-792X
1970	w/250 or 302 Eng.	A	1	5-1200X	
		A	2	5-1201X	5-787X
	w/351 Eng., w/3 Spd or C4 trans	A	1	5-1200X	
		A	2	5-1201X	5-787X
	w/351 & 429 Eng., w4 Spd or C6 trans	A	1	5-1203X	5-790X
		A	2	5-1204X	5-792X
1971-1977		A	1	5-1200X	
		A	2	5-1201X	5-787X
COUGAR/XR7					
1967-1968	w/289 or 302 Eng.	A	1	5-1200X	
		A	2	5-1201X	5-787X
	w/390 or 427 Eng.	A	1	5-1203X	5-790X
		A	2	5-1204X	5-792X
1969-1970	w/302 Eliminator Eng.	A	1	5-1203X	5-790X
		A	2	5-1204X	5-792X
	w/351 Eng.	A	1	5-1200X	
		A	2	5-1201X	5-787X
	w/390, 427 or 428 Eng.	A	1	5-1203X	5-790X
		A	2	5-1204X	5-792X
1971-1972	w/351 Eng. Exc. 4 Spd. MT	A	1	5-1200X	
		A	2	5-1201X	5-787X



Fig. A

PASS

Year	Model & Description	Fig.	Location	Spicer Part No.	SPL Part No.
MERCURY					
COUGAR/XR7					
1971-1972	w/4 Spd. MT	A	1	5-1203X	5-790X
		A	2	5-1204X	5-792X
	w/429 Eng.	A	1	5-1203X	5-790X
		A	2	5-1204X	5-792X
1973		A	1	5-1200X	
		A	2	5-1201X	5-787X
1974		A	1	5-1203X	5-790X
		A	2	5-1204X	5-792X
1975-1976	w/351 Eng.	A	1	5-1203X	5-790X
	w/C4 AT	A	2	5-1201X	5-787X
	Exc. C4 AT	A	2	5-1204X	5-792X
	w/400 or 460 Eng.	A	1	5-1203X	5-790X
		A	2	5-1204X	5-792X
1977-1979		A	1	5-1203X	5-790X
		A	2	5-1204X	5-792X
1980		D	1,2,3	5-1200X	
	CV centering yoke kit	D	CV	211229X	
1981-1982	Exc. XR7	A	1,2	5-1200X	
	XR7	D	1,2,3	5-1200X	
	CV centering yoke kit	D	CV	211229X	
1983-1988		A	1,2	5-1200X	
1989-1993	Exc. XR7	A	1,2	5-153X	5-785X
	XR7	A	1,2	5-213X	5-790X
1994-1997	3.8L Eng. or 4.6L 8 Cyl Eng.	A	1,2	5-213X	5-790X
GRAND MARQUIS					
1949-1954		A	1	5-2011X	
	w/2 inside snap rings & 2 wing brgs	A	2	5-2031X	
1955-1960		A	1,2	5-153X	5-785X
1961-1962		A	1	5-1200X	
		A	2	5-1201X	5-787X
1963	w/223, 260, 289 or 352 Eng.	A	1	5-1200X	
		A	2	5-1201X	5-787X
	w/390, 406 or 427 Eng. To 6-3-63	A	1	5-1200X	
		A	2	5-1201X	5-787X
	From 6-3-63	A	1	5-1203X	5-790X
		A	2	5-1204X	5-792X
1964	w/223, 289 or 352 Eng.	A	1	5-1200X	
		A	2	5-1201X	5-787X





Important: See Safety Information in General Information Section (J300P-GI)

MERCURY

GRAND MARQUIS

Year	Model & Description	Fig.	Location	Spicer Part No.	SPL Part No.
1964	w/390 Eng. w/Cruise-o-Matic	A	1	5-1200X	
		A	2	5-1201X	5-787X
	Exc./Cruise-o-Matic	A	1	5-1203X	5-790X
		A	2	5-1204X	5-792X
	w/427 Eng.	A	1	5-1203X	5-790X
		A	2	5-1204X	5-792X
1965-1966	w/240 or 289 Eng.	A	1	5-1200X	
		A	2	5-1201X	5-787X
	w/352 or 390 Eng. w/3.219” outside yoke dim	A	1	5-1200X	
		A	2	5-1201X	5-787X
	w/3.625” outside yoke dim	A	1	5-1203X	5-790X
		A	2	5-1204X	5-792X
	w/427 or 428 Eng.	A	1	5-1203X	5-790X
		A	2	5-1204X	5-792X
1967-1977	w/240, 289, 302, 351-2BL Eng.	A	1	5-1200X	
		A	2	5-1201X	5-787X
	351-4BL, 390, 400, 427 or 460 Eng.	A	1	5-1203X	5-790X
		A	2	5-1204X	5-792X
1978	w/Cruise-O-Matic	A	1	5-1200X	
		A	2	5-1201X	5-787X
	Exc. Cruise-O-Matic	A	1	5-1203X	5-790X
		A	2	5-1204X	5-792X
1979-1981	w/trailer towing Pkg.	A	1,2	5-1203X	5-790X
	Exc. trailer towing Pkg.	A	1,2	5-1200X	
	Police Cars	A	1,2	5-1203X	5-790X
1982	w/255 or 302 Eng.	A	1,2	5-1200X	
	w/351 Eng.	A	1,2	5-1203X	5-790X
1983		A	1,2	5-1200X	
1984-1991	w/351 Eng.	A	1,2	5-1203X	5-790X
	Exc. 351 Eng. w/trailer towing package	A	1,2	5-1203X	5-790X
	Exc. trailer towing pkg.	A	1,2	5-1200X	
1992-1994	w/trailer towing Pkg.	A	1,2	5-1203X	5-790X
	Exc. trailer towing Pkg.	A	1,2	5-153X	5-785X
1995-2002	4.6L Eng.	A	1,2	5-213X	5-812X
2003-2004	Exc Sport Option	A	1,2	5-213X	5-812X
	Sport Option	A	1,2	N/A	N/A
2005-2006	Steel Driveshaft	A	1,2	5-213X	5-812X
	w/alum. driveshaft Alum. u-joints replaced by steel u-joints	A	1,2	5-178X	5-799X





PASS

Year	Model & Description	Fig.	Location	Spicer Part No.	SPL Part No.
MERCURY					
MARAUDER					
2003-2004	4.6L Eng.	A	1,2	5-213X	5-812X
MARQUIS/MARQUIS BROUGHAM					
1949		A	1	5-2011X	
	w/2 inside snap rings & 2 wing brgs	A	2	5-2031X	
		A	2	5-2031X	
1950-1954		A	1	5-2011X	
	w/2 inside snap rings & 2 wing brgs	A	2	5-2031X	
1955-1960		A	1,2	5-153X	5-785X
1961-1962		A	1	5-1200X	
		A	2	5-1201X	5-787X
1963	w/223, 260, 289 or 352 Eng.	A	1	5-1200X	
		A	2	5-1201X	5-787X
	w/390, 406 or 427 Eng. To 6-3-63	A	1	5-1200X	
		A	2	5-1201X	5-787X
	From 6-3-63	A	1	5-1203X	5-790X
		A	2	5-1204X	5-792X
1964	w/223, 289 or 352 Eng.	A	1	5-1200X	
		A	2	5-1201X	5-787X
	w/390 Eng. w/Cruise-o-Matic	A	1	5-1200X	
		A	2	5-1201X	5-787X
	Exc./Cruise-o-Matic	A	1	5-1203X	5-790X
		A	2	5-1204X	5-792X
	w/427 Eng.	A	1	5-1203X	5-790X
		A	2	5-1204X	5-792X
1965-1966	w/240 or 289 Eng.	A	1	5-1200X	
		A	2	5-1201X	5-787X
	w/352 or 390 Eng. w/3.219” outside yoke dim	A	1	5-1200X	
		A	2	5-1201X	5-787X
	w/3.625” outside yoke dim	A	1	5-1203X	5-790X
		A	2	5-1204X	5-792X
1965-1966	w/427 or 428 Eng.	A	1	5-1203X	5-790X
		A	2	5-1204X	5-792X
1967-1977	w/240, 289, 302, 351-2BL Eng.	A	1	5-1200X	
		A	2	5-1201X	5-787X
	351-4BL, 390, 400, 427 or 460 Eng.	A	1	5-1203X	5-790X
		A	2	5-1204X	5-792X
1978	w/Cruise-O-Matic	A	1	5-1200X	
		A	2	5-1201X	5-787X
	Exc. Cruise-O-Matic	A	1	5-1203X	5-790X
		A	2	5-1204X	5-792X



Fig. A

Important: See Safety Information in General Information Section (J300P-GI)

Year	Model & Description	Fig.	Location	Spicer Part No.	SPL Part No.
MERCURY					
MARQUIS/MARQUIS BROUGHAM					
1979-1981	w/trailer towing Pkg.	A	1,2	5-1203X	5-790X
	Exc. trailer towing Pkg.	A	1,2	5-1200X	
	Police Cars	A	1,2	5-1203X	5-790X
1982	w/255 or 302 Eng.	A	1,2	5-1200X	
	w/351 Eng.	A	1,2	5-1203X	5-790X
1983		A	1,2	5-1200X	
1984-1991	Exc. 351 Eng. w/trailer towing package	A	1,2	5-1203X	5-790X
	Exc. trailer towing pkg.	A	1,2	5-1200X	
	w/351 Eng.	A	1,2	5-1203X	5-790X
1992-1994	w/trailer towing Pkg.	A	1,2	5-1203X	5-790X
	Exc. trailer towing Pkg.	A	1,2	5-153X	5-785X
1995-1999	w/2 inside & 2 outside snap rings	A	1,2	5-1204X	5-792X
METEOR					
1962-1964		A	1	5-1200X	
		A	2	5-1201X	5-787X
1965	Exc. Wagons w/240 or 289 Eng.	A	1	5-1200X	
		A	2	5-1201X	5-787X
	w/352 Eng. w/AT	A	1	5-1200X	
		A	2	5-1201X	5-787X
	w/352 Eng. w/MT	A	1	5-1203X	5-790X
		A	2	5-1204X	5-792X
	w/390 Eng.	A	1	5-1203X	5-790X
		A	2	5-1204X	5-792X
	Wagons w/352 Eng. w/AT	A	1	5-1203X	5-790X
		A	2	5-1204X	5-792X
	w/352 Eng. w/MT w/3.219” outside yoke dim	A	1	5-1200X	
		A	2	5-1201X	5-787X
	w/3.625” outside yoke dim	A	1	5-1203X	5-790X
		A	2	5-1204X	5-792X
1966	w/240 or 289 Eng.	A	1	5-153X	5-785X
		A	2	5-1201X	5-787X
	w/352 Eng.	A	1	5-1203X	5-790X
		A	2	5-1204X	5-792X
	w/390 or 428 Eng. w/3.219” outside yoke dim	A	1	5-1200X	
		A	2	5-1201X	5-787X
	w/3.625” outside yoke dim	A	1	5-1203X	5-790X
		A	2	5-1204X	5-792X



Fig. A

PASS

Year	Model & Description	Fig.	Location	Spicer Part No.	SPL Part No.
MERCURY					
METEOR					
1967-1970	w/240, 289, 302 or 351 Eng.	A	1	5-1200X	
		A	2	5-1201X	5-787X
	w/390, 410 or 428 Eng.	A	1	5-1203X	5-790X
		A	2	5-1204X	5-792X
1971-1976	w/302 & 351 Eng. w/3.219” outside yoke dim	A	1	5-1200X	
		A	2	5-1204X	5-792X
	w/3.625” outside yoke dim	A	1	5-1203X	5-790X
	w/400, 429 or 460 Eng.	A	1	5-1203X	5-790X
		A	2	5-1204X	5-792X
MONARCH					
1975-1976		A	1	5-1200X	
	w/3.219” outside yoke dim	A	2	5-1201X	5-787X
	w/3.625” outside yoke dim	A	2	5-1204X	5-792X
1977-1978	w/3.219” outside yoke dim	A	1	5-1200X	
		A	2	5-1201X	5-787X
	w/3.625” outside yoke dim	A	1	5-1203X	5-790X
		A	2	5-1204X	5-792X
1979-1980		A	1	5-1200X	
		A	2	5-1201X	5-787X
MONTEGO					
1968-1974	w/250 Eng. w/3.219” outside yoke dim	A	1	5-1200X	
		A	2	5-1201X	5-787X
	w/3.625” outside yoke dim	A	1	5-1203X	5-790X
		A	2	5-1204X	5-792X
	w/302 or 351 2-BL Eng. w/3.219” outside yoke dim	A	1	5-1200X	
		A	2	5-1201X	5-787X
	w/3.625” outside yoke dim	A	1	5-1203X	5-790X
		A	2	5-1204X	5-792X
	w/351, 400 or 429-4BL Eng.	A	1	5-1203X	5-790X
		A	2	5-1204X	5-792X
1975-1976	w/351-2BL Eng.	A	1	5-1200X	
		A	2	5-1201X	5-787X
	w/351-4BL or 400 Eng.	A	1	5-1203X	5-790X
	w/3.219” outside yoke dim	A	2	5-1201X	5-787X
	w/460 Eng.	A	1	5-1203X	5-790X
		A	2	5-1204X	5-792X
MONTEREY					
1950-1954		A	1	5-2011X	
	w/2 inside snap rings & 2 wing brgs	A	2	5-2031X	



Fig. A

Important: See Safety Information in General Information Section (J300P-GI)

U-Joints

Year	Model & Description	Fig.	Location	Spicer Part No.	SPL Part No.
MERCURY					
MONTEREY					
1955-1960		A	1,2	5-153X	5-785X
1961-1962		A	1	5-1200X	
		A	2	5-1201X	5-787X
1963	w/223, 260, 289 or 352 Eng.	A	1	5-1200X	
		A	2	5-1201X	5-787X
	w/390, 406 or 427 Eng. To 6-3-63	A	1	5-1200X	
		A	2	5-1201X	5-787X
	From 6-3-63	A	1	5-1203X	5-790X
		A	2	5-1204X	5-792X
1964	w/223, 289 or 352 Eng.	A	1	5-1200X	
		A	2	5-1201X	5-787X
	w/390 Eng. w/Cruise-o-Matic	A	1	5-1200X	
		A	2	5-1201X	5-787X
	Exc./Cruise-o-Matic	A	1	5-1203X	5-790X
		A	2	5-1204X	5-792X
	w/427 Eng.	A	1	5-1203X	5-790X
		A	2	5-1204X	5-792X
1965-1966	w/240 or 289 Eng.	A	1	5-1200X	
		A	2	5-1201X	5-787X
	w/352 or 390 Eng. w/3.219” outside yoke dim	A	1	5-1200X	
		A	2	5-1201X	5-787X
	w/3.625” outside yoke dim	A	1	5-1203X	5-790X
		A	2	5-1204X	5-792X
	w/427 or 428 Eng.	A	1	5-1203X	5-790X
		A	2	5-1204X	5-792X
1967-1974	w/240, 289, 302, 351-2BL Eng.	A	1	5-1200X	
		A	2	5-1201X	5-787X
	351-4BL, 390, 400, 427 or 460 Eng.	A	1	5-1203X	5-790X
		A	2	5-1204X	5-792X
TOPAZ					
1987-1992		U	1,2,3	5-443X	
		U	4,5,6,7	5-443X	
ZEPHYR					
1978		A	1	5-1203X	5-790X
		A	2	5-1204X	5-792X
1979-1983		A	1,2	5-1200X	
MG					
1945-1980	EXC. SPITFIRE 1500 From VIN #FM110572 Non-lube	A	1,2	5-101X	
	Lube	A	1,2	5-111X	





PASS

Year	Model & Description	Fig.	Location	Spicer Part No.	SPL Part No.
MG					
1980	SPITFIRE 1500, FROM VIN #FM110572 From VIN #FM110572	A	2	5-101X	
MORRIS					
1966-1971	MINI COOPER	A	1,2	5-101X	
		A	1,2	5-111X	
1956-1971	MINOR	A	1,2	5-101X	
		A	1,2	5-111X	
1959-1971	OXFORD	A	1,2	5-101X	
		A	1,2	5-111X	
NISSAN/DATSUN					
1966-1974	1200	A	1,2	5-1500X	
1967-1979	240Z & 260Z	E	1,2	5-1501X	
		E	3,4,5,6	5-1505X	
1967-1978	280Z	E	1,2	5-1501X	
		E	3,4,5,6	5-1505X	
1979	280Z Exc. Turbo	E	3,4,5,6	5-1505X	
		E	1,2	5-1501X	
1980-1983	280Z Exc. Turbo	E	3,4,5,6	5-1505X	
1967-1979	510	A	1,2	5-1501X	
1973-1977	610 & 710	A	1,2	5-1501X	
1976-1984	810/810 MAXIMA	E	3,4,5,6	5-1505X	
1966-1974	B110	A	1,2	5-1500X	
OLDSMOBILE					
88					
1949-1952		A	1	5-2011X	
	w/2 inside snap rings & 2 wing brgs	A	2	5-2031X	
1953		A	1	5-2011X	
1954-1956	w/MT	A	1	5-2011X	
	w/Hydramatic Trans.	A	2	5-3147X	5-795X
	w/2 inside snap rings & 2 wing brgs	A	2	5-3012X	
1957-1958		S	1,3	5-3022X	
		S	2	5-153X	5-785X
1959-1964		S	1,2	5-153X	5-785X
		S	3	5-3022X	
1965-1970	Exc. 425 & 455 Eng.	A	1,2	5-3147X	5-795X
	w/425 & 455 Eng.	A	1	5-213X	5-790X
		A	2	5-212X	
1971-1972	Exc. Station Wagon	D	1,2,3	5-3147X	5-795X
	CV ball & seat kit	D	CV	211008X	
	CV seat repair kit	D	CV	211007X	
	Station Wagon	A	1,2	5-3147X	5-795X



Important: See Safety Information in General Information Section (J300P-GI)

Year	Model & Description	Fig.	Location	Spicer Part No.	SPL Part No.
OLDSMOBILE					
88					
1973-1978	Exc. Station Wagon	D	1,2,3	5-3147X	5-795X
	CV ball & seat kit	D	CV	211009X	
	CV seat repair kit	D	CV	211007X	
	Station Wagon	A	1,2	5-3147X	5-795X
1979	3-Joint Driveshaft	D	1,2,3	5-3147X	5-795X
	CV ball & seat kit	D	CV	211009X	
	CV seat repair kit	D	CV	211007X	
	2-Joint Driveshaft	A	1,2	5-3147X	5-795X
1980-1981		A	1,2	5-3147X	5-795X
1982-1985	w/inside snap rings	A	1,2	5-3147X	5-795X
	w/outside snap rings	A	1,2	5-178X	5-799X
1986-1992		A	1,2	5-3147X	5-795X
98					
1941-1952		A	1	5-2011X	
	w/2 inside snap rings & 2 wing brgs	A	2	5-2031X	
1953		A	1	5-2011X	
1954-1956	w/MT	A	1	5-2011X	
	w/Hydramatic Trans.	A	2	5-3147X	5-795X
	w/2 inside snap rings & 2 wing brgs	A	2	5-3012X	
1957-1958		S	1,3	5-3022X	
		S	2	5-153X	5-785X
1959-1964		S	1,2	5-153X	5-785X
		S	3	5-3022X	
1965-1970	Exc. 425 & 455 Eng.	A	1,2	5-3147X	5-795X
	w/425 & 455 Eng.	A	1	5-213X	5-790X
		A	2	5-212X	
1971-1972	Exc. Station Wagon	D	1,2,3	5-3147X	5-795X
	CV ball & seat kit	D	CV	211008X	
	CV seat repair kit	D	CV	211007X	
	Station Wagon	A	1,2	5-3147X	5-795X
1973-1978	Exc. Station Wagon	D	1,2,3	5-3147X	5-795X
	CV ball & seat kit	D	CV	211009X	
	CV seat repair kit	D	CV	211007X	
	Station Wagon	A	1,2	5-3147X	5-795X
1979	3-Joint Driveshaft	D	1,2,3	5-3147X	5-795X
	CV ball & seat kit	D	CV	211009X	
	CV seat repair kit	D	CV	211007X	
	2-Joint Driveshaft	A	1,2	5-3147X	5-795X
1980-1981		A	1,2	5-3147X	5-795X







Year	Model & Description	Fig.	Location	Spicer Part No.	SPL Part No.
OLDSMOBILE					
98					
1982-1985	w/inside snap rings	A	1,2	5-3147X	5-795X
	w/outside snap rings	A	1,2	5-178X	5-799X
CUSTOM CRUISER					
1971-1981	2-Joint Driveshaft	A	1,2	5-3147X	5-795X
1982-1985	w/inside snap rings	A	1,2	5-3147X	5-795X
	w/outside snap rings	A	1,2	5-178X	5-799X
1986-1992	2-Joint Driveshaft	A	1,2	5-3147X	5-795X
CUTLASS					
1962-1963		C	1,2,3,4	5-2011X	
1964	w/inside snap rings	A	1,2	5-3147X	5-795X
1965	w/Turbo Hydra-Matic AT	A	1	5-213X	5-790X
		A	2	5-212X	5-793X
	Exc. Turbo Hydra-Matic A/T	A	1,2	5-3147X	5-795X
1966-1967	w/inside snap rings	A	1,2	5-3147X	5-795X
	w/outside snap rings	A	1,2	5-178X	5-799X
1968-1981	w/inside snap rings	A	1,2	5-3147X	5-795X
DELTA ROYALE					
1969-1970	Exc. 425 & 455 Eng.	A	1,2	5-3147X	5-795X
	w/425 & 455 Eng.	A	1	5-213X	5-790X
		A	2	5-212X	
1971-1972	Exc. Station Wagon	D	1,2,3	5-3147X	5-795X
	CV ball & seat kit	D	CV	211008X	
	CV seat repair kit	D	CV	211007X	
	Station Wagon	A	1,2	5-3147X	5-795X
1973-1978	Exc. Station Wagon	D	1,2,3	5-3147X	5-795X
	CV ball & seat kit	D	CV	211009X	
	CV seat repair kit	D	CV	211007X	
	Station Wagon	A	1,2	5-3147X	5-795X
1979	3-Joint Driveshaft	D	1,2,3	5-3147X	5-795X
	CV ball & seat kit	D	CV	211009X	
	CV seat repair kit	D	CV	211007X	
	2-Joint Driveshaft	A	1,2	5-3147X	5-795X
1980-1981		A	1,2	5-3147X	5-795X
1982-1985	w/inside snap rings	A	1,2	5-3147X	5-795X
	w/outside snap rings	A	1,2	5-178X	5-799X
1986-1992		A	1,2	5-3147X	5-795X
F-85					
1961-1963		C	1,2,3,4	5-2011X	







Important: See Safety Information in General Information Section (J300P-GI)

Year	Model & Description	Fig.	Location	Spicer Part No.	SPL Part No.
OLDSMOBILE					
F-85					
1964	w/inside snap rings	A	1,2	5-3147X	5-795X
	w/outside snap rings	A	1	5-153X	5-785X
		A	2	5-3022X	
1965	Exc. Turbo-Hydramatic Trans	A	1,2	5-3147X	5-795X
	w/Turbo-Hydramatic Trans	A	1	5-213X	5-790X
		A	2	5-212X	5-793X
1966-1969	Exc. 425 & 455 Eng.	A	1,2	5-3147X	5-795X
	w/425 & 455 Eng.	A	1	5-213X	5-790X
		A	2	5-212X	
1970-1973		A	1,2	5-3147X	5-795X
OMEGA					
1973-1976		A	1,2	5-153X	5-785X
1977	all others	A	1,2	5-153X	5-785X
	w/Prop Shaft Stamped "AK"	A	1	5-3147X	5-795X
		A	2	5-153X	5-785X
1978-1979		A	1,2	5-153X	5-785X
STARFIRE					
1975-1980		A	1,2	5-153X	5-785X
VISTA CRUISER					
1964	w/inside snap rings	A	1,2	5-3147X	5-795X
	w/outside snap rings	A	1	5-153X	5-785X
		A	2	5-3022X	
1965	Exc. Turbo-Hydramatic Trans.	A	1,2	5-3147X	5-795X
	w/Turbo-Hydramatic Trans.	A	1	5-213X	5-790X
		A	2	5-212X	
1966-1969	Exc. 425 & 455 Eng.	A	1,2	5-3147X	5-795X
	w/425 & 455 Eng.	A	1	5-213X	5-790X
		A	2	5-212X	
1970-1978		A	1,2	5-3147X	5-795X
1979	2-Joint Driveshaft	A	1,2	5-3147X	5-795X
	3-Joint Driveshaft	D	1,2,3	5-3147X	5-795X
	CV ball & seat kit	D	CV	211009X	
	CV seat repair kit	D	CV	211007X	
1980-1981		A	1,2	5-3147X	5-795X
1982-1987	w/inside snap rings	A	1,2	5-3147X	5-795X
	w/outside snap rings	A	1,2	5-178X	5-799X
OPEL					
1954-1972	CARAVAN	A	1,2	5-105X	
1954-1972	GT REKORD	A	1,2	5-105X	



Fig. A



Fig. D

PASS

Year	Model & Description	Fig.	Location	Spicer Part No.	SPL Part No.
PLYMOUTH					
ACCLAIM					
1989-1990	FWD Intermediate shaft u-joint w/Turbo	N/A	N/A	5-1306X	5-789X
ARROW					
1976-1977		A	1,2	5-1503X	
1978-1979	w/1600cc or 2000cc Eng.	A	1,2	5-1503X	
	w/2600cc Eng.	A	1,2	5-1516X	
1980	w/1600cc or 2000cc Eng.	A	1,2,3	5-1503X	
	w/2600cc or Diesel Eng.	A	1,2,3	5-1516X	
BARRACUDA					
1964-1967		A	1,2	5-1306X	5-789X
	Lube fitting in brg. cup	A	1,2	5-1306-1X	
1968-1970	6 Cyl Eng.	A	1,2	5-1306X	5-789X
	Lube fitting in brg. cup	A	1,2	5-1306-1X	
	318 Eng. w/2BL	A	1,2	5-1306X	5-789X
	Lube fitting in brg. cup	A	1,2	5-1306-1X	
	318 Eng. w/4BL	A	1,2	5-1309X	5-811X
	w/340, 383, 426 or 440 Eng.	A	1,2	5-1309X	5-811X
1971-1972	6 Cyl Eng.	A	1,2	5-1306X	5-789X
	Lube fitting in brg. cup	A	1,2	5-1306-1X	
	8 Cyl Eng. w/2BL	A	1,2	5-1306X	5-789X
	Lube fitting in brg. cup	A	1,2	5-1306-1X	
	8 Cyl Eng. w/4BL	A	1,2	5-1309X	5-811X
1973-1974		A	1,2	5-1306X	5-789X
	Lube fitting in brg. cup	A	1,2	5-1306-1X	
BELVEDERE					
1957	6 Cyl Eng. Pot type w/o body	A	1	5-1407X	
	w/2 inside snap rings & 2 wing brgs	A	2	5-1304X	
	8 Cyl Eng. Exc. Torque-Flite Trans Pot type w/o body	A	1	5-1407X	
	w/2 inside snap rings & 2 wing brgs	A	2	5-1304X	
	w/Torque-Flite trans. Pot type w/o body	A	1	5-1405X	
	w/2 inside snap rings & 2 wing brgs	A	2	5-1304X	
1958	6 Cyl Eng. Pot type w/o body	A	1	5-1407X	
		A	2	5-1306X	5-789X
	Lube fitting in brg. cup	A	2	5-1306-1X	
	6 or 8 Cyl Eng. Exc. Torque-Flite Trans Pot type w/o body	A	1	5-1407X	
		A	2	5-1306X	5-789X
	Lube fitting in brg. cup	A	2	5-1306-1X	
	w/Torque-Flite Trans Pot type w/o body	A	1	5-1405X	
		A	2	5-1306X	5-789X
	Lube fitting in brg. cup	A	2	5-1306-1X	



Fig. A

Important: See Safety Information in General Information Section (J300P-GI)

Year	Model & Description	Fig.	Location	Spicer Part No.	SPL Part No.
PLYMOUTH					
BELVEDERE					
1960-1961	6 or 8 Cyl Eng. w/3 Spd. trans. Pot type w/o body	A	1	5-1407X	
		A	2	5-1306X	5-789X
	Lube fitting in brg. cup	A	2	5-1306-1X	
	w/Power-Flite Trans. Pot type w/o body	A	1	5-1407X	
		A	2	5-1306X	5-789X
	Lube fitting in brg. cup	A	2	5-1306-1X	
1962-1963	6 Cyl Eng. Pot type w/o body	A	1	5-1407X	
		A	2	5-1306X	5-789X
	8 Cyl Eng. Pot type w/o body	A	1	5-1405X	
	w/inside snap rings	A	2	5-1306X	5-789X
	6 or 8 Cyl Eng. Lube fitting in brg. cup	A	2	5-1306-1X	
1964-1965	6 Cyl Eng. Pot type w/o body	A	1	5-1407X	
		A	2	5-1306X	5-789X
	Lube fitting in brg. cup	A	2	5-1306-1X	
1964-1965	8 Cyl Eng. Pot type w/o body	A	1	5-1407X	
	w/inside snap rings	A	1,2	5-1306X	5-789X
	Lube fitting in brg. cup	A	1,2	5-1306-1X	
1966-1967	Exc. 426 & 440 Eng.	A	1,2	5-1306X	5-789X
	Lube Fitting in Bearing Cup	A	1,2	5-1306-1X	
	w/426 & 440 Eng.	A	1,2	5-213X	5-790X
1968-1979	w/2.219” snap ring dim	A	1,2	5-1306X	5-789X
	Lube fitting in brg. cup	A	1,2	5-1306-1X	
	w/2.625” snap ring dim	A	1,2	5-1309X	5-811X
CARAVELLE					
1984-1989	FWD Intermediate shaft u-joint	N/A	N/A	5-1306X	5-789X
CRICKET					
1971-1972	Lube	A	1,2	5-111X	
	Non-Lube	A	1,2	5-101X	
DUSTER					
1960	Pot type w/o body	A	1	5-1407X	
		A	2	5-1306X	5-789X
	Lube fitting in brg. cup	A	2	5-1306-1X	
1961	w/3.625” Flange Dia. Pot type w/o body	A	1	5-1407X	
		A	2	5-1306X	5-789X
	Lube fitting in brg. cup	A	2	5-1306-1X	
	w/4.000” Flange Dia. Pot type w/o body	A	1	5-1405X	
		A	2	5-1306X	5-789X
	Lube fitting in brg. cup	A	2	5-1306-1X	



Year	Model & Description	Fig.	Location	Spicer Part No.	SPL Part No.
PLYMOUTH					
DUSTER					
1962-1965	Pot type w/o body	A	1	5-1407X	
		A	2	5-1306X	5-789X
	Lube fitting in brg. cup	A	2	5-1306-1X	
1966-1969	w/2.125” snap ring dim	A	1,2	5-1306X	5-789X
	Lube fitting in brg. cup	A	1,2	5-1306-1X	
	w/2.625” snap ring dim	A	1,2	5-1309X	5-811X
1970-1976		A	1,2	5-1306X	5-789X
	Lube fitting in brg. cup	A	1,2	5-1306-1X	
FURY					
1956	Pot type w/o body	A	1,2	5-1407X	
		A	2	5-1304X	
1957	6 Cyl Eng. Pot type w/o body	A	1	5-1407X	
	w/2 inside snap rings & 2 wing brgs	A	2	5-1304X	
	8 Cyl Eng. Exc. Torque-Flite Trans Pot type w/o body	A	1	5-1407X	
	w/2 inside snap rings & 2 wing brgs	A	2	5-1304X	
	w/Torque-Flite trans. w/Pot type w/o body	A	1	5-1405X	
	w/2 inside snap rings & 2 wing brgs	A	2	5-1304X	
1958-1959	6 Cyl Eng. Pot type w/o body	A	1	5-1407X	
		A	2	5-1306X	5-789X
	Lube fitting in brg. cup	A	2	5-1306-1X	
	6 or 8 Cyl Eng. Exc. Torque-Flite Trans	A	1	5-1407X	
		A	2	5-1306X	5-789X
	Lube fitting in brg. cup	A	2	5-1306-1X	
	w/Torque-Flite Trans Pot type w/o body	A	1	5-1405X	
		A	2	5-1306X	5-789X
	Lube fitting in brg. cup	A	2	5-1306-1X	
1960-1961	6 or 8 Cyl Eng. w/3 Spd. trans. Pot type w/o body	A	1	5-1407X	
		A	2	5-1306X	5-789X
	Lube fitting in brg. cup	A	2	5-1306-1X	
	w/Power-Flite Trans. Pot type w/o body	A	1	5-1407X	
		A	2	5-1306X	5-789X
	Lube fitting in brg. cup	A	2	5-1306-1X	
1962-1963	6 Cyl Eng. Pot type w/o body	A	1	5-1407X	
		A	2	5-1306X	5-789X
	Lube fitting in brg. cup	A	2	5-1306-1X	
	8 Cyl Eng. Pot type w/o body	A	1	5-1405X	
	w/inside snap rings	A	2	5-1306X	5-789X
	Lube fitting in brg. cup	A	2	5-1306-1X	



Fig. A

Important: See Safety Information in General Information Section (J300P-GI)

Year	Model & Description	Fig.	Location	Spicer Part No.	SPL Part No.
PLYMOUTH					
FURY					
1964-1965	6 Cyl Eng. Pot type w/o body	A	1	5-1407X	
		A	2	5-1306X	5-789X
	Lube fitting in brg. cup	A	2	5-1306-1X	
	8 Cyl Eng. Pot type w/o body	A	1	5-1407X	
	w/inside snap rings	A	1,2	5-1306X	5-789X
	Lube fitting in brg. cup	A	1,2	5-1306-1X	
1966-1967	Exc. 426 & 440 Eng.	A	1,2	5-1306X	5-789X
	Lube Fitting in Bearing Cup	A	1,2	5-1306-1X	
	w/426 & 440 Eng.	A	1,2	5-213X	5-790X
1968-1979	w/2.219” snap ring dim	A	1,2	5-1306X	5-789X
	Lube fitting in brg. cup	A	1,2	5-1306-1X	
	w/2.625” snap ring dim	A	1,2	5-1309X	5-811X
FURY BROUGHAM					
1957	6 Cyl Eng. Pot type w/o body	A	1	5-1407X	
	w/2 inside snap rings & 2 wing brgs	A	2	5-1304X	
	8 Cyl Eng. Exc. Torque-Flite Trans Pot type w/o body	A	1	5-1407X	
	w/2 inside snap rings & 2 wing brgs	A	2	5-1304X	
	w/Torque-Flite trans. Pot type w/o body	A	1	5-1405X	
	w/2 inside snap rings & 2 wing brgs	A	2	5-1304X	
1958-1959	6 Cyl Eng. Pot type w/o body	A	1	5-1407X	
		A	2	5-1306X	5-789X
	Lube fitting in brg. cup	A	2	5-1306-1X	
	6 or 8 Cyl Eng. Exc. Torque-Flite Trans Pot type w/o body	A	1	5-1407X	
		A	2	5-1306X	5-789X
	Lube fitting in brg. cup	A	2	5-1306-1X	
	w/Torque-Flite Trans Pot type w/o body	A	1	5-1405X	
		A	2	5-1306X	5-789X
	Lube fitting in brg. cup	A	2	5-1306-1X	
1960-1961	6 or 8 Cyl Eng. w/3 Spd. trans. Pot type w/o body	A	1	5-1407X	
		A	2	5-1306X	5-789X
	Lube fitting in brg. cup	A	2	5-1306-1X	
	w/Power-Flite Trans. Pot type w/o body	A	1	5-1407X	
		A	2	5-1306X	5-789X
	Lube fitting in brg. cup	A	2	5-1306-1X	
1962-1963	6 Cyl Eng. Pot type w/o body	A	1	5-1407X	
		A	2	5-1306X	5-789X
	Lube fitting in brg. cup	A	2	5-1306-1X	
	8 Cyl Eng. Pot type w/o body	A	1	5-1405X	
	w/inside snap rings	A	2	5-1306X	5-789X
	Lube fitting in brg. cup	A	2	5-1306-1X	



Year	Model & Description	Fig.	Location	Spicer Part No.	SPL Part No.
PLYMOUTH					
FURY BROUGHAM					
1964-1965	6 Cyl Eng. Pot type w/o body	A	1	5-1407X	
		A	2	5-1306X	5-789X
	Lube fitting in brg. cup	A	2	5-1306-1X	
	8 Cyl Eng. Pot type w/o body	A	1	5-1407X	
	w/inside snap rings	A	2	5-1306X	5-789X
		A	1,2	5-1306X	5-789X
	Lube fitting in brg. cup	A	1,2	5-1306-1X	
1966-1967	Exc. 426 & 440 Eng.	A	1,2	5-1306X	5-789X
	Lube fitting in brg. cup	A	1,2	5-1306-1X	
	w/426 & 440 Eng.	A	1,2	5-213X	5-790X
1968-1979	w/2.219” snap ring dim	A	1,2	5-1306X	5-789X
	Lube fitting in brg. cup	A	1,2	5-1306-1X	
	w/2.625” snap ring dim	A	1,2	5-1309X	5-811X
FURY SALON					
1957	6 Cyl Eng. Pot type w/o body	A	1	5-1407X	
	w/2 inside snap rings & 2 wing brgs	A	2	5-1304X	
	8 Cyl Eng. Exc. Torque-Flite Trans Pot type w/o body	A	1	5-1407X	
	w/2 inside snap rings & 2 wing brgs	A	2	5-1304X	
	w/Torque-Flite trans. Pot type w/o body	A	1	5-1405X	
	w/2 inside snap rings & 2 wing brgs	A	2	5-1304X	
1958-1959	6 Cyl Eng. Pot type w/o body	A	1	5-1407X	
		A	2	5-1306X	5-789X
	Lube fitting in brg. cup	A	2	5-1306-1X	
	6 or 8 Cyl Eng. Exc. Torque-Flite Trans	A	1	5-1407X	
		A	2	5-1306X	5-789X
	Lube fitting in brg. cup	A	2	5-1306-1X	
	w/Torque-Flite Trans Pot type w/o body	A	1	5-1405X	
		A	2	5-1306X	5-789X
	Lube fitting in brg. cup	A	2	5-1306-1X	
1960-1961	6 or 8 Cyl Eng. w/3 Spd. trans. Pot type w/o body	A	1	5-1407X	
		A	2	5-1306X	5-789X
	Lube fitting in brg. cup	A	2	5-1306-1X	
	w/Power-Flite Trans. Pot type w/o body	A	1	5-1407X	
		A	2	5-1306X	5-789X
	Lube fitting in brg. cup	A	2	5-1306-1X	
1962-1963	6 Cyl Eng. Pot type w/o body	A	1	5-1407X	
		A	2	5-1306X	5-789X
	Lube fitting in brg. cup	A	2	5-1306-1X	



Fig. A

Important: See Safety Information in General Information Section (J300P-GI)

Year	Model & Description	Fig.	Location	Spicer Part No.	SPL Part No.
PLYMOUTH					
FURY SALON					
1962-1963	8 Cyl Eng. Pot type w/o body	A	1	5-1405X	
	w/inside snap rings	A	2	5-1306X	5-789X
	Lube fitting in brg. cup	A	2	5-1306-1X	
1964-1965	6 Cyl Eng. Pot type w/o body	A	1	5-1407X	
		A	2	5-1306X	5-789X
	Lube fitting in brg. cup	A	2	5-1306-1X	
	8 Cyl Eng. Pot type w/o body	A	1	5-1407X	
	w/inside snap rings	A	1,2	5-1306X	5-789X
	Lube fitting in brg. cup	A	1,2	5-1306-1X	
1966-1967	Exc. 426 & 440 Eng.	A	1,2	5-1306X	5-789X
	Lube Fitting in Bearing Cup	A	1,2	5-1306-1X	
	w/426 & 440 Eng.	A	1,2	5-213X	5-790X
1968-1979	w/2.219” snap ring dim	A	1,2	5-1306X	5-789X
	Lube fitting in brg. cup	A	1,2	5-1306-1X	
	w/2.625” snap ring dim	A	1,2	5-1309X	5-811X
GRAN FURY					
1957	6 Cyl Eng. Pot type w/o body	A	1	5-1407X	
	w/2 inside snap rings & 2 wing brgs	A	2	5-1304X	
	8 Cyl Eng. Exc. Torque-Flite Trans Pot type w/o body	A	1	5-1407X	
	w/2 inside snap rings & 2 wing brgs	A	2	5-1304X	
	w/Torque-Flite trans. Pot type w/o body	A	1	5-1405X	
	w/2 inside snap rings & 2 wing brgs	A	2	5-1304X	
1958-1959	6 Cyl Eng. Pot type w/o body	A	1	5-1407X	
		A	2	5-1306X	5-789X
	Lube fitting in brg. cup	A	2	5-1306-1X	
	6 or 8 Cyl Eng. Exc. Torque-Flite Trans	A	1	5-1407X	
		A	2	5-1306X	5-789X
	Lube fitting in brg. cup	A	2	5-1306-1X	
	w/Torque-Flite Trans Pot type w/o body	A	1	5-1405X	
		A	2	5-1306X	5-789X
	Lube fitting in brg. cup	A	2	5-1306-1X	
1960-1961	6 or 8 Cyl Eng. w/3 Spd. trans. Pot type w/o body	A	1	5-1407X	
		A	2	5-1306X	5-789X
	Lube fitting in brg. cup	A	2	5-1306-1X	
	w/Power-Flite Trans. Pot type w/o body	A	1	5-1407X	
		A	2	5-1306X	5-789X
	Lube fitting in brg. cup	A	2	5-1306-1X	
1962-1963	6 Cyl Eng. Pot type w/o body	A	1	5-1407X	
		A	2	5-1306X	5-789X
	Lube fitting in brg. cup	A	2	5-1306-1X	



Fig. A

PASS

Year	Model & Description	Fig.	Location	Spicer Part No.	SPL Part No.
PLYMOUTH					
GRAN FURY					
1962-1963	8 Cyl Eng. Pot type w/o body	A	1	5-1405X	
	w/inside snap rings	A	2	5-1306X	5-789X
	Lube fitting in brg. cup	A	2	5-1306-1X	
1964-1965	6 Cyl Eng. Pot type w/o body	A	1	5-1407X	
		A	2	5-1306X	5-789X
	Lube fitting in brg. cup	A	2	5-1306-1X	
	8 Cyl Eng. Pot type w/o body	A	1	5-1407X	
	w/inside snap rings	A	1,2	5-1306X	5-789X
	Lube fitting in brg. cup	A	1,2	5-1306-1X	
1966-1967	Exc. 426 & 440 Eng.	A	1,2	5-1306X	5-789X
	Lube Fitting in Bearing Cup	A	1,2	5-1306-1X	
	w/426 & 440 Eng.	A	1,2	5-213X	5-790X
1968-1979	w/2.219” snap ring dim	A	1,2	5-1306X	5-789X
	Lube fitting in brg. cup	A	1,2	5-1306-1X	
	w/2.625” snap ring dim	A	1,2	5-1309X	5-811X
1980-1989		A	1,2	5-1306X	5-789X
	Lube fitting in brg. cup	A	1,2	5-1306-1X	
GTX					
1967	Exc. 426 & 440 Eng.	A	1,2	5-1306X	5-789X
	Lube fitting in brg. cup	A	1,2	5-1306-1X	
	w/426 & 440 Eng.	A	1,2	5-213X	5-790X
1968-1970	w/2.219” snap ring dim	A	1,2	5-1306X	5-789X
	Lube fitting in brg. cup	A	1,2	5-1306-1X	
	w/2.625” snap ring dim	A	1,2	5-1309X	5-811X
1971	w/2.219” snap ring dim	A	1,2	5-1306X	5-789X
	Lube fitting in brg. cup	A	1,2	5-1306-1X	
	w/2.625” snap ring dim	A	1,2	5-1309X	5-811X
ROAD RUNNER					
1968-1979	w/2.219” snap ring dim	A	1,2	5-1306X	5-789X
	Lube fitting in brg. cup	A	1,2	5-1306-1X	
	w/2.625” snap ring dim	A	1,2	5-1309X	5-811X
SAPPORO					
1978-1980		A	1,2	5-1516X	
1981-1983	w/AT	B	1,2,3	5-1503X	
	w/MT	B	1,2,3	5-1516X	





Important: See Safety Information in General Information Section (J300P-GI)

Year	Model & Description	Fig.	Location	Spicer Part No.	SPL Part No.
PLYMOUTH					
SATELLITE					
1965	6 Cyl Eng. Pot type w/o body	A	1	5-1407X	
		A	2	5-1306X	5-789X
	Lube fitting in brg. cup	A	2	5-1306-1X	
	8 Cyl Eng. Pot type w/o body	A	1	5-1407X	
	w/inside snap rings	A	1,2	5-1306X	5-789X
	Lube fitting in brg. cup	A	1,2	5-1306-1X	
1966-1967	Exc. 426 & 440 Eng.	A	1,2	5-1306X	5-789X
	Lube fitting in brg. cup	A	1,2	5-1306-1X	
	w/426 & 440 Eng.	A	1,2	5-213X	5-790X
1968-1974	w/2.219” snap ring dim	A	1,2	5-1306X	5-789X
	Lube fitting in brg. cup	A	1,2	5-1306-1X	
	w/2.625” snap ring dim	A	1,2	5-1309X	5-811X
SUBURBAN					
1957	6 Cyl Eng. w/2 inside snap rings & 2 wing brgs	A	1	5-1407X	
		A	2	5-1304X	
	8 Cyl Eng. Exc. Torque-Flite Trans Pot type w/o body	A	1	5-1407X	
	w/2 inside snap rings & 2 wing brgs	A	2	5-1304X	
	w/Torque-Flite trans. Pot type w/o body	A	1	5-1405X	
	w/2 inside snap rings & 2 wing brgs	A	2	5-1304X	
1958-1959	6 Cyl Eng. Pot type w/o body	A	1	5-1407X	
		A	2	5-1306X	5-789X
	Lube fitting in brg. cup	A	2	5-1306-1X	
	6 or 8 Cyl Eng. Exc. Torque-Flite Trans	A	1	5-1407X	
		A	2	5-1306X	5-789X
	Lube fitting in brg. cup	A	2	5-1306-1X	
	w/Torqu-Flite Trans Pot type w/o body	A	1	5-1405X	
		A	2	5-1306X	5-789X
	Lube fitting in brg. cup	A	2	5-1306-1X	
1960-1961	6 or 8 Cyl Eng. w/3 Spd. trans. Pot type w/o body	A	1	5-1407X	
		A	2	5-1306X	5-789X
	Lube fitting in brg. cup	A	2	5-1306-1X	
	w/Power-Flite Trans. Pot type w/o body	A	1	5-1407X	
		A	2	5-1306X	5-789X
	Lube fitting in brg. cup	A	2	5-1306-1X	
SUNDANCE					
1987-1994	FWD Intermediate shaft u-joint w/Turbo	N/A	N/A	5-1306X	5-789X
TURISMO					
1983-1987	FWD Intermediate shaft u-joint w/Turbo	N/A	N/A	5-1306X	5-789X



PASS

Year	Model & Description	Fig.	Location	Spicer Part No.	SPL Part No.
PLYMOUTH					
VALIANT					
1960	Pot type w/o body	A	1	5-1407X	
		A	2	5-1306X	5-789X
	Lube fitting in brg. cup	A	2	5-1306-1X	
1961	w/3.625” Flange Dia Pot type w/o body	A	1	5-1407X	
		A	2	5-1306X	5-789X
	Lube fitting in brg. cup	A	2	5-1306-1X	
	w/4.000” Flange Dia Pot type w/o body	A	1	5-1405X	
		A	2	5-1306X	5-789X
	Lube fitting in brg. cup	A	2	5-1306-1X	
1962-1965	Pot type w/o body	A	1	5-1407X	
		A	2	5-1306X	5-789X
	Lube fitting in brg. cup	A	2	5-1306-1X	
1966-1969	w/2.125” snap ring dim	A	1,2	5-1306X	5-789X
	Lube fitting in brg. cup	A	1,2	5-1306-1X	
	w/2.625” snap ring dim	A	1,2	5-1309X	5-811X
1970-1976		A	1,2	5-1306X	5-789X
	Lube fitting in brg. cup	A	1,2	5-1306-1X	
VOLARE					
1976-1980		A	1,2	5-1306X	5-789X
	Lube fitting in brg. cup	A	1,2	5-1306-1X	
VOYAGER					
1987-1990	FWD Intermediate shaft u-joint	N/A	N/A	5-1306X	5-789X
PONTIAC					
ASTRE					
1975-1981		A	1,2	5-153X	5-785X
BONNEVILLE					
1957-1970		A	1,2	5-3147X	5-795X
1971-1972	Exc. Station Wagon	D	1,2,3	5-3147X	5-795X
	CV ball & seat kit	D	CV	211008X	
	CV seat repair kit	D	CV	211007X	
	Station Wagon	A	1,2	5-3147X	5-795X
1973-1974	Exc. Station Wagon	D	1,2,3	5-3147X	5-795X
	CV ball & seat kit	D	CV	211009X	
	CV seat repair kit	D	CV	211007X	
	Station Wagon	A	1,2	5-3147X	5-795X





Important: See Safety Information in General Information Section (J300P-GI)

Year	Model & Description	Fig.	Location	Spicer Part No.	SPL Part No.
PONTIAC					
BONNEVILLE					
1975-1976	Exc. Station Wagon	D	1,2,3	5-3147X	5-795X
	CV ball & seat kit	D	CV	211009X	
	CV seat repair kit	D	CV	211007X	
	Station Wagon w/inside snap rings	A	1,2	5-3147X	5-795X
	w/outside snap rings	A	1,2	5-178X	5-799X
1977-1978	Exc. Station Wagon	D	1,2,3	5-3147X	5-795X
	CV ball & seat kit	D	CV	211009X	
	CV seat repair kit	D	CV	211007X	
	Station Wagon	A	1,2	5-3147X	5-795X
1979	2-Joint Driveshaft	A	1,2	5-3147X	5-795X
	3-Joint Driveshaft	D	1,2,3	5-3147X	5-795X
	CV ball & seat kit	D	CV	211009X	
	CV seat repair kit	D	CV	211007X	
1980-1986	w/inside snap rings	A	1,2	5-3147X	5-795X
	w/outside snap rings	A	1,2	5-178X	5-799X
CATALINA					
1950-1952	w/Powerglide	A	1	5-2011X	
	w/2 inside snap rings & 2 wing brgs	A	2	5-2031X	
1953	w/Powerglide	A	1,2	5-153X	5-785X
	Exc. w/Powerglide	A	1,2	5-2031X	
1954-1955	w/Powerglide	A	1	5-2011X	
	w/2 inside snap rings & 2 wing brgs	A	2	5-2031X	
1956-1970		A	1,2	5-3147X	5-795X
1971-1972	Exc. Station Wagon	D	1,2,3	5-3147X	5-795X
	CV ball & seat kit	D	CV	211008X	
	CV seat repair kit	D	CV	211007X	
	Station Wagon	A	1,2	5-3147X	5-795X
1973-1978	Exc. Station Wagon	D	1,2,3	5-3147X	5-795X
	CV ball & seat kit	D	CV	211009X	
	CV seat repair kit	D	CV	211007X	
	Station Wagon	A	1,2	5-3147X	5-795X
1979	2-Joint Driveshaft	A	1,2	5-3147X	5-795X
	3-Joint Driveshaft	D	1,2,3	5-3147X	5-795X
	CV ball & seat kit	D	CV	211009X	
	CV seat repair kit	D	CV	211007X	
1980-1981	w/inside snap rings	A	1,2	5-3147X	5-795X
	w/outside snap rings	A	1,2	5-178X	5-799X





PASS

Year	Model & Description	Fig.	Location	Spicer Part No.	SPL Part No.
PONTIAC					
EXECUTIVE					
1967-1969		A	1,2	5-3147X	5-795X
1970		A	1,2	5-153X	5-785X
FIREBIRD					
1967-1969		A	1,2	5-3147X	5-795X
1970-1974		A	1,2	5-153X	5-785X
1975-1987	w/inside snap rings	A	1,2	5-3147X	5-795X
	w/outside snap rings	A	1,2	5-178X	5-799X
1988-1992	w/steel driveshaft	A	1,2	5-3147X	5-795X
	w/alum. driveshaft	A	2	5-544X	
1993	w/steel driveshaft	A	1,2	5-3147X	5-795X
	5.7L w/alum. driveshaft	A	2	5-544X	
1994	w/3.4L & 5.7L Eng. w/steel driveshaft Includes Formula	A	1,2	5-3147X	5-795X
	5.7L w/alum. driveshaft Alum. u-joints replaced by steel u-joints	A	2	5-3022X	
1995	w/3.4L , 3.8L & 5.7L w/steel driveshaft Includes Formula	A	1,2	5-3147X	5-795X
	5.7L w/alum. driveshaft Alum. u-joints replaced by steel u-joints	A	2	5-3022X	
1996-1999	w/3.8L & 5.7L Eng. w/steel driveshaft Includes Formula , Exc. Export	A	1,2	5-3147X	5-795X
2000-2002	w/3.8L & 5.7L Eng. w/steel driveshaft - Includes Formula	A	1,2	5-3147X	5-795X
GRAND AM					
1973-1982		A	1,2	5-3147X	5-795X
1983-1987	w/inside snap rings	A	1,2	5-3147X	5-795X
	w/outside snap rings	A	1,2	5-178X	5-799X
GRAND LEMANS					
1974-1982		A	1,2	5-3147X	5-795X
GRAND PRIX					
1962-1984		A	1,2	5-3147X	5-795X
1985-1987	w/inside snap rings	A	1,2	5-3147X	5-795X
	w/outside snap rings	A	1,2	5-178X	5-799X
GRANDVILLE					
1971-1972	Exc. Station Wagon	D	1,2,3	5-3147X	5-795X
	CV ball & seat kit	D	CV	211008X	
	CV seat repair kit	D	CV	211007X	
	Station Wagon	A	1,2	5-3147X	5-795X
1973-1975	Exc. Station Wagon	D	1,2,3	5-3147X	5-795X
	CV ball & seat kit	D	CV	211009X	
	CV seat repair kit	D	CV	211007X	
	Station Wagon	A	1,2	5-3147X	5-795X



Fig. A

Important: See Safety Information in General Information Section (J300P-GI)

U-Joints

Year	Model & Description	Fig.	Location	Spicer Part No.	SPL Part No.
PONTIAC					
GTO					
1964-1974		A	1,2	5-3147X	5-795X
LEMANS					
1962-1982		A	1,2	5-3147X	5-795X
SAFARI STATION WAGON					
1987-1989		A	1,2	5-3147X	5-795X
SUNBIRD					
1975-1981		A	1,2	5-153X	5-785X
TEMPEST					
1961-1982		A	1,2	5-3147X	5-795X
TRANS. AM					
1968-1969		A	1,2	5-3147X	5-795X
1970-1974		A	1,2	5-153X	5-785X
1975-1987	w/inside snap rings	A	1,2	5-3147X	5-795X
	w/outside snap rings	A	1,2	5-178X	5-799X
1988-1992	w/steel driveshaft	A	1,2	5-3147X	5-795X
	w/alum. driveshaft	A	2	5-544X	
1993-1995	w/steel driveshaft	A	1,2	5-3147X	5-795X
	5.7L w/alum. driveshaft	A	2	5-544X	
1997-1999	w/5.7L Eng. w/steel driveshaft Exc. Export	A	1,2	5-3147X	5-795X
2000-2002	w/5.7L Eng. w/steel driveshaft	A	1,2	5-3147X	5-795X
ROLLS-ROYCE					
1947-1979		A	1,2	5-178X	5-799X
ROVER					
1969	w/88” or 109” WB	A	1,2	5-153X	5-785X
1970-1976	w/88” or 109” WB	E	1,2	5-153X	5-785X
		E	3,4,5,6	5-178X	5-799X
SIMCA					
1964-1974	1100 Non-Lube	A	1,2	5-101X	
	Lube	A	1,2	5-111X	
1963-1968	1300 (Including Station Wagons), 1301, 1500 & 1501 Non-Lube	A	1,2	5-101X	
	Lube	A	1,2	5-111X	
1957-1970	ARIANE, ARONDE, BEAULIEU, CASTELL & CHAMBORD Non-Lube	A	1,2	5-101X	
	Lube	A	1,2	5-111X	
1948-1954	FORD VEDETTE	A	1,2	5-4X	
1957-1970	MARLY, MONACO, REGENCE, TRIAON, VEDETTE & VERSAILLES Non-Lube	A	1,2	5-101X	
	Lube	A	1,2	5-111X	





PASS

Year	Model & Description		Fig.	Location	Spicer Part No.	SPL Part No.
SUNBEAM						
1954-1956	ALPINE		A	1,2	5-4X	
1964-1968	ALPINE Includes GT, Hardtop	Lube	A	1,2	5-111X	
		Non-lube	A	1,2	5-101X	
1966-1970	IMP	Lube	A	1,2	5-111X	
		Non-Lube	A	1,2	5-101X	
1955-1974	RAPIER	Lube	A	1,2	5-111X	
		Non-Lube	A	1,2	5-101X	
1966-1970	SPORT	Lube	A	1,2	5-111X	
		Non-Lube	A	1,2	5-101X	
1965-1968	TIGER		A	1,2	5-153X	5-785X
TOYOTA						
1984-1985	CAMRY w/Gasoline Eng. U-Joint in front driveshaft		N/A	-	5-1510X	
1971-1973	CARINA 2-Joint Driveshaft		A	1,2	5-1502X	
	3-Joint Driveshaft		A	1,2,3	5-1502X	
1971-1982	CELICA 2-Joint Driveshaft		A	1,2	5-1502X	
	3-Joint Driveshaft		A	1,2,3	5-1502X	
1968-1979	COROLLA SEDAN w/1200cc Eng.		A	1,2	5-1500X	
	Exc. 1200cc Eng.	2-Joint Driveshaft	A	1,2	5-1502X	
		3-Joint Driveshaft	B	1,2,3	5-1502X	
1980-1983	COROLLA SEDAN Exc. 1200cc Eng.	2-Joint Driveshaft	A	1,2	5-1502X	
		3-Joint Driveshaft	B	1,2,3	5-1502X	
1967-1983	CORONA 2-Joint Driveshaft		A	1,2	5-1502X	
	3-Joint Driveshaft		B	1,2,3	5-1502X	
1978-1983	CRESSIDA 2-Joint Driveshaft		A	1,2	5-1502X	
	3-Joint Driveshaft		B	1,2,3	5-1502X	
1968-1970	CROWN w/2563cc Eng.		A	1,2	5-1502X	
1971-1972	CROWN w/2253cc Eng.		A	1,2	5-1501X	
	w/2563cc Eng.		A	1,2	5-1502X	
1967-1983	MKII 2-Joint Driveshaft		A	1,2	5-1502X	
	3-Joint Driveshaft		B	1,2,3	5-1502X	
1981-1983	STARLET		A	1,2	5-1500X	
1986-1989	SUPRA		B	1,2,3	5-1510X	
TRIUMPH						
1963-1975	2000, 2500	Non-Lube	E	1,2	5-101X	
		Lube	E	1,2	5-111X	
		Halfshaft	E	3,4,5,6	5-4X	
1972-1974	DOLOMITE	Non-Lube	E	1,2,3,4,5,6	5-101X	
		Lube	E	1,2,3,4,5,6	5-111X	
1962-1979	GT6	Non-Lube	E	1,2,3,4,5,6	5-101X	
		Lube	E	1,2,3,4,5,6	5-111X	



Important: See Safety Information in General Information Section (J300P-GI)

U-Joints

Year	Model & Description		Fig.	Location	Spicer Part No.	SPL Part No.
TRIUMPH						
1961-1971	HERALD & VITESSE	Non-Lube	E	1,2,3,4,5,6	5-101X	
		Lube	E	1,2,3,4,5,6	5-111X	
1962-1979	SPITFIRE	Non-Lube	E	1,2,3,4,5,6	5-101X	
		Lube	E	1,2,3,4,5,6	5-111X	
1980	SPITFIRE FROM VIN #FM110572		A	2	5-101X	
1970-1976	STAG V8		A	1,2	5-4X	
1970-1974	TOLEDO	Non-Lube	E	1,2,3,4,5,6	5-101X	
		Lube	E	1,2,3,4,5,6	5-111X	
1953-1976	TR-2, TR-3, TR-4, TR-5, TR-6, TR-7 & Z-50		E	1,2,3,4,5,6	5-4X	
1977-1980	TR-7 & TR-8	Non-Lube	A	1,2	5-101X	
		Lube	A	1,2	5-111X	
VANDEN PLAS						
1960-1970	3L		A	1,2	5-4X	
1952-1970	4L		A	1,2	5-178X	5-799X
VAUXHALL						
1949-1974		Non-Lube	A	1,2	5-101X	
		Lube	A	1,2	5-111X	
VOLVO						
122						
1962-1968		Non-Lube	S	1,2,3	5-101X	
		Lube	S	1,2,3	5-111X	
142, 144, 145						
1967-1974		Non-Lube	S	1,2	5-101X	
		Lube	S	1,2	5-111X	
			S	3	5-4X	
164						
1969-1975	4 Dr Sedan		S	1,2,3	5-153X	5-785X
1800 SPORT COUPE						
1961-1973		Non-Lube	S	1,2,3	5-101X	
		Lube	S	1,2,3	5-111X	
240 & 260 SERIES						
1975-1984	w/3.219” outside snap ring dim		S	1,2,3	5-153X	5-785X
	w/2.406” outside snap ring dim		S	1,2	5-111X	
	w/2.938” outside snap ring dim		S	3	5-4X	
740 SERIES						
1985	w/1.750” driveshaft Dia. w/2.3L Turbo		S	1,2,3	N/A	
			S	1,2	5-153X	5-785X
			S	3	5-4X	







PASS

Year	Model & Description	Fig.	Location	Spicer Part No.	SPL Part No.
VOLVO					
740 SERIES					
1985	w/1.750” driveshaft Dia. and 3-1/2” yoke w/2.3L Eng.	S	1,2,3	5-153X	5-785X
	w/2.000” driveshaft Dia.	S	1,2,3	5-153X	5-785X
	w/2.250” driveshaft Dia.	S	1,2,3	5-111X	
1986-1987	w/1.750” driveshaft Dia.	S	1,2	5-153X	5-785X
		S	3	5-111X	
	w/1.750” driveshaft Dia. and 3-1/2” yoke w/2.3L Eng.	S	1,2,3	5-153X	5-785X
	w/2.000” driveshaft Dia.	S	1,2,3	5-153X	5-785X
	w/2.250” driveshaft Dia.	S	1,2,3	5-111X	
1988-1989	w/2.000” driveshaft Dia.	S	1,2,3	5-153X	5-785X
1990-1992	w/2.000” driveshaft Dia. and 3-1/2” yoke	S	1,2,3	5-153X	5-785X
	w/3-1/4” yoke	S	1,2,3	5-4X	
760 SERIES					
1983	w/2.4L Diesel, 2.4L Diesel Turbo & 2.8L V6	S	1,2	5-111X	
		S	3	5-4X	
1984	w/2.3L Turbo, 2.4L Diesel & w/Turbo, 2.8L V6	S	1,2	5-111X	
		S	3	5-4X	
1985	w/1.750” driveshaft Dia.	S	1,2	5-153X	5-785X
		S	3	5-111X	
	w/2.000” driveshaft Dia. w/2.3L Turbo, 2.4L Diesel Turbo , 2.8L V6	S	1,2,3	5-153X	5-785X
	w/2.250” driveshaft Dia.	S	1,2,3	5-111X	
1986	w/1.750” driveshaft Dia.	S	1,2	5-153X	5-785X
		S	3	5-111X	
	w/2.000” driveshaft Dia. w/2.3L Turbo , 2.8L V6	S	1,2,3	5-153X	5-785X
	w/2.250” driveshaft Dia.	S	1,2,3	5-111X	
1987	w/1.750” driveshaft Dia.	S	1,2	5-153X	5-785X
		S	3	5-111X	
	w/2.000” driveshaft Dia. w2.3L Turbo, 2.8L V6	S	1,2,3	5-153X	5-785X
	w/2.250” driveshaft Dia.	S	1,2,3	5-111X	
1988-1990	w/2.000” driveshaft Dia. and 3-1/2” yoke w2.3L Turbo, 2.8L V6	S	1,2,3	5-153X	5-785X



Important: See Safety Information in General Information Section (J300P-GI)

U-Joints

Year	Model & Description	Fig.	Location	Spicer Part No.	SPL Part No.
BUICK					
RAINIER					
2004	4.2L Eng., 5.3L(P)	A	1,2	5-3147X	5-795X
2005-2006	4.2L Eng., 5.3L(M)	A	1,2	5-3147X	5-795X
CADILLAC					
ESCALADE					
2002-2004	5.3L & 6.0L Eng.	A	1,2	5-3147X	5-795X
2005-2006	5.3L & 6.0L Eng.	A	1,2	5-178X	5-799X
CHEVROLET					
ASTRO VAN					
1985-1998		A	1	5-3147X	5-795X
		A	2	5-178X	5-799X
1999-2003	w/AT	A	1	5-3147X	5-795X
		A	2	5-178X	5-799X
2004-2005	w/AT	A	1,2	5-3147X	5-795X
AVALANCHE 1500					
2002	5.3L Eng.	A	1	5-213X	5-812X
		A	2	5-212X	5-793X
2003	5.3L(T) Eng.	A	1	5-213X	5-812X
		A	2	5-212X	5-793X
2004	5.3L Eng.	A	1	5-213X	5-812X
		A	2	5-212X	5-793X
2005	5.3L(Z) Eng.	A	2	5-212X	5-793X
		A	1	5-213X	5-812X
2006	5.3L Eng.	A	1	5-213X	5-812X
		A	2	5-212X	5-793X
AVALANCHE 2500					
2002-2006	2-Joint Driveshaft				
	w/Steel Driveshaft	A	1,2	5-160X	5-801X
	w/Alum. Driveshaft Alum. u-joints replaced by steel u-joints	A	1,2	5-160X	5-801X
BLAZER - FULL SIZE					
1973-1977	w/Turbo-Hydramatic Trans.	A	1	5-213X	5-790X
		A	2	5-153X	5-785X
	w/4 Spd. MT	A	1	5-178X	5-799X
		A	2	5-153X	5-785X
	Exc. 4 Spd. MT & Turbo-Hydramatic Trans.	A	1,2	5-153X	5-785X
1978-1981	w/3 Spd. Trans.	A	1,2	5-153X	5-785X
	w/4 Spd. MT, w/53.09” driveshaft length	A	1	5-178X	5-799X
		A	2	5-153X	5-785X
	w/4 Spd. MT, w/53.80” driveshaft length	A	1,2	5-178X	5-799X



Fig. A

2WD

Year	Model & Description	Fig.	Location	Spicer Part No.	SPL Part No.
CHEVROLET					
BLAZER - FULL SIZE					
1982	w/305 Eng. & 4 Spd. Trans	A	1,2	5-178X	5-799X
	Exc. 305 Eng. & 4 Spd. Trans.	A	1,2	5-3147X	5-795X
BLAZER - R-10 SERIES					
1987-1991	2-Joint Driveshaft w/inside snap rings	A	1,2	5-3147X	5-795X
BLAZER - R-20 SERIES					
1987-1991	2-Joint Driveshaft	A	1,2	5-3147X	5-795X
BLAZER - S-10					
1982-2005		A	1,2	5-3147X	5-795X
C-10 SERIES TRUCK / SUBURBAN					
1954-1959	Exc. Torque Tube Joint Assy w/1.062” Brg. cup dia.	A	1,2	5-153X	5-785X
	w/1.188” Brg. cup dia.	A	1	5-178X	5-799X
1960-1967	w/AT Exc. Turbo-Hyd or 3 Spd. MT	A-B	1,2,3	5-153X	5-785X
	w/3 Spd. HD or 4 Spd. Trans. w/1.188” Brg. cup dia.	B	1	5-178X	5-799X
	w/1.062” Brg. cup dia.	B	2,3	5-153X	5-785X
	(Round Bracket)	B	CB	210527X	
	(U-Shaped Bracket)	B	CB	210370-1X	
1968-1977	w/Turbo-Hydramatic Trans.	A	1	5-213X	5-790X
		A	2	5-153X	5-785X
	w/AT Exc. Turbo-Hyd or 3 Spd. MT	A-B	1,2,3	5-153X	5-785X
	w/3 Spd. HD or 4 Spd. Trans. w/1.188” Brg. cup dia.	B	1	5-178X	5-799X
	w/1.062” Brg. cup dia.	B	2,3	5-153X	5-785X
	(Round Bracket)	B	CB	210527X	
	(U-Shaped Bracket)	B	CB	210370-1X	
1978	w/AT Exc. Turbo-Hyd or 3 Spd. MT	A-B	1,2,3	5-153X	5-785X
	w/3 Spd. HD or 4 Spd. Trans. w/1.188” Brg. cup dia.	B	1	5-178X	5-799X
	w/1.062” Brg. cup dia.	B	2,3	5-153X	5-785X
	(Round Bracket)	B	CB	210527X	
	(U-Shaped Bracket)	B	CB	210370-1X	
	Suburban only w/TH400 w/outside snap rings	A-B	1	5-153X	5-785X
	w/inside snap rings	B	2	5-3147X	5-795X
	w/inside & outside snap rings	A-B	2,3	5-212X	
	(U-Shaped Bracket)	B	CB	210370-1X	
1979-1981	w/outside snap rings 2-Joint Driveshaft w/1.062” Brg. cup dia.	A	1,2	5-153X	5-785X
	w/1.188” Brg. cup dia.	A	1	5-178X	5-799X
	w/inside and outside snap rings	A	2	5-212X	
	w/outside snap rings 3-Joint Driveshaft	B	1,2,3	5-153X	5-785X
		B	1,2,3	5-178X	5-799X
	w/inside snap rings	B	1,2,3	5-3147X	5-795X
		B	CB	210370-1X	



Fig. A



Fig. B

Important: See Safety Information in General Information Section (J300P-GI)

Year	Model & Description	Fig.	Location	Spicer Part No.	SPL Part No.
CHEVROLET					
C-10 SERIES TRUCK / SUBURBAN					
1982-1983	2-Joint Driveshaft	A	1,2	5-3147X	5-795X
	3-Joint Driveshaft w/305 Eng.	B	1	5-3147X	5-795X
		B	2,3	5-178X	5-799X
	Exc. 305 Eng.	B	1,2,3	5-3147X	5-795X
		B	CB	210370-1X	
1984	w/inside snap rings	A-B	1,2,3	5-3147X	5-795X
	w/outside snap rings	A-B	1,2,3	5-178X	5-799X
		B	CB	210370-1X	
1985-1986	2-Joint Driveshaft	A	1,2	5-3147X	5-795X
	3-Joint Driveshaft w/AT or MT w/inside snap rings	B	1,2,3	5-3147X	5-795X
	3-Joint Driveshaft w/MT w/outside snap rings	B	1,2,3	5-178X	5-799X
1992-1993	Reg. Cab				
	w/6 1/2' bed w/117.5" WB Exc. alum. driveshaft	A	1,2	5-3147X	5-795X
	w/4 Spd. MT1 AT w/alum. driveshaft yoke	A	1,2	5-447X	
	Exc. MT1 AT w/8' Bed & 131.5" WB	A	1	5-791X	
		A	2	5-794X	
	w/MT8 MT 3-Joint driveshaft	B	1,2,3	5-178X	5-799X
	w/5 Spd. MT	B	1,2,3	5-178X	5-799X
	w/5 Spd. or w/MT8 MT 3-Joint Driveshaft	B	CB	210370-1X	
	Ext. Cab w/AT	B	1,2,3	5-3147X	5-795X
	w/GETRAG (MG5) 5 Spd. MT	B	1	5-213X	5-790X
		B	2,3	5-212X	
	w/MT8 MT	B	1,2,3	5-178X	5-799X
		B	CB	210370-1X	
	Suburban only 2-Joint Driveshaft	A	1	5-791X	
		A	2	5-794X	
1994	Reg. Cab w/6 1/2' bed	A	1,2	5-3147X	5-795X
	w/8' Bed, & 1-piece shaft	A	1	5-791X	
		A	2	5-794X	
	w/MT8 MT 3-Joint Driveshaft	B	1,2,3	5-178X	5-799X
		B	CB	210370-1X	
	Ext. Cab w/MT1 AT & 6.5L Diesel Eng	B	1,2	5-213X	5-790X
	w/6 1/2' Bed Exc. MT1 AT & 6.5L Diesel Eng.	B	1,2,3	5-213X	5-790X
	w/MT8 MT w/steel driveshaft yoke	B	1,2,3	5-178X	5-799X
	w/6 1/2' Bed Exc. MT1 AT & 6.5L Diesel Eng.	B	CB	211499X	
	w/8' Bed w/M30 AT	B	CB	210370-1X	
	Suburban only w/4 Spd. MT1 AT	A	1,2	5-447X	





2WD

Year	Model & Description	Fig.	Location	Spicer Part No.	SPL Part No.
CHEVROLET					
C-10 SERIES TRUCK / SUBURBAN					
1995	Reg. Cab w/6 1/2' bed	A	1,2	5-3147X	5-795X
	w/8' Bed, & 1-piece shaft	A	1	5-791X	
		A	2	5-794X	
	w/5 Spd. MW3 MT	B	1,2,3	5-178X	5-799X
		B	CB	210370-1X	
	Ext. Cab w/M30 4 Spd. AT	B	1,2	5-213X	5-790X
		B	3	5-212X	
		B	CB	211819-1X	
	w/MG5 5 Spd. MT	B	1,2	5-213X	5-790X
		B	3	5-212X	
	First Design	B	CB	211499X	
	Second Design	B	CB	211819-1X	
	w/MT1 AT & 6.5L Diesel Eng.	B	1,2	5-213X	5-790X
		B	3	5-212X	
	w/5 Spd. MW3 MT	B	1,2,3	5-178X	5-799X
		B	CB	210370-1X	
	Suburban only w/4 Spd. M30 AT	A	1	5-791X	
		A	2	5-794X	
	w/4 Spd. MT1 AT	A	1,2	5-447X	
	w/6.5L Diesel Turbo	A	1,2	5-447X	
1996	Reg. Cab w/6 1/2' Bed w/MT w/steel driveshaft yoke	A	1,2	5-3147X	5-795X
	w/8' Bed w/alum. driveshaft yoke	A	1	5-791X	
		A	2	5-794X	
	Ext. Cab w/6 1/2' & 8' bed w/M30 4 Spd. AT	B	1,2	5-1203X	5-790X
		B	3	5-212X	
		B	CB	211819-1X	
	w/MG5 & M50 5 Spd. MT	B	1,2	5-1203X	5-790X
		B	3	5-212X	
	w/MT1 AT & 6.5L Diesel Eng.	B	1,2	5-1203X	5-790X
		B	3	5-212X	
	Suburban only w/4 Spd. M30 AT	A	1	5-791X	
		A	2	5-794X	
	w/4 Spd. MT1 AT	A	1,2	5-447X	
	w/6.5L Diesel Turbo	A	1,2	5-447X	
1997-1998	Reg. Cab w/6 1/2' bed	A	1,2	5-3147X	5-795X
	w/8' Bed	A	1	5-791X	
		A	2	5-794X	
	Ext. Cab	B	1,2,3	5-213X	5-790X
		B	CB	211819-1X	





Important: See Safety Information in General Information Section (J300P-GI)

Year	Model & Description	Fig.	Location	Spicer Part No.	SPL Part No.
CHEVROLET					
C-10 SERIES TRUCK / SUBURBAN					
1997-1998	Suburban only w/4 Spd. M30 AT	A	1	5-791X	
		A	2	5-794X	
	w/6.5L Diesel Turbo	A	1,2	5-447X	
1999	Reg. Cab w/AT	A	1,2	5-3147X	5-795X
	w/MT w/ Steel Driveshaft	A	1	5-213X	5-812X
		A	2	5-212X	5-793X
	w/ Alum. Driveshaft				
	Alum. u-joints replaced by steel u-joints	A	1	5-213X	5-812X
	w/ Alum.Driveshaft	A	2	5-212X	5-793X
	Ext. Cab w/AT Inside snap ring ujoints	B	1,2,3	5-3147X	5-795X
	w/ Inside & outside ujoint driveline	B	1	5-3147X	5-795X
		B	2,3	5-178X	5-799X
	w/MT	B	1,2	5-213X	5-812X
		B	3	5-212X	5-793X
		B	CB	N/A	
	Suburban only 2-Joint Driveshaft				
	Steel Driveshaft	A	1	5-213X	5-812X
		A	2	5-212X	5-793X
	Alum. Driveshaft Alum. u-joints replaced by steel u-joints	A	1	5-213X	5-812X
		A	2	5-212X	5-793X
	w/ 1.188 inch cap diameter	A	1,2	5-178X	5-799X
2000-2001	Suburban only 2-Joint Driveshaft				
	Steel Driveshaft	A	1	5-213X	5-812X
		A	2	5-212X	5-793X
	Alum. Driveshaft Alum. u-joints replaced by steel u-joints	A	1	5-213X	5-812X
		A	2	5-212X	5-793X
2002	Suburban only 2-Joint Driveshaft				
	Steel Driveshaft w/ outside snap ring driveshaft	A	1,2	5-213X	5-812X
	w/ inside & outside snap ring driveshaft	A	1	5-213X	5-812X
		A	2	5-212X	5-793X
	Alum. Driveshaft Alum. u-joints replaced by steel u-joints				
	w/ outside snap ring driveshaft	A	1,2	5-213X	5-812X
	w/ inside & outside snap ring driveshaft	A	1	5-213X	5-812X
		A	2	5-212X	5-793X





2WD

Year	Model & Description	Fig.	Location	Spicer Part No.	SPL Part No.
CHEVROLET					
C-10 SERIES TRUCK / SUBURBAN					
2003	Suburban only Exc. 8.1L Eng.				
	Steel Driveshaft w/ outside snap ring driveshaft	A	1,2	5-213X	5-812X
	w/ inside & outside snap ring driveshaft	A	1	5-213X	5-812X
		A	2	5-212X	5-793X
	Alum. Driveshaft Alum. u-joints replaced by steel u-joints				
	w/ outside snap ring driveshaft	A	1,2	5-213X	5-812X
	w/ inside & outside snap ring driveshaft	A	1	5-213X	5-812X
		A	2	5-212X	5-793X
2004	Suburban only 2-Joint Driveshaft				
	Steel Driveshaft w/ outside snap ring driveshaft	A	1,2	5-213X	5-812X
	w/ inside & outside snap ring driveshaft	A	1	5-213X	5-812X
		A	2	5-212X	5-793X
	Alum. Driveshaft Alum. u-joints replaced by steel u-joints				
	w/ outside snap ring driveshaft	A	1,2	5-213X	5-812X
	w/ inside & outside snap ring driveshaft	A	1	5-213X	5-812X
		A	2	5-212X	5-793X
2005	Suburban only 2-Joint Driveshaft				
	Steel Driveshaft w/ inside & outside snap ring driveshaft	A	1	5-213X	5-812X
		A	2	5-212X	5-793X
	Alum. Driveshaft Alum. u-joints replaced by steel u-joints				
	w/ inside & outside snap ring driveshaft	A	1	5-213X	5-812X
		A	2	5-212X	5-793X
2006	Suburban only Exc. 6.0L Eng.				
	Steel Driveshaft w/ inside & outside snap ring driveshaft	A	1	5-213X	5-812X
		A	2	5-212X	5-793X
	Alum. Driveshaft Alum. u-joints replaced by steel u-joints				
	w/ inside & outside snap ring driveshaft	A	1	5-213X	5-812X
		A	2	5-212X	5-793X
C-20 SERIES TRUCK / SUBURBAN					
1960	w/3 Spd. MT	A	1	5-153X	5-785X
		A	2	5-178X	5-799X
	w/3 Spd. HD or 4 Spd. or AT	A-B	1,2,3	5-178X	5-799X
		B	CB	210370-1X	
1961-1962	w/3 Spd. MT	A	1	5-153X	5-785X
		A	2	5-178X	5-799X
	w/AT	B	1	5-153X	5-785X
		B	2,3	5-178X	5-799X
		B	CB	210370-1X	
	w/3 Spd. HD or 4 Spd. Trans.	B	1,2,3	5-178X	5-799X





Important: See Safety Information in General Information Section (J300P-GI)

Year	Model & Description	Fig.	Location	Spicer Part No.	SPL Part No.
CHEVROLET					
C-20 SERIES TRUCK / SUBURBAN					
1963-1966	w/3 Spd. Trans.	A-B	1	5-178X	5-799X
		A-B	2,3	5-153X	5-785X
	w/Turbo-Hydramatic Trans. w/1.062” Brg. cup dia.	A-B	1,2	5-153X	5-785X
	w/1.188” Brg. cup dia.	A-B	1,2,3	5-178X	5-799X
		B	CB	210370-1X	
	w/3 Spd. HD or 4 Spd. Trans.	A-B	1,2,3	5-178X	5-799X
1967	w/3 Spd. OD or Turbo-Hydramatic Trans.	B	1,2	5-153X	5-785X
		B	3	5-178X	5-799X
	w/3 Spd. HD or 4 Spd. Trans.	B	1,2,3	5-178X	5-799X
		B	CB	210370-1X	
1968-1969	w/3 Spd. MT or OD Trans.	B	1	5-153X	5-785X
		B	2,3	5-178X	5-799X
	w/Turbo-Hydramatic Trans.				
	Exc. 396 Eng. w/1.062” Brg. cup dia.	B	1,2	5-153X	5-785X
	w/1.188” Brg. cup dia.	B	2,3	5-178X	5-799X
		B	CB	210370-1X	
	w/396 Eng.	B	1	5-213X	5-790X
		B	2,3	5-178X	5-799X
	w/3 Spd. HD or 4 Spd. Trans.	B	1,2,3	5-178X	5-799X
1970-1972	w/3 Spd. MT or OD Trans.	B	1	5-153X	5-785X
		B	2,3	5-178X	5-799X
		B	CB	210370-1X	
	w/Turbo-Hydramatic Trans.				
	Exc. 400 Eng. w/1.062” Brg. cup dia.	B	1,2	5-153X	5-785X
	w/1.188” Brg. cup dia.	B	2,3	5-178X	5-799X
		B	CB	210370-1X	
	w/400 Eng.	B	1	5-213X	5-790X
		B	2,3	5-178X	5-799X
	w/3 Spd. HD or 4 Spd. Trans.	B	1,2,3	5-178X	5-799X
		B	CB	210370-1X	
1973-1977	w/3 Spd. Trans. Exc. 400 Eng.	B	1,2	5-153X	5-785X
		B	3	5-178X	5-799X
	w/400 Eng. w/1.062” Brg. cup dia.	B	1	5-213X	5-790X
	w/1.188” Brg. cup dia.	B	1,2,3	5-178X	5-799X
		B	CB	210370-1X	
	w/4 Spd. or Turbo-Hydramatic Trans.	B	1,2,3	5-178X	5-799X
		B	CB	210370-1X	





2WD

Year	Model & Description	Fig.	Location	Spicer Part No.	SPL Part No.
CHEVROLET					
C-20 SERIES TRUCK / SUBURBAN					
1978	w/1.062” Brg. cup dia.	A-B	1,2	5-153X	5-785X
	w/1.188” Brg. cup dia.	A-B	2,3	5-178X	5-799X
	Suburban only w/TH400	A-B	2,3	5-3147X	5-795X
		B	CB	210370-1X	
1979-1981	w/1.062” Brg. cup dia.	A-B	1,2,3	5-153X	5-785X
	w/1.188” Brg. cup dia.	B	3	5-178X	5-799X
	Suburban only w/TH400	A-B	2	5-3147X	5-795X
		B	CB	210370-1X	
1982-1983	w/inside snap rings	B	1,2	5-3147X	5-795X
	w/outside snap rings	B	1,2,3	5-178X	5-799X
		B	CB	210370-1X	
1984	2-Joint Driveshaft w/inside snap rings	A	1,2	5-3147X	5-795X
	w/outside snap rings	A	1,2	5-178X	5-799X
	3-Joint Driveshaft w/inside snap rings	B	1	5-3147X	5-795X
	w/outside snap rings	B	1	5-178X	5-799X
		B	2	5-3147X	5-795X
		B	3	5-178X	5-799X
		B	CB	210370-1X	
1985-1986	2-Joint Driveshaft w/inside snap rings	A	1,2	5-3147X	5-795X
	w/outside snap rings	A	1,2	5-178X	5-799X
	3-Joint Driveshaft w/4 Spd. AT	B	1,3	5-3147X	5-795X
		B	2	5-178X	5-799X
		B	CB	210370-1X	
	Exc. 4 Spd. AT Exc. 454 Eng.	B	1,2	5-178X	5-799X
		B	3	5-3147X	5-795X
		B	CB	210370-1X	
	w/454 Eng.	B	1,2,3	5-178X	5-799X
		B	CB	210370-1X	
1992	Reg. Cab w/MT1 AT 2-Joint Driveshaft w/131.5” WB	A	1,2	5-447X	
	3-Joint Driveshaft	B	1,2,3	5-447X	
		B	CB	211793-1X	
	w/7200# GVW MT8 MT 3-Joint Driveshaft	B	1,2,3	5-178X	5-799X
		B	CB	210370-1X	
	w/8600# GVW	B	1,2,3	5-447X	
		B	CB	211793-1X	





Important: See Safety Information in General Information Section (J300P-GI)

Year	Model & Description	Fig.	Location	Spicer Part No.	SPL Part No.
CHEVROLET					
C-20 SERIES TRUCK / SUBURBAN					
1992	Ext. Cab w/6 1/2' bed Exc. MT1 AT & MG5 MT	B	1,2,3	5-178X	5-799X
		B	CB	210370-1X	
	w/MT1 AT & MG5 MT	B	1,2,3	5-447X	
		B	CB	211499X	
	w/6 1/2' & 8' Bed w/7200# GVW	B	1,2,3	5-178X	5-799X
		B	CB	210370-1X	
	w/8600# GVW & MT8 MT	B	1,2,3	5-447X	
		B	CB	211793-1X	
	Suburban only 2-Joint Driveshaft w/Steel Driveshaft	A	1,2	5-178X	5-799X
	w/Alum. Driveshaft Alum. u-joints replaced by steel u-joints	A	1,2	5-178X	5-799X
1993	Reg. Cab w/MT1 AT 2-Joint Driveshaft w/131.5" WB	A	1,2	5-447X	
	3-Joint Driveshaft	B	1,2,3	5-447X	
		B	CB	211793-1X	
	w/7200# GVW MT8 MT 3-Joint Driveshaft	B	1,2,3	5-178X	5-799X
		B	CB	210370-1X	
	w/8600# GVW	B	1,2,3	5-447X	
		B	CB	211793-1X	
	Ext. Cab w/6 1/2' bed Exc. MT1 AT & MG5 MT	B	1,2,3	5-178X	5-799X
		B	CB	210370-1X	
	w/MT1 AT & MG5 MT	B	1,2,3	5-447X	
		B	CB	211499X	
	w/6 1/2' & 8' Bed w/7200# GVW	B	1,2,3	5-178X	5-799X
		B	CB	210370-1X	
	w/8600# GVW & MT8 MT	B	1,2,3	5-447X	
	Suburban only 2-Joint Driveshaft w/Steel Driveshaft	A	1,2	5-178X	5-799X
	w/Alum. Driveshaft Alum. u-joints replaced by steel u-joints	A	1,2	5-178X	5-799X
1994	Reg. Cab w/MT1 AT 2-Joint Driveshaft w/131.5" WB	A	1,2	5-447X	
	3-Joint Driveshaft	B	1,2,3	5-447X	
		B	CB	211793-1X	
	w/7200# GVW MT8 MT 3-Joint Driveshaft	B	1,2,3	5-178X	5-799X
		B	CB	210370-1X	
	w/8600# GVW	B	1,2,3	5-447X	
		B	CB	211793-1X	





2WD

2WD

Year	Model & Description	Fig.	Location	Spicer Part No.	SPL Part No.
CHEVROLET					
C-20 SERIES TRUCK / SUBURBAN					
1994	Ext. Cab w/6 1/2' bed Exc. MT1 AT & MG5 MT	B	1,2,3	5-178X	5-799X
		B	CB	210370-1X	
	w/MT1 AT & MG5 MT	B	1,2,3	5-447X	
		B	CB	211499X	
	w/6 1/2' & 8' Bed w/7200# GVW	B	1,2,3	5-178X	5-799X
		B	CB	210370-1X	
	w/8600# GVW & MT8 MT	B	1,2,3	5-447X	
		B	CB	211499X	
	Suburban only 2-Joint Driveshaft				
	w/Steel Driveshaft	A	1,2	5-178X	5-799X
	w/Alum. Driveshaft Alum. u-joints replaced by steel u-joints	A	1,2	5-178X	5-799X
1995	Reg. Cab w/MT1 AT 2-Joint Driveshaft w/131.5	A	1,2	5-447X	
	3-Joint Driveshaft	B	1,2,3	5-447X	
		B	CB	211793-1X	
	w/7200# GVW MT8 MT 3-Joint Driveshaft	B	1,2,3	5-178X	5-799X
		B	CB	210370-1X	
	w/8600# GVW	B	1,2,3	5-447X	
		B	CB	211793-1X	
	Ext. Cab w/6 1/2' Bed				
	w/MT1 & MG5 MT	B	1,2,3	5-447X	
	w/MT1 AT or MG5 MT	B	CB	211499X	
	w/MT1 AT	B	CB	211748-1X	
	w/MW3, MT8 & MT	B	1,2,3	5-178X	5-799X
		B	CB	210370-1X	
	w/M30 AT & w/7200# GVW w/steel driveshaft yoke	B	1,2,3	5-178X	5-799X
		B	CB	210370-1X	
	Ext. Cab w/8' Bed	B	1,2,3	5-447X	
	Exc. MG5 MT	B	CB	211793-1X	
	Suburban only 2-Joint Driveshaft				
	w/Steel Driveshaft	A	1,2	5-178X	5-799X
	w/Alum. Driveshaft Alum. u-joints replaced by steel u-joints	A	1,2	5-178X	5-799X
1996	Reg. Cab 2-Joint Driveshaft	A	1,2	5-447X	
	3-Joint Driveshaft	B	1,2,3	5-447X	
		B	CB	211793-1X	





Important: See Safety Information in General Information Section (J300P-GI)

U-Joints

Year	Model & Description	Fig.	Location	Spicer Part No.	SPL Part No.
CHEVROLET					
C-20 SERIES TRUCK / SUBURBAN					
1996	Ext. Cab w/MT1 & MG5 MT	B	1,2,3	5-447X	
	w/MT1 AT	B	CB	211748-1X	
	w/MG5 MT	B	CB	211499X	
	w/MW3, MT8 & MT	B	1,2,3	5-178X	5-799X
		B	CB	210370-1X	
	w/M30 AT w/6 1/2' bed & 7200# GVW	B	1,2,3	5-178X	5-799X
		B	CB	210370-1X	
	3-Joint Driveshaft	B	1,2,3	5-447X	
	w/6 1/2' bed & AT	B	CB	211748-1X	
	w/6 1/2' bed & MT	B	CB	211499X	
	w/8' bed	B	CB	211793-1X	
	Suburban only 2-Joint Driveshaft				
	w/Steel Driveshaft	A	1,2	5-178X	5-799X
	w/Alum. Driveshaft Alum. u-joints replaced by steel u-joints	A	1,2	5-178X	5-799X
1997-1998	Reg. Cab w/8' bed 2-Joint Driveshaft	A	1,2	5-447X	
	3-Joint Driveshaft & 8600lb GVW	B	1,2,3	5-447X	
		B	CB	211793-1X	
	Ext. Cab w/6 1/2' Bed	B	1,2,3	5-447X	
	w/AT	B	CB	211748-1X	
	w/5 Spd MT	B	CB	211499X	
	Ext. Cab w/8' Bed	B	1,2,3	5-447X	
		B	CB	211793-1X	
	Suburban only 2-Joint Driveshaft				
	w/Steel Driveshaft	A	1,2	5-178X	5-799X
	w/Alum. Driveshaft Alum. u-joints replaced by steel u-joints	A	1,2	5-178X	5-799X
1999	Reg. Cab 2-Joint Driveshaft	A	1,2	5-447X	
	3-Joint Driveshaft	B	1,2,3	5-447X	
		B	CB	211793-1X	



Fig. A



Fig. B

2WD

2WD

Year	Model & Description	Fig.	Location	Spicer Part No.	SPL Part No.
CHEVROLET					
C-20 SERIES TRUCK / SUBURBAN					
1999	Ext. Cab w/MT1 & MG 5 AT	B	1,2,3	5-447X	
	w/MT1 AT	B	CB	211748-1X	
	w/MG5 MT	B	CB	211499X	
	w/MW3, MT8 & MT	B	1,2,3	5-178X	5-799X
		B	CB	210370-1X	
	w/6 1/2' bed & 7200# GVW w/M30 AT	B	1,2,3	5-178X	5-799X
		B	CB	210370-1X	
	w/6 1/2' & 8'bed	B	1,2,3	5-447X	
	w/6 1/2' bed & AT	B	CB	211748-1X	
	w/6 1/2' bed & MT	B	CB	211499X	
	w/8' bed	B	CB	211793-1X	
	3-Joint Driveshaft	B	1,2,3	5-447X	
	Exc. MG5 MT	B	CB	211793-1X	
	Pick Up 3-Joint Driveshaft w/1410 Series Driveshaft	B	1,2,3	5-160X	5-801X
	w/1.378" Center Brg. I.D.	B	CB	210088-1X	
	w/1.574" Center Brg. I.D.	B	CB	210866-1X	
	Suburban only 2-Joint Driveshaft				
	w/Steel Driveshaft	A	1,2	5-178X	5-799X
	w/Alum. Driveshaft Alum. u-joints replaced by steel u-joints	A	1,2	5-178X	5-799X
2000	Pick Up 3-Joint Driveshaft				
	w/1350 Series Driveshaft	B	1,2,3	5-178X	5-799X
	w/1410 Series Driveshaft	B	1,2,3	5-160X	5-801X
	w/1.378" Center Brg. I.D.	B	CB	210088-1X	
	w/1.574" Center Brg. I.D.	B	CB	210866-1X	
	Suburban only 2-Joint Driveshaft				
	w/Steel Driveshaft	A	1,2	5-178X	5-799X
	w/Alum. Driveshaft Alum. u-joints replaced by steel u-joints	A	1,2	5-178X	5-799X
2001-2006	Suburban only w/6.0L Eng.				
	2-Joint Driveshaft w/Steel Driveshaft	A	1,2	5-178X	5-799X
	w/Alum. Driveshaft Alum. u-joints replaced by steel u-joints	A	1,2	5-178X	5-799X
	Suburban only w/8.1L Eng.				
	2-Joint Driveshaft w/Steel Driveshaft	A	1,2	5-160X	5-801X
	w/Alum. Driveshaft Alum. u-joints replaced by steel u-joints	A	1,2	5-160X	5-801X
C-30 SERIES TRUCK					
1941-1947	3800 & 3900 Series	B	1,2,3	5-178X	5-799X
		B	CB	210370-1X	
1948-1953	3800 & 3900 Series	B	1,2,3	5-178X	5-799X
	All Others	B	2,3	5-178X	5-799X
	3800 & 3900 Series	B	CB	210370-1X	





Important: See Safety Information in General Information Section (J300P-GI)

Year	Model & Description	Fig.	Location	Spicer Part No.	SPL Part No.
CHEVROLET					
C-30 SERIES TRUCK					
1954-1959	3400, 3500, 3600, 3700 Series				
	w/3 Spd. HD, 4 Spd. or AT	A-B	1,2,3	5-178X	5-799X
		B	CB	210370-1X	
	w/3 Spd. MT	A-B	1	5-153X	5-785X
		A-B	2,3	5-178X	5-799X
	3800 & 3900 Series	B	1,2,3	5-178X	5-799X
		B	CB	210370-1X	
1960-1977		A-B	1,2,3	5-178X	5-799X
		B	CB	210370-1X	
1978-1981	w/1.062” Brg. cup dia.	A-B	1,2,3	5-153X	5-785X
	w/1.188” Brg. cup dia.	A-B	1,2,3	5-178X	5-799X
		B	CB	210370-1X	
1982-1986	3-Joint Driveshaft	B	1,2,3	5-178X	5-799X
		B	CB	210370-1X	
1992-1998	Reg. Cab w/131.5” WB	B	1,2,3	5-447X	
		B	CB	211793-1X	
	Ext. Cab w/155.5” WB w/Dual Rear wheels	B	1,2,3	5-178X	5-799X
		B	CB	210370-1X	
	Exc. Dual Rear wheels	B	1,2,3	5-447X	
		B	CB	211793-1X	
	2 Dr Chassis Cab w/135.5” & 159.5” WB				
	w/15,000# GVW	B	1,2,3	5-160X	5-801X
	Exc. 15,000# GVW	B	1,2,3	5-447X	
		B	CB	211793-1X	
	4 Dr Chassis Cab w/164.5” & 168.5” WB	B	1,2,3	5-447X	
		B	CB	211735-1X	
	2 Dr Chassis Cab w/183.5” WB				
	4-Joint Driveshaft	R	1,2,3,4	5-160X	5-801X
	1st one	R	CB	211804-1X	
	2nd one	R	CB	211793-1X	
1999	3-Joint Driveshaft				
	w/131.5” or 155.5’’ WB, Inc. Chassis Cab	B	1,2,3	5-178X	5-799X
	Chassis Cab w/135.5” or 159.5’’ WB				
	w/15000 LB GVW	B	1,2,3	5-160X	5-801X
	Exc.15000 LB GVW	B	1	5-178X	5-799X
		B	2,3	5-160X	5-801X
	Chassis Cab w/183.5” WB	B	1,2,3	5-160X	5-801X
	4-Joint Driveshaft	R	1,2,3,4	5-160X	5-801X



2WD

Year	Model & Description	Fig.	Location	Spicer Part No.	SPL Part No.
CHEVROLET					
C-30 SERIES TRUCK					
2000	3-Joint Driveshaft				
	w/131.5” or 155.5’’ WB, Inc. Chassis Cab	B	1,2,3	5-178X	5-799X
	Chassis Cab w/135.5” or 159.5’’ WB w/15000 LB GVW	B	1,2,3	5-160X	5-801X
	Chassis Cab;w/135.5” or 159.5” WB Exc.15000 LB GVW	B	1	5-178X	5-799X
	Chassis Cab w/135.5” or 159.5” WB	B	2,3	5-160X	5-801X
	Chassis Cab w/183.5” WB	B	1,2,3	5-160X	5-801X
	4-Joint Driveshaft	R	1,2,3,4	5-160X	5-801X
COLORADO PICK-UP					
2004	Std. Cab Steel Shaft	A	1,2	5-213X	5-790X
	Alum. Driveshaft Spicer Driveshaft	A	1	5-213X	5-790X
		A	2	5003097	
	Ext. & Crew Cab 3-Joint Driveshaft	B	1,2	5-213X	5-790X
		B	3	5-212X	5-793X
2005-2006	Std. Cab Alum. Driveshaft Spicer Driveshaft	A	1	5-213X	5-790X
		A	2	5003097	
	Ext. & Crew Cab 3-Joint Driveshaft	B	1,2	5-213X	5-790X
		B	3	5-212X	5-793X
G-10 SERIES, G1500 SERIES AND EXPRESS					
1964-1977		A-B	1,2,3	5-153X	5-785X
		B	CB	210370-1X	
1978-1981	w/inside snap rings	A-B	1,2,3	5-3147X	5-795X
	w/outside snap rings	A-B	1,2,3	5-153X	5-785X
		B	CB	210370-1X	
1982-1991	2-Joint Driveshaft w/inside snap rings	A	1,2	5-3147X	5-795X
	w/outside snap rings w/alum. driveshaft yoke	A	1,2	5-791X	
	3-Joint Driveshaft	B	1,2,3	5-3147X	5-795X
		B	CB	210370-1X	
1992-1998	w/inside snap rings w/110” & 125’’ WB 2-Joint driveshaft	A	1,2	5-3147X	5-795X
	w/outside snap rings w/125” WB w/alum. driveshaft yoke	A	1	5-791X	
	w/inside & outside snap rings w/125” WB	A	2	5-794X	
1999-2006	2-Joint Driveshaft				
	w/Steel Driveshaft	A	1,2	5-178X	5-799X
	w/Alum. Driveshaft Alum. u-joints replaced by steel u-joints	A	1,2	5-178X	5-799X
G-20 SERIES, G2500 SERIES AND EXPRESS					
1967-1978	Exc. 400 Eng. w/inside snap rings	A-B	1,2,3	5-3147X	5-795X
	w/outside snap rings	A-B	1,2,3	5-153X	5-785X
	w/1.062” & 1.125’’ Brg. cup dia.	A-B	1,3	5-212X	
		B	CB	210370-1X	







Important: See Safety Information in General Information Section (J300P-GI)

U-Joints

Year	Model & Description	Fig.	Location	Spicer Part No.	SPL Part No.
CHEVROLET					
G-20 SERIES, G2500 SERIES AND EXPRESS					
1967-1978	w/400 Eng.	A-B	1,2,3	5-213X	5-790X
		B	CB	210370-1X	
1979-1981	Exc. 400 Eng. w/inside snap rings	A-B	1,2,3	5-3147X	5-795X
	w/outside snap rings	A-B	1,2,3	5-153X	5-785X
		B	CB	210370-1X	
	w/400 Eng.	B	1	5-3147X	5-795X
		B	2	5-153X	5-785X
		B	3	5-178X	5-799X
		B	CB	210370-1X	
1982-1983	2-Joint Driveshaft	A	1,2	5-3147X	5-795X
	3-Joint Driveshaft	B	1,2,3	5-3147X	5-795X
		B	CB	210370-1X	
1984	2-Joint Driveshaft	A	1,2	5-3147X	5-795X
	3-Joint Driveshaft w/Turbo 400 AT	B	1	5-3147X	5-795X
		B	2,3	5-178X	5-799X
		B	1,2,3	5-3147X	5-795X
		B	CB	210370-1X	
1985-1989	2-Joint Driveshaft	A	1,2	5-3147X	5-795X
	3-Joint Driveshaft	B	1,2,3	5-3147X	5-795X
		B	CB	210370-1X	
1990	2-Joint Driveshaft w/inside snap rings	A	1,2	5-3147X	5-795X
	w/outside snap rings & alum. driveshaft	A	1	5-791X	
	w/inside & outside snap rings	A	2	5-794X	
	3-Joint Driveshaft	B	1,2,3	5-3147X	5-795X
		B	CB	210370-1X	
1991-1995	2-Joint Driveshaft w/inside snap rings w/110" & 125" WB	A	1,2	5-3147X	5-795X
	125" WB w/alum. driveshaft w/outside snap rings	A	1	5-791X	
	w/inside & outside snap rings	A	2	5-794X	
1996-2002	2-Joint Driveshaft	A	1,2	5-178X	5-799X
	w/Alum. Driveshaft Alum. u-joints replaced by steel u-joints	A	1,2	5-178X	5-799X
	3-Joint Driveshaft	B	1,2,3	5-178X	5-799X
2003-2006	2-Joint Driveshaft	A	1,2	5-178X	5-799X
	w/Alum. Driveshaft Alum. u-joints replaced by steel u-joints	A	1,2	5-178X	5-799X
	3-Joint Driveshaft w/AAM 1355 Series Driveshaft	B	1,2,3	N/A	
	w/1350 Series Driveshaft	B	1,2,3	5-178X	5-799X



Fig. A



Fig. B

2WD

2WD

Year	Model & Description	Fig.	Location	Spicer Part No.	SPL Part No.
CHEVROLET					
G-30 SERIES, G3500 SERIES AND EXPRESS					
1967-1973		B	1,2,3	5-153X	5-785X
		B	CB	210370-1X	
1974-1977	Exc. 400 Eng.	A-B	1	5-153X	5-785X
	w/400 Eng.	A-B	1	5-213X	5-790X
		A-B	2,3	5-178X	5-799X
	w/400 Eng.	B	CB	210370-1X	
1978	w/inside snap rings	A-B	1,2,3	5-3147X	5-795X
	w/outside snap rings	A-B	1,2,3	5-178X	5-799X
		B	CB	210370-1X	
1979-1981	w/inside snap rings	A-B	1,3	5-3147X	5-795X
	w/outside snap rings	A-B	1,2,3	5-178X	5-799X
		B	CB	210370-1X	
1982	3-Joint Driveshaft Exc. 250 Eng. or 3 Spd. MT	B	1,2,3	5-178X	5-799X
	w/250 Eng. or 3 Spd. MT	B	1	5-3147X	5-795X
		B	2,3	5-178X	5-799X
		B	CB	210370-1X	
1983-1984	3-Joint Driveshaft Exc. 3 Spd. MT	B	1	5-3147X	5-795X
		B	2,3	5-178X	5-799X
	w/3 Spd. MT	B	1,2,3	5-178X	5-799X
		B	CB	210370-1X	
1985-1987	w/350 Eng & THM700 4 Spd. AT	B	1	5-3147X	5-795X
		B	2,3	5-178X	5-799X
	Exc. 350 Eng. & THM700 4 Spd. AT	B	1,2,3	5-178X	5-799X
		B	CB	210370-1X	
1988-1990	3-Joint Driveshaft w/inside snap rings	B	1	5-3147X	5-795X
	w/outside snap rings	B	1	5-178X	5-799X
		B	2,3	5-178X	5-799X
		B	CB	210370-1X	
1991	2-Joint Driveshaft	A	1,2	5-447X	
	3-Joint Driveshaft	B	1,2,3	5-178X	5-799X
		B	CB	210370-1X	
1992-1995	2-Joint Driveshaft	A	1,2	5-447X	
	3-Joint Driveshaft	B	1,2,3	5-447X	
		B	CB	210370-1X	
1996-1998	2-Joint Driveshaft	A	1,2	5-178X	5-799X
	3-Joint Driveshaft	B	1,2,3	5-178X	5-799X
1999	2-Joint Driveshaft	A	1,2	5-178X	5-799X
	Alum. Driveshaft Alum. u-joints replaced by steel u-joints	A	1,2	5-178X	5-799X
	3-Joint Driveshaft	B	1,2,3	5-178X	5-799X





Important: See Safety Information in General Information Section (J300P-GI)

U-Joints

Year	Model & Description	Fig.	Location	Spicer Part No.	SPL Part No.
CHEVROLET					
G-30 SERIES, G3500 SERIES AND EXPRESS					
2000	2-Joint Driveshaft	A	1,2	5-178X	5-799X
	Alum. Driveshaft Alum. u-joints replaced by steel u-joints	A	1,2	5-178X	5-799X
2001	2-Joint Driveshaft				
	Exc. Commercial Cutaway	A	1,2	5-178X	5-799X
	Alum. Driveshaft - Alum. u-joints replaced by steel u-joints	A	1,2	5-178X	5-799X
	Commercial Cutaway	A	1,2	5-160X	5-801X
	Alum. Driveshaft - Alum. u-joints replaced by steel u-joints	A	1,2	5-160X	5-801X
	3-Joint Driveshaft Exc. Commercial Cutaway	B	1,2,3	5-178X	5-799X
	Commercial Cutaway	B	1,2,3	5-160X	5-801X
2002	2-Joint Driveshaft				
	Exc. Commercial Cutaway	A	1,2	5-178X	5-799X
	Alum. Driveshaft - Alum. u-joints replaced by steel u-joints	A	1,2	5-178X	5-799X
	Commercial Cutaway	A	1,2	5-160X	5-801X
	Alum. Driveshaft - Alum. u-joints replaced by steel u-joints	A	1,2	5-160X	5-801X
	3-Joint Driveshaft Exc. Commercial Cutaway	B	1,2,3	5-178X	5-799X
	Commercial Cutaway	B	1,2,3	5-160X	5-801X
2003	2-Joint Driveshaft				
	Exc. Commercial Cutaway	A	1,2	5-178X	5-799X
	Alum. Driveshaft - Alum. u-joints replaced by steel u-joints	A	1,2	5-178X	5-799X
	Commercial Cutaway, w/139” WB	A	1,2	5-160X	5-801X
	Alum. Driveshaft - Alum. u-joints replaced by steel u-joints	A	1,2	5-160X	5-801X
	3-Joint Driveshaft Commercial Cutaway				
	w/139” WB, Exc. Dual Wheel				
	w/1350 Series Driveshaft	B	1,2,3	5-178X	5-799X
	w/1355-1415 AAM Series Driveshaft	B	1,2,3	N/A	
	w/159” & 177’’ WB				
	w/1350-1410 Series Driveshaft	B	1	5-178X	5-799X
		B	2,3	5-160X	5-801X
	w/1355-1415 AAM Series Driveshaft	B	1,2,3	N/A	
2004	2-Joint Driveshaft				
	Exc. Commercial Cutaway, w/135” WB	A	1,2	5-178X	5-799X
	Alum. Driveshaft - Alum. u-joints replaced by steel u-joints	A	1,2	5-178X	5-799X
	Commercial Cutaway, w/139” WB	A	1,2	5-160X	5-801X
	Alum. Driveshaft - Alum. u-joints replaced by steel u-joints	A	1,2	5-160X	5-801X





2WD

Year	Model & Description	Fig.	Location	Spicer Part No.	SPL Part No.
CHEVROLET					
G-30 SERIES, G3500 SERIES AND EXPRESS					
2004	3-Joint Driveshaft Commercial Cutaway				
	w/139” WB, Exc. Dual Wheel				
	w/1350 Series Driveshaft	B	1,2,3	5-178X	5-799X
	w/1355-1415 AAM Series Driveshaft	B	1,2,3	N/A	
	w/159” & 177’’ WB				
	w/1350-1410 Series Driveshaft	B	1	5-178X	5-799X
		B	2,3	5-160X	5-801X
	w/1355-1415 AAM Series Driveshaft	B	1,2,3	N/A	
2005-2006	2-Joint Driveshaft				
	Exc. Commercial Cutaway, w/135” WB	A	1,2	5-178X	5-799X
	Alum. Driveshaft - Alum. u-joints replaced by steel u-joints	A	1,2	5-178X	5-799X
	Commercial Cutaway, w/139” WB, w/Dual Wheel	A	1,2	5-160X	5-801X
	Alum. Driveshaft - Alum. u-joints replaced by steel u-joints	A	1,2	5-160X	5-801X
	3-Joint Driveshaft				
	Commercial Cutaway				
	w/139” WB, Exc. Dual Wheel				
	w/1350 Series Driveshaft	B	1,2,3	5-178X	5-799X
	w/159” & 177’’ WB				
	w/1350-1410 Series Driveshaft	B	1	5-178X	5-799X
		B	2,3	5-160X	5-801X
	w/1355-1415 AAM Series Driveshaft	B	1,2,3	N/A	
	Exc. Commercial Cutaway, w/155” WB	B	1,2,3	5-178X	5-799X
LUV					
1971-1982	Lube	A-B	1,2,3	5-111X	
	Non-Lube	A-B	1,2,3	5-101X	
P-10 SERIES					
1960-1978	w/AT or 3 Spd. MT	A-B	1,2,3	5-153X	5-785X
	w/3 Spd. HD or 4 Spd. Trans.	A-B	1	5-178X	5-799X
		A-B	2,3	5-153X	5-785X
	(Round Bracket)	B	CB	210527X	
	(U-Shaped Bracket)	B	CB	210370-1X	
1979		A	1,2	5-213X	5-790X
1980-1981		A-B	1,2,3	5-153X	5-785X
		B	CB	210370-1X	
P-20 SERIES					
1960-1978	w/3 Spd. Trans. incl Turbo-Hydramatic	A	1	5-153X	5-785X
		A	2	5-178X	5-799X
	w/3 Spd. HD or 4 Spd. Trans.	B	1,2,3	5-178X	5-799X
		B	CB	210370-1X	





Important: See Safety Information in General Information Section (J300P-GI)

Year	Model & Description	Fig.	Location	Spicer Part No.	SPL Part No.
CHEVROLET					
P-20 SERIES					
1979	2-Joint Driveshaft	A	1,2	5-213X	5-790X
	3-Joint Driveshaft Exc. 125” WB w/MT	B	1,2,3	5-178X	5-799X
	w/125” WB w/MT	B	2	5-3147X	5-795X
		B	3	5-212X	
		B	CB	210370-1X	
1980-1981	2-Joint Driveshaft Exc. 4 Spd. Saginaw shaft	A	1	5-153X	5-785X
		A	2	5-3147X	5-795X
	w/4 Spd. Saginaw shaft	A	1	5-178X	5-799X
		A	2	5-3147X	5-795X
	3-Joint Driveshaft Exc. 3 Spd. AT	B	1	5-178X	5-799X
		B	2,3	5-3147X	5-795X
		B	CB	210370-1X	
	w/3 Spd. AT	B	1	5-153X	5-785X
		B	2,3	5-3147X	5-795X
		B	CB	210370-1X	
1982-1983	3-Joint Driveshaft	B	1,2	5-178X	5-799X
		B	3	5-3147X	5-795X
		B	CB	210370-1X	
1984	2-Joint Driveshaft	A	1	5-178X	5-799X
		A	2	5-3147X	5-795X
	3-Joint Driveshaft w/inside snap rings	B	1,2,3	5-3147X	5-795X
	w/outside snap rings	B	1,2,3	5-178X	5-799X
		B	CB	210370-1X	
1985-1989	2-Joint Driveshaft	A	1	5-178X	5-799X
		A	2	5-3147X	5-795X
	3-Joint Driveshaft	B	1	5-178X	5-799X
	w/inside snap rings	B	2,3	5-3147X	5-795X
	w/outside snap rings	B	2,3	5-178X	5-799X
	Exc. Saginaw Shaft	B	CB	210370-1X	
P-30 SERIES					
1960		A	1,2	5-178X	5-799X
1961-1962	w/3 Spd. MT	A	1	5-153X	5-785X
		A	2	5-178X	5-799X
	w/3 Spd. HD or 4 Spd. AT	A	1,2	5-178X	5-799X
1963-1966	w/3 Spd. Trans.	A-B	1	5-178X	5-799X
		A-B	2,3	5-153X	5-785X
	w/3 Spd. HD or 4 Spd. Trans.	A-B	1,2,3	5-153X	5-785X





2WD

Year	Model & Description	Fig.	Location	Spicer Part No.	SPL Part No.
CHEVROLET					
P-30 SERIES					
1963-1966	w/Turbo-Hydramatic Trans.	B	1,2	5-153X	5-785X
		B	3	5-178X	5-799X
		B	CB	210370-1X	
1967-1977		B	1,2,3	5-178X	5-799X
		B	CB	210370-1X	
1978	w/3.469” outside yoke dim	B	1,2,3	5-153X	5-785X
	w/3.875” outside yoke dim	B	1,2,3	5-178X	5-799X
		B	CB	210370-1X	
1979	w/3.469” outside yoke dim	A-B	1,2,3	5-153X	5-785X
	w/3.875” outside yoke dim	A-B	1,2,3	5-178X	5-799X
	w/inside snap rings	B	2	5-3147X	5-795X
	w/4.438” outside yoke dim	B	3	5-160X	5-801X
		B	CB	210370-1X	
	w/inside & outside snap rings	B	3	5-212X	
1980-1981	2-Joint Driveshaft	A	1	5-153X	5-785X
		A	2	5-178X	5-799X
	3-Joint Driveshaft				
	125”, 133” & 137” WB Exc. Motor Home	B	1	5-178X	5-799X
	Motor Home	B	1	5-153X	5-785X
	157” WB w/4 Spd. MT w/Rear disc brakes	B	1	5-153X	5-785X
	w/4 Spd. MT w/Rear drum brakes	B	1	5-178X	5-799X
	w/M400 w/Rear disc brakes	B	1	5-1206X	
	178” WB Exc. Motor Home	B	1	5-160X	5-801X
	125”, 133”, 157”, 158.5” & 178” WB				
	w/Rear drum brakes	B	2,3	5-178X	5-799X
	w/Rear disc brakes	B	2	5-153X	5-785X
		B	3	5-1206X	
	137” WB	B	2,3	5-178X	5-799X
		B	CB	210370-1X	





Important: See Safety Information in General Information Section (J300P-GI)

U-Joints

Year	Model & Description	Fig.	Location	Spicer Part No.	SPL Part No.
CHEVROLET					
P-30 SERIES					
1982-1983	3-Joint Driveshaft				
	w/4 wheel disc brakes, 157” WB & THM400 AT	B	1,3	5-1206X	
		B	2	5-178X	5-799X
		B	CB	210370-1X	
	Motor Home w/158.5” or 178’’ WB	B	1	5-160X	5-801X
		B	2	5-153X	5-785X
		B	3	5-1206X	
		B	CB	210370-1X	
	exc. Motor Home w/4 wheel disc brakes	B	1	5-153X	5-785X
		B	2	5-178X	5-799X
		B	3	5-1206X	
		B	CB	210370-1X	
	w/rear drum brakes	B	1,2,3	5-178X	5-799X
		B	CB	210370-1X	
	4-Joint Driveshaft Exc. 178” WB	R	1,2,3,4	5-178X	5-799X
	(Front)	R	CB	210367-1X	
	(Rear)	R	CB	210370-1X	
	w/178” WB	R	1,2,3	5-178X	5-799X
		R	4	5-1206X	
	(Front)	R	CB	210367-1X	
	(Rear)	R	CB	210370-1X	
1984	2-Joint Driveshaft w/3.875” outside yoke dim	A	1,2	5-178X	5-799X
	w/4.438” outside yoke dim	A	2	5-160X	5-801X
	w/inside snap rings	A	1,2	5-3147X	5-795X
	3-Joint Driveshaft w/4 wheel disc	B	1,3	5-160X	5-801X
	w/3.875” outside yoke dim	B	1,2,3	5-178X	5-799X
		B	CB	210370-1X	
	w/Rear drum brakes w/inside snap rings	B	1,2,3	5-3147X	5-795X
	w/outside snap rings	B	1,2,3	5-178X	5-799X
		B	CB	210370-1X	
	4-Joint Driveshaft	R	1,2,3	5-178X	5-799X
		R	4	5-160X	5-801X
		R	CB	210367-1X	







2WD

2WD

Year	Model & Description	Fig.	Location	Spicer Part No.	SPL Part No.
CHEVROLET					
P-30 SERIES					
1985-1990	3-Joint Driveshaft				
	137” WB Motor Home Chassis	B	1,2,3	5-178X	5-799X
	w/Dana Shaft	B	CB	210370-1X	
	w/Saginaw Shaft	B	CB	211119-1X	
	125” & 133’’ WB w/4 wheel disc				
	w/AT	B	1,3	5-160X	5-801X
		B	2	5-178X	5-799X
		B	CB	210370-1X	
	w/MT Exc. 6.2L Diesel Eng.	B	1	5-153X	5-785X
		B	2	5-178X	5-799X
		B	3	5-160X	5-801X
	w/6.2L Diesel Eng	B	1,3	5-160X	5-801X
		B	2	5-178X	5-799X
		B	CB	210370-1X	
	125” & 133’’ WB w/rear drum	B	1,2,3	5-178X	5-799X
		B	CB	210370-1X	
	157” & 158.5’’ WB w/rear drum	B	1,2,3	5-178X	5-799X
		B	CB	210370-1X	
	157” & 158.5’’ WB w/4 wheel disc				
	w/AT Exc. 6.2L Diesel Eng.	B	1	5-1206X	
		B	2	5-178X	5-799X
		B	3	5-160X	5-801X
	w/6.2L Diesel Eng.	B	1,3	5-160X	5-801X
		B	2	5-178X	5-799X
		B	CB	210370-1X	
	w/MT	B	3	5-160X	5-801X
		B	1,2	5-178X	5-799X
		B	CB	210370-1X	
	178” WB w/4 wheel disc Motor Home Chassis				
	w/AT Exc. 16,000# GVW	B	1	5-1206X	
		B	2	5-178X	5-799X
		B	3	5-160X	5-801X
	w/16,000# GVW	B	1,2,3	5-160X	5-801X
	w/MT	B	1,2	5-178X	5-799X
		B	3	5-160X	5-801X
	178” WB, w/rear drum, Motor Home Chassis	B	1,2,3	5-160X	5-801X
	178” WB, Conv Forward Control Chassis	B	1,2,3	5-178X	5-799X
		B	CB	210370-1X	
	4-Joint Driveshaft 178" WB	R	1,2,3,4	5-178X	5-799X
	208” WB Motor Home Chassis	B	1,2,3,4	5-160X	5-801X





Important: See Safety Information in General Information Section (J300P-GI)

U-Joints

Year	Model & Description	Fig.	Location	Spicer Part No.	SPL Part No.
CHEVROLET					
P-30 SERIES					
1991	3-Joint Driveshaft w/4 wheel disc	B	1,2,3	5-160X	5-801X
	w/rear drum	B	1,2,3	5-178X	5-799X
	125” & 133” WB	B	CB	210370-1X	
	4-Joint Driveshaft	B	1,2,3,4	5-160X	5-801X
1992-1995	Conv Forward Control Chassis w/125” WB	A	1,2	5-178X	5-799X
	3-Joint Driveshaft w/4 wheel disc	B	1,2,3	5-160X	5-801X
	w/rear drum	B	1,2,3	5-178X	5-799X
	125” & 133” WB	B	CB	210370-1X	
	4-Joint Driveshaft	B	1,2,3,4	5-160X	5-801X
1996	Conv Forward Control Chassis w/125” WB	A	1,2	5-178X	5-799X
	3-Joint Driveshaft w/190” or 209” WB	B	1,2,3	5-160X	5-801X
		B	CB	211804-1X	
	w/4 wheel disc	B	1,2,3	5-160X	5-801X
		B	CB	211793-1X	
	w/rear drum	B	1,2,3	5-178X	5-799X
		B	CB	211793-1X	
	4-Joint Driveshaft	R	1,2,3,4	5-160X	5-801X
		R	CB	211793-1X	
1997-1999	3-Joint Driveshaft w/190” or 209” WB	B	1,2,3	5-160X	5-801X
		B	CB	211804-1X	
	w/4 wheel disc	B	1,2,3	5-160X	5-801X
		B	CB	211793-1X	
	w/rear drum	B	1,2,3	5-178X	5-799X
		B	CB	211793-1X	
	4-Joint Driveshaft	R	1,2,3,4	5-160X	5-801X
		R	CB	211793-1X	
POSTAL LLV					
1987-1995		A	1,2	5-3147X	5-795X
R-10 SERIES SUBURBAN					
1987-1991	2-Joint Driveshaft w/inside snap rings	A	1,2	5-3147X	5-795X
	3-Joint Driveshaft w/inside snap rings	B	1,2,3	5-3147X	5-795X
	w/outside snap rings	B	1,2,3	5-178X	5-799X
R-10 SERIES TRUCK					
1987	2-Joint Driveshaft w/inside snap rings	A	1,2	5-3147X	5-795X
	3-Joint Driveshaft w/inside snap rings	B	1,2,3	5-3147X	5-795X
	w/outside snap rings	B	1,2,3	5-178X	5-799X







2WD

2WD

Year	Model & Description	Fig.	Location	Spicer Part No.	SPL Part No.
CHEVROLET					
R-10 SERIES TRUCK					
1988-1991	Reg. Cab				
	w/inside snap rings	A	1,2	5-3147X	5-795X
	w/outside snap rings				
	w/steel driveshaft yoke	A	1,2	5-178X	5-799X
	w/alum. driveshaft yoke w/1.188” Brg. cup dia.	A	1,2	5-447X	
	w/outside snap rings & 1.063” Brg. cup dia.	A	1	5-791X	
	w/inside & outside snap rings	A	2	5-794X	
	2-Joint Driveshaft w/inside snap rings	A	1,2	5-3147X	5-795X
	Reg. Cab 3-Joint Driveshaft	B	1,2,3	5-178X	5-799X
	Ext. Cab w/5 spd. MT	B	1,2	5-213X	5-790X
		B	3	5-212X	
	w/inside snap rings	B	1,2,3	5-3147X	5-795X
	w/outside snap rings	B	1,2,3	5-178X	5-799X
	w/inside snap rings	B	CB	210370-1X	
	3-Joint Driveshaft w/inside snap rings	B	1,2,3	5-3147X	5-795X
	w/outside snap rings	B	1,2,3	5-178X	5-799X
R-20 SERIES SUBURBAN					
1987-1990	2-Joint Driveshaft	A	1,2	5-3147X	5-795X
	3-Joint Driveshaft w/inside snap rings	B	1,2,3	5-3147X	5-795X
	w/outside snap rings	B	1,2,3	5-178X	5-799X
1991	3-Joint Driveshaft w/5.7L, 7.4L eng.	B	1,2,3	5-178X	5-799X
	w/inside snap rings	B	1,2,3	5-3147X	5-795X
	w/outside snap rings	B	1,2,3	5-178X	5-799X
R-20 SERIES TRUCK					
1987	2-Joint Driveshaft	A	1,2	5-3147X	5-795X
	3-Joint Driveshaft w/inside snap rings	B	1,2,3	5-3147X	5-795X
	w/outside snap rings	B	1,2,3	5-178X	5-799X
1988-1991	Reg. Cab w/inside snap rings	A	1,2	5-3147X	5-795X
	w/outside snap rings				
	w/alum. driveshaft yoke				
	w/1.062” brg. cup dia.	A	1,2	5-791X	
	w/1.188” brg. cup dia.	A	1,2	5-447X	
	2-Joint Driveshaft	A	1,2	5-3147X	5-795X
	Ext. Cab				
	w/inside snap rings	B	1,2,3	5-3147X	5-795X
	w/outside snap rings w/steel driveshaft yoke	B	1,2,3	5-178X	5-799X
		B	1,2	5-213X	5-790X
	w/inside & outside snap rings	B	3	5-212X	
	w/inside snap rings	B	CB	210370-1X	





Important: See Safety Information in General Information Section (J300P-GI)

U-Joints

Year	Model & Description	Fig.	Location	Spicer Part No.	SPL Part No.
CHEVROLET					
R-20 SERIES TRUCK					
1988-1991	3-Joint Driveshaft w/inside snap rings	B	1,2,3	5-3147X	5-795X
	w/outside snap rings	B	1,2,3	5-178X	5-799X
R-30 SERIES TRUCK					
1987	2-Joint Driveshaft w/inside snap rings	A	1,2	5-3147X	5-795X
	3-Joint Driveshaft w/inside snap rings	B	1,2,3	5-3147X	5-795X
	w/outside snap rings	B	1,2,3	5-178X	5-799X
1988-1991	2-Joint Driveshaft w/inside snap rings	A	1,2	5-3147X	5-795X
	3-Joint Driveshaft w/inside snap rings	B	1,2,3	5-3147X	5-795X
	w/outside snap rings	B	1,2,3	5-178X	5-799X
		B	CB	210370-1X	
S-10 PICK-UP					
1982-1994	Std. Bed	A	1,2	5-3147X	5-795X
	Long bed, Ext. Cab	B	1,2,3	5-3147X	5-795X
		B	CB	210370-1X	
1995-1996	Std. Bed	A	1,2	5-3147X	5-795X
	Ext. Cab	B	1,2,3	5-3147X	5-795X
		B	CB	210370-1X	
1997-2001	2-Joint Driveshaft	A	1,2	5-3147X	5-795X
	3-Joint Driveshaft	B	1,2,3	5-3147X	5-795X
		B	CB	210370-1X	
2002-2003	2-Joint Driveshaft	A	1,2	5-3147X	5-795X
	3-Joint Driveshaft	B	1,2,3	5-3147X	5-795X
		B	CB	N/A	
2004	2-Joint Driveshaft Exc. ZR2 Option	A	1,2	5-3147X	5-795X
	3-Joint Driveshaft Exc. ZR2 Option	B	1,2,3	5-3147X	5-795X
		B	CB	N/A	
SILVERADO 1500					
1999-2000	2-Joint Driveshaft Reg. Cab, Short Bed	A	1,2	5-3147X	5-795X
	Reg. Cab, Long Bed	A	1	5-213X	5-812X
		A	2	5-212X	5-793X
	Ext. Cab, w/MT, Short Bed	A	1	5-213X	5-812X
		A	2	5-212X	5-793X
	3-Joint Driveshaft w/AT	B	1,2,3	5-3147X	5-795X
	w/MT	B	1,2	5-213X	5-812X
		B	3	5-212X	5-793X
		B	CB	210088-1X	





2WD

2WD

Year	Model & Description	Fig.	Location	Spicer Part No.	SPL Part No.
CHEVROLET					
SILVERADO 1500					
2001	2-Joint Driveshaft Reg. Cab, Short Bed	A	1,2	5-3147X	5-795X
	Reg. Cab, Long Bed	A	1	5-213X	5-812X
		A	2	5-212X	5-793X
	Ext. Cab, w/MT, Short Bed	A	1	5-213X	5-812X
		A	2	5-212X	5-793X
	3-Joint Driveshaft w/AT Exc. 4 Wheel Steering	B	1,2,3	5-3147X	5-795X
	w/MT	B	1,2	5-213X	5-812X
		B	3	5-212X	5-793X
	1500 HD w/6.0L Eng. w/4 Wheel Steering	B	1,2	5-3147X	5-795X
		B	3	5-178X	5-799X
	3-Joint Driveshaft	B	CB	210088-1X	
2002	2-Joint Driveshaft Reg. Cab, Short Bed Includes 1500 HD	A	1,2	5-3147X	5-795X
	Reg. Cab, Long Bed	A	1	5-213X	5-812X
		A	2	5-212X	5-793X
	2-Joint Driveshaft - 1500 HD Ext. Cab, w/MT, Short Bed	A	1	5-213X	5-812X
		A	2	5-212X	5-573X
	3-Joint Driveshaft				
	Ext. Cab, w/AT Exc. 4 Wheel Steering Includes 1500 HD	B	1,2,3	5-3147X	5-795X
	Ext. Cab, w/MT, Long Bed	B	1,2	5-213X	5-812X
		B	3	5-212X	5-793X
	w/4 Wheel Steering Includes 1500 HD	B	1,2	5-3147X	5-795X
		B	3	5-178X	5-799X
	Crew Cab Exc. 4 Wheel Steering Includes 1500 HD	B	1,2,3	5-178X	5-799X
2003	2-Joint Driveshaft Reg. Cab, Short Bed Includes 1500 HD	A	1,2	5-3147X	5-795X
	Reg. Cab, Long Bed	A	1	5-213X	5-812X
		A	2	5-212X	5-793X
	2-Joint Driveshaft - 1500 HD Ext. Cab, w/MT, Short Bed	A	1	5-213X	5-812X
		A	2	5-212X	5-793X
	2-Joint Driveshaft Crew Cab	A	1	5-213X	5-812X
		A	2	5-212X	5-793X
	3-Joint Driveshaft				
	Ext. Cab, w/AT Exc. 4 Wheel Steering Includes 1500 HD	B	1,2,3	5-3147X	5-795X
	Ext. Cab, w/MT, Long Bed	B	1,2	5-213X	5-812X
		B	3	5-212X	5-793X
	w/4 Wheel Steering Includes 1500 HD	B	1,2	5-3147X	5-795X
		B	3	5-178X	5-799X





Important: See Safety Information in General Information Section (J300P-GI)

Year	Model & Description	Fig.	Location	Spicer Part No.	SPL Part No.
CHEVROLET					
SILVERADO 1500					
2004	2-Joint Driveshaft Reg. Cab, Short Bed	A	1,2	5-3147X	5-795X
	Reg. Cab, Long Bed	A	1	5-213X	5-812X
		A	2	5-212X	5-793X
	2-Joint Driveshaft - 1500 HD Ext. Cab, w/MT, Short Bed	A	1	5-213X	5-812X
		A	2	5-212X	5-793X
	2-Joint Driveshaft Crew Cab	A	1	5-213X	5-812X
		A	2	5-212X	5-793X
	3-Joint Driveshaft				
	Ext. Cab, w/AT Exc. 4 Wheel Steering Includes 1500 HD	B	1,2,3	5-3147X	5-795X
	Ext. Cab, w/MT, Long Bed	B	1,2	5-213X	5-812X
		B	3	5-212X	5-793X
	w/4 Wheel Steering Includes 1500 HD	B	1,2	5-3147X	5-795X
		B	3	5-178X	5-799X
2005	2-Joint Driveshaft Reg. Cab, Short Bed	A	1,2	5-3147X	5-795X
	Reg. Cab, Long Bed	A	1	5-213X	5-812X
		A	2	5-212X	5-793X
	Ext. Cab,w/MT, Short Bed	A	1	5-213X	5-812X
		A	2	5-212X	5-793X
	Crew Cab	A	1	5-213X	5-812X
		A	2	5-212X	5-793X
	3-Joint Driveshaft				
	Ext. Cab, w/AT Exc. 4 Wheel Steering Includes 1500 HD	B	1,2,3	5-3147X	5-795X
	Ext. Cab, w/MT, Long Bed	B	1,2	5-213X	5-812X
		B	3	5-212X	5-793X
	w/4 Wheel Steering Includes 1500 HD	B	1,2	5-3147X	5-795X
		B	3	5-178X	5-799X
	1500 HD	B	1,2,3	5-178X	5-799X
2006	2-Joint Driveshaft				
	Reg. Cab, Standard Bed	A	1,2	5-3147X	5-795X
	Reg. Cab, Long Bed	A	1	5-213X	5-812X
		A	2	5-212X	5-793X
	Crew Cab, Exc. 4 Wheel Steering	A	1	5-213X	5-812X
		A	2	5-212X	5-793X
	Crew Cab, w/4 Wheel Steering	A	1,2	5-178X	5-799X
	3-Joint Driveshaft Ext. Cab, w/AT	B	1,2,3	5-3147X	5-795X
	1500 HD LT - 6.0L Eng. 3-Joint Driveshaft	B	1,2,3	5-178X	5-799X
	3-Joint Driveshaft Ext. Cab, w/MT	B	1,2	5-213X	5-812X
		B	3	5-212X	5-793X





2WD

Year	Model & Description	Fig.	Location	Spicer Part No.	SPL Part No.
CHEVROLET					
SILVERADO 2500					
1999	3-Joint Driveshaft w/1350 Series Driveshaft	B	1,2,3	5-178X	5-799X
	w/1410 Series Driveshaft	B	1,2,3	5-160X	5-801X
	w/1.378” Center Bearing I.D.	B	CB	210088-1X	
	w/1.574” Center Bearing I.D.	B	CB	210866-1X	
2000-2001	3-Joint Driveshaft w/1350 Series Driveshaft	B	1,2,3	5-178X	5-799X
	w/1410 Series Driveshaft	B	1,2,3	5-160X	5-801X
	w/1.378” Bearing I.D.	B	CB	210088-1X	
	w/1.574” Bearing I.D.	B	CB	210866-1X	
2002	2-Joint Driveshaft w/1350 Series Driveshaft	A	1,2	5-178X	5-799X
	w/1410 Series Driveshaft	A	1,2	5-160X	5-801X
	2500 HD w/6.0L, 6.6L Eng. w/1350 Series Driveshaft	B	1,2,3	5-178X	5-799X
	2500 HD w/6.0L Eng. w/1410 Series Driveshaft	B	1,2,3	5-160X	5-801X
	2500 HD w/6.6L, 8.1L Eng. w/AT, w/1410 Series Driveshaft	B	1,2,3	5-160X	5-801X
	2500 HD w/6.6L, 8.1L Eng. w/MT, w/1480 Series Driveshaft	B	1,2,3	5-188X	5-803X
	3-Joint Driveshaft w/157.5” WB, w/o Allison Trans (AAM 1415 Sreies)	B	1,2,3	N/A	
2003-2004	3-Joint Driveshaft w/1350 Series Driveshaft	B	1,2,3	5-178X	5-799X
	2500 HD w/6.0L Eng. w/1410 Series Driveshaft	B	1,2,3	5-160X	5-801X
	2500 HD w/6.6L, 8.1L Eng. w/AT, w/1410 Series Driveshaft	B	1,2,3	5-160X	5-801X
	2500 HD w/6.6L, 8.1L Eng. w/MT, w/1480 Series Driveshaft	B	1,2,3	5-188X	5-803X
	3-Joint Driveshaft w/157.5” WB, w/o Allison Trans (AAM 1415 Series)	B	1,2,3	N/A	
2005-2006	2500 HD w/6.0L Eng. w/1410 Series Driveshaft	B	1,2,3	5-160X	5-801X
	2500 HD w/6.6L, 8.1L Eng. w/AT w/1410 Series Driveshaft	B	1,2,3	5-160X	5-801X
	2500 HD w/6.6L, 8.1L Eng. w/MT w/1480 Series Driveshaft	B	1,2,3	5-188X	5-803X
SILVERADO 3500					
2001	w/6.0L Eng., 3-Joint 1410 Series Driveshaft	B	1,2,3	5-160X	5-801X
	w/6.0L, 6.6L & 8.1L Eng & 6 Spd MT 3-Joint 1480 Series Driveshaft	B	1,2,3	5-188X	5-803X
	w/AAM 1415 Series Driveshaft	B	1,2,3	N/A	
	w/6.6L & 8.1L Eng. w/MT, 3-Joint 1480 Series Driveshaft	B	1,2,3	5-188X	5-803X
	w/6.6L & 8.1L Eng. w/AT, 3-Joint 1480 Series Driveshaft	B	1,2,3	5-160X	5-801X
	4-Joint 1410 Series Driveshaft	R	1,2,3,4	5-160X	5-801X
2002-2006	w/6.0L Eng., 3-Joint 1410 Series Driveshaft	B	1,2,3	5-160X	5-801X
	w/6.0L, 6.6L & 8.1L Eng & 6 Spd MT, 3-Joint 1480 Series Driveshaft Except 157’’ WB	B	1,2,3	5-188X	5-803X





Important: See Safety Information in General Information Section (J300P-GI)

Year	Model & Description	Fig.	Location	Spicer Part No.	SPL Part No.
CHEVROLET					
SILVERADO 3500					
2002-2006	w/6.0L, 6.6L & 8.1L Eng & MT, 3-Joint AAM 1415 Series Driveshaft w/157'' WB	B	1,2,3	N/A	
	w/6.6L & 8.1L Eng. w/MT, 3-Joint 1480 Series Driveshaft Except 157'' WB	B	1,2,3	5-188X	5-803X
	w/6.6L & 8.1L Eng. w/AT, 3-Joint 1410 Series Driveshaft	B	1,2,3	5-160X	5-801X
	4-Joint 1410 Series Driveshaft	R	1,2,3,4	5-160X	5-801X
SSR					
2004	5.3L Eng.	A	1,2	5-3147X	5-795X
2005-2006	6.0L Eng.	A	1,2	5-3147X	5-795X
TAHOE					
1995-2006	2-Joint Driveshaft	A	1,2	5-3147X	5-795X
TRACKER					
1999-2004	2-Joint Driveshaft	A	1,2	5-1503X	
TRAILBLAZER					
2002-2006	2-Joint Driveshaft	A	1,2	5-3147X	5-795X
DODGE					
A100 SERIES					
1964-1970	Exc. 90" WB Pot Type w/Body	A	1	5-1407X	
		A	2	5-1306X	5-789X
	Lube fitting in brg. cup	A	2	5-1306-1X	
	w/90" WB w/AT	A	1,2	5-1306X	5-789X
	Lube fitting in brg. cup	A	1,2	5-1306-1X	
	w/MT, Pot Type w/Body	A	1	5-1407X	
		A	2	5-1306X	5-789X
	Lube fitting in brg. cup	A	2	5-1306-1X	
	All others	A	1,2	5-1306X	5-789X
	Lube fitting in brg. cup	A	2	5-1306-1X	
B100 SERIES					
1971-1974		A	1,2	5-1306X	5-789X
	Lube fitting in brg. cup	A	1,2	5-1306-1X	
1975-1978	Exc. 440 Eng. w/2.125" snap ring dim	A	1,2	5-1306X	5-789X
	Lube fitting in brg. cup	A	1,2	5-1306-1X	
	w/2.625" snap ring dim	A	2	5-1309X	5-811X
	w/440 Eng.	A	1,2	5-1309X	5-811X
1979-1980	w/2.125" snap ring dim	A	1,2	5-1306X	5-789X
	Lube fitting in brg. cup	A	1,2	5-1306-1X	
	w/2.625" snap ring dim	A	1,2	5-1309X	5-811X







2WD

Year	Model & Description	Fig.	Location	Spicer Part No.	SPL Part No.
DODGE					
B150 SERIES					
1981	w/2.125” snap ring dim	A	1,2	5-1306X	5-789X
	Lube fitting in brg. cup	A	1,2	5-1306-1X	
	w/2.625” snap ring dim	A	1,2	5-1309X	5-811X
1982-1987		A	1,2	5-1306X	5-789X
	Lube fitting in brg. cup	A	1,2	5-1306-1X	
1988	2-Joint Driveshaft	A	1,2	5-1306-1X	
	3-Joint Driveshaft	B	1,2,3	5-1309X	5-811X
1989-1991	2-Joint Driveshaft	A	1,2	5-1306-1X	
	3-Joint Driveshaft	B	1,2,3	5-160X	5-801X
		B	CB	210866-1X	
1992-1998	2-Joint Driveshaft 7260 Series 1.078” Brg. cup dia.	A	1,2	5-1306-1X	
	7290 Series 1.126” Brg. cup dia.	A	1,2	5-1309X	5-811X
B200 SERIES					
1970-1973		A	1,2	5-1306X	5-789X
	Lube fitting in brg. cup	A	1,2	5-1306-1X	
1974-1980	w/2.125” snap ring dim	A	1,2	5-1306X	5-789X
	Lube fitting in brg. cup	A	1,2	5-1306-1X	
	w/2.625” snap ring dim	A	1,2	5-1309X	5-811X
B250 SERIES					
1981	w/2.125” snap ring dim	A	1,2	5-1306X	5-789X
	Lube fitting in brg. cup	A	1,2	5-1306-1X	
	w/2.625” snap ring dim	A	1,2	5-1309X	5-811X
1982-1988		A	1,2	5-1306X	5-789X
	Lube fitting in brg. cup	A	1,2	5-1306-1X	
1989-1991	2-Joint Driveshaft	A	1,2	5-1306-1X	
	3-Joint Driveshaft	B	1,2,3	5-160X	5-801X
		B	CB	210866-1X	
1992-1994	2-Joint Driveshaft w/7260 Series 1.078” Brg. cup dia.	A	1,2	5-1306-1X	
	w/7290 Series 1.125” Brg. cup dia.	A	1,2	5-1309X	5-811X
1995-1998	2-Joint Driveshaft w/7290 Series 1.125” Brg. cup dia.	A	1,2	5-1309X	5-811X
	w/1410 Series 1.188” Brg. cup dia.	A	1,2	5-160X	5-801X
B300 SERIES					
1970-1980	w/2.125” snap ring dim	A-B	1,2,3	5-1306X	5-789X
	Lube fitting in brg. cup	A-B	1,2,3	5-1306-1X	
	w/2.625” snap ring dim	A-B	1,2,3	5-1309X	5-811X
		B	CB	210088-1X	





Important: See Safety Information in General Information Section (J300P-GI)

U-Joints

Year	Model & Description	Fig.	Location	Spicer Part No.	SPL Part No.
DODGE					
B350 SERIES					
1981	w/2.125” snap ring dim	A-B	1,2,3	5-1306X	5-789X
	Lube fitting in brg. cup	A-B	1,2,3	5-1306-1X	
	w/2.625” snap ring dim	A-B	1,2,3	5-1309X	5-811X
		B	CB	210088-1X	
1982-1988		A-B	1,2,3	5-1306X	5-789X
	Lube fitting in brg. cup	A-B	1,2,3	5-1306-1X	
1989-1991	2-Joint Driveshaft	A	1,2	5-1306-1X	
	3-Joint Driveshaft	B	1,2,3	5-160X	5-801X
		B	CB	210866-1X	
1992-1994	2-Joint Driveshaft 7260 Series 1.078” Brg. cup dia.	A	1,2	5-1306-1X	
	7290 Series 1.125” Brg. cup dia.	A	1,2	5-1309X	5-811X
1995-1998	2-Joint Driveshaft 7290 Series 1.125” Brg. cup dia.	A	1,2	5-1309X	5-811X
	1410 Series 1.188” Brg. cup dia.	A	1,2	5-160X	5-801X
CB300/CB350 SERIES					
1972-1980	w/2.125” snap ring dim	A-B	1,2,3	5-1306X	5-789X
	Lube fitting in brg. cup	A-B	1,2,3	5-1306-1X	
	w/2.625” snap ring dim	A-B	1,2,3	5-1309X	5-811X
		B	CB	210088-1X	
CV400 SERIES					
1980-1981	2-Joint Driveshaft w/2.125” snap ring dim	A	1,2	5-1306X	5-789X
	Lube fitting in brg. cup	A	1,2	5-1306-1X	
	w/2.625” snap ring dim	A	1,2	5-1309X	5-811X
	3-Joint Driveshaft	B	1,2,3	5-1309X	5-811X
		B	CB	210088-1X	
D-50					
1979		B	1,2,3	5-1516X	
1980	w/2000cc Eng.	B	1,2,3	5-1503X	
	w/2600cc Eng.	B	1,2,3	5-1516X	
1981-1982	w/2000cc Eng.	B	1,2,3	5-1503X	
	w/2600cc Eng.	B	1,2,3	5-1516X	
D100 SERIES					
1950-1957	w/inside & outside snap rings	A	1,2	5-1200X	
	w/outside snap rings	B	1,2,3	5-153X	5-785X
		B	CB	210088-1X	
1958-1960		B	1,2,3	5-1200X	
		B	CB	210088-1X	
1961-1972		B	1,2,3	5-1306X	5-789X
	Lube fitting in brg. cup	B	1,2,3	5-1306-1X	
		B	CB	210088-1X	





2WD

Year	Model & Description	Fig.	Location	Spicer Part No.	SPL Part No.
DODGE					
D100 SERIES					
1973-1980	w/2.125” snap ring dim	A-B	1,2,3	5-1306X	5-789X
	Lube fitting in brg. cup	A-B	1,2,3	5-1306-1X	
	w/2.625” snap ring dim	A-B	1,2,3	5-1309X	5-811X
		B	CB	210088-1X	
D150 SERIES					
1977-1981	w/2.125” snap ring dim	A-B	1,2,3	5-1306X	5-789X
	Lube fitting in brg. cup	A-B	1,2,3	5-1306-1X	
	w/2.625” snap ring dim	A-B	1,2,3	5-1309X	5-811X
		B	CB	210088-1X	
1982-1987		A-B	1,2,3	5-1306X	5-789X
	Lube fitting in brg. cup	A-B	1,2,3	5-1306-1X	
		B	CB	210088-1X	
1988		A-B	1,2,3	5-1306X	5-789X
	Lube fitting in brg. cup	A-B	1,2,3	5-1306-1X	
		B	CB	210088-1X	
1989-1993	w/Diesel Eng.	A-B	1,2,3	5-160X	5-801X
		B	CB	210866-1X	
	w/Gasoline Eng. w/7260 Series 1.078” Brg. cup dia.	A-B	1,2,3	5-1306X	5-789X
		B	CB	210088-1X	
	w/7290 Series 1.125” Brg. cup dia.	A-B	1,2,3	5-1309X	5-811X
D200 SERIES					
1957		A-B	1,2,3	5-153X	5-785X
		B	CB	210088-1X	
1958-1960		A-B	1,2,3	5-1200X	
		B	CB	210088-1X	
1961-1971		A-B	1,2,3	5-1306X	5-789X
	Lube fitting in brg. cup	A-B	1,2,3	5-1306-1X	
		B	CB	210088-1X	
1972-1980	w/2.125” snap ring dim	A-B	1,2,3	5-1306X	5-789X
	Lube fitting in brg. cup	A-B	1,2,3	5-1306-1X	
	w/2.625” snap ring dim	A-B	1,2,3	5-1309X	5-811X
		B	CB	210088-1X	
D250 SERIES					
1981	w/2.125” snap ring dim	A-B	1,2,3	5-1306X	5-789X
	Lube fitting in brg. cup	A-B	1,2,3	5-1306-1X	
	w/2.625” snap ring dim	A-B	1,2,3	5-1309X	5-811X
		B	CB	210088-1X	





Important: See Safety Information in General Information Section (J300P-GI)

U-Joints

Year	Model & Description	Fig.	Location	Spicer Part No.	SPL Part No.
DODGE					
D250 SERIES					
1982-1988		A-B	1,2,3	5-1306X	5-789X
	Lube fitting in brg. cup	A-B	1,2,3	5-1306-1X	
		B	CB	210088-1X	
1989-1993	w/Diesel Eng.	A-B	1,2,3	5-160X	5-801X
		B	CB	210866-1X	
	w/Gasoline Eng. w/7260 Series 1.078” Brg. cup dia.	A-B	1,2,3	5-1306-1X	
		B	CB	210088-1X	
	w/7290 Series 1.125” Brg. cup dia.	A-B	1,2,3	5-1309X	5-811X
D300 SERIES					
1957		A-B	1,2,3	5-153X	5-785X
		B	CB	210088-1X	
1958-1960		A-B	1,2,3	5-1200X	
		B	CB	210088-1X	
1961-1971		A-B	1,2,3	5-1306X	5-789X
	Lube fitting in brg. cup	A-B	1,2,3	5-1306-1X	
		B	CB	210088-1X	
1972-1980	w/2.125” snap ring dim	A-B	1,2,3	5-1306X	5-789X
	Lube fitting in brg. cup	A-B	1,2,3	5-1306-1X	
	w/2.625” snap ring dim	A-B	1,2,3	5-1309X	5-811X
		B	CB	210088-1X	
D350 SERIES					
1981	w/2.125” snap ring dim	A-B	1,2,3	5-1306X	5-789X
	Lube fitting in brg. cup	A-B	1,2,3	5-1306-1X	
	w/2.625” snap ring dim	A-B	1,2,3	5-1309X	5-811X
		B	CB	210088-1X	
1982-1988		A-B	1,2,3	5-1306X	5-789X
	Lube fitting in brg. cup	A-B	1,2,3	5-1306-1X	
		B	CB	210088-1X	
1989-1993	w/Diesel Eng.	A-B	1,2,3	5-160X	5-801X
		B	CB	210866-1X	
	w/Gasoline Eng. w/7260 Series 1.078” Brg. cup dia.	A-B	1,2,3	5-1306-1X	
		B	CB	210088-1X	
	w/7290 Series 1.125” Brg. cup dia.	A-B	1,2,3	5-1309X	5-811X
DAKOTA					
1987-1991		A-B	1,2,3	5-1306X	5-789X
	Lube fitting in brg. cup	A-B	1,2,3	5-1306-1X	
1992-1995	w/7260 Series 1.078” Brg. cup dia.	A-B	1,2,3	5-1306X	5-789X
	w/7290 Series 1.126” Brg. cup dia.	A-B	1,2,3	5-1309X	5-811X





2WD

2WD

Year	Model & Description	Fig.	Location	Spicer Part No.	SPL Part No.
DODGE					
DAKOTA					
1996-1997	5.2L w/MT	A	1	5-213X	5-790X
		A	2	5-796X	SPL25-7X
	5.2L w/AT 112” WB	A	1	5-213X	5-790X
		A	2	5-796X	SPL25-7X
	5.2L w/MT 131” WB	B	1,2,3	5-790X	SPL25-1X
		B	CB	212088-1X	
1998	5.2L w/MT	A	1	5-213X	5-790X
		A	2	5-796X	SPL25-7X
	5.2L w/AT 112” WB	A	1	5-213X	5-790X
		A	2	5-796X	SPL25-7X
	w/7290 Series 1.126” Brg. cup dia	A-B	1,2,3	5-1309X	5-811X
	5.2L w/MT 131” WB	B	1,2,3	5-790X	SPL25-1X
		B	CB	212088-1X	
1999	2.5L, 3.9L, 4.7L w/MT	A	1	5-213X	5-790X
		A	2	5-796X	SPL25-7X
	3.9L, 5.2L w/MT 131” WB	B	1,2,3	5-213X	5-790X
		B	CB	212088-1X	
	5.2L w/MT	A	1	5-213X	5-790X
		A	2	5-796X	SPL25-7X
	5.2L w/AT 112” WB	A	1	5-213X	5-790X
		A	2	5-796X	SPL25-7X
	5.2L w/MT 131” WB	B	1,2,3	5-790X	SPL25-1X
		B	CB	212088-1X	
2000	2.5L w/MT	A	1,2	5-213X	5-790X
	3.9L, 4.7L w/AT 112” WB	A	1,2	5-213X	5-790X
	3.9L, 4.7L w/MT	A	1,2	5-213X	5-790X
	131” WB 2 pc shaft	B	1,2,3	5-213X	5-790X
		B	CB	212088-1X	
	5.2L w/AT 112” WB	A	1,2	5-213X	5-790X
	5.9L w/AT 131” WB	A	1,2	5-213X	5-790X
2001	2.5L w/MT	A	1,2	5-213X	5-790X
	3.9L, 4.7L w/AT 112” WB	A	1,2	5-213X	5-790X
	3.9L, 4.7L w/MT	A	1,2	5-213X	5-790X
	131” WB 2 pc shaft	B	1,2,3	5-213X	5-790X
		B	CB	212030-1X	
		B	CB	212088-1X	
	5.2L w/AT 112” WB	A	1,2	5-213X	5-790X
	5.9L w/AT 112” WB	A	1,2	5-213X	5-790X
	131” WB	A	1,2	5-213X	5-790X





Important: See Safety Information in General Information Section (J300P-GI)

U-Joints

Year	Model & Description	Fig.	Location	Spicer Part No.	SPL Part No.
DODGE					
DAKOTA					
2002	2.5L w/MT	A	1,2	5-213X	5-790X
	3.9L, 4.7L w/AT 112” WB	A	1,2	5-213X	5-790X
	3.9L, 4.7L w/MT	A	1,2	5-213X	5-790X
	131” WB 2 pc shaft	B	1,2,3	5-213X	5-790X
		B	CB	212030-1X	
	131”WB	B	CB	212088-1X	
	5.2L w/AT 112” WB	A	1,2	5-213X	5-790X
	5.9L w/AT 112” WB	A	1,2	5-213X	5-790X
	131” WB	A	1,2	5-213X	5-790X
2003	3.9L, 4.7L w/AT 112” WB	A	1,2	5-213X	5-790X
	3.9L, 4.7L w/MT	A	1,2	5-213X	5-790X
	131” WB 2 pc shaft	B	1,2,3	5-213X	5-790X
		B	CB	212030-1X	
		B	CB	212088-1X	
	5.2L w/AT 112” WB	A	1,2	5-213X	5-790X
	5.9L w/AT 112” WB	A	1,2	5-213X	5-790X
	131” WB	A	1,2	5-213X	5-790X
2004-2006	3.7L, 4.7L 2-Joint Driveshaft	A	1,2	5-213X	5-790X
	3-Joint Driveshaft	B	1,2,3	5-213X	5-790X
DURANGO					
1999	5.2L & 5.9L Eng.	A	1	5-213X	5-790X
		A	2	5-796X	SPL25-7X
2000-2003		A	1,2	5-213X	5-790X
2004-2006		A	1,2	5-3147X	5-795X
M400 SERIES					
1976-1977	w/318 & 360 Eng.	B	1,2,3	5-1306X	5-789X
	Lube fitting in brg. cup	B	1,2,3	5-1306-1X	
	w/440 Eng.	B	1,2,3	5-1301X	
1978	w/2.125” snap ring dim	B	1	5-1306X	5-789X
	Lube fitting in brg. cup	B	1	5-1306-1X	
	w/3.000” snap ring dim	B	1,2,3	5-1301X	
		B	CB	210088-1X	
1979-1981	w/2.125” snap ring dim	B	1,2,3	5-1306X	5-789X
	Lube fitting in brg. cup	B	1,2,3	5-1306-1X	
	w/3.000” snap ring dim	B	1,2,3	5-1301X	
		B	CB	210088-1X	





Year	Model & Description	Fig.	Location	Spicer Part No.	SPL Part No.
DODGE					
M500 SERIES					
1981		B	1,2,3	5-1301X	
		B	CB	210088-1X	
M600 SERIES					
1976-1979		B	1,2,3	5-1301X	
		B	CB	210088-1X	
MB200/250 SERIES					
1972-1973		A	1,2	5-1306X	5-789X
	Lube fitting in brg. cup	A	1,2	5-1306-1X	
1974-1979	w/2.125” snap ring dim	A	1,2	5-1306X	5-789X
	Lube fitting in brg. cup	A	1,2	5-1306-1X	
	w/2.625” snap ring dim	A	1,2	5-1309X	5-811X
MB300/350 SERIES					
1972-1979	w/2.125” snap ring dim	A-B	1,2,3	5-1306X	5-789X
	Lube fitting in brg. cup	A-B	1,2,3	5-1306-1X	
	w/2.625” snap ring dim	A-B	1,2,3	5-1309X	5-811X
		B	CB	210088-1X	
MB400 SERIES					
1980-1981	2-Joint Driveshaft w/2.125” snap ring dim	A	1,2	5-1306X	5-789X
	Lube fitting in brg. cup	A	1,2	5-1306-1X	
	w/2.625” snap ring dim	A	1,2	5-1309X	5-811X
	3-Joint Driveshaft	B	1,2,3	5-1309X	5-811X
		B	CB	210088-1X	
MR300 SERIES					
1976-1977	w/318 & 360 Eng.	A	1,2	5-1306X	5-789X
	Lube fitting in brg. cup	A	1,2	5-1306-1X	
	w/440 Eng. w/2.625” snap ring dim	A	1,2	5-1309X	5-811X
	w/3.000” snap ring dim	A	2	5-1301X	
1978-1979	w/2.125” snap ring dim	A	1,2	5-1306X	5-789X
	Lube fitting in brg. cup	A	1,2	5-1306-1X	
	w/3.000” snap ring dim	A	1,2	5-1301X	
MR400 SERIES					
1976-1977	w/318 & 360 Eng.	B	1,2,3	5-1306X	5-789X
	Lube fitting in brg. cup	B	1,2,3	5-1306-1X	
	w/440 Eng.	B	1,2,3	5-1301X	
1978	w/2.125” snap ring dim	B	1	5-1306X	5-789X
	Lube fitting in brg. cup	B	1	5-1306-1X	
	w/3.000” snap ring dim	B	1,2,3	5-1301X	
		B	CB	210088-1X	





Important: See Safety Information in General Information Section (J300P-GI)

U-Joints

Year	Model & Description	Fig.	Location	Spicer Part No.	SPL Part No.
DODGE					
MR400 SERIES					
1979-1981	w/2.125” snap ring dim	B	1,2,3	5-1306X	5-789X
	Lube fitting in brg. cup	B	1,2,3	5-1306-1X	
	w/3.000” snap ring dim	B	1,2,3	5-1301X	
		B	CB	210088-1X	
MR500 SERIES					
1976-1977		B	1,2,3	5-1301X	
1978	w/2.125” snap ring dim	B	1	5-1306X	5-789X
	Lube fitting in brg. cup	B	1	5-1306-1X	
	w/3.000” snap ring dim	B	1,2,3	5-1301X	
		B	CB	210088-1X	
1979-1980	w/2.125” snap ring dim	B	1,2,3	5-1306X	5-789X
	Lube fitting in brg. cup	B	1,2,3	5-1306-1X	
	w/3.000” snap ring dim	B	1,2,3	5-1301X	
		B	CB	210088-1X	
MR600 SERIES					
1976-1979		B	1,2,3	5-1301X	
		B	CB	210088-1X	
P200					
1961-1974		A-B	1,2,3	5-1306X	5-789X
	Lube fitting in brg. cup	A-B	1,2,3	5-1306-1X	
R1500 SERIES					
1994	2-Joint Driveshaft w/118” WB & 7290 Series	A	1,2	5-1309X	5-811X
	w/134” WB	A	1	5-672X	
		A	2	5-1309X	5-811X
	3-Joint Driveshaft				
	w/9 1/4” Chrysler Axle w/7290 Series, 1.125” Brg. cup dia.	B	1,2,3	5-1309X	5-811X
	w/9.25” Chrysler Axle	A	CB	210088-1X	
	w/Dana axle & 1.188” Brg. cup dia.	B	1,2,3	5-160X	5-801X
1995-1997	2-Joint Driveshaft w/118” WB & 7290 Series	A	1,2	5-1309X	5-811X
	w/134” WB	A	1	5-672X	
		A	2	5-1309X	5-811X
	3-Joint DS, 9.25” Chrysler Axle, 7290 Series, 1.125” Brg. cup dia.	B	1,2,3	5-1309X	5-811X
		A	CB	210088-1X	
	3-Joint Driveshaft w/Dana axle & 1.188” Brg. cup dia.	B	1,2,3	5-160X	5-801X





2WD

Year	Model & Description	Fig.	Location	Spicer Part No.	SPL Part No.
DODGE					
R2500 SERIES					
1994-1997	2-Joint Driveshaft w/7290 Series 1.125” Brg. cup dia.	A	1,2	5-1309X	5-811X
	3-Joint Driveshaft w/9 1/4” Chrysler Axle w/7290 Series, 1.125” Brg. cup dia.	B	1,2,3	5-1309X	5-811X
		B	CB	210088-1X	
	w/Dana axle & 1.188” Brg. cup dia.	B	1,2,3	5-160X	5-801X
RAM 1500					
1998	w/AT	B	1,2	5-213X	5-790X
		B	CB	212088-1X	
1999	w/AT	B	1,2	5-213X	5-790X
		B	3	5-796X	SPL25-7X
		B	CB	212088-1X	
2001	Std. Cab	B	1,2,3	5-213X	5-790X
		B	CB	212088-1X	
	Std. club & quad cab	A	1,2	5-213X	5-790X
	w/AT	B	1,2,3	5-213X	5-790X
		B	CB	212088-1X	
	w/MT	A	1,2	5-213X	5-790X
2002-2003	w/AT 120” & 140’’ WB Std. cab	A	1,2	5-213X	5-790X
		B	1,2,3	5-213X	5-790X
		B	CB	212088-1X	
	w/MT	A	1,2	5-213X	5-790X
	140” & 160’’ WB Std. cab	B	1,2,3	5-213X	5-790X
		B	CB	212088-1X	
2004	w/AT 120” & 140’’ WB	A	1,2	5-213X	5-790X
		B	1,2,3	5-213X	5-790X
		B	CB	212088-1X	
	w/MT	A	1,2	5-213X	5-790X
	140” & 160’’ WB Std. cab	B	1,2,3	5-213X	5-790X
		B	CB	212088-1X	
	w/SRT 10	A	1,2	5-160X	5-801X
2005	w/AT Exc. Quad Cab; w/Long Bed	A	1,2	5-213X	5-790X
	w/Quad Cab; w/Long Bed	B	1,2,3	5-213X	5-790X
	3-Joint Driveshaft w/MT	B	1,2,3	5-213X	5-790X
	w/SRT 10 Reg. Cab	A	1,2	5-178X	5-799X
	Quad Cab	B	1,2,3	5-160X	5-801X
2006	2-Joint Driveshaft	A	1,2	5-213X	5-790X
	3-Joint Driveshaft, Reg Cab; w/Long Bed or Quad Cab; w/Short Bed 1330 Series Driveshaft	B	1,2,3	5-213X	5-790X
	3-Joint Driveshaft, Hemi ; Quad Cab; w/Long Bed or Mega Cab 1350 Series Driveshaft	B	1,2,3	5-178X	5-799X





Important: See Safety Information in General Information Section (J300P-GI)

U-Joints

Year	Model & Description	Fig.	Location	Spicer Part No.	SPL Part No.
DODGE					
RAM 1500					
2006	w/SRT 10 Reg. Cab	A	1,2	5-178X	5-799X
	Quad Cab	B	1,2,3	5-160X	5-801X
RAM 1500 VAN					
1995-1998	1330 Series outside snap ring 1.063' Brg. cup dia. 3.9L w/109" & 127'' WB	A	1	5-213X	5-790X
	1330 x 7290 outside/inside snap ring w/1.063" x 1.126'' Brg. cup dia. 3.9L w/109" & 127'' WB	A	2	5-796X	
	1410 Series outside snap ring 1.188" Brg. cup dia.	A	1,2	5-160X	5-801X
	7290 Series inside snap ring 1.126" Brg. cup dia.	A	1,2	5-1309X	5-811X
1999	1330 Series outside snap ring 1.063' Brg. cup dia.	A,B	1,2,3	5-213X	5-790X
	1330 x 7290 outside/inside snap ring w/1.063" x 1.126'' Brg. cup dia.	A	1,2	5-796X	
	1410 Series outside snap ring 1.188" Brg. cup dia.	A	1,2	5-160X	5-801X
	7290 Series inside snap ring 1.126" Brg. cup dia.	A	1,2	5-1309X	5-811X
2000	1330 Series outside snap ring 1.063' Brg. cup dia.	A,B	1,2,3	5-213X	5-790X
	1410 Series outside snap ring 1.188" Brg. cup dia. 3.9L w/127" WB	A	1,2	5-160X	5-801X
2001-2002	1330 Series outside snap ring 1.063' Brg. cup dia.	A,B	1,2,3	5-213X	5-790X
2003	1330 Series outside snap ring 1.063' Brg. cup dia.	A	1,2	5-213X	5-790X
RAM 2500					
1999	w/MT	B	1,2,3	5-160X	5-801X
		B	CB	211963-1X	
2000	1410 Series outside snap ring 1.188" Brg. cup dia.	A	1,2	5-160X	5-801X
	1330 Series outside snap ring 1.063' Brg. cup dia. 5.2L, 5.9L Gas	A	1,2	5-213X	5-790X
	5.2L, 5.9L Gas w/MT	B	1,2,3	5-160X	5-801X
		B	CB	211963-1X	
2001-2002	5.2L, 5.9L Gas	A	1,2	5-213X	5-790X
		B	1,2,3	5-160X	5-801X
		B	CB	211963-1X	
	5.9L Diesel & 8.0L	A	1,2	5-160X	5-801X
		B	1,2,3	5-160X	5-801X
		B	CB	211963-1X	
2003	2-Joint Driveshaft w/1410 Series Driveshaft	A	1,2	5-160X	5-801X
	w/AAM 1415 Series Driveshaft	A	1,2	N/A	
	3-Joint Driveshaft w/1410 Series Driveshaft	B	1,2,3	5-160X	5-801X
	w/AAM 1415 Series Driveshaft	B	1,2,3	N/A	
	w/6 Speed Trans w/AAM 1485 Series Driveshaft	B	1,2,3	N/A	



2WD

Important: See Safety Information in General Information Section (J300P-GI)

2WD

Year	Model & Description	Fig.	Location	Spicer Part No.	SPL Part No.
DODGE					
RAM 2500					
2004	2-Joint Driveshaft w/1410 Series Driveshaft	A	1,2	5-160X	5-801X
	w/AAM 1415 Series Driveshaft	A	1,2	N/A	
	3-Joint Driveshaft				
	w/AT, w/1410 Series Driveshaft	B	1,2,3	5-160X	5-801X
	w/MT; Exc. Turbo Diesel, w/1410 Series Driveshaft	B	1,2,3	5-160X	5-801X
	w/AAM 1415 Series Driveshaft	B	1,2,3	N/A	
	w/MT; w/Turbo Diesel, w/1480 Series Driveshaft	B	1,2,3	5-188X	5-803X
	w/6 Speed Trans w/AAM 1485 Series Driveshaft	B	1,2,3	N/A	
2005	2-Joint Driveshaft w/1410 Series Driveshaft	A	1,2	5-160X	5-801X
	AAM 1415 Series Driveshaft	A	1,2	N/A	
	3-Joint Driveshaft				
	w/1410 Series Driveshaft	B	1,2,3	5-160X	5-801X
	w/AAM 1415 Series Driveshaft	B	1,2,3	N/A	
	w/6 Speed Trans w/AAM 1485 Series Driveshaft	B	1,2,3	N/A	
2006	2-Joint Driveshaft w/1410 Series Driveshaft	A	1,2	5-160X	5-801X
	w/AAM 1415 Series Driveshaft	A	1,2	N/A	
	3-Joint Driveshaft				
	w/AT, w/1410 Series Driveshaft	B	1,2,3	5-160X	5-801X
	w/MT; Exc. Turbo Diesel	B	1,2,3	5-160X	5-801X
	w/AAM 1415 Series Driveshaft	B	1,2,3	N/A	
	w/MT; w/Turbo Diesel w/1480 Series Driveshaft	B	1,2,3	5-188X	5-803X
	w/6 Speed Trans w/AAM 1485 Series Driveshaft	B	1,2,3	N/A	
RAM 2500 VAN					
1995	1330 Series outside snap ring 1.063' Brg. cup dia. 3.9L w/109" & 127'' WB	A	1	5-213X	5-790X
	1330 x 7290 outside/inside snap ring w/1.063" x 1.126'' Brg. cup dia. w/3.9L w/109" & 127'' WB	A	2	5-796X	
	1410 Series outside snap ring 1.188" Brg. cup dia. & 127'' WB	A	1,2	5-160X	5-801X
	7290 Series inside snap ring 1.126" Brg. cup dia.	A	1,2	5-1309X	5-811X
1996-1998	1330 Series outside snap ring 1.063" Brg. cup dia. 3.9L w/109" & 127'' WB	A	1	5-213X	5-790X
	1330 x 7290 outside/inside snap ring w/1.063" x 1.126'' Brg. cup dia. w/3.9L w/109" & 127'' WB	A	2	5-796X	
	1410 Series outside snap ring 1.188" Brg. cup dia.	A	1,2	5-160X	5-801X
	7290 Series inside snap ring 1.126" Brg. cup dia.	A	1,2	5-1309X	5-811X
1999	1330 Series outside snap ring 1.063" Brg. cup dia.	A,B	1,2,3	5-213X	5-790X
	1330 x 7290 outside/inside snap ring w/1.063" x 1.126'' Brg. cup dia.	A,B	1,2	5-796X	
	1410 Series outside snap ring 1.188" Brg. cup dia.	A	1,2	5-160X	5-801X
	7290 Series inside snap ring 1.126" Brg. cup dia.	A	1,2	5-1309X	5-811X





Important: See Safety Information in General Information Section (J300P-GI)

U-Joints

Year	Model & Description	Fig.	Location	Spicer Part No.	SPL Part No.
DODGE					
RAM 2500 VAN					
2000	1330 Series outside snap ring 1.063’ Brg. cup dia.	A	1,2	5-213X	5-790X
	1410 Series outside snap ring 1.188” Brg. cup dia.	A	1,2	5-160X	5-801X
	1330 Series outside snap ring 1.063’ Brg. cup dia. 5.2L, 5.9L Gas w/AT	B	1,2,3	5-213X	5-790X
	5.9L Diesel, 8.0L w/5 & 6 Spd. MT	B	1,2,3	5-213X	5-790X
2001-2002	1330 Series outside snap ring 1.063’ Brg. cup dia.	A,B	1,2,3	5-213X	5-790X
2003	1330 Series outside snap ring 1.063’ Brg. cup dia.	A	1,2	5-213X	5-790X
RAM 3500 PICK-UP					
1997	1410 Series outside snap ring, 1.188” Brg. cup dia. w/AT	A	1,2	5-160X	5-801X
	1330 Series outside snap ring, 1.063” Brg. cup dia. w/AT	A	1	5-213X	5-812X
	1330 x 7290 outside/inside snap ring w/AT	A	2		5-796X
	1350 Series outside snap ring,1.188” Brg. cup dia. used with 7290 Series rear joint	A	1	5-178X	5-799X
	7290 Series outside snap ring 1.126” Brg. cup dia. used with 1350 Series front joint	A	2	5-1309X	5-811X
	1410 Series outside snap ring, 1.188” Brg. cup dia. 3-Joint Driveshaft, w/MT	B	1,2,3	5-160X	5-801X
	3-Joint Driveshaft, w/1410 Series joint	B	CB	210088-1X	
	7290 Series inside snap ring 1.126” Brg. cup dia. 3-Joint Driveshaft	B	1,2,3	5-1306X	5-811X
1998	1410 Series outside snap ring 1.188” Brg. cup dia. w/AT	A	1,2	5-160X	5-801X
	1330 Series outside snap ring 1.063” Brg. cup dia. w/AT	A	1	5-213X	5-790X
	1330 x 7290 outside/inside snap ring w/1.063" Brg. cup dia. w/AT	A	2	5-796X	SPL25-7X
	1410 Series outside snap ring 1.188” Brg. cup dia. w/MT	B	1,2,3	5-160X	5-801X
	3-Joint Driveshaft	B	CB	211963-1X	
1999	1410 Series outside snap ring 1.188” Brg. cup dia. w/AT	A	1,2	5-160X	5-801X
	1330 Series outside snap ring 1.063” Brg. cup dia. w/AT	A	1	5-213X	5-812X
	1330 x 7290 outside/inside snap ring w/AT	A	2	5-796X	SPL25-7X
	1350 Series outside snap ring 1.188” Brg. cup dia. used with 7290 Series rear joint	A	1	5-178X	5-799X
	7290 Series inside snap ring 1.126” Brg. cup dia. used with 1350 Series front joint	A	2	5-1309X	5-799X
	1410 Series outside snap ring 1.188” Brg. cup dia. w/MT	B	1,2,3	5-160X	5-801X
	3-Joint Driveshaft	B	CB	211963-1X	
2000	1410 Series outside snap ring 1.188” Brg. cup dia. 2-Joint Driveshaft	A	1,2	5-160X	5-801X
	3-Joint Driveshaft	B	1,2,3	5-160X	5-801X





2WD

2WD

Year	Model & Description	Fig.	Location	Spicer Part No.	SPL Part No.
DODGE					
RAM 3500 PICK-UP					
2001-2002	1410 Series outside snap ring 1.188” Brg. cup dia.				
	2-Joint Driveshaft	A	1,2	5-160X	5-801X
	3-Joint Driveshaft	B	1,2,3	5-160X	5-801X
		B	CB	211963-1X	
2003	1410 Series outside snap ring 1.188” Brg. cup dia.				
	2-Joint Driveshaft	A	1,2	5-160X	5-801X
	3-Joint Driveshaft, w/o 6-speed Trans	B	1,2,3	5-160X	5-801X
	3-Joint Driveshaft w/6 Speed Trans w/AAM 1485 Series Driveshaft	B	1,2,3	N/A	
2004-2006	5.7L Eng.				
	2-Joint Driveshaft w/1410 Series Driveshaft	A	1,2	5-160X	5-801X
	w/AAM 1415 Series Driveshaft	A	1,2	N/A	
	3-Joint Driveshaft w/1410 Series Driveshaft	B	1,2,3	5-160X	5-801X
	w/AAM 1415 Series Driveshaft	B	1,2,3	N/A	
	5.9L Diesel w/AT				
	2-Joint Driveshaft w/1410 Series Driveshaft	A	1,2	5-160X	5-801X
	w/AAM 1415 Series Driveshaft	A	1,2	N/A	
	3-Joint Driveshaft w/1410 Series Driveshaft	B	1,2,3	5-160X	5-801X
	w/AAM 1415 Series Driveshaft	B	1,2,3	N/A	
	3-Joint Driveshaft				
	w/MT; w/Turbo Diesel w/1480 Series Driveshaft	B	1,2,3	5-188X	5-803X
	w/6 Speed Trans. w/AAM 1485 Series Driveshaft	B	1,2,3	N/A	
RAM 3500 VAN					
1995-1998	1330 Series outside snap ring 1.063” Brg. cup dia.				
	3.9L w/109” & 127’’ WB	A	1	5-213X	5-790X
	1330 x 7290 outside/inside snap ring				
	w/1.063” x 1.126’’ Brg. cup dia. 3.9L w/109” & 127’’ WB	A	2	5-796X	SPL25-7X
	1410 Series outside snap ring 1.188” Brg. cup dia.	A	1,2	5-160X	5-801X
	7290 Series inside snap ring 1.126” Brg. cup dia.	A	1,2	5-1309X	5-811X
1999	1330 Series outside snap ring 1.063” Brg. cup dia.	A	1	5-213X	5-790X
	1330 x 7290 outside/inside snap ring				
	w/1.063” x 1.126’’ Brg. cup dia.	A	2	5-796X	
		B	1	5-796X	
	1330 Series outside snap ring 1.063” Brg. cup dia.				
	5.2L, 5.9L Gas w/MT	B	2,3	5-213X	5-790X
	7290 Series inside snap ring 1.126” Brg. cup dia	A	1,2	5-1309X	5-811X
	1410 Series outside snap ring 1.188” Brg. Cup Dia	A	1,2	5-160X	5-801X





Important: See Safety Information in General Information Section (J300P-GI)

U-Joints

Year	Model & Description	Fig.	Location	Spicer Part No.	SPL Part No.
DODGE					
RAM 3500 VAN					
2000	1330 Series outside snap ring 1.063’ Brg. cup dia.	A	1,2	5-213X	5-790X
	1410 Series outside snap ring 1.188” Brg. cup dia.	A	1,2	5-160X	5-801X
	1330 Series outside snap ring 1.063" Brg. cup dia.	B	1,2,3	5-213X	5-790X
2001-2002	1330 Series outside snap ring 1.063" Brg. cup dia.	A	1,2	5-213X	5-790X
		B	1,2,3	5-213X	5-790X
2003	1330 Series outside snap ring 1.063’ Brg. cup dia.	A	1,2	5-213X	5-790X
RAM 50					
1979		B	1,2,3	5-1516X	
1980-1982	w/2000cc Eng.	B	1,2,3	5-1503X	
	w/2600cc Eng.	B	1,2,3	5-1516X	
1983	w/2000cc Eng.	B	1,2,3	5-1503X	
	w/2600cc or Diesel Eng.	B	1,2,3	5-1516X	
1984-1986	w/2000cc Eng.	B	1,2,3	5-1503X	
1987	w/2000cc Eng. or 3600cc Eng. w/AT	A-B	1,2,3	5-1503X	
1988		A-B	1,2,3	5-1503X	
1989-1994	w/AT	B	1,2,3	5-1503X	
	w/MT	B	1,2,3	5-1516X	
RAMCHARGER					
1974-1978		A	1	5-1306X	5-789X
	Lube fitting in brg. cup	A	1	5-1306-1X	
		A	2	5-1309X	5-811X
1979-1981	w/2.125” snap ring dim	A	1,2	5-1306X	5-789X
	Lube fitting in brg. cup	A	1,2	5-1306-1X	
	w/2.625” snap ring dim	A	2	5-1309X	5-811X
1982-1991		A	1,2	5-1306X	5-789X
	Lube fitting in brg. cup	A	1,2	5-1306-1X	
1992-1993	w/7260 Series 1.078” Brg. cup dia. Lube fitting in brg. cup	A	1,2	5-1306-1X	
	w/7290 Series 1.078” Brg. cup dia. 1.126” Brg. cup dia.	A	1,2	5-1309X	5-811X
RD200 FORWARD					
1974-1979		A-B	1,2,3	5-1306X	5-789X
	Lube fitting in brg. cup	A-B	1,2,3	5-1306-1X	
1980-1981		A-B	1,2,3	5-1306X	5-789X
	Lube fitting in brg. cup	A-B	1,2,3	5-1306-1X	
		B	CB	210088-1X	
FORD					
AEROSTAR					
1986-1987		A	1	5-1200X	
		A	2	5-1201X	5-787X





2WD

2WD

Year	Model & Description	Fig.	Location	Spicer Part No.	SPL Part No.
FORD					
AEROSTAR					
1988	w/AT	A	1	5-1200X	
		A	2	5-1201X	5-787X
	w/MT	A	1,2	5-1200X	
1989		A	1	5-1200X	
		A	2	5-1201X	5-787X
1990-1997	w/steel driveshaft	A	1,2	5-153X	5-785X
	Lube fitting in brg. cup	A	1,2	5-433-1X	
E-SUPERDUTY VAN					
1996-2002	2-Joint Driveshaft	A	1,2	5-160X	5-801X
	3-Joint Driveshaft	B	1,2,3	5-160X	5-801X
E100 ECONOLINE					
1961-1962		A	1,2	5-105X	
1963	Exc. 3 Spd. HD & 4 Spd. Trans.	A	1,2	5-105X	
	w/3 Spd. HD or 4 Spd. Trans.	A	1,2	5-153X	5-785X
1964-1965	w/2300# Axle Non-Lube	A	1,2	5-100X	
	Lube	A	1,2	5-105X	
	w/2700# Axle Exc. 240 Eng. Non-Lube	A	1	5-100X	
	Lube	A	1	5-105X	
		A	2	5-153X	5-785X
	w/240 Eng.	A	1,2	5-153X	5-785X
1966	w/170 or 240 Eng. w/inside snap rings Non-Lube	A	1,2	5-100X	
	Lube	A	1,2	5-105X	
	w/outside snap rings	A	2	5-153X	5-785X
1967-1977	Exc. 90” WB w/3.496” snap ring dim	A	1,2	5-153X	5-785X
	w/(2) 3.469” & (2) 3.875’’ snap ring dim	A	1	5-134X	
	w/90” WB, w/170 Eng. w/inside snap rings Non-Lube	A	1,2	5-100X	
	Lube	A	1,2	5-105X	
	w/outside snap rings	A	1,2	5-153X	5-785X
	w/90” WB, w/3050 lbs axle	A	1	5-105X	
		A	2	5-153X	5-785X
	w/90” WB, w/240 Eng. w/inside snap rings	A	1,2	5-2140X	
	w/outside snap rings	A	2	5-153X	5-785X
1978		A	1,2	5-153X	5-785X
1979		A-B	1,2	5-1203X	5-790X
		B	3	5-1204X	5-792X
1980-1982		A	1	5-1203X	5-790X
		A	2	5-1204X	5-792X
1983	2-Joint Driveshaft	A	1	5-1203X	5-790X
		A	2	5-1204X	5-792X





Important: See Safety Information in General Information Section (J300P-GI)

U-Joints

Year	Model & Description	Fig.	Location	Spicer Part No.	SPL Part No.
FORD					
E100 ECONOLINE					
1983	3-Joint Driveshaft	B	1,2	5-1203X	5-790X
		B	3	5-1204X	5-792X
		B	CB	211175X	
E150 ECONOLINE					
1967-1977	Exc. 90” WB	A	1,2	5-153X	5-785X
	w/90” WB	A	1	5-134X	
1978		A	1,2	5-153X	5-785X
1979	2-Joint Driveshaft	A	1	5-1203X	5-790X
		A	2	5-1204X	5-792X
	3-Joint Driveshaft	B	1,2	5-1203X	5-790X
		B	3	5-1204X	5-792X
		B	CB	211175X	
1980-1982		A	1	5-1203X	5-790X
		A	2	5-1204X	5-792X
1983-1986	2-Joint Driveshaft	A	1	5-1203X	5-790X
		A	2	5-1204X	5-792X
	3-Joint Driveshaft	B	1,2	5-1203X	5-790X
		B	3	5-1204X	5-792X
		B	CB	211175X	
1987-1988	2-Joint Driveshaft	A	1	5-1203X	5-790X
	w/1.062” Brg. cup dia.	A	1,2	5-1203X	5-790X
	w/1.062” & 1.125’’ Brg. cup dia.	A	2	5-1204X	5-792X
	3-Joint Driveshaft	B	1,2	5-1203X	5-790X
		B	3	5-1204X	5-792X
		B	CB	211175X	
1989	2-Joint Driveshaft	A	1,2	5-1203X	5-790X
	3-Joint Driveshaft	B	1,2,3	5-1203X	5-790X
		B	CB	211175X	
1990	2-Joint Driveshaft, w/AT	A	1,2	5-213X	5-790X
	3-Joint Driveshaft w/MT	B	1,2,3	5-213X	5-790X
		B	CB	211175X	
1991-1996		A	1,2	5-213X	5-790X
1997-1999	Exc. alum. driveshaft	A	1,2	5-178X	5-799X
	w/alum. driveshaft	A	1,2	5-447X	
2000-2006	2-Joint Driveshaft	A	1,2	5-178X	5-799X





2WD

Year	Model & Description	Fig.	Location	Spicer Part No.	SPL Part No.
FORD					
E200 ECONOLINE					
1968-1970	2-Joint Driveshaft	A	1,2	5-153X	5-785X
	3-Joint Driveshaft Non-Lube	B	1,2,3	5-100X	
	Lube	B	1,2,3	5-105X	
		B	CB	211175X	
1972-1974		A-B	1,2,3	5-153X	5-785X
E250 ECONOLINE					
1975-1978	w/3.469” outside yoke dim	A	1,2	5-153X	5-785X
	w/3.875” outside yoke dim	A	1,2	5-213X	5-790X
1979		A-B	1	5-1203X	5-790X
	w/1.062” Brg. cup dia.	A-B	2,3	5-1203X	5-790X
	w/1.062” & 1.125” Brg. cup dia.	A-B	2,3	5-1204X	5-792X
		B	CB	211175X	
1980-1988	2-Joint Driveshaft	A	1	5-1203X	5-790X
		A	2	5-1204X	5-792X
	3-Joint Driveshaft	B	1,2	5-1203X	5-790X
		B	3	5-1204X	5-792X
		B	CB	211175X	
1989	From 11/88 2-Joint Driveshaft	A	1,2	5-1203X	5-790X
	3-Joint Driveshaft	B	1,2,3	5-1203X	5-790X
		B	CB	211175X	
	2-Joint Driveshaft	A	1	5-1203X	5-790X
		A	2	5-1204X	5-792X
	3-Joint Driveshaft	B	1,2	5-1203X	5-790X
		B	3	5-1204X	5-792X
		B	CB	211175X	
1990-1991	w/3 Spd. AT	A	1,2	5-213X	5-790X
	w/5.0 L & Automatic Overdrive	A	1	5-213X	5-790X
		A	2	5-1204X	5-792X
	w/4 Spd. AT Exc. 4.10 Rear Axle	A	1	5-213X	5-790X
		A	2	5-1204X	5-792X
	w/4.10 Rear Axle	B	1,2	5-213X	5-790X
		B	3	5-1204X	5-792X
		B	CB	211175X	
1992-1996	Wagon w/3 Spd. AT	A	1,2	5-213X	5-790X
	Van w/3 Spd. AT	A	1	5-213X	5-790X
		A	2	5-1204X	5-792X
	w/4 Spd. AT	A	1	5-213X	5-790X
		A	2	5-1204X	5-792X





Important: See Safety Information in General Information Section (J300P-GI)

U-Joints

Year	Model & Description	Fig.	Location	Spicer Part No.	SPL Part No.
FORD					
E250 ECONOLINE					
1997-1999	Exc. alum. driveshaft	A	1,2	5-178X	5-799X
	w/alum. driveshaft	A	1,2	5-447X	
2000-2004	2-Joint Driveshaft	A	1,2	5-178X	5-799X
2005-2006	4.6L & 5.4L Eng. 2-Joint Driveshaft	A	1,2	5-178X	5-799X
E300 ECONOLINE					
1968-1969	2-Joint Driveshaft	A	1,2	5-153X	5-785X
	3-Joint Driveshaft	B	1	5-160X	5-801X
		B	2,3	5-153X	5-785X
		B	CB	211175X	
1970-1974		A-B	1,2,3	5-153X	5-785X
		B	CB	211175X	
E350 ECONOLINE					
1975-1978	Exc. 5 Spd. HD MT	A	1,2	5-213X	5-790X
	w/5 Spd. HD MT	A	1,2	5-178X	5-799X
1979-1980	w/1.062” Brg. cup dia.	A-B	1,2,3	5-1203X	5-790X
	w/1.062” & 1.125’’ Brg. cup dia.	A-B	2,3	5-1204X	5-792X
		B	CB	211175X	
1981	w/1.062” Brg. cup dia.	A-B	1,2,3	5-1203X	5-790X
	w/1.062” & 1.125’’ Brg. cup dia.	A-B	2,3	5-1204X	5-792X
	w/1.126” Brg. cup dia.	A	1,2	5-3147X	5-795X
		B	CB	211175X	
1982-1989	2-Joint Driveshaft	A	1	5-1203X	5-790X
	w/1.062” Brg. cup dia.	A	2	5-1203X	5-790X
	w/1.062” & 1.125’’ Brg. cup dia.	A	2	5-1204X	5-792X
	3-Joint Driveshaft w/1.062” Brg. cup dia.	B	1	5-1203X	5-790X
	w/1.062” & 1.125’’ Brg. cup dia.	B	1	5-1204X	5-792X
		B	2	5-1203X	5-790X
		B	3	5-1204X	5-792X
		B	CB	211175X	
1990	w/138” WB w/3 Spd. AT	A	1,2	5-213X	5-790X
	w/4 Spd. AT	A	1	5-213X	5-790X
		A	2	5-1204X	5-792X
	w/5 Spd. MT	B	1,2	5-213X	5-790X
		B	3	5-1204X	5-792X
		B	CB	211175X	



Fig. A



Fig. B

2WD

Year	Model & Description	Fig.	Location	Spicer Part No.	SPL Part No.
FORD					
E350 ECONOLINE					
1990	w/158” WB w/4 Spd. AT	B	1,2	5-213X	5-790X
		B	3	5-1204X	5-792X
		B	CB	211175X	
	w/5 Spd. MT	B	1,2,3	5-443X	
		B	CB	211431X	
	w/176” WB	B	1,2	5-213X	5-790X
		B	3	5-1204X	5-792X
		B	CB	211175X	
1991	w/138” WB w/3 Spd. AT	A	1,2	5-213X	5-790X
	w/4 Spd. AT	A	1	5-213X	5-790X
		A	2	5-1204X	5-792X
	w/5 Spd. MT	B	1,2	5-213X	5-790X
		B	3	5-1204X	5-792X
		B	CB	211175X	
	w/158” & 176” WB	B	1,2	5-213X	5-790X
		B	3	5-1204X	5-792X
		B	CB	211175X	
1992-1996	w/138” WB w/3 Spd. AT	A	1,2	5-213X	5-790X
	w/4 Spd. AT	A	1	5-213X	5-790X
		A	2	5-1204X	5-792X
	w/176” WB	B	1,2	5-213X	5-790X
		B	3	5-1204X	5-792X
		B	CB	211175X	
1997-1999	2-Joint Driveshaft	A	1,2	5-178X	5-799X
	2-Joint Alum. Driveshaft	A	1,2	5-447X	
	3-Joint Driveshaft	B	1,2,3	5-178X	5-799X
2000-2002	2-Joint Driveshaft	A	1,2	5-178X	5-799X
	3-Joint Driveshaft w/3.625" Snap Ring Dim. (1350 Series)	B	1,2,3	5-178X	5-799X
	w/4.188" Snap Ring Dim. (1410 Series)	B	1,2,3	5-160X	5-801X
2003	2-Joint Driveshaft	A	1,2	5-178X	5-799X
	3-Joint Driveshaft	B	1,2,3	5-178X	5-799X
2004	2-Joint Driveshaft w/3.625" Snap Ring Dim. (1350 Series)	A	1,2	5-178X	5-799X
	w/4.188" Snap Ring Dim. (1410 Series)	A	1,2	5-160X	5-801X
	3-Joint Driveshaft	B	1,2,3	5-178X	5-799X
2005	2-Joint Driveshaft w/3.625" Snap Ring Dim. (1350 Series)	A	1,2	5-178X	5-799X
	w/4.188" Snap Ring Dim. (1410 Series)	A	1,2	5-160X	5-801X
	3-Joint Driveshaft w/3.625" Snap Ring Dim. (1350 Series)	B	1,2,3	5-178X	5-799X
	w/4.188" Snap Ring Dim. (1410 Series)	B	1,2,3	5-160X	5-801X





Important: See Safety Information in General Information Section (J300P-GI)

U-Joints

Year	Model & Description	Fig.	Location	Spicer Part No.	SPL Part No.
FORD					
EXCURSION					
2000-2001	w/5.4L Eng.	A	1,2	5-178X	5-799X
	w/6.8L & 7.3L Eng.	A	1,2	5-160X	5-801X
	w/alum. shaft	A	1,2	5-802X	SPL36-2X
2002	w/5.4L Eng. Exc. 4.10 Ratio	A	1,2	5-178X	5-799X
	w/4.10 Ratio	A	1,2	5-160X	5-801X
	w/6.8L & 7.3L Eng.	A	1,2	5-160X	5-801X
	w/alum. shaft	A	1,2	5-802X	SPL36-2X
2003-2004	w/5.4L Eng. Exc. 4.10 Ratio	A	1,2	5-178X	5-799X
	w/4.10 Ratio	A	1,2	5-160X	5-801X
	w/6.0L, 6.8L & 7.3L Eng.	A	1,2	5-160X	5-801X
	w/6.8L & 7.3L Eng. w/alum. shaft	A	1,2	5-802X	SPL36-2X
EXPEDITION					
1997-1998	w/4.6L & AODE AT	A	1,2	5-213X	5-790X
1999	w/4.6L & AODE AT	A	1,2	5-213X	5-790X
	5.4L Eng. Std. Suspension	A	1,2	5-178X	5-799X
2000	5.4L Eng. Std. Suspension	A	1,2	5-178X	5-799X
EXPLORER					
1991-1994	Lube fitting in body	A	1,2	5-153X	5-785X
	Lube fitting in brg. cup	A	1,2	5-433-1X	
1995-1996	w/102" WB w/3.219" snap ring dim Lube Fitting in Body	A	1,2	5-153X	5-785X
	Lube Fitting in Bearing Cup	A	1,2	5-433-1X	
	w/3.622" snap ring dim	A	1,2	5-213X	5-790X
	w/112" WB & MT w/3.219" snap ring dim Lube Fitting in Body	A	1,2	5-153X	5-785X
	Lube Fitting in Bearing Cup	A	1,2	5-433-1X	
	w/3.622" snap ring dim	A	1,2	5-213X	5-790X
1997-1999	w/102" WB & AT	A	1,2	5-213X	5-790X
F-SUPER DUTY PICK-UP					
1988-1996	3-Joint Driveshaft	B	1,2,3	5-160X	5-801X
		B	CB	211359X	
	Slip Yoke Boot Kit	B		211503X	
1997	3-Joint Driveshaft	B	1,2,3	5-160X	5-801X
F100					
1948-1974	w/6 cyl. Eng. Exc. 155" WB	A	1,2	5-153X	5-785X
	w/155" WB	A-B	1	5-153X	5-785X
		A-B	2,3	5-134X	
		B	CB	211175X	
	w/8 cyl. Eng. Exc. 390-4BL & 460	A-B	1,2,3	5-153X	5-785X
	w/8 cyl. 390-4BL or 460 Eng.	A-B	1,2,3	5-213X	5-790X
		B	CB	211175X	



Fig. A



Fig. B

Important: See Safety Information in General Information Section (J300P-GI)

2WD

Year	Model & Description	Fig.	Location	Spicer Part No.	SPL Part No.
FORD					
F100					
1975-1976	Exc. 155” WB	A	1,2	5-153X	5-785X
	w/155” WB	B	1	5-153X	5-785X
		B	2,3	5-134X	
		B	CB	211175X	
1977	Exc. 155” WB	A	1,2	5-153X	5-785X
	w/155” WB To Y200,001	B	1	5-153X	5-785X
		B	2,3	5-134X	
		B	CB	211175X	
	w/155” WB From Y200,001	B	1,2,3	5-153X	5-785X
		B	CB	211175X	
1978	w/1.062” Brg. cup dia.	A	1,2	5-1200X	
	w/1.062” & 1.125’’ Brg. cup dia.	A	2	5-1201X	5-787X
1979	w/3.469” outside yoke dim	B	1,2,3	5-153X	5-785X
	w/3.875” outside yoke dim	B	1,2	5-1203X	5-790X
		B	3	5-1204X	5-792X
		B	CB	211175X	
1980-1983	2-Joint Driveshaft	A	1	5-1203X	5-790X
		A	2	5-1204X	5-792X
	3-Joint Driveshaft	B	1,2	5-1203X	5-790X
		B	3	5-1204X	5-792X
		B	CB	211175X	
F150					
1975-1977	w/MT Exc. 390 Eng. & 133” or 138’’ WB	B	1,2,3	5-153X	5-785X
		B	CB	211175X	
	w/MT w/390 Eng. & 155” WB Before Serial #120,001	B	1,2,3	5-134X	
	From Serial #120,001	B	1,2,3	5-153X	5-785X
		B	CB	211175X	
	w/AT Exc. 400 & 460 Eng.				
	2-Joint Driveshaft	A	1,2	5-153X	5-785X
	3-Joint Driveshaft w/3.469” outside yoke dim	B	1,2,3	5-153X	5-785X
	w/(2) 3.469” & (2) 2.875’’ outside yoke dim	B	1,2,3	5-134X	
		B	CB	211175X	
	w/AT & 400 Eng. w/133” WB Exc. 3.25 Gear ratio	B	1,2,3	5-213X	5-790X
	w/3.25 Gear ratio	B	1	5-213X	5-790X
		B	2,3	5-1203X	5-790X
	w/138” or 155’’ WB	B	1	5-134X	
		B	2,3	5-213X	5-790X
		B	CB	211175X	





Important: See Safety Information in General Information Section (J300P-GI)

Year	Model & Description	Fig.	Location	Spicer Part No.	SPL Part No.
FORD					
F150					
1975-1977	w/AT & 460 Eng. w/133” WB	B	1,2,3	5-213X	5-790X
	w/138” WB	B	1	5-213X	5-790X
	w/3.469” outside yoke dim	B	2,3	5-153X	5-785X
	w/(2) 3.469” & (2) 2.875’’ outside yoke dim	B	2,3	5-134X	
	w/155” WB	B	1	5-213X	5-790X
		B	2,3	5-134X	
		B	CB	211175X	
1978	w/3.469” outside yoke dim	A	1	5-1200X	
	w/3.875” outside yoke dim	A	1	5-1203X	5-790X
	w/3.469” outside yoke dim w/1.062” Brg. cup dia.	A	2	5-1200X	
	w/3.875” outside yoke dim w/1.062” Brg. cup dia	A	2	5-1203X	5-790X
	w/1.062” & 1.125’’ Brg. cup dia.	A	2	5-1201X	5-787X
1979		A-B	1	5-1203X	5-790X
	w/1.062” Brg. cup dia	A-B	2,3	5-1203X	5-790X
	w/1.062” & 1.125’’ Brg. cup dia.	A-B	2,3	5-1204X	5-792X
	w/1.062” & 1.125’’ Brg. cup dia.	B	CB	211175X	
1980	2-Joint Driveshaft	A	1	5-1203X	5-790X
		A	2	5-1204X	5-792X
	3-Joint Driveshaft	B	1	5-1201X	5-787X
		B	2	5-1203X	5-790X
		B	3	5-1204X	5-792X
		B	CB	211175X	
1981	w/133” WB & 4.9L Eng. w/3.25 Gear Ratio & 4 Spd. MT w/OD	B	1	5-1203X	5-790X
		B	2,3	5-3147X	5-795X
		B	CB	211175X	
	w/133” WB & 5.0L & 5.8L Eng. w/New Process & Warner 4 Spd. Trans.	B	1	5-1203X	5-790X
		B	2,3	5-3147X	5-795X
		B	CB	211175X	
	w/133” & 155’’ WB Exc. New Process & Warner 4 Spd. Trans.	B	1	5-1203X	5-790X
		B	2,3	5-3147X	5-795X
		B	CB	211175X	
	w/New Process & Warner 4 Spd. Trans.	B	2,3	5-3147X	5-795X
		B	CB	211175X	





2WD

Year	Model & Description	Fig.	Location	Spicer Part No.	SPL Part No.
FORD					
F150					
1982-1986	2-Joint Driveshaft	A	1	5-1203X	5-790X
		A	2	5-1204X	5-792X
	3-Joint Driveshaft Exc. New Process & Warner 4 Spd. Trans.	B	1,2	5-1203X	5-790X
		B	3	5-1204X	5-792X
		B	CB	211175X	
	w/New Process & Warner 4 Spd. Trans.	B	2	5-1203X	5-790X
		B	1,3	5-1204X	5-792X
		B	CB	211175X	
1987	Short & Long bed, 2-Joint Driveshaft	A	1	5-1203X	5-790X
		A	2	5-1204X	5-792X
	Long bed, w/3-Joint Shaft	B	1,2	5-1203X	5-790X
		B	3	5-1204X	5-792X
	Super Cab, Crew Cab	B	1,2	5-1203X	5-790X
		B	3	5-1204X	5-792X
1988	Short Bed, 116” WB	A	1	5-1203X	5-790X
		A	2	5-1204X	5-792X
	Long bed, w/133” WB 2-Joint Driveshaft	A	1	5-1203X	5-790X
		A	2	5-1204X	5-792X
	3-Joint Driveshaft & Mazda 5 Spd.	B	1,2	5-1203X	5-790X
		B	3	5-1204X	5-792X
	3-Joint Driveshaft & ZF HD 5 Spd.	B	1,3	5-1204X	5-792X
		B	2	5-1203X	5-790X
	w/ZF Trans.	B	CB	211175X	
	Super Cab, Crew Cab	B	1,2	5-1203X	5-790X
		B	3	5-1204X	5-792X
1989	Short Bed, 116” WB	A	1	5-213X	5-790X
		A	2	5-1204X	5-792X
	Long bed, w/133” WB 2-Joint Driveshaft Exc. 4.9L & 3 Spd. MT	A	1	5-213X	5-790X
		A	2	5-1204X	5-792X
	w/4.9L & 3 Spd. MT From 5/89	A	1,2	5-1203X	5-790X
	To 5/89	A	1	5-213X	5-790X
		A	2	5-1204X	5-792X
	3-Joint Driveshaft & Mazda 5 Spd.	B	1,2	5-1203X	5-790X
		B	3	5-1204X	5-792X
	3-Joint Driveshaft & ZF HD 5 Spd.	B	1,3	5-1204X	5-792X
		B	2	5-1203X	5-790X
	w/ZF Trans.	B	CB	211175X	





Important: See Safety Information in General Information Section (J300P-GI)

U-Joints

Year	Model & Description		Fig.	Location	Spicer Part No.	SPL Part No.
FORD						
F150						
1989	Super Cab, Crew Cab	w/AT	B	1,2	5-213X	5-790X
			B	3	5-1204X	5-792X
		w/MT	B	1,2	5-1203X	5-790X
			B	3	5-1204X	5-792X
1990	Short Bed, 116” WB		A	1	5-213X	5-790X
			A	2	5-1204X	5-792X
	Long bed, w/133” WB	2-Joint Driveshaft	A	1	5-213X	5-790X
			A	2	5-1204X	5-792X
		3-Joint Driveshaft & Mazda 5 Spd.	B	1,2,3	5-213X	5-790X
		3-Joint Driveshaft & ZF HD 5 Spd.	B	1,3	5-1204X	5-792X
			B	2	5-213X	5-790X
		w/ZF Trans.	B	CB	211175X	
	Super Cab, Crew Cab		B	1,2,3	5-213X	5-790X
1991-1992	Short Bed, 116” WB		A	1,2	5-213X	5-790X
	Long bed, w/133” WB	2-Joint Driveshaft	B	1,2	5-213X	5-790X
		3-Joint Driveshaft & Mazda 5 Spd.	B	1,2,3	5-213X	5-790X
		3-Joint Driveshaft & ZF HD 5 Spd.	B	1,3	5-1204X	5-792X
			B	2	5-213X	5-790X
		w/ZF Trans.	B	CB	211175X	
	Super Cab, Crew Cab		B	1,2,3	5-213X	5-790X
1993-1995	Short Bed, 116” WB		A	1,2	5-213X	5-790X
	Long bed, w/133” WB	2-Joint Driveshaft	A	1,2	5-213X	5-790X
		3-Joint Driveshaft & Mazda 5 Spd.	B	1,2,3	5-213X	5-790X
		3-Joint Driveshaft & ZF HD 5 Spd.	B	1	5-1204X	5-792X
			B	2,3	5-213X	5-790X
		w/ZF Trans.	B	CB	211175X	
1996	Short Bed, 116” WB		A	1,2	5-213X	5-790X
	Long bed, w/133” WB Exc. AODE AT					
	2-Joint Driveshaft		A	1,2	5-213X	5-790X
	3-Joint Driveshaft & ZF w/5 Spd.		B	1	5-1204X	5-792X
	w/ZF Trans.		B	2,3	5-213X	5-790X
			B	CB	211175X	
1997-1999	w/120” & 139’’ WB	w/4.2L. 4.6L Eng. & AT	A	1,2	5-213X	5-790X
		w/5.4L Eng. & AT	A	1,2	5-178X	5-799X
		w/MT	A	1,2	5-213X	5-790X
	w/157” WB	w/4.2L or 4.6L Eng.	B	1,2,3	5-213X	5-790X
		w/5.4L eng, Exc. HD trans	B	1	5-213X	5-790X
		w/5.4L eng, w/HD trans	B	2,3	5-178X	5-799X





2WD

Year	Model & Description	Fig.	Location	Spicer Part No.	SPL Part No.
FORD					
F150					
2000	w/4.2L, 4.6L & 5.4L Eng. 2-Joint Driveshaft w/1.062” Brg. cup dia.	A	1,2	5-213X	5-790X
	w/4.2L & 4.6L Eng. 3-Joint Driveshaft	B	1,2,3	5-213X	5-790X
	w/5.4L Eng. 2-Joint Driveshaft w/1.188” Brg. cup dia.	A	1,2	5-178X	5-799X
	3-Joint Driveshaft	B	1,2,3	5-178X	5-799X
2001-2002	w/4.2L, 4.6L & 5.4L Eng. 2-Joint Driveshaft w/1.062” Brg. cup dia.	A	1,2	5-213X	5-790X
	w/4.2L & 4.6L Eng. 3-Joint Driveshaft	B	1,2,3	5-213X	5-790X
	w/5.4L Eng. 2-Joint Driveshaft w/1.188” Brg. cup dia.	A	1,2	5-178X	5-799X
	3-Joint Driveshaft w/1.188” Brg. cup dia.	B	1,2,3	5-178X	5-799X
	w/5.4L Eng. Harley Davidson Edition 2-Joint Driveshaft w/1.062” Brg. cup dia.	A	1,2	5-213X	5-790X
	3-Joint Driveshaft w/1.062” Brg. cup dia.	B	1,2,3	5-213X	5-790X
	2-Joint Driveshaft w/1.188” Brg. cup dia.	A	1,2	5-178X	5-799X
	3-Joint Driveshaft w/1.188” Brg. cup dia.	B	1,2,3	5-178X	5-799X
2003-2004	w/4.2L & 4.6L Eng. 2-Joint Driveshaft w/1.062” Brg. cup dia.	A	1,2	5-213X	5-790X
	3-Joint Driveshaft w/1.062” Brg. cup dia.	B	1,2,3	5-213X	5-790X
	w/5.4L Eng. 2-Joint Driveshaft w/1.188” Brg. cup dia.	A	1,2	5-178X	5-799X
	3-Joint Driveshaft w/1.188” Brg. cup dia.	B	1,2,3	5-178X	5-799X
	w/5.4L Eng. Harley Davidson Edition 2-Joint Driveshaft	A	1,2	5-178X	5-799X
	w/5.4L Eng. Harley Davidson Edition 3-Joint Driveshaft	B	1,2,3	5-178X	5-799X
	w/5.4L Eng. 3-Joint Driveshaft	B	CB	211985X	
F250					
1953-1967		A-B	1,2,3	5-153X	5-785X
		B	CB	211175X	
1968-1969	Exc. 390 Eng.	B	1,2,3	5-153X	5-785X
	w/390 Eng.	B	1,2,3	5-213X	5-790X
		B	CB	211175X	
1970-1972	w/390 or 460 Eng. w/inside snap rings	B	1,2,3	5-1200X	
	w/outside snap rings	B	1,2,3	5-178X	5-799X
		B	CB	211175X	
1973	w/300, 351 or 360 Eng. w/133” WB	A-B	1,2,3	5-153X	5-785X
		B	CB	211175X	
	w/390 Eng. w/133” WB	A-B	1,2,3	5-213X	5-790X
1974-1975	w/300, 351 or 360 Eng. w/133”, 138’’, 140’’ or 150’’ WB	A-B	1,2,3	5-153X	5-785X
		B	CB	211175X	
	w/155” WB w/(2) 3.469” & (2) 3.875’’ outside yoke dims	A-B	1,2,3	5-134X	
	w/3.469” outside yoke dim	A-B	1,2,3	5-153X	5-785X
		B	CB	211175X	





Important: See Safety Information in General Information Section (J300P-GI)

Year	Model & Description	Fig.	Location	Spicer Part No.	SPL Part No.

FORD

F250

1974-1975	w/390 Eng. w/133”, 140’’ or 150’’ WB	A-B	1,2,3	5-178X	5-799X
		B	CB	211175X	
	w/138” WB w/3.875” outside yoke dim	A-B	1,2,3	5-178X	5-799X
		B	CB	211175X	
	w/3.469” outside yoke dim	A-B	1,2,3	5-153X	5-785X
		B	CB	211175X	
	w/150” WB	A-B	1,2,3	5-153X	5-785X
		B	CB	211175X	
	w/460 Eng. w/138” or 140’’ WB	A-B	1,2,3	5-178X	5-799X
		B	CB	211175X	
	w/150” WB	A-B	1,2,3	5-153X	5-785X
		B	CB	211175X	
1976-1977	w/300, 351 or 360 Eng.				
	w/133”, 138’’ or 150’’ WB	A-B	1,2,3	5-153X	5-785X
	w/155” WB w/3.469 outside yoke dim	A-B	1,2,3	5-153X	5-785X
	w/(2) 3.469” & (2) 3.875’’ outside yoke dims	A-B	1,2,3	5-134X	
		B	CB	211175X	
	w/390, 400 or 460 Eng.				
	w/133” WB w/1.188” Brg. cup dia.	A-B	1,2,3	5-178X	5-799X
		B	CB	211175X	
	w/1.062” Brg. cup dia.	A	1	5-213X	5-790X
	w/1.188” Brg. cup dia.	A	2	5-178X	5-799X
	w/138” WB	A-B	1,2,3	5-178X	5-799X
		B	CB	211175X	
	w/150” WB w/3.469” outside yoke dia+	A-B	1,2,3	5-153X	5-785X
	w/3.875” outside yoke dim	A-B	1,2,3	5-178X	5-799X
		B	CB	211175X	
	w/155” WB	A-B	1,2,3	5-178X	5-799X
		B	CB	211175X	
1978	w/3.469” outside yoke dim	A	1,2	5-153X	5-785X
	w/3.875” outside yoke dim w/1.062” Brg. cup dia.	A	1,2	5-213X	5-790X
	w/1.188” Brg. cup dia.	A	2	5-178X	5-799X
1979	2-Joint Driveshaft w/1.062” Brg. cup dia.	A	1,2	5-153X	5-785X
	w/1.188” Brg. cup dia.	A	1,2	5-178X	5-799X
	3-Joint Driveshaft w/1.062” Brg. cup dia.	B	1,2	5-213X	5-790X
	w/1.062” & 1.125’’ Brg. cup dia.	B	3	5-1204X	5-792X
	w/1.188” Brg. cup dia.	B	1,2,3	5-178X	5-799X
		B	CB	211175X	





2WD

Year	Model & Description	Fig.	Location	Spicer Part No.	SPL Part No.
FORD					
F250					
1980-1981	2-Joint Driveshaft	A	1	5-1203X	5-790X
		A	2	5-1204X	5-792X
	3-Joint Driveshaft	B	1,2	5-1203X	5-790X
		B	3	5-1204X	5-792X
		B	CB	211175X	
1982-1986	2-Joint Driveshaft	A	1	5-1203X	5-790X
		A	2	5-1204X	5-792X
	3-Joint Driveshaft w/1.062” Brg. cup dia.	B	1	5-1203X	5-790X
	w/1.062” & 1.125” Brg. cup dia.	B	1	5-1204X	5-792X
		B	2	5-1203X	5-790X
		B	3	5-1204X	5-792X
		B	CB	211175X	
1987	Reg. Cab, Super Cab, w133” & 136” WB				
	Exc. 5 Spd. MT	A	1	5-1203X	5-790X
		A	2	5-1204X	5-792X
	w/5 Spd. MT	A	1,2	5-178X	5-799X
	Crew Cab, w/AT	B	1,2	5-1203X	5-790X
		B	3	5-1204X	5-792X
	Crew Cab, w/MT	B	1,3	5-1204X	5-792X
		B	2	5-1203X	5-790X
		B	CB	211175X	
1988	Reg. Cab				
	2-Joint Driveshaft Exc. HD 5 Spd. MT	A	1	5-1203X	5-790X
		A	2	5-1204X	5-792X
	w/7.3L, 7.5L & HD 5 Spd. MT	A	1,2	5-178X	5-799X
	3-Joint Driveshaft w/4.9 & 4.10 Axle w/Mazda 5 Spd. MT	B	1,3	5-1204X	5-792X
		B	2	5-1203X	5-790X
		B	CB	211175X	
	w/4.9L, 5.8L & HD 5 Spd. MT	B	1,3	5-1204X	5-792X
		B	2	5-1203X	5-790X
		B	CB	211175X	
	Crew Cab Exc. HD 5 Spd MT	B	1,2	5-1203X	5-790X
		B	3	5-1204X	5-792X
		B	CB	211175X	
	w/4.9L, 5.8L & HD 5 Spd MT	B	1,3	5-1204X	5-792X
		B	2	5-1203X	5-790X
		B	CB	211175X	
	w/7.3L, 7.5L & HD 5 Spd MT	A	1,2	5-178X	5-799X





Important: See Safety Information in General Information Section (J300P-GI)

U-Joints

Year	Model & Description	Fig.	Location	Spicer Part No.	SPL Part No.
FORD					
F250					
1989	Reg. Cab 2-Joint Driveshaft Exc. HD 5 Spd. MT	A	1	5-213X	5-790X
		A	2	5-1204X	5-792X
	w/7.3L, 7.5L & HD 5 Spd. MT	A	1,2	5-178X	5-799X
	3-Joint Driveshaft w/4.9L, 5.8L & HD 5 Spd. MT	B	1,3	5-1204X	5-792X
		B	2	5-1203X	5-790X
		B	CB	211175X	
	Crew Cab Exc. HD 5 Spd MT	B	1,2	5-1203X	5-790X
		B	3	5-1204X	5-792X
		B	CB	211175X	
	w/HD 5 Spd. MT	A	1,2	5-178X	5-799X
1990	Reg. Cab 2-Joint Driveshaft	A	1	5-213X	5-790X
	Reg. Cab 2-Joint Driveshaft	A	2	5-1204X	5-792X
	3-Joint Driveshaft w/5.0L & Mazda 5 Spd. MT	B	1,2	5-213X	5-790X
		B	3	5-1204X	5-792X
		B	CB	211175X	
	w/5.8L & HD 5 Spd. MT	B	1,3	5-1204X	5-792X
		B	2	5-213X	5-790X
		B	CB	211175X	
	w/7.3L, 7.5L & HD 5 Spd. MT	B	1,2,3	5-178X	5-799X
		B	CB	210866-1X	
	Super Cab w/155” WB w/3 Spd. AT	B	1,2	5-213X	5-790X
		B	3	5-1204X	5-792X
		B	CB	211175X	
	w/4 Spd. AT	B	1,2,3	5-178X	5-799X
		B	CB	210866-1X	
	w/5.8L & HD 5 Spd. MT	B	1,3	5-1204X	5-792X
		B	2	5-213X	5-790X
		B	CB	211175X	
	w/7.3L & 7.5L & HD 5 Spd. MT	B	1,2,3	5-178X	5-799X
		B	CB	210866-1X	
1991-1992	Reg. Cab				
	2-Joint Driveshaft	A	1	5-213X	5-790X
		A	2	5-1204X	5-792X
	3-Joint Driveshaft w/4.9L, 5.0L Mazda 5 Spd. MT To 2/92	B	1,2	5-213X	5-790X
		B	3	5-1204X	5-792X
		B	CB	211175X	
	w/4.9L, 5.8L & HD 5 Spd. MT	B	1,2,3	5-443X	
		B	CB	211431X	
	w/7.3L, 7.5L & HD 5 Spd. MT	B	1,2,3	5-178X	5-799X
		B	CB	210866-1X	





2WD

Year	Model & Description	Fig.	Location	Spicer Part No.	SPL Part No.
FORD					
F250					
1991-1992	Super Cab w/155” WB w/3 Spd. AT To 2/92	B	1,2	5-213X	5-790X
		B	3	5-1204X	5-792X
		B	CB	211175X	
	w/4 Spd. AT	B	1,2,3	5-178X	5-799X
	w/7.3L & 4 Spd. AT From 2/92	B	1,2,3	5-178X	5-799X
		B	CB	210866-1X	
	w/5.8L & HD 5 Spd. MT To 2/92	B	1,3	5-1204X	5-792X
		B	2	5-213X	5-790X
		B	CB	211175X	
	w/7.3L & 7.5L & HD 5 Spd. MT	B	1,2,3	5-178X	5-799X
		B	CB	210866-1X	
1993-1995	Reg. Cab 2-Joint Driveshaft w/Gasoline Eng. Exc. 7.5L	A	1	5-213X	5-790X
		A	2	5-1204X	5-792X
		B	CB	210866-1X	
	Super Cab, w/7.5L HD trans	B	1,2,3	5-178X	5-799X
1996	Reg. Cab 2-Joint Driveshaft w/133” WB Exc. 7.3L, 7.5L & ZF Trans.	A	1	5-213X	5-790X
		A	2	5-1204X	5-792X
	Super Cab, w/155” WB & 7.5L & HD trans	B	1,2,3	5-178X	5-799X
		B	CB	210866-1X	
1997-1999	Reg. Cab w/4.2L, 4.6L & 5.4L Eng.	A	1,2	5-178X	5-799X
	w/5.8L & AT	A	1	5-213X	5-790X
		A	2	5-1204X	5-792X
	w/5.8L & MT	B	1,3	5-1204X	5-792X
		B	2	5-213X	5-790X
	w/7.3L & 7.5L Eng.	A	1,2	5-178X	5-799X
	Super Cab w/Short Bed, Crew Cab, w/5.8L Eng.	B	1,2,3	5-178X	5-799X
	w/Long bed, w/5.8L w/AT	B	1,2	5-213X	5-790X
		B	3	5-1204X	5-792X
	w/Long bed, w/5.8L w/MT	B	1,3	5-1204X	5-792X
		B	2	5-213X	5-790X
	Crew Cab, w/7.3L, 7.5L & AT	B	1,2,3	5-178X	5-799X
		B	CB	210866-1X	
F250 SUPER DUTY					
1999-2002	w/5.4L Eng. 3-Joint Driveshaft	B	1,2,3	5-178X	5-799X
		B	CB	211359X	
	w/6.8L Eng. 2-Joint Alum. Driveshaft	A	1,2	5-802X	SPL36-2X
	w/6.8L, 7.3L Eng. 3-Joint Driveshaft	B	1,2,3	5-160X	5-801X
		B	CB	211359X	





Important: See Safety Information in General Information Section (J300P-GI)

U-Joints

Year	Model & Description	Fig.	Location	Spicer Part No.	SPL Part No.
FORD					
F250 SUPER DUTY					
2003	w/6.0L, 6.8L & 7.3L Eng. 3-Joint Driveshaft	B	1,2,3	5-160X	5-801X
		B	CB	211359X	
2004	w/6.0L & 6.8L Eng. 3-Joint Driveshaft	B	1,2,3	5-160X	5-801X
		B	CB	211359X	
2005-2006	w/5.4L, 6.0L & 6.8L Eng. 2-Joint Driveshaft	A	1,2	5-160X	5-801X
	3-Joint Driveshaft	B	1,2,3	5-160X	5-801X
F350					
1948-1966		A-B	1,2,3	5-153X	5-785X
		B	CB	211175X	
1967-1974	Exc. 390 Eng.	B	1	5-153X	5-785X
		B	2,3	5-134X	
	w/390 Eng.	B	1	5-213X	5-790X
		B	2,3	5-178X	5-799X
1975-1976	Exc. 390 Eng. & Exc. 155” WB	B	1,2,3	5-213X	5-790X
	w/390 Eng. & 155” WB	B	1	5-153X	5-785X
		B	2,3	5-178X	5-799X
	w/390 Eng. Exc. 155” WB	B	1,2,3	5-178X	5-799X
		B	CB	211175X	
1977	w/MT w/300 or 351 Eng. Exc. 4.10 ratio	B	1,2,3	5-213X	5-790X
	w/390 or 400 Eng.	B	1,2,3	5-178X	5-799X
	w/300 or 351 Eng. w/4.10 ratio	B	1	5-213X	5-790X
		B	2,3	5-178X	5-799X
	w/AT Exc. C6 w/300 Eng. Exc. 4.10 ratio	B	1,2,3	5-213X	5-790X
	w/4.10 ratio	B	1	5-213X	5-790X
		B	2,3	5-178X	5-799X
	w/C6 AT w/300 Eng.	B	1,2,3	5-213X	5-790X
	w/351 Eng. Exc. 155” WB	B	1	5-213X	5-790X
		B	2,3	5-178X	5-799X
	w/155” WB	B	1,2,3	5-178X	5-799X
	w/400 Eng.	B	1	5-213X	5-790X
		B	2,3	5-178X	5-799X
	w/460 Eng.	B	1,2,3	5-178X	5-799X
		B	CB	211175X	
1978	w/3.469” outside yoke dim	A	1,2	5-153X	5-785X
	w/3.875” outside yoke dim w/1.062” Brg. cup dia.	A	1,2	5-213X	5-790X
	w/1.188” Brg. cup dia.	A	1,2	5-178X	5-799X





2WD

Year	Model & Description	Fig.	Location	Spicer Part No.	SPL Part No.
FORD					
F350					
1979	w/1.188” Brg. cup dia.	B	1,2,3	5-178X	5-799X
	w/1.062” Brg. cup dia.	B	1,2	5-213X	5-790X
	w/1.062” & 1.125” Brg. cup dia.	B	3	5-1204X	5-792X
		B	CB	211175X	
1980-1981	2-Joint Driveshaft	A	1	5-1203X	5-790X
		A	2	5-1204X	5-792X
	3-Joint Driveshaft	B	1,2	5-1203X	5-790X
		B	3	5-1204X	5-792X
		B	CB	211175X	
1982-1986	2-Joint Driveshaft	A	1	5-1203X	5-790X
		A	2	5-1204X	5-792X
	3-Joint Driveshaft w/1.062” & 1.125” Brg. cup dia.	B	1	5-1204X	5-792X
	w/1.062” Brg. cup dia.	B	1	5-1203X	5-790X
		B	2	5-1203X	5-790X
		B	3	5-1204X	5-792X
		B	CB	211175X	
1987	Reg. Cab 2-Joint Driveshaft w/AT	A	1	5-1203X	5-790X
		A	2	5-1204X	5-792X
	Super Cab w/AT	B	1,2	5-1203X	5-790X
	Reg. Cab 2-Joint Driveshaft w/MT	A	1,2	5-178X	5-799X
	Super Cab w/AT	B	3	5-1204X	5-792X
		B	CB	211175X	
		B	1,2,3	5-178X	5-799X
	Crew Cab, w/HD 5 Spd MT	B	1,2,3	5-178X	5-799X
	w/T-18 & New Process AT	B	1,2	5-1203X	5-790X
		B	3	5-1204X	5-792X
		B	CB	211175X	
	w/T-19 AT	B	1,3	5-1204X	5-792X
		B	2	5-1203X	5-790X
		B	CB	211175X	





Important: See Safety Information in General Information Section (J300P-GI)

Year	Model & Description	Fig.	Location	Spicer Part No.	SPL Part No.
FORD					
F350					
1988	Reg. Cab 2-Joint Driveshaft w/AT	A	1	5-1203X	5-790X
		A	2	5-1204X	5-792X
	w/7.3L, 7.5L & HD 5 Spd. MT	A	1,2	5-178X	5-799X
	Reg. Cab 3-Joint Driveshaft w/133" WB w/4.9L, 5.8L & 5 Spd. MT	B	1,3	5-1204X	5-792X
		B	2	5-1203X	5-790X
		B	CB	211175X	
	w/136" WB w/4.9L, 5.8L & 5 Spd. MT	B	1,2	5-1203X	5-790X
		B	3	5-1204X	5-792X
		B	CB	211175X	
	Super Cab w/155" & 160'' WB	A	1	5-1203X	5-790X
		A	2	5-1204X	5-792X
	w/160" WB w/4.9L, 5.8L & HD 5 Spd. MT	B	1,3	5-1204X	5-792X
		B	2	5-1203X	5-790X
		B	CB	211175X	
		B	1,2,3	5-178X	5-799X
	Crew Cab w/AT	A	1	5-1203X	5-790X
		A	2	5-1204X	5-792X
	w/5.8L & 5 Spd MT	A	1,3	5-1204X	5-792X
		B	2	5-1203X	5-790X
		B	CB	211175X	
	w/6.9L, 7.3L, 7.5L & 5 Spd MT	B	1,2,3	5-178X	5-799X
1989	Reg. Cab 2-Joint Driveshaft w/133" WB w/AT	A	1	5-213X	5-790X
		A	2	5-1204X	5-792X
	w/7.3L, 7.5L & HD 5 Spd. MT	A	1,2	5-178X	5-799X
	Reg. Cab 3-Joint Driveshaft				
	w/136" WB w/AT	B	1,2,3	5-178X	5-799X
	w/133" WB w/4.9L, 5.8L & 5 Spd. MT	B	1,2	5-213X	5-790X
		B	3	5-1204X	5-792X
		B	CB	211175X	
	w/136" WB w/4.9L, 5.8L & 5 Spd. MT	B	1	5-1204X	5-792X
		B	2,3	5-178X	5-799X
	Super Cab w/155" & 160'' WB w/AT	B	1,2,3	5-178X	5-799X
	w/4.9L, 5.8L & HD 5 Spd. MT	B	1	5-1204X	5-792X
		B	2,3	5-178X	5-799X
	w/7.3L, 7.5L & HD 5 Spd. MT	A	1,2	5-178X	5-799X





2WD

Year	Model & Description	Fig.	Location	Spicer Part No.	SPL Part No.
FORD					
F350					
1989	Crew Cab w/4.9L, 5.8L & 3 Spd AT To 2/89	A	1	5-213X	5-790X
		A	2	5-1204X	5-792X
	From 2/89	B	1,2	5-1203X	5-790X
		B	3	5-1204X	5-792X
		B	CB	211175X	
	w/7.3L, 7.5L & 3 Spd AT	A	1	5-213X	5-790X
		A	2	5-1204X	5-792X
	w/V8 Eng. & 4 Spd AT To 2/89	A	1	5-213X	5-790X
		A	2	5-1204X	5-792X
	From 2/89	B	1,2	5-1203X	5-790X
		B	3	5-1204X	5-792X
		B	CB	211175X	
	w/5.8L & HD 5 Spd MT	B	1,3	5-1204X	5-792X
		B	2	5-1203X	5-790X
		B	CB	211175X	
	w/7.3L, 7.5L & 5 Spd MT	A	1,2	5-178X	5-799X
1990	Reg. Cab 2-Joint Driveshaft 133” WB w/AT	A	1	5-213X	5-790X
		A	2	5-1204X	5-792X
	Reg. Cab 3-Joint Driveshaft w/AT	B	1,2,3	5-178X	5-799X
		B	CB	211499X	
	w/133” WB w/4.9L, 5.8L & HD 5 Spd. MT	B	1,3	5-1204X	5-792X
		B	2	5-213X	5-790X
	w/136” WB w/4.6L, 5.8L & HD 5 Spd. MT	B	1	5-1204X	5-792X
		B	2,3	5-178X	5-799X
	w/133”, 136’’ WB w/7.3L, 7.5L Eng w/HD 5 Spd. MT	B	1,2,3	5-178X	5-799X
		B	CB	210866-1X	
	Super Cab w/155” & 160’’ WB w/4.9L & 3 Spd. AT	B	1	5-1204X	5-792X
		B	2,3	5-178X	5-799X
	w/5.8L & 3 Spd. AT	B	1,2,3	5-178X	5-799X
	Super Cab, w/5.8L & HD 5 Spd. MT	B	1	5-1204X	5-792X
		B	2,3	5-178X	5-799X
	Super Cab, w/7.3L & 7.5L Eng.	B	1,2,3	5-178X	5-799X
	Crew Cab w/AT	B	1,2	5-213X	5-790X
		B	3	5-1204X	5-792X
	w/5.8L & HD 5 Spd MT	B	1,3	5-1204X	5-792X
		B	2	5-213X	5-790X
	w/7.3L, 7.5L & HD 5 Spd MT	B	1,2,3	5-178X	5-799X
		B	CB	210866-1X	





Important: See Safety Information in General Information Section (J300P-GI)

U-Joints

Year	Model & Description	Fig.	Location	Spicer Part No.	SPL Part No.
FORD					
F350					
1991	Reg. Cab 2-Joint Driveshaft 133” WB w/AT	A	1	5-213X	5-790X
		A	2	5-1204X	5-792X
	Reg. Cab 3-Joint Driveshaft				
	w/133” WB w/4.9L, 5.8L & HD 5 Spd. MT	B	1,3	5-1204X	5-792X
		B	2	5-213X	5-790X
	w/133”, 136” WB w/7.3L, 7.5L Eng.	B	1,2,3	5-178X	5-799X
		B	CB	210866-1X	
	136” WB w/4.9L, 5.8L & HD 5 Spd. MT	B	1	5-1204X	5-792X
		B	2,3	5-178X	5-799X
		B	CB	210866-1X	
	136” WB w/5.8L & 4 Spd. AT	B	1	5-1204X	5-792X
		B	2,3	5-178X	5-799X
		B	CB	211499X	
	Super Cab w/155” & 160” WB	B	1,2,3	5-178X	5-799X
	Crew Cab w/AT	B	1,2	5-213X	5-790X
		B	3	5-1204X	5-792X
	w/5.8L & HD 5 Spd MT	B	1,3	5-1204X	5-792X
		B	2	5-213X	5-790X
	w/7.3L, 7.5L & HD 5 Spd MT	B	1,2,3	5-178X	5-799X
		B	CB	210866-1X	
1992	Reg. Cab 2-Joint Driveshaft	B	1	5-1204X	5-792X
	133” WB, w/AT	A	1	5-213X	5-790X
		A	2	5-1204X	5-792X
	Reg. Cab 3-Joint Driveshaft				
	133” WB w/7.3L & 5 Spd. MT	B	1	5-1204X	5-792X
		B	2,3	5-178X	5-799X
		B	1,2,3	5-178X	5-799X
		B	CB	210866-1X	
	136” WB w/4.9L, 5.8L & 3 Spd. AT	B	1,2,3	5-178X	5-799X
	136” WB w/5.8L & 4 Spd. AT	B	1	5-1204X	5-792X
		B	2,3	5-178X	5-799X
	36” WB w/5.8L & 4 Spd. AT	B	CB	211499X	
	136” WB w/4.9L, 5.8L & HD 5 Spd. MT	B	1	5-1204X	5-792X
		B	2,3	5-178X	5-799X
	w/136” WB, 7.3L & 7.5L Eng.	B	1,2,3	5-178X	5-799X
		B	CB	210866-1X	
	Super Cab w/155” & 160” WB	B	1,2,3	5-178X	5-799X
	Crew Cab w/AT	B	1,2	5-213X	5-790X
		B	3	5-1204X	5-792X





2WD

2WD

Year	Model & Description	Fig.	Location	Spicer Part No.	SPL Part No.
FORD					
F350					
1992	Super Cab w/5.8L & HD 5 Spd. MT	B	1,3	5-1204X	5-792X
		B	2	5-213X	5-790X
	w/7.3L, 7.5L & HD 5 Spd. MT	B	1,2,3	5-178X	5-799X
		B	CB	210866-1X	
1993-1996	Reg. Cab 2-Joint Driveshaft 133” WB w/AT	A	1	5-213X	5-790X
		A	2	5-1204X	5-792X
	Reg. Cab 3-Joint Driveshaft 133” WB w/7.3L, 7.5L & 5 Spd. MT	B	1,2,3	5-178X	5-799X
		B	CB	210866-1X	
	136” WB, w/7.3L, 7.5L & 5 Spd. MT	B	1,2,3	5-178X	5-799X
	w/MT	B	1	5-1204X	5-792X
		B	2,3	5-178X	5-799X
		B	CB	210866-1X	
1997-1998	Reg. Cab 2-Joint Driveshaft 133” WB w/3 Spd. AT	A	1	5-213X	5-790X
		A	2	5-1204X	5-792X
	133” WB, w/4 Spd. AT	A	1	5-213X	5-790X
		A	2	5-1204X	5-792X
	Reg. Cab 3-Joint Driveshaft 133” WB w/7.3L, 7.5L & 5 Spd. MT	B	1,2,3	5-178X	5-799X
		B	CB	210866-1X	
	136” WB w/7.3L & 5 Spd. MT	B	1	5-1204X	5-792X
		B	2,3	5-178X	5-799X
		B	CB	210866-1X	
	Super Cab, w/160” WB & 4 Spd. AT	B	CB	211499X	
1999	Reg. Cab 2-Joint Driveshaft 133” WB w/3 Spd. AT	A	1	5-213X	5-790X
		A	2	5-1204X	5-792X
	133” WB, w/4 Spd. AT	A	1	5-213X	5-790X
		A	2	5-1204X	5-792X
	Reg. Cab 3-Joint Driveshaft 133” WB w/7.3L, 7.5L & 5 Spd. MT	B	1,2,3	5-178X	5-799X
		B	CB	210866-1X	
		B	1	5-1204X	5-792X
		B	2,3	5-178X	5-799X
		B	CB	210866-1X	
	Super Cab, w/160” WB & 4 Spd. AT	B	CB	211499X	
F350 PARCEL DELIVERY					
1963-1969		A-B	1,2,3	5-153X	5-785X
		B	CB	211175X	
1970-1979	w/1.062” Brg. cup dia.	A-B	1,2,3	5-153X	5-785X
	w/1.188” Brg. cup dia.	A-B	1,2,3	5-178X	5-799X
		B	CB	211175X	



Important: See Safety Information in General Information Section (J300P-GI)

U-Joints

Year	Model & Description	Fig.	Location	Spicer Part No.	SPL Part No.
FORD					
F350 SUPER DUTY					
1999-2002	w/5.4L Eng. 3-Joint Driveshaft	A	1,2,3	5-178X	5-799X
		B	CB	211359X	
	w/6.8L Eng. 2-Joint Alum. Driveshaft	A	1,2	5-802X	SPL36-2X
	w/6.8L, 7.3L Eng. 3-Joint Driveshaft	B	1,2,3	5-160X	5-801X
		B	CB	211359X	
2003	w/6.0L, 6.8L & 7.3L Eng. 3-Joint Driveshaft	B	1,2,3	5-160X	5-801X
		B	CB	211359X	
2004	w/6.0L & 6.8L Eng. 3-Joint Driveshaft	B	1,2,3	5-160X	5-801X
		B	CB	211359X	
2005-2006	w/5.4L, 6.0L & 6.8L Eng. 2-Joint Driveshaft	A	1,2	5-160X	5-801X
	3-Joint Driveshaft	B	1,2,3	5-160X	5-801X
F450 SUPER DUTY					
1999-2006	3-Joint Driveshaft	B	1,2,3	5-188X	5-803X
	4-Joint Driveshaft	R	1,2,3,4	5-188X	5-803X
F53 STRIPPED CHASSIS					
1989-1996		B	1,2,3	5-160X	5-801X
	w/208” WB Front	B	CB	210873-1X	
	Rear	B	CB	210866-1X	
	w/228” WB	B	CB	210866-1X	
F550 SUPERDUTY					
1999-2004	3-Joint Driveshaft	B	1,2,3	5-188X	5-803X
	4-Joint Driveshaft	R	1,2,3,4	5-188X	5-803X
F59 STRIPPED CHASSIS					
1989-1996		B	1,2,3	5-160X	5-801X
	w/208” WB Front	B	CB	210873-1X	
	Rear	B	CB	210866-1X	
	w/228” WB	B	CB	210866-1X	
P100					
1948-1976	Parcel Delivery	A-B	1,2,3	5-153X	5-785X
		B	CB	211175X	
	w/6 cyl. Eng. Exc. 155” WB	A-B	1,2,3	5-153X	5-785X
	w/155” WB	A-B	1,2,3	5-134X	
		B	CB	211175X	
	w/8 cyl. Exc. 390-4BL & 460	A-B	1,2,3	5-153X	5-785X
	w/8 cyl. 390-4BL or 460 Eng.	A-B	1,2,3	5-153X	5-785X
		B	CB	211175X	







2WD

2WD

Year	Model & Description	Fig.	Location	Spicer Part No.	SPL Part No.
FORD					
RANGER					
1983-1985		A	1,2	5-1200X	
1986-1987	Reg. Cab 108” & 114” WB	A	1,2	5-1200X	
	Super Cab 125” WB	B	1,2,3	5-443X	
		B	CB	211431X	
1988	Reg. Cab w/AT	A	1,2	5-1200X	
	w/MT w/108” WB w/2.0L or 2.3L Eng.	A	1	5-1200X	
		A	2	5-1201X	5-787X
	w/2.9L Eng.	A	1,2	5-1200X	
	w/114” WB	A	1,2	5-1200X	
	Super Cab w/AT From 6/88 Some use a flexible coupling in place of U-joint at trans.	B	1,2,3	5-443X	
		B	CB	211431X	
	Super Cab w/AT To 6/88	B	2,3	5-443X	
	Super Cab w/MT	B	1,2,3	5-443X	
		B	CB	211431X	
1989	Reg. Cabw/108” & 114” WB Lube Fitting in Body	A	1,2	5-153X	5-785X
	Lube fitting in brg. cup	A	1,2	5-433-1X	
	Super Cab w/AT w/o flexible coupling	B	1,2,3	5-443X	
		B	2,3	5-443X	
		B	CB	211431X	
	w/MT	B	1,2,3	5-443X	
		B	CB	211431X	
1990-1997	Reg. Cab 108” & 114” WB Lube fitting in body	A	1,2	5-153X	5-785X
	Lube fitting in brg. cup	A	1,2	5-433-1X	
	Super Cab 125” WB Lube fitting in body	B	1,2,3	5-153X	5-785X
	Lube fitting in brg. cup	B	1,2,3	5-433-1X	
		B	CB	211590-1X	
1998-2006	2-Joint Driveshaft	A	1,2	5-213X	5-790X
TRUCK COURIER					
1972-1982		A-B	1,2,3	5-1507X	
GEO					
1989-2001	TRACKER	A	1,2	5-1503X	
GMC					
C-15 SERIES TRUCK / SUBURBAN					
1948-1953	150 Series	B	2,3	5-178X	5-799X
1954	Late 100-24 Series w/3 Spd MT	A-B	1,2,3	5-153X	5-785X
	w/4 Spd. MT	B	1	5-178X	5-799X
		B	2,3	5-153X	5-785X



Fig. A



Fig. B

Important: See Safety Information in General Information Section (J300P-GI)

Year	Model & Description	Fig.	Location	Spicer Part No.	SPL Part No.
GMC					
C-15 SERIES TRUCK / SUBURBAN					
1955-1956	1000 Series w/3 Spd. HD or 4 Spd. Trans.	A	1	5-178X	5-799X
		A	2	5-153X	5-785X
	w/3 Spd. trans.	A	1,2	5-153X	5-785X
	150 or 150-24 Series w/3 Spd. MT	A	1	5-153X	5-785X
		A	2	5-178X	5-799X
	w/3 Spd. HD, 4 Spd. or AT	A	1,2	5-178X	5-799X
1957-1959	Exc. 102 Series w/3 Spd.or AT	A	1,2	5-153X	5-785X
	w/3 Spd HD or 4 Spd. MT	A	1,2	5-178X	5-799X
	102 Series w/3 Spd. trans.	A-B	1,2,3	5-153X	5-785X
	w/3 Spd. HD or 4 Spd. Trans.	B	1,2	5-178X	5-799X
		B	3	5-153X	5-785X
	(U-Shaped Bracket)	B	CB	210370-1X	
	(Round Bracket)	B	CB	210527X	
	150 or 150-24 Series w/3 Spd. MT	A	1	5-153X	5-785X
		A	2	5-178X	5-799X
	w/3 Spd. HD, 4 Spd. or AT	A	1,2	5-178X	5-799X
1960-1962	1000 Series w/3 Spd. trans.	A-B	1,2,3	5-153X	5-785X
	Exc. 3 Spd. Trans.	A-B	1,2,3	5-178X	5-799X
	(U-Shaped Bracket)	B	CB	210370-1X	
	(Round Bracket)	B	CB	210527X	
	1500 Series w/3 Spd. trans.	A-B	1,2,3	5-153X	5-785X
	w/4 Spd. Trans.	B	1	5-178X	5-799X
		B	2,3	5-153X	5-785X
	(U-Shaped Bracket)	B	CB	210370-1X	
	(Round Bracket)	B	CB	210527X	
1963-1977	3-Joint Driveshaft	A-B	1,2,3	5-153X	5-785X
	(U-Shaped Bracket)	B	CB	210370-1X	
	(Round Bracket)	B	CB	210527X	
1978-1981	w/outside snap rings w/1.062” Brg. cup dia.	A-B	1,2,3	5-153X	5-785X
	w/1.188” Brg. cup dia.	A-B	1,2,3	5-178X	5-799X
	w/inside snap rings	A-B	1,2,3	5-3147X	5-795X
	w/inside & outside snap rings	B	3	5-212X	
	w/inside snap rings	B	CB	210370-1X	
1982-1984	2-Joint Driveshaft	A	1,2	5-3147X	5-795X
	3-Joint Driveshaft w/inside snap rings	B	1,2,3	5-3147X	5-795X
	w/outside snap rings	B	1,2,3	5-178X	5-799X
		B	CB	210370-1X	





2WD

Year	Model & Description	Fig.	Location	Spicer Part No.	SPL Part No.
GMC					
C-15 SERIES TRUCK / SUBURBAN					
1985-1986	2-Joint Driveshaft	A	1,2	5-3147X	5-795X
	3-Joint Driveshaft w/AT	B	1,2,3	5-3147X	5-795X
	w/MT w/inside snap rings	B	1,2,3	5-3147X	5-795X
	w/outside snap rings	B	1,2,3	5-178X	5-799X
1992-1993	Reg. Cab				
	w/6 1/2' Bed, w/4 Spd. MT1 AT w/alum. driveshaft	A	1,2	5-447X	
	w/6 1/2' Bed w/117.5" WB, Exc. Alum. Shaft	A	1,2	5-3147X	5-795X
	w/5 Spd. MT	B	1,2,3	5-178X	5-799X
		B	CB	210370-1X	
	w/8' Bed & w/131.5" WB Exc. (MT1) AT & Diesel Eng.	A	1	5-791X	
		A	2	5-794X	
	w/MT8 MT 3-Joint Driveshaft	B	1,2,3	5-178X	5-799X
		B	CB	210370-1X	
	Ext. Cab w/MT8 MT	B	1,2,3	5-178X	5-799X
		B	CB	210370-1X	
	w/AT	B	1,2,3	5-3147X	5-795X
		B	CB	210370-1X	
	w/MG5, 5 Spd. MT	B	1	5-213X	5-790X
		B	2,3	5-212X	
		B	CB	211499X	
	Suburban only w2-Joint driveshaft	A	1	5-791X	
		A	2	5-794X	
1994	Reg. Cab w/6 1/2' Bed	A	1,2	5-3147X	5-795X
	w/8' Bed w/1 pc driveshaft	A	1	5-791X	
		A	2	5-794X	
	3-Joint Driveshaft & MT8 MT	B	1,2,3	5-178X	5-799X
		B	CB	210370-1X	
	Ext. Cab w/MT1 AT & 6.5L diesel	B	1,2	5-213X	5-790X
	w/6 1/2' Bed, Exc. MT1 AT & 6.5L Diesel Eng.	B	1,2,3	5-213X	5-790X
		B	CB	211499X	
	w/8' Bed & 4L60E (M30) AT	B	1,2,3	5-3147X	5-795X
		B	CB	210370-1X	
	w/8' Bed, w/MT, 1st design (Dana) steel driveshaft	B	1,2,3	5-178X	5-799X
	Suburban only w/4 Spd. Auto 4L80 (MT1)	A	1,2	5-447X	



Important: See Safety Information in General Information Section (J300P-GI)

Year	Model & Description	Fig.	Location	Spicer Part No.	SPL Part No.
GMC					
C-15 SERIES TRUCK / SUBURBAN					
1995	Reg. Cab w/6 1/2' Bed	A	1,2	5-3147X	5-795X
	w/8' Bed w/1 pc driveshaft	A	1	5-791X	
		A	2	5-794X	
	w/HD 5 Spd MW3 MT	B	1,2,3	5-178X	5-799X
		B	CB	210370-1X	
	Ext. Cab w/MT1 AT & 6.5L diesel	B	1,2	5-213X	5-790X
	w/HD MG5 5 Spd. MT	B	1,2	5-213X	5-790X
		B	3	5-212X	
	First Design	B	CB	211499X	
	Second Design	B	CB	211819-1X	
	w/HD New Venture (MW3), 5 Spd. MT	B	1,2,3	5-178X	5-799X
	w/HD MW3 5 Spd. MT	B	CB	210370-1X	
	w/4 Spd. Auto 4L60E (M30)	B	1,2	5-213X	5-790X
		B	3	5-212X	
		B	CB	211819-1X	
	Suburban only w/4 Spd. Auto 4L0E (M30)	A	1	5-791X	
		A	2	5-794X	
	w/4 Spd. Auto 4L80 (MT1)	A	1,2	5-447X	
	w/6.5L Diesel Turbo	A	1,2	5-447X	
1996	Reg. Cab w/6 1/2' Bed & MT, steel driveshaft	A	1,2	5-3147X	5-795X
	w/8' Bed w/alum. driveshaft	A	1	5-791X	
		A	2	5-794X	
	Ext. Cab w/MT1 AT & 6.5L diesel	B	1,2	5-213X	5-790X
	w/6 1/2' & 8' Bed w/5 Spd. MG5 & M50 MT	B	1,2	5-213X	5-790X
		B	3	5-212X	
	w/4 Spd. M30 AT	B	1,2	5-213X	5-790X
		B	3	5-212X	
		B	CB	211819-1X	
	Suburban only w/4 Spd. M30 AT	A	1	5-791X	
		A	2	5-794X	
	w/4 Spd. MT1 AT	A	1,2	5-447X	
	w/6.5L Diesel Turbo	A	1,2	5-447X	
1997-1998	Reg. Cab w/6 1/2' Bed	A	1,2	5-3147X	5-795X
	w/8' Bed	A	1	5-791X	
		A	2	5-794X	
	Ext. Cab	B	1,2,3	5-213X	5-790X
		B	CB	211819-1X	
	Suburban only w/6.5L Diesel Turbo	A	1,2	5-447X	
	w/4 Spd. M30 AT	A	1	5-791X	
		A	2	5-794X	





2WD

Year	Model & Description	Fig.	Location	Spicer Part No.	SPL Part No.
GMC					
C-15 SERIES TRUCK / SUBURBAN					
1999	Reg. Cab w/AT	A	1,2	5-3147X	5-795X
	w/MT	A	1	5-213X	5-790X
		A	2	5-212X	5-793X
	Alum. Driveshaft	A	1	5-791X	
		A	2	5-794X	
	Ext. Cab w/AT	B	1,2,3	5-3147X	5-795X
	w/MT	B	1,2	5-213X	5-790X
		B	3	5-212X	5-793X
	Suburban only w/5.7L	A	1	5-212X	5-793X
		A	1	5-213X	5-790X
	w/6.5L Diesel Turbo	A	1,2	5-447X	
C-25 SERIES TRUCK / SUBURBAN					
1976-1978	Exc. Suburban w/TH400	A-B	1,2	5-153X	5-785X
		B	3	5-178X	5-799X
	Suburban only w/TH400	B	3	5-3147X	5-795X
		B	CB	210370-1X	
1979-1981	w/outside snap rings w/1.062” Brg. cup dia.	A-B	1,2,3	5-153X	5-785X
	w/1.188” Brg. cup dia.	A-B	1,2,3	5-178X	5-799X
	Suburban only w/TH400	B	3	5-3147X	5-795X
		B	CB	210370-1X	
1982-1983	w/inside snap rings	B	1,2,3	5-3147X	5-795X
	w/outside snap rings	B	1,2,3	5-178X	5-799X
		B	CB	210370-1X	
1984	2-Joint Driveshaft w/inside snap rings	A	1,2	5-3147X	5-795X
	w/outside snap rings	A	1,2	5-178X	5-799X
	3-Joint Driveshaft w/inside snap rings	B	1	5-3147X	5-795X
	w/outside snap rings	B	1,3	5-178X	5-799X
		B	2	5-3147X	5-795X
		B	CB	210370-1X	
1985-1986	2-Joint Driveshaft w/inside snap rings	A	1,2	5-3147X	5-795X
	w/outside snap rings	A	1,2	5-178X	5-799X
	3-Joint Driveshaft Exc. 4 Spd AT Exc. 454 Eng.	B	1,2	5-178X	5-799X
		B	3	5-3147X	5-795X
	Exc. 4 Spd AT w/454 Eng.	B	1,2,3	5-178X	5-799X
	w/4 Spd. AT	B	1,3	5-3147X	5-795X
		B	2	5-178X	5-799X
		B	CB	210370-1X	





Important: See Safety Information in General Information Section (J300P-GI)

Year	Model & Description	Fig.	Location	Spicer Part No.	SPL Part No.
GMC					
C-25 SERIES TRUCK / SUBURBAN					
1992-1994	Reg. Cab MT1 AT & 131.5” WB 2-Joint driveshaft	A	1,2	5-447X	
	Reg. Cab w/7200# GVW MT8 MT, 3-Joint Driveshaft	B	1,2,3	5-178X	5-799X
		B	CB	210370-1X	
	Reg. Cab w/8600# GVW MT8 MT, 3-Joint Driveshaft	B	1,2,3	5-447X	
		B	CB	210140-1X	
	Reg. Cab MT1 AT, 3-Joint Driveshaft	B	1,2,3	5-447X	
		B	CB	210140-1X	
	Ext. Cab w/6 1/2’ Bed Exc. MT1 AT & MG5 MT	B	1,2,3	5-178X	5-799X
		B	CB	210370-1X	
	w/MT1 AT & MG5 MT	B	1,2,3	5-447X	
		B	CB	211499X	
	Ext. Cab w/6 1/2’ & 8’ Bed w/8600# GVW & MT8 MT	B	1,2,3	5-447X	
		B	CB	211793-1X	
	w/7200# GVW	B	1,2,3	5-178X	5-799X
		B	CB	210370-1X	
	Suburban only 2-Joint Driveshaft	A	1,2	5-447X	
1995	Reg. Cab MT1 AT, 2-Joint Driveshaft w/131.5” WB	A	1,2	5-447X	
	Reg. Cab w/7200# GVW MT8 MT, 3-Joint Driveshaft	B	1,2,3	5-178X	5-799X
		B	CB	210370-1X	
	Reg. Cab w/8600# GVW MT8 MT, 3-Joint Driveshaft	B	1,2,3	5-447X	
		B	CB	210140-1X	
	Reg. Cab MT1 AT, 3-Joint Driveshaft	B	1,2,3	5-447X	
		B	CB	210140-1X	
	Ext. Cab w/6 1/2’ Bed w/M30 AT & 7200# GVW Steel driveshaft	B	1,2,3	5-178X	5-799X
		B	CB	210370-1X	
	Ext. Cab w/M30 AT	B	1,2,3	5-447X	
		B	CB	211748-1X	
	w/MT1	B	1,2,3	5-447X	
	w/MT1 AT	B	CB	211748-1X	
	w/MW3, MT8 & MT	B	1,2,3	5-178X	5-799X
		B	CB	210370-1X	
	Ext. Cab w/8’ Bed	B	1,2,3	5-447X	
	Ext. Cab Exc. MG5 MT	B	CB	211793-1X	
	w/MG5 MT	B	CB	211499X	
	Suburban only 2-Joint Driveshaft	A	1,2	5-447X	
1996	Reg. Cab 2-Joint Driveshaft	A	1,2	5-447X	
	3-Joint Driveshaft	B	1,2,3	5-447X	
		B	CB	211793-1X	





2WD

Year	Model & Description	Fig.	Location	Spicer Part No.	SPL Part No.
GMC					
C-25 SERIES TRUCK / SUBURBAN					
1996	Ext. Cab 3-Joint Driveshaft	B	1,2,3	5-447X	
	w/6 1/2' Bed, & MT	B	CB	211499X	
	w/6 1/2' Bed, & AT	B	CB	211748-1X	
	w/8' Bed	B	CB	211793-1X	
	Suburban only 2-Joint Driveshaft	A	1,2	5-447X	
1997-1999	Reg. Cab w/8' bed 2-Joint Driveshaft	A	1,2	5-447X	
	3-Joint Driveshaft, 8600# GVWR	B	1,2,3	5-447X	
		B	CB	211793-1X	
	Ext. Cab w/6 1/2' Bed	B	1,2,3	5-447X	
	w/5 Spd. MT	B	CB	211499X	
	w/AT	B	CB	211748-1X	
	w/8' Bed	B	2,3	5-447X	
		B	CB	211793-1X	
	Suburban only 2-Joint Driveshaft	A	1,2	5-447X	
2000	2-Joint Driveshaft	A	1,2	5-178X	5-799X
	3-Joint Driveshaft w/AT	B	1,2,3	5-178X	5-799X
	w/MT	B	1,2,3	5-160X	5-801X
C-35 SERIES TRUCK / SUBURBAN					
1973-1975	w/1.062" Brg. cup dia.	B	1,2,3	5-153X	5-785X
	w/1.188" Brg. cup dia.	B	1,2,3	5-178X	5-799X
		B	CB	210370-1X	
1976-1977	Exc. 129.5" & 131.5" WB w/TH350 w/1.062" Brg. cup dia.	B	1,2,3	5-153X	5-785X
	w/1.188" Brg. cup dia.	B	1,2,3	5-178X	5-799X
		B	CB	210370-1X	
	w/129.5" & 131.5" WB w/TH350	B	1	5-178X	5-799X
	w/1.062" Brg. cup dia.	B	2,3	5-153X	5-785X
	w/1.188" Brg. cup dia.	B	2,3	5-178X	5-799X
		B	CB	210370-1X	
1979-1981	w/outside snap rings w/1.062" Brg. cup dia.	A	1,2,3	5-153X	5-785X
	w/1.188" Brg. cup dia.	A	1,2	5-178X	5-799X
		B	CB	210370-1X	
1982-1983		B	1,2,3	5-178X	5-799X
		B	CB	210370-1X	
1984	2-Joint Driveshaft w/inside snap rings	A	1,2	5-3147X	5-795X
	w/outside snap rings	A	1,2	5-178X	5-799X
	3-Joint Driveshaft w/inside snap rings	B	1,2,3	5-3147X	5-795X
		B	CB	210370-1X	
	w/outside snap rings	B	1,2,3	5-178X	5-799X
		B	CB	210370-1X	



Important: See Safety Information in General Information Section (J300P-GI)

U-Joints

Year	Model & Description	Fig.	Location	Spicer Part No.	SPL Part No.
GMC					
C-35 SERIES TRUCK / SUBURBAN					
1985-1986		B	1,2,3	5-178X	5-799X
		B	CB	210370-1X	
1992-1998	Reg. Cab w/131.5” WB	B	1,2,3	5-447X	
		B	CB	211793-1X	
	Ext. Cab w/155.5” WB, w/Dual Rear wheels	B	1,2,3	5-178X	5-799X
		B	CB	210370-1X	
	w/155.5” WB, Exc. Dual Rear wheels	B	1,2,3	5-447X	
		B	CB	211793-1X	
	2 Dr Chassis Cab w/135.5” & 159.5” WB Exc. 15,000# GVW	B	1,2,3	5-447X	
		B	CB	211793-1X	
	w/15,000# GVW	B	1,2,3	5-160X	5-801X
		B	CB	211793-1X	
	w/183.5” WB 4-Joint Driveshaft	R	1,2,3,4	5-160X	5-801X
	1st	R	CB	211804-1X	
	2nd	R	CB	211793-1X	
	4 Dr Chassis Cab w/164.5” & 168.5” WB	B	1,2,3	5-447X	
		B	CB	211735-1X	
1999-2000	Reg. Cab w/131.5” WB	B	1,2,3	5-178X	5-799X
	Ext. Cab w/155.5” WB	B	1,2,3	5-178X	5-799X
	Chassis Cab w/183.5” WB	B	1,2,3	5-160X	5-801X
	w/135.5” or 159.5” WB, Exc. 15000lb GVW	B	1	5-178X	5-799X
		B	2,3	5-160X	5-801X
	w/135.5” or 159.5” WB, w/15000lb GVW	B	1,2,3	5-160X	5-801X
	4-Joint Driveshaft	R	1,2,3,4	5-160X	5-801X
CABALLERO					
1978-1987		A	1,2	5-3147X	5-795X
CANYON PICK-UP					
2004-2007	2-Joint Driveshaft				
	Spicer Driveshaft w/outside snap rings	A	1,2	5-213X	5-790X
	Spicer joint w/outside snap rings at Transmission	A	1	5-213X	5-790X
	Spicer joint w/outside & inside snap rings at rear	A	2	5003097	
	3-Joint Driveshaft Spicer Driveshaft w/outside snap rings at Transmission & Center Bearing	B	1,2	5-213X	5-790X
	Spicer joint w/outside & inside snap rings at rear	B	3	5003097	
	2-Joint Driveshaft w/AAM 1335 Series Ujoint	A	1	N/A	
	w/AAM 1335 x 3R Series Ujoint	A	2	N/A	
ENVOY					
2002-2006	2-Joint Driveshaft	A	1,2	5-3147X	5-795X







2WD

2WD

Year	Model & Description	Fig.	Location	Spicer Part No.	SPL Part No.
GMC					
G-15 SERIES, G1500 SERIES AND SAVANA					
1967-1977		A-B	1,2,3	5-153X	5-785X
		B	CB	210370-1X	
1978-1981	w/outside snap rings	A-B	1,2,3	5-153X	5-785X
	w/inside snap rings	A-B	1,2,3	5-3147X	5-795X
		B	CB	210370-1X	
1982-1986	2-Joint Driveshaft w/inside snap rings	A	1,2	5-3147X	5-795X
	w/outside snap rings & alum. yoke	A	1,2	5-791X	
	3-Joint Driveshaft	B	1,2,3	5-3147X	5-795X
		B	CB	210370-1X	
1992-1998	2-Joint Driveshaft				
	w/110” & 125” WB w/inside snap rings	A	1,2	5-3147X	5-795X
	w/125” WB w/outside snap rings & alum. driveshaft	A	1	5-791X	
	w/inside & outside snap rings & alum. shaft	A	2	5-794X	
1999-2006	2-Joint Driveshaft	A	1,2	5-178X	5-799X
G-25 SERIES, G2500 SERIES AND SAVANA					
1976-1978	Exc. 400 Eng. w/inside snap rings	A	1,2	5-3147X	5-795X
	w/outside snap rings	A-B	1,2,3	5-153X	5-785X
	w/inside & outside snap rings	A-B	1,2,3	5-212X	
		B	CB	210370-1X	
	w/400 Eng.	A-B	1,2,3	5-213X	5-790X
		B	CB	210370-1X	
1979-1981	Exc. 400 Eng. w/outside snap rings	A-B	1,2,3	5-153X	5-785X
	w/inside snap rings	A-B	1,2,3	5-3147X	5-795X
		B	CB	210370-1X	
	w/400 Eng.	B	1	5-3147X	5-795X
		B	2	5-213X	5-790X
		B	3	5-178X	5-799X
		B	CB	210370-1X	
1982-1983	2-Joint Driveshaft	A	1,2	5-3147X	5-795X
	3-Joint Driveshaft	B	1,2,3	5-3147X	5-795X
		B	CB	210370-1X	
1984	2-Joint Driveshaft	A	1,2	5-3147X	5-795X
	w/Turbo 400 AT	B	1	5-3147X	5-795X
		B	2,3	5-178X	5-799X
		B	CB	210370-1X	
	3-Joint Driveshaft	B	1,2,3	5-3147X	5-795X
		B	CB	210370-1X	
1985-1989	2-Joint Driveshaft	A	1,2	5-3147X	5-795X
	3-Joint Driveshaft	B	1,2,3	5-3147X	5-795X
		B	CB	210370-1X	





Important: See Safety Information in General Information Section (J300P-GI)

U-Joints

Year	Model & Description	Fig.	Location	Spicer Part No.	SPL Part No.
GMC					
G-25 SERIES, G2500 SERIES AND SAVANA					
1990	2-Joint Driveshaft w/inside snap rings	A	1,2	5-3147X	5-795X
	w/outside snap rings & alum. driveshaft	A	1	5-791X	
	w/inside & outside snap rings	A	2	5-794X	
	3-Joint Driveshaft	B	1,2,3	5-3147X	5-795X
		B	CB	210370-1X	
1991-1995	2-Joint Driveshaft				
	w/110” & 125’’ WB w/inside snap rings	A	1,2	5-3147X	5-795X
	125” WB & alum. driveshaft w/outside snap rings	A	1	5-791X	
	w/inside & outside snap rings	A	2	5-794X	
1996-2002	2-Joint Driveshaft	A	1,2	5-178X	5-799X
	3-Joint Driveshaft	B	1,2,3	5-178X	5-799X
2003-2006	2-Joint Driveshaft	A	1,2	5-178X	5-799X
	3-Joint Driveshaft w/1350 Series Driveshaft	B	1,2,3	5-178X	5-799X
	w/AAM 1355 Series Driveshaft	B	1,2,3	N/A	
G-35 SERIES, G3500 SERIES AND SAVANA					
1970-1974	w/1.062” Brg. cup dia.	A-B	1,2,3	5-153X	5-785X
	w/1.188” Brg. cup dia.	A-B	1,2,3	5-178X	5-799X
		B	CB	210370-1X	
1975	Exc. 110” WB, Exc. 146’’ WB w/TH350				
	w/1.062” Brg. cup dia.	A-B	1,2,3	5-153X	5-785X
	w/1.188” Brg. cup dia.	A-B	1,2,3	5-178X	5-799X
		B	CB	210370-1X	
	w/146’’ WB & TH350	A-B	1,2,3	5-3147X	5-795X
		B	CB	210370-1X	
	w/110” WB	A	1	5-3147X	5-795X
		A	2	5-178X	5-799X
1976-1977	Exc. 110” WB w/1.062’’ Brg. cup dia.	A-B	1,2,3	5-153X	5-785X
	w/1.188’’ Brg. cup dia.	A-B	1,2,3	5-178X	5-799X
		B	CB	210370-1X	
	w/110” WB	A	1	5-3147X	5-795X
		A	2	5-178X	5-799X
1978-1981	w/inside snap rings	A-B	1,2,3	5-3147X	5-795X
	w/outside snap rings	A-B	1,2,3	5-178X	5-799X
		B	CB	210370-1X	
1982-1987	w/inside snap rings	B	1	5-3147X	5-795X
	w/outside snap rings	B	1	5-178X	5-799X
		B	2,3	5-178X	5-799X
		B	CB	210370-1X	





2WD

Year	Model & Description	Fig.	Location	Spicer Part No.	SPL Part No.
GMC					
G-35 SERIES, G3500 SERIES AND SAVANA					
1988-1990	3-Joint Driveshaft w/inside snap rings	B	1	5-3147X	5-795X
	w/outside snap rings	B	1	5-178X	5-799X
		B	2,3	5-178X	5-799X
		B	CB	210370-1X	
1991	2-Joint Driveshaft	A	1,2	5-447X	
	3-Joint Driveshaft	B	1,2,3	5-178X	5-799X
		B	CB	210370-1X	
1992-1995	2-Joint Driveshaft	A	1,2	5-447X	
	3-Joint Driveshaft	B	1,2,3	5-447X	
		B	CB	210370-1X	
1996-2000	2-Joint Driveshaft	A	1,2	5-178X	5-799X
	3-Joint Driveshaft	B	1,2,3	5-178X	5-799X
2001-2002	2-Joint Driveshaft Exc. Commercial Cutaway w/135” or 139’’ WB	A	1,2	5-178X	5-799X
	Commercial Cutaway w/139” WB	A	1,2	5-160X	5-801X
	3-Joint Driveshaft				
	Exc. Commercial Cutaway w/155”, 159’’, 177’’ WB	B	1,2,3	5-178X	5-799X
	Commercial Cutaway w/159” or 177’’ WB	B	1,2,3	5-160X	5-801X
2003-2004	2-Joint Driveshaft				
	Exc. Commercial Cutaway w/135” WB 1350 Series Driveshaft	A	1,2	5-178X	5-799X
	Commercial Cutaway w/139” WB 1410 Series Driveshaft	A	1,2	5-160X	5-801X
	3-Joint Driveshaft				
	Exc. Commercial Cutaway w/155” WB 1350 Series Driveshaft	B	1,2,3	5-178X	5-799X
	Commercial Cutaway w/159” or 177’’ WB				
	1350 Series at Trans.	B	1	5-178X	5-799X
	1410 Series at Ctr Brg. and Rear Axle	B	2,3	5-160X	5-801X
	w/AAM 1355 Series Driveshaft and 155” WB	B	1,2,3	N/A	
	w/AAM 1355 Series and 159” or 177’’ WB	B	1	N/A	
	w/AAM 1415 Series and 159” or 177’’ WB	B	2,3	N/A	
2005-2006	2-Joint Driveshaft				
	Exc. Commercial Cutaway w/135” WB 1350 Series Driveshaft	A	1,2	5-178X	5-799X
	Commercial Cutaway w/139” WB Exc. Dual Rear Wheel	A	1,2	5-178X	5-799X
	Commercial Cutaway w/139” WB & Dual Rear Wheel				
	1410 Series Driveshaft	A	1,2	5-160X	5-801X
	3-Joint Driveshaft				
	Exc. Commercial Cutaway w/155” WB 1350 Series Driveshaft	B	1,2,3	5-178X	5-799X
	Commercial Cutaway w/159” or 177’’ WB 1350 Series at Trans.	B	1	5-178X	5-799X
	1410 Series at Ctr Brg. and Rear Axle	B	2,3	5-160X	5-801X
	w/AAM 1355 Series Driveshaft and 155” WB	B	1,2,3	N/A	
	w/AAM 1355 Series and 159” or 177’’ WB	B	1	N/A	
	w/AAM 1415 Series and 159” or 177’’ WB	B	2,3	N/A	



Fig. A



Fig. B

Important: See Safety Information in General Information Section (J300P-GI)

U-Joints

Year	Model & Description	Fig.	Location	Spicer Part No.	SPL Part No.
GMC					
JIMMY (FULL SIZE)					
1969-1972	w/AT	A	1	5-213X	5-790X
		A	2	5-153X	5-785X
	w/MT	A	1,2	5-153X	5-785X
1973-1977		A	1,2	5-178X	5-799X
1978-1981	w/4 Spd. MT w/53.09” driveshaft length	A	1	5-178X	5-799X
		A	2	5-153X	5-785X
	w/3 Spd. Trans.	A	1,2	5-153X	5-785X
	w/4 Spd. MT w/53.80” driveshaft length	A	1,2	5-178X	5-799X
1982	1/2 Ton Exc. 305 Eng. & 4 Spd. Trans.	A	1,2	5-3147X	5-795X
	w/305 Eng. & 4 Spd. Trans.	A	1,2	5-178X	5-799X
P-15 SERIES					
1963-1978	Exc. 4 Spd. Trans.	A-B	1,2,3	5-153X	5-785X
	w/4 Spd. Trans.	A-B	1,2,3	5-178X	5-799X
	(Round Bracket)	B	CB	210527X	
	(U-Shaped Bracket)	B	CB	210370-1X	
1979		A	1,2	5-213X	5-790X
1980-1981	2-Joint Driveshaft	A	1,2	5-153X	5-785X
	3-Joint Driveshaft w/1.062” Brg. cup dia.	B	1,2,3	5-153X	5-785X
	w/1.188” Brg. cup dia.	B	1,2,3	5-178X	5-799X
		B	CB	210370-1X	
P-25 SERIES					
1973-1975	w/3 Spd. MT, Exc. 400 Eng.	B	1,2	5-153X	5-785X
		B	3	5-178X	5-799X
	w/3 Spd. MT, w/400 Eng.	B	1	5-213X	5-790X
		B	2,3	5-178X	5-799X
		B	CB	210370-1X	
	w/4 Spd. Trans.	B	1,2,3	5-178X	5-799X
		B	CB	210370-1X	
1976-1978	Exc. 3 Spd. OD & 4 Spd. Trans.	B	1	5-153X	5-785X
	w/3 Spd. OD & 4 Spd. Trans.	B	1,2,3	5-178X	5-799X
		B	CB	210370-1X	
1979	w/1.062” Brg. cup dia.	A-B	1,2	5-213X	5-790X
	w/1.188” Brg. cup dia.	A-B	1,2,3	5-178X	5-799X
	w/2 inside & 2 outside snap rings	B	2,3	5-212X	
		B	CB	210370-1X	
1980-1981	2-Joint Driveshaft Exc. 4 Spd. Saginaw trans.	A	1	5-153X	5-785X
	w/4 Spd. Saginaw trans.	A	1	5-178X	5-799X
		A	2	5-3147X	5-795X



Fig. A



Fig. B

Important: See Safety Information in General Information Section (J300P-GI)

2WD

Year	Model & Description	Fig.	Location	Spicer Part No.	SPL Part No.
GMC					
P-25 SERIES					
1980-1981	3-Joint Driveshaft Exc. 3 Spd. AT	B	1	5-178X	5-799X
	w/3 Spd AT	B	1	5-153X	5-785X
		B	2,3	5-3147X	5-795X
		B	CB	210370-1X	
1982-1983		B	1,2	5-178X	5-799X
		B	3	5-3147X	5-795X
		B	CB	210370-1X	
1984		A-B	1,2,3	5-3147X	5-795X
		B	CB	210370-1X	
1985-1989	2-Joint Driveshaft	A	1	5-178X	5-799X
		A	2	5-3147X	5-795X
	3-Joint Driveshaft	B	1	5-178X	5-799X
	w/inside snap rings	B	2,3	5-3147X	5-795X
	w/outside snap rings	B	2,3	5-178X	5-799X
	Exc. Saginaw Shaft	B	CB	210370-1X	
P-35 SERIES					
1960-1977		B	1,2,3	5-178X	5-799X
		B	CB	210370-1X	
1978-1981	2-Joint Driveshaft w/3.469” outside yoke dim	A	1	5-153X	5-785X
		A	2	5-178X	5-799X
	w/3.875” outside yoke dim	A	1,2	5-178X	5-799X
	3-Joint Driveshaft				
	w/3.469” outside yoke dim	B	1	5-153X	5-785X
	w/3.875” outside yoke dim	B	1	5-178X	5-799X
	w/4.438” outside yoke dim	B	1	5-160X	5-801X
	w/2 inside & 2 outside snap rings	B	1	5-1206X	
	w/3.469” outside yoke dim	B	2	5-153X	5-785X
	w/3.875” outside yoke dim	B	2	5-178X	5-799X
	w/3.469” outside yoke dim	B	3	5-153X	5-785X
	w/3.875” outside yoke dim	B	3	5-178X	5-799X
	w/4.438” outside yoke dim	B	3	5-160X	5-801X
	1330 Series / 3R Series w/2 outside & 2 inside snap rings	B	3	5-212X	5-793X
	w/2 inside & 2 outside snap rings	B	3	5-1206X	
		B	CB	210370-1X	





Important: See Safety Information in General Information Section (J300P-GI)

Year	Model & Description	Fig.	Location	Spicer Part No.	SPL Part No.
GMC					
P-35 SERIES					
1982-1983	3-Joint Driveshaft w/3.469” outside yoke dim	B	1	5-153X	5-785X
	w/3.875” outside yoke dim	B	1	5-178X	5-799X
	w/4.438” outside yoke dim	B	1	5-160X	5-801X
	w/2 inside & 2 outside snap rings	B	1	5-1206X	
	w/3.469” outside yoke dim	B	2	5-153X	5-785X
	w/3.875” outside yoke dim	B	2	5-178X	5-799X
	w/outside snap rings	B	3	5-178X	5-799X
	w/2 inside & 2 outside snap rings	B	3	5-1206X	
		B	CB	210370-1X	
	4-Joint Driveshaft Exc. 178” WB	R	1,2,3,4	5-178X	5-799X
	(Front)	R	CB	210367-1X	
	(Rear)	R	CB	210370-1X	
	w/178” WB	R	1,2,3	5-178X	5-799X
		R	4	5-1206X	
	(Front)	R	CB	210367-1X	
	(Rear)	R	CB	210370-1X	
1984	2-Joint Driveshaft w/3.875” outside yoke dim	A	1,2	5-178X	5-799X
	w/4.438” outside yoke dim	A	2	5-160X	5-801X
	w/inside snap rings	A	1,2	5-3147X	5-795X
	3-Joint Driveshaft				
	w/4.438” outside yoke dim w/4 wheel disc brakes	B	1,3	5-160X	5-801X
	w/3.875” outside yoke dim	B	1,2,3	5-178X	5-799X
	w/4 wheel disc	B	CB	210370-1X	
	w/inside snap rings w/Rear shaft drum brakes	B	1,2,3	5-3147X	5-795X
	w/outside snap rings	B	1,2,3	5-178X	5-799X
	w/Rear shaft drum brakes	B	CB	210370-1X	
	4-Joint Driveshaft	R	1,2,3	5-178X	5-799X
		R	4	5-160X	5-801X
	Front & Rear	R	CB	210367-1X	







2WD

Year	Model & Description	Fig.	Location	Spicer Part No.	SPL Part No.
GMC					
P-35 SERIES					
1985-1990	3-Joint Driveshaft				
	w/137” WB Motor Home Chassis	B	1,2,3	5-178X	5-799X
	w/Dana Shaft	B	CB	210370-1X	
	w/Saginaw Shaft	B	CB	211119-1X	
	w/125” & 133’’ WB				
	w/4 wheel disc brakes & AT	B	1,3	5-160X	5-801X
		B	2	5-178X	5-799X
	w/4 wheel disc brakes & MT				
	w/6.2L Diesel Eng.	B	1,3	5-160X	5-801X
		B	2	5-178X	5-799X
		B	CB	210370-1X	
	Exc. 6.2L Diesel Eng.	B	1	5-153X	5-785X
		B	2	5-178X	5-799X
		B	3	5-160X	5-801X
	w/rear drum brakes & MT	B	1,2,3	5-178X	5-799X
		B	CB	210370-1X	
	w/157” & 158.5’’ WB				
	w/Rear drum brakes	B	1,2,3	5-178X	5-799X
		B	CB	210370-1X	
	w/4 wheel disc brakes & AT	B	1	5-1206X	
	Exc. 6.2L Diesel Eng.	B	2	5-178X	5-799X
		B	3	5-160X	5-801X
	w/6.2L Diesel Eng.	B	1,3	5-160X	5-801X
		B	2	5-178X	5-799X
		B	CB	210370-1X	
	w/4 wheel disc brakes & MT	B	1,2	5-178X	5-799X
		B	3	5-160X	5-801X
		B	CB	210370-1X	
	w/178” WB Conv Forward Control Chassis	B	1,2,3	5-178X	5-799X
		B	CB	210370-1X	





Important: See Safety Information in General Information Section (J300P-GI)

Year	Model & Description	Fig.	Location	Spicer Part No.	SPL Part No.
GMC					
P-35 SERIES					
1985-1990	4-Joint Driveshaft				
	w/178" WB	R	1,2,3,4	5-178X	5-799X
	w/178” WB Motor Home Chassis				
	w/4 wheel disc brakes & AT				
	Exc. 16,000# GVW	B	1	5-1206X	
		B	2	5-178X	5-799X
		B	3	5-160X	5-801X
	w/16,000# GVW	B	1,2,3	5-160X	5-801X
	w/4 wheel disc brakes & MT	B	1,2	5-178X	5-799X
		B	3	5-160X	5-801X
	w/rear drum brakes	B	1,2,3	5-160X	5-801X
	w/208” WB Motor Home Chassis	R	1,2,3,4	5-160X	5-801X
1991	3-Joint Driveshaft w/4 wheel disc	B	1,2,3	5-160X	5-801X
	w/Rear shaft drum brakes	B	1,2,3	5-178X	5-799X
	w/125” & 133’’ WB	B	CB	210370-1X	
	4-Joint Driveshaft	B	1,2,3,4	5-160X	5-801X
1992-1995	Conv Forward Control Chassis w/125” WB	A	1,2	5-178X	5-799X
	3-Joint Driveshaft w/4 wheel disc	B	1,2,3	5-160X	5-801X
	w/Rear shaft drum brakes	B	1,2,3	5-178X	5-799X
	w/125” & 133’’ WB	B	CB	210370-1X	
	4-Joint Driveshaft	B	1,2,3,4	5-160X	5-801X
1996	Conv Forward Control Chassis w/125” WB	A	1,2	5-178X	5-799X
	3-Joint Driveshaft w/190” or 209” WB	B	1,2,3	5-160X	5-801X
		B	CB	210873-1X	
		B	CB	211804-1X	
	w/4 wheel disc	B	1,2,3	5-160X	5-801X
		B	CB	211793-1X	
	w/rear drum brakes	B	1,2,3	5-178X	5-799X
		B	CB	211793-1X	
	4-Joint Driveshaft	R	1,2,3,4	5-160X	5-801X
		R	CB	211793-1X	
1997-1999	3-Joint Driveshaft w/190” or 209” WB	B	1,2,3	5-160X	5-801X
		B	CB	210873-1X	
		B	CB	211804-1X	
	w/4 wheel disc	B	1,2,3	5-160X	5-801X
		B	CB	211793-1X	
	w/rear drum brakes	B	1,2,3	5-178X	5-799X
		B	CB	211793-1X	
	4-Joint Driveshaft	R	1,2,3,4	5-160X	5-801X
		R	CB	211793-1X	





2WD

Year	Model & Description	Fig.	Location	Spicer Part No.	SPL Part No.
GMC					
R-15 SERIES JIMMY					
1987-1991	Reg. Cab, 2-Joint Driveshaft	A	1,2	5-3147X	5-795X
R-15 SERIES PICK-UP					
1988-1991	Reg. Cab w/inside snap rings	A	1,2	5-3147X	5-795X
	w/steel driveshaft yoke	A	1,2	5-178X	5-799X
	w/alum. driveshaft w/1.188” Brg. cup dia.	A	1,2	5-447X	
	w/outside snap rings w/1.062” Brg. cup dia.	A	1	5-791X	
	w/inside & outside snap rings	A	2	5-794X	
	Ext. Cab w/5 Spd. MT	B	1,2	5-213X	5-790X
		B	3	5-212X	
	w/outside snap rings	B	1,2,3	5-178X	5-799X
	w/inside snap rings	B	1,2,3	5-3147X	5-795X
		B	CB	210370-1X	
R-15 SERIES SUBURBAN					
1987-1991	2-Joint Driveshaft	A	1,2	5-3147X	5-795X
	3-Joint Driveshaft w/inside snap rings	B	1,2,3	5-3147X	5-795X
	w/outside snap rings	B	1,2,3	5-178X	5-799X
R-25 SERIES PICK-UP					
1988	Reg. Cab w/inside snap rings	A	1,2	5-3147X	5-795X
	w/outside snap rings & alum. driveshaft w/1.062” Brg. cup dia.	A	1,2	5-791X	
	w/1.188” Brg. cup dia.	A	1,2	5-447X	
	Ext. Cab w/outside snap rings	B	1,2,3	5-178X	5-799X
	w/inside snap rings	B	1,2,3	5-3147X	5-795X
	w/outside snap rings	B	1,2	5-213X	5-790X
	w/inside & outside snap rings	B	3	5-212X	
	w/inside snap rings	B	CB	210370-1X	
1989-1991	Reg. Cab w/inside snap rings	A	1,2	5-3147X	5-795X
	w/outside snap rings & alum. driveshaft w/1.062” Brg. cup dia.	A	1,2	5-791X	
	w/1.188” Brg. cup dia.	A	1,2	5-447X	
	Ext. Cab w/steel driveshaft	B	1,2,3	5-178X	5-799X
	w/inside snap rings	B	1,2,3	5-3147X	5-795X
	w/outside snap rings	B	1,2	5-213X	5-790X
	w/inside & outside snap rings	B	3	5-212X	
	w/inside snap rings	B	CB	210370-1X	
R-25 SERIES SUBURBAN					
1987-1991	2-Joint Driveshaft	A	1,2	5-3147X	5-795X
	3-Joint Driveshaft w/inside snap rings	B	1,2,3	5-3147X	5-795X
	w/outside snap rings	B	1,2,3	5-178X	5-799X





Important: See Safety Information in General Information Section (J300P-GI)

U-Joints

Year	Model & Description	Fig.	Location	Spicer Part No.	SPL Part No.
GMC					
R-35 SERIES					
1987-1991	Reg. Cab, w/inside snap rings	A	1,2	5-3147X	5-795X
	Ext. Cab w/inside snap rings	B	1,2,3	5-3147X	5-795X
	w/outside snap rings	B	1,2,3	5-178X	5-799X
S-15 JIMMY					
1982-1994	2-Joint Driveshaft	A	1,2	5-3147X	5-795X
	3-Joint Driveshaft	B	1,2,3	5-3147X	5-795X
		B	CB	210370-1X	
1995-1999	2-Joint Driveshaft Alum. Driveshaft	A	1	5-791X	
		A	2	5-794X	
		A	1,2	5-3147X	5-795X
	3-Joint Driveshaft	B	1,2,3	5-3147X	5-795X
		B	CB	210370-1X	
2000-2001	2-Joint Driveshaft	A	1,2	5-3147X	5-795X
	3-Joint Driveshaft	B	1,2,3	5-3147X	5-795X
		B	CB	210370-1X	
S-15 PICK-UP/SONOMA					
1982-1994	2-Joint Driveshaft	A	1,2	5-3147X	5-795X
	3-Joint Driveshaft	B	1,2,3	5-3147X	5-795X
		B	CB	210370-1X	
1995-1999	2-Joint Driveshaft Alum. Driveshaft	A	1	5-791X	
		A	2	5-794X	
		A	1,2	5-3147X	5-795X
	3-Joint Driveshaft	B	1,2,3	5-3147X	5-795X
		B	CB	210370-1X	
2000-2001	2-Joint Driveshaft	A	1,2	5-3147X	5-795X
	3-Joint Driveshaft	B	1,2,3	5-3147X	5-795X
		B	CB	210370-1X	
2002-2004	2-Joint Driveshaft	A	1,2	5-3147X	5-795X
	3-Joint Driveshaft	B	1,2,3	5-3147X	5-795X
SAFARI					
1985-2002	2-Joint Driveshaft	A	1	5-3147X	5-795X
		A	2	5-178X	5-799X
2003	2-Joint Driveshaft Rear ujoint with outside snap rings	A	1	5-3147X	5-795X
		A	2	5-178X	5-799X
	Rear ujoint with inside snap rings	A	1,2	5-3147X	5-795X
2005	2-Joint Driveshaft	A	1,2	5-3147X	5-795X



Fig. B

2WD

Year	Model & Description	Fig.	Location	Spicer Part No.	SPL Part No.
GMC					
SIERRA 1500					
1999-2000	Reg. Cab, Short Bed	A	1,2	5-3147X	5-795X
	Reg. Cab, Long Bed	A	1	5-213X	5-790X
		A	2	5-212X	5-793X
	Ext. Cab w/MT; Short Bed	A	1	5-213X	5-790X
	Ext Cab w/MT; Short Bed	A	2	5-212X	5-793X
	Ext. Cab w/AT	B	1,2,3	5-3147X	5-795X
	Ext. Cab w/MT; Long Bed	B	1,2	5-213X	5-790X
	Ext Cab w/MT; Long Bed	B	3	5-212X	5-793X
2001	Reg. Cab, Short Bed	A	1,2	5-3147X	5-795X
	Reg. Cab, Long Bed	A	1	5-213X	5-790X
		A	2	5-212X	5-793X
	Ext. Cab w/MT; Short Bed	A	1	5-213X	5-790X
	Ext Cab w/MT; Short Bed	A	2	5-212X	5-793X
	Ext. Cab w/AT	B	1,2,3	5-3147X	5-795X
	Ext. Cab w/MT; Long Bed	B	1,2	5-213X	5-790X
	Ext Cab w/MT; Long Bed	B	3	5-212X	5-793X
	1500 HD w/6.0L Eng. Reg. Cab w/AT	A	1,2	5-3147X	5-795X
	Reg. Cab w/MT	A	1	5-213X	5-790X
		A	2	5-212X	5-793X
	Ext. Cab w/AT, Except 4 Wheel Steer.	B	1,2,3	5-3147X	5-795X
	Ext. Cab w/AT, With 4 Wheel Steer.	B	1	5-3147X	5-795X
		B	2,3	5-178X	5-799X
	Ext. Cab w/MT	B	1,2	5-213X	5-790X
		B	3	5-212X	5-793X
2002	Reg. Cab, Short Bed	A	1,2	5-3147X	5-795X
	Reg. Cab, Long Bed	A	1	5-213X	5-790X
		A	2	5-212X	5-793X
	Ext. Cab w/MT; Short Bed	A	1	5-213X	5-790X
	Ext Cab w/MT; Short Bed	A	2	5-212X	5-793X
	Ext. Cab w/AT	B	1,2,3	5-3147X	5-795X
	Ext. Cab w/MT; Long Bed	B	1,2	5-213X	5-790X
	Ext Cab w/MT; Long Bed	B	3	5-212X	5-793X
	1500 HD w/6.0L Eng. Reg. Cab w/AT	A	1,2	5-3147X	5-795X
	Reg. Cab w/MT	A	1	5-213X	5-790X
		A	2	5-212X	5-793X
	Ext. Cab w/AT, Except 4 Wheel Steer.	B	1,2,3	5-3147X	5-795X
	Ext. Cab w/AT, With 4 Wheel Steer.	B	1,2	5-3147X	5-795X
		B	3	5-178X	5-799X
	Ext. Cab w/MT	B	1,2	5-213X	5-790X
		B	3	5-212X	5-793X





Important: See Safety Information in General Information Section (J300P-GI)

U-Joints

Year	Model & Description	Fig.	Location	Spicer Part No.	SPL Part No.
GMC					
SIERRA 1500					
2003	Reg. Cab, Short Bed	A	1,2	5-3147X	5-795X
	Reg. Cab, Long Bed	A	1	5-213X	5-790X
		A	2	5-212X	5-793X
	Ext. Cab w/MT; Short Bed	A	1	5-213X	5-790X
	Ext Cab w/MT; Short Bed	A	2	5-212X	5-793X
	Ext. Cab w/AT	B	1,2,3	5-3147X	5-795X
	Ext. Cab w/MT; Long Bed	B	1,2	5-213X	5-790X
	Ext Cab w/MT; Long Bed	B	3	5-212X	5-793X
	1500 HD w/6.0L Eng. Reg. Cab w/AT	A	1,2	5-3147X	5-795X
	Reg. Cab w/MT	A	1	5-213X	5-790X
		A	2	5-212X	5-793X
	Ext. Cab w/AT, Except 4 Wheel Steer.	B	1,2,3	5-3147X	5-795X
	Ext. Cab w/AT, With 4 Wheel Steer.	B	1	5-3147X	5-795X
		B	2,3	5-178X	5-799X
	Ext. Cab w/MT	B	1,2	5-213X	5-790X
		B	3	5-212X	5-793X
2004	Reg. Cab, Std. Bed	A	1,2	5-3147X	5-795X
	Reg. Cab, Long Bed	A	1	5-213X	5-790X
		A	2	5-212X	5-793X
	Ext. Cab w/AT Exc. 4 Wheel Steering	B	1,2,3	5-3147X	5-795X
	Ext. Cab w/MT Exc. 4 Wheel Steering	B	1,2	5-213X	5-790X
	Ext Cab w/MT Exc. 4 Wheel Steering	B	3	5-212X	5-793X
	Ext. Cab. w/4 Wheel Steer.	B	1,2	5-3147X	5-795X
		B	3	5-178X	5-799X
	Crew Cab	A	1	5-213X	5-790X
		A	2	5-212X	5-793X
2005	Reg. Cab, Std. Bed	A	1,2	5-3147X	5-795X
	Reg. Cab, Long Bed	A	1	5-213X	5-790X
		A	2	5-212X	5-793X
	Ext. Cab w/AT Exc. 4 Wheel Steering	B	1,2,3	5-3147X	5-795X
	Ext. Cab w/MT Exc. 4 Wheel Steering	B	1,2	5-213X	5-790X
	Ext Cab w/MT Exc. 4 Wheel Steering	B	3	5-212X	5-793X
	Ext. Cab. w/4 Wheel Steer.	B	1,2	5-3147X	5-795X
		B	3	5-178X	5-799X
	Crew Cab	A	1	5-213X	5-790X
		A	2	5-212X	5-793X
	1500 HD “SLE” & ‘’SLT” w/6.0L Eng.	B	1,2,3	5-178X	5-799X





2WD

Year	Model & Description	Fig.	Location	Spicer Part No.	SPL Part No.
GMC					
SIERRA 1500					
2006	Reg. Cab, Std. Bed Includes “SL”, ‘’SLE”, ‘’SLT”, ‘’WT”	A	1,2	5-3147X	5-795X
	Reg. Cab, Long Bed Includes “SL”, ‘’SLE”, ‘’SLT”, ‘’WT”	A	1	5-213X	5-790X
		A	2	5-212X	5-793X
	Ext. Cab w/AT Includes “SL”, ‘’SLE”, ‘’SLT”, ‘’WT”	B	1,2,3	5-3147X	5-795X
	Ext. Cab w/MT Includes “SL”, ‘’SLE”, ‘’SLT”, ‘’WT”	B	1,2	5-213X	5-790X
	Ext Cab w/MT Includes “SL”, ‘’SLE”, ‘’SLT”, ‘’WT”	B	3	5-212X	5-793X
	Crew Cab Exc. 4 Wheel Steering	A	1	5-213X	5-790X
		A	2	5-212X	5-793X
	w/4 Wheel Steering	A	1	5-213X	5-790X
		A	2	5-212X	5-793X
	1500 HD “SLE’’, ‘’SLT’’, ‘’Denali’’ w/6.0L Eng.	B	1,2,3	5-178X	5-799X
SIERRA 2500					
2001	2500 non-HD 3-Joint Driveshaft	B	1,2,3	5-178X	5-779X
		B	CB	210088-1X	
	2500 HD				
	w/6.0L, Exc. Ext. Cab w/Long Bed	B	1,2,3	5-160X	5-801X
	w/1.378” ID Bearing Bore	B	CB	210088-1X	
	w/6.0L, Ext. Cab w/Long Bed w/AAM 1415 Series Joints	B	1,2,3	N/A	
		B	CB	N/A	
	w/6.6L or 8.1L with AT	B	1,2,3	5-160X	5-801X
	w/1.378” ID Bearing Bore	B	CB	210088-1X	
	w/6.6L or 8.1L with MT	B	1,2,3	5-188X	5-803X
	w/1.378” ID Bearing Bore	B	CB	210088-1X	
2002-2004	2-Joint Driveshaft	A	1,2	5-178X	5-779X
	2500 non-HD 3-Joint Driveshaft	B	1,2,3	5-178X	5-779X
	w/1.378” ID Bearing Bore	B	CB	210088-1X	
	2500 HD				
	w/6.0L, Exc. Ext. Cab w/Long Bed	B	1,2,3	5-160X	5-801X
	w/1.378” ID Bearing Bore	B	CB	210088-1X	
	w/6.0L, Ext. Cab w/Long Bed w/AAM 1415 Series Joints	B	1,2,3	N/A	
		B	CB	N/A	
	w/6.6L or 8.1L with AT	B	1,2,3	5-160X	5-801X
	w/1.378” ID Bearing Bore	B	CB	210088-1X	
	w/6.6L or 8.1L with MT	B	1,2,3	5-188X	5-803X
	w/1.378” ID Bearing Bore	B	CB	210088-1X	





Important: See Safety Information in General Information Section (J300P-GI)

U-Joints

Year	Model & Description	Fig.	Location	Spicer Part No.	SPL Part No.
GMC					
SIERRA 2500					
2005-2006	2500 HD				
	w/6.0L, Exc. Ext. Cab w/Long Bed	B	1,2,3	5-160X	5-801X
	w/1.378” ID Bearing Bore	B	CB	210088-1X	
	w/6.0L, Ext. Cab w/Long Bed w/AAM 1415 Series Joints	B	1,2,3	N/A	
		B	CB	N/A	
	w/6.6L or 8.1L with AT	B	1,2,3	5-160X	5-801X
	w/1.378” ID Bearing Bore	B	CB	210088-1X	
	w/6.6L or 8.1L with MT	B	1,2,3	5-188X	5-803X
	w/1.378” ID Bearing Bore	B	CB	210088-1X	
SIERRA 3500					
2001	w/6.0L Eng.				
	Exc. Ext. Cab w/Long Bed w/1410 Series Driveshaft	B	1,2,3	5-160X	5-801X
	Ext. Cab w/Long Bed w/AAM 1415 Series Driveshaft	B	1,2,3	N/A	
	w/6.6L, 8.1L Eng., w/AT w/1410 Series Driveshaft	B	1,2,3	5-160X	5-801X
	w/6.6L, 8.1L Eng., w/MT w/1480 Series Driveshaft	B	1,2,3	5-188X	5-803X
	w/6.0L, 6.6L & 8.1L Eng. w/1410 Series Driveshaft				
	Carryover Chassis Cab w/135.5” or 159.5’’ WB	B	1,2,3	5-160X	5-801X
	Carryover Chassis Cab w/185.5” WB	B	1,2,3	5-160X	5-801X
	4-Joint Driveshaft	R	1,2,3,4	5-160X	5-801X
2002	w/6.0L Eng.				
	Exc. Ext. Cab w/Long Bed w/1410 Series Driveshaft	B	1,2,3	5-160X	5-801X
	Ext. Cab w/Long Bed w/AAM 1415 Series Driveshaft	B	1,2,3	N/A	
	w/6.6L, 8.1L Eng., w/AT	B	1,2,3	5-160X	5-801X
	w/6.6L, 8.1L Eng., w/MT	B	1,2,3	5-188X	5-803X
	w/6.0L, 6.6L & 8.1L Eng. & 3-Joint AAM 1415 Series Driveshaft	B	1,2,3	N/A	
	w/6.0L, 6.6L & 8.1L Eng.				
	Carryover Chassis Cab w/135.5”, 159.5’’ & 185.5" WB	B	1,2,3	5-160X	5-801X
	w/4-Joint 1410 Series Driveshaft	R	1,2,3,4	5-160X	5-801X
	w/4-Joint AAM 1415 Series Driveshaft	R	1,2,3,4	N/A	
2003-2006	w/6.0L Eng.				
	Exc. Ext. Cab w/Long Bed w/1410 Series Driveshaft	B	1,2,3	5-160X	5-801X
	Ext. Cab w/Long Bed w/AAM 1415 Series Driveshaft	B	1,2,3	N/A	
	w/6.6L, 8.1L Eng., w/AT, w/1410 Series Driveshaft	B	1,2,3	5-160X	5-801X
	w/6.6L, 8.1L Eng., w/MT, w/1480 Series Driveshaft	B	1,2,3	5-188X	5-803X
	w/6.0L, 6.6L & 8.1L Eng., w/3-Joint AAM 1415 Series Driveshaft	B	1,2,3	N/A	
	w/4-Joint 1410 Series Driveshaft	R	1,2,3,4	5-160X	5-801X
	w/4-Joint AAM 1415 Series Driveshaft	R	1,2,3,4	N/A	



2WD

2WD

Year	Model & Description	Fig.	Location	Spicer Part No.	SPL Part No.
GMC					
SPRINT					
1971	Exc. 454 Eng. w/2BL	A	1,2	5-153X	5-785X
	Exc. 454 Eng. w/4BL	A	2	5-153X	5-785X
	w/454 Eng.	A	1	5-3147X	5-795X
		A	2	5-213X	5-790X
1972	w/250 or 307 Eng.	A	1,2	5-153X	5-785X
	w/454 Eng.	A	1	5-3147X	5-795X
		A	2	5-213X	5-790X
1973-1977		A	1,2	5-3147X	5-795X
YUKON					
1992-1999	2-Joint Driveshaft	A	1,2	5-3147X	5-795X
2000	2-Joint Driveshaft Standard Yukon, “SLE’’, ‘’SLT’’, ‘’Denali’’	A	1,2	5-3147X	5-795X
	Yukon “XL 1500’’	A	1	5-213X	5-790X
		A	2	5-212X	5-793X
	Yukon “XL 2500’’ w/6.0L Eng.	A	1,2	5-178X	5-799X
2001-2004	2-Joint Driveshaft Standard Yukon, “Denali’’, ‘’Denali XL’’	A	1,2	5-3147X	5-795X
	Yukon “XL 1500’’	A	1	5-213X	5-790X
		A	2	5-212X	5-793X
	Yukon “XL 2500’’ w/6.0L Eng.	A	1,2	5-178X	5-799X
	Yukon “XL 2500’’ w/8.1L Eng.	A	1,2	5-160X	5-801X
2005	2-Joint Driveshaft Yukon “SLE’’, ‘’SLT’’	A	1,2	5-3147X	5-795X
	Yukon “XL 1500’’	A	1	5-213X	5-790X
		A	2	5-212X	5-793X
	Yukon “XL 2500’’ w/6.0L Eng.	A	1,2	5-178X	5-799X
	Yukon “XL 2500’’ w/8.1L Eng.	A	1,2	5-160X	5-801X
2006	2-Joint Driveshaft Yukon “Denali’’ w/6.0L Eng.	A	1,2	5-178X	5-799X
	Yukon “SL’’, ‘’SLE’’, ‘’SLT’’	A	1,2	5-3147X	5-795X
	Yukon “XL 1500 SL & SLE’’	A	1	5-213X	5-790X
		A	2	5-212X	5-793X
	Yukon “XL 2500 SLE & SLT’’ w/6.0L Eng.	A	1,2	5-178X	5-799X
		A	1,2	5-160X	5-801X
HONDA					
PASSPORT					
1994-1997	3-Joint Driveshaft	B	1,2,3	5-153X	5-785X
1998-2002	2-Joint Driveshaft	A	1,2	5-153X	5-785X
IHC					
1959-1979	100, 110, 120, 130, 900 & 1000 SERIES	A-B	1,2,3	5-1200X	
		B	CB	210527X	





Important: See Safety Information in General Information Section (J300P-GI)

U-Joints

Year	Model & Description	Fig.	Location	Spicer Part No.	SPL Part No.
IHC					
METRO SERIES					
1958-1965	800 Cleveland T, S55 Series	B	CB	210527X	
1966	M700, M800, M900 & M1100	A	1,2,3	5-1200X	
		B	CB	210527X	
	M1400, M1500 & MA1500	B	1,2,3	5-1205X	
		B	CB	210527X	
	M-MA-MJ1200, MA-MC1600 w/1.062” Brg. cup dia.	B	1,2,3	5-1200X	
	w/1.188” Brg. cup dia.	B	1,2,3	5-1205X	
		B	CB	210527X	
	800 Cleveland T, S55 Series	B	CB	210527X	
1967-1979	M700, M800, M900 & M1100	A	1,2,3	5-1200X	
		B	CB	210527X	
	M1400, M1500 & MA1500	B	1,2,3	5-1205X	
		B	CB	210527X	
	M-MA-MJ1200, MA-MC1600 w/1.062” Brg. cup dia.	B	1,2,3	5-1200X	
	w/1.188” Brg. cup dia.	B	1,2,3	5-1205X	
		B	CB	210527X	
SCOUT 8000 SERIES					
1961-1966		A	1,2	5-2140X	
1967-1979	SCOUT 8000 SERIES	A	1,2	5-1200X	
INFINITI					
2001-2003	QX4	A	1,2	5-1505X	
ISUZU					
AMIGO					
1990-1995	2-Joint Driveshaft	A	1,2	5-1515X	
	3-Joint Driveshaft	B	1,2,3	5-153X	5-785X
1998-1999		A	1,2	5-153X	5-785X
ASCENDER					
2003-2006		A	1,2	5-3147X	5-795X
AXIOM					
2002-2004		A	1,2	5-153X	5-785X
HOMBRE					
1996-2000	Std. Cab	A	1,2	5-3147X	5-795X
	Ext. Cab	B	1,2,3	5-3147X	5-795X
PICK-UP					
1987	2-Joint Driveshaft From 12/87	A	1,2	5-1515X	
1988-1989	Japan Built, VIN Starts JAA 2-Joint Driveshaft	A	1,2	5-1515X	
	3-Joint Driveshaft	B	1,2,3	5-1515X	





2WD

Year	Model & Description	Fig.	Location	Spicer Part No.	SPL Part No.
ISUZU					
PICK-UP					
1990-1995	U.S.A. Built, VIN Starts 4S1 2-Joint Driveshaft	A	1,2	5-153X	5-785X
	Japan Built, VIN Starts JAA 2-Joint Driveshaft	A	1,2	5-1515X	
	3-Joint Driveshaft	B	1,2,3	5-1515X	
PUP					
1981-1986	2-Joint Driveshaft w/inside snap rings	A	1,2	5-111X	
	w/outside snap rings	A	1,2	5-1515X	
	3-Joint Driveshaft w/inside snap rings	B	1,2,3	5-111X	
	w/outside snap rings	B	1,2,3	5-1515X	
1987	2-Joint Driveshaft To 11/87 w/inside snap rings	A	1,2	5-111X	
	w/outside snap rings	A	1,2	5-1515X	
	3-Joint Driveshaft, To 12/87 w/inside snap rings	B	1,2,3	5-111X	
	w/outside snap rings	B	1,2,3	5-1515X	
1988-1991	2-Joint Driveshaft	A	1,2	5-1515X	
	3-Joint Driveshaft	B	1,2,3	5-1515X	
RODEO					
1991-1997		B	1,2,3	5-153X	5-785X
1998-2004		A	1,2	5-153X	5-785X
TROOPER II					
1981-1986	2-Joint Driveshaft w/inside snap rings	A	1,2	5-111X	
	w/outside snap rings	A	1,2	5-1515X	
	3-Joint Driveshaft w/inside snap rings	B	1,2,3	5-111X	
	w/outside snap rings	B	1,2,3	5-1515X	
1987	2-Joint Driveshaft To 11/87 w/inside snap rings	A	1,2	5-111X	
	w/outside snap rings	A	1,2	5-1515X	
	3-Joint Driveshaft, To 12/87 w/inside snap rings	B	1,2,3	5-111X	
	w/outside snap rings	B	1,2,3	5-1515X	
1988-1991	2-Joint Driveshaft	A	1,2	5-1515X	
	3-Joint Driveshaft	B	1,2,3	5-1515X	
JEEP					
CHEROKEE COMPACT (XJ)					
1985-1993		A	1,2	5-153X	5-785X
1994	w/outside snap rings	A	1,2	5-153X	5-785X
	w/inside snap rings	A	1,2	5-1309X	5-811X
1995-1997	w/outside snap rings	A	1,2	5-153X	5-785X
	w/inside snap rings	A	1,2	5-1309X	5-811X
	w/inside & outside snap rings	A	1,2	5-353X	5-788X
1998-2000	w/outside snap rings	A	1,2	5-153X	5-785X
	w/inside snap rings	A	1,2	5-1309X	5-811X



Fig. A



Fig. B

Important: See Safety Information in General Information Section (J300P-GI)

U-Joints

Year	Model & Description	Fig.	Location	Spicer Part No.	SPL Part No.
JEEP					
CHEROKEE COMPACT (XJ)					
2001		A	1,2	5-153X	5-785X
COMANCHE					
1985-1992		A	1,2	5-153X	5-785X
COMMANDO					
1967-1973		A	1,2	5-1306X	5-789X
	Lube fitting in brg. cup	A	1,2	5-1306-1X	
GRAND CHEROKEE					
1994-1996	w/outside snap rings	A	1,2	5-153X	5-785X
	w/inside snap rings	A	1,2	5-1309X	5-811X
1997	w/4.0L & 5.2L Eng.	A	1,2	5-153X	5-785X
1998	w/4.0L, 5.2L & 5.9L Eng.	A	1,2	5-153X	5-785X
2000-2004	w/4.0L & 4.7L Eng.	A	1,2	5-153X	5-785X
2005	w/3.7L, 4.7L, 5.7L Eng.	A	1,2	5-153X	5-785X
2006	w/3.7L, 4.7L, 5.7L, 6.1L Eng.	A	1,2	5-153X	5-785X
J262					
1963-1977		A	1,2	5-153X	5-785X
1963-1977		A	1,2	5-153X	5-785X
JEEPSTER C101					
1967-1973		A	1,2	5-1306X	5-789X
	Lube fitting in brg. cup	A	1,2	5-1306-1X	
LIBERTY					
2002	w/2.4L Eng.	A	1,2	5-153X	5-785X
	w/3.7L Eng. & MT	A	1,2	5-213X	5-790X
	w/3.7L Eng. & AT w/Chrysler 45RFE axle	A	1,2	5-213X	5-790X
	w/Dana axle	A	1	5-153X	5-785X
		A	2	5-213X	5-790X
2003	w/2.4L & 3.7L Eng. w/3.469” yoke dimension	A	1,2	5-153X	5-785X
	w/3.875 Yoke Dimension	A	1,2	5-213X	5-790X
2004	w/2.4L & 3.7L Eng.	A	1,2	5-153X	5-785X
SPORTWAGON					
1985-1993		A	1,2	5-153X	5-785X
1994-1996	7290 Series	A	1,2	5-1309X	5-811X
1998-1999		A	1,2	5-353X	5-788X
WAGONEER					
1973-1974		A	1,2	5-153X	5-785X
1975-1984	w/outside snap rings	A	1,2	5-153X	5-785X
	w/inside snap rings	A	1,2	5-1306X	5-789X
1985-1991		A	1,2	5-153X	5-785X



Year	Model & Description	Fig.	Location	Spicer Part No.	SPL Part No.
JEEP					
WAGONEER J162					
1963-1965	w/MT	A	1,2	5-153X	5-785X
	w/AT	A	1	5-2011X	
1966-1967		A	1	5-1407X	
		A	2	5-1306X	5-789X
	Lube fitting in brg. cup	A	2	5-1306-1X	
LINCOLN					
AVIATOR					
2003-2005		A	1,2	5-213X	5-790X
NAVIGATOR					
1998-2003		A	1,2	5-178X	5-799X
2004	up to 8/1/04	A	1,2	5-178X	5-799X
2005	from 8/2/04	B	1	N/A	
		B	2,3	5-213X	5-790X
2006		B	1	N/A	
		B	2,3	5-213X	5-790X
MAZDA					
NAVAJO					
1992-1994	2-Joint Driveshaft	A	1,2	5-153X	5-785X
PICK-UP					
1969-1970	1000cc, 1200cc, 1300cc	B	1,2,3	5-1504X	
1971-1973	B1600, B1800, B2000, B2200	A-B	1,2,3	5-1507X	
1974-1977	w/Rotary Eng.	B	1,2,3	5-1507X	
	B1600, B1800, B2000, B2200	A-B	1,2,3	5-1507X	
1978-1984	B1600, B1800, B2000, B2200	A-B	1,2,3	5-1507X	
1986-1993	B2000, B2200, B2600	A-B	1,2,3	5-1507X	
	Staked Type U-joint, Non-Replaceable	A-B	1,2,3	N/A	
1994-1997	B2300, B3000, B4000 2-Joint Driveshaft	A	1,2	5-153X	5-785X
	3-Joint Driveshaft	B	1,2,3	5-153X	5-785X
1998-2006	2-Joint Driveshaft w/1.063” Brg. cup dia.	A	1,2	5-213X	5-790X
MERCURY					
MOUNTAINEER					
1997-2006		A	1,2	5-213X	5-790X
MITSUBISHI					
MONTERO					
1997-1999	Sport Model w/2.4L Eng. w/Outside Snap Rings Snap Ring Dim. 3.028 and Brg. cup dia. .984	B	1,2,3	5-1516X	





Important: See Safety Information in General Information Section (J300P-GI)

Year	Model & Description	Fig.	Location	Spicer Part No.	SPL Part No.
MITSUBISHI					
PICK-UP					
1983	w/2000cc Eng.	B	1,2,3	5-1503X	
	w/2600cc Eng.	B	1,2,3	5-1516X	
1984-1986	w/2000cc Eng.	B	1,2,3	5-1503X	
1987-1988	Std. model w/2000cc Eng.	A	1,2	5-1503X	
		A	1,2	5-1516X	
	Long bed	B	1,2,3	5-1516X	
1989	Std. model w/2000cc Eng.	A	1,2	5-1503X	
		A	1,2	5-1516X	
	Long bed, w/AT	B	1,2,3	5-1503X	
	Long bed, w/MT	B	1,2,3	5-1516X	
1990-1996	w/AT Exc. Charger	A-B	1,2,3	5-1503X	
	w/MT Exc. Charger	A-B	1,2,3	5-1516X	
NISSAN/DATSUN					
ARMADA					
2004-2006	w/5.6L Eng.	B	1,2,3	5-178X	5-799X
FRONTIER PICK-UP					
2002-2004	2-Joint Driveshaft Exc. Crew Cab w/Long Bed	A	1,2	5-153X	5-785X
	3-Joint Driveshaft Crew Cab w/Long Bed	B	1,2,3	5-153X	5-785X
2005-2006	3-Joint Driveshaft	B	1,2,3	5-213X	5-790X
PATHFINDER					
1989-1995	w/3.0L Eng.	B	1,2,3	5-1505X	
1996-2000	w/3.3L Eng.	B	1,2,3	5-1505X	
2001-2003	w/3.5L Eng.	B	1,2,3	5-1505X	
2004	w/3.5L Eng.	A	1,2	5-1505X	
2005-2006	w/4.0L Eng.	A	1,2	5-213X	5-790X
PICK-UP					
1966-1985	2-Joint Driveshaft Std. Bed	A	1,2	5-1501X	
	3-Joint Driveshaft Std. Bed	B	1,2,3	5-1501X	
1986-1987	U.S.A. Built, VIN Starts IN6 From 1/86	A-B	1,2,3	5-153X	5-785X
	Japan Built, VIN Starts JN6 From 12/85 Exc. Dual Wheels & SD25	A-B	1,2,3	5-153X	5-785X
	w/SD5 Eng. VIN Starts JN6J From 11/85	A-B	1,2,3	5-1501X	
	w/6 cyl. Eng. From 11/85 Thru 12/85 w/inside snap rings	A-B	1,2,3	5-1505X	
1988-1989	U.S.A. Built, VIN Starts IN6 From 1/86	A-B	1,2,3	5-153X	5-785X
	Japan Built, VIN Starts JN6 From 12/85 Exc. Dual Wheels & SD25	A-B	1,2,3	5-153X	5-785X
1990-1997	2-Joint Driveshaft	A	1,2	5-153X	5-785X
	3-Joint Driveshaft	B	1,2,3	5-153X	5-785X





2WD

Year	Model & Description	Fig.	Location	Spicer Part No.	SPL Part No.
NISSAN/DATSUN					
TITAN PICK-UP					
2004-2006	w/5.6L Eng.	B	1,2,3	5-178X	5-799X
		B	CB	212258-1X	
XTERRA					
2000-2004	2-Joint Driveshaft	A	1,2	5-153X	5-785X
	3-Joint Driveshaft	B	1,2,3	5-153X	5-785X
		B	CB	211406X	
OLDSMOBILE					
BRAVADA					
2002-2004	2-Joint Driveshaft	A	1,2	5-3147X	5-795X
PLYMOUTH					
1 TON VAN					
1970-1983	w/1.078” Brg. cup dia.	A-B	1,2,3	5-1306X	5-789X
	w/1.126” Brg. cup dia.	A-B	1,2,3	5-1309X	5-811X
1/2 TON VAN					
1970-1974		A	1,2	5-1306X	5-789X
1975-1978	Exc. 440 Eng. w/1.078” Brg. cup dia.	A	1,2	5-1306X	5-789X
	w/1.126” Brg. cup dia.	A	2	5-1309X	5-811X
	w/440 Eng.	A	1,2	5-1309X	5-811X
1979-1981	w/1.078” Brg. cup dia.	A	1,2	5-1306X	5-789X
	w/1.126” Brg. cup dia.	A	1,2	5-1309X	5-811X
1982-1984		A	1,2	5-1306X	5-789X
3/4 TON VAN					
1975-1981	Exc. 440 Eng. w/1.078” Brg. cup dia.	B	1,2,3	5-1306X	5-789X
	w/1.126” Brg. cup dia.	B	2,3	5-1309X	5-811X
	w/440 Eng.	B	1,2,3	5-1309X	5-811X
1982-1983		A	1,2	5-1306X	5-789X
ARROW					
1979-1982		B	1,2,3	5-1503X	
PB100 COMPACTS					
1970-1974		A	1,2	5-1306X	5-789X
1975-1978	Exc. 440 Eng. w/1.078” Brg. cup dia.	A	1,2	5-1306X	5-789X
	w/1.126” Brg. cup dia.	A	2	5-1309X	5-811X
	w/440 Eng.	A	1,2	5-1309X	5-811X
1979-1981	w/1.078” Brg. cup dia.	A	1,2	5-1306X	5-789X
	w/1.126” Brg. cup dia.	A	1,2	5-1309X	5-811X
1982-1984		A	1,2	5-1306X	5-789X



Important: See Safety Information in General Information Section (J300P-GI)

U-Joints

Year	Model & Description	Fig.	Location	Spicer Part No.	SPL Part No.
PLYMOUTH					
PB200 COMPACTS					
1975-1978	Exc. 440 Eng. w/1.078” Brg. cup dia.	B	1,2,3	5-1306X	5-789X
	w/1.126” Brg. cup dia.	B	2,3	5-1309X	5-811X
	w/440 Eng.	B	1,2,3	5-1309X	5-811X
1982-1983		A	1,2	5-1306X	5-789X
PB300 COMPACTS					
1970-1983	w/1.078” Brg. cup dia.	A-B	1,2,3	5-1306X	5-789X
	w/1.126” Brg. cup dia.	A-B	1,2,3	5-1309X	5-811X
SUBARU					
BRAT					
1975-1977		E	1,2	5-1501X	
		E	3,4,5,6	5-1505X	
1978-1980		E	1,2	5-1501X	
STATION WAGON					
1975-1977		E	1,2	5-1501X	
		E	3,4,5,6	5-1505X	
1978-1980		E	1,2	5-1501X	
SUZUKI					
GRAND VITARA					
1999-2004	2-Joint Driveshaft w/AT	A	1,2	5-1503X	
	w/MT	A	1,2	N/A	
2001-2004	XL-7 2-Joint Driveshaft	A	1,2	N/A	
SIDEKICK					
1989-1998	2-Joint Driveshaft	A	1,2	5-1503X	
VITARA					
1999-2004	2-Joint Driveshaft	A	1,2	5-1503X	
TOYOTA					
4-RUNNER					
1990-1996	2-Joint Driveshaft	A	1,2	5-1510X	
1997	2-Joint Driveshaft	A	1,2	5-1510X	
		A	1,2	5-1510X	
1998-2004	2-Joint Driveshaft	A	1,2	5-1510X	
PICK-UP					
1965-1978		A-B	1,2,3	5-1508X	
1979-1980		A	1,2	5-1510X	
1981-1982	2-Joint Driveshaft	A	1,2	5-1510X	
	3-Joint Driveshaft under 3/4 ton	B	1,2,3	5-1510X	
	3/4 ton and over	B	1,2,3	5-1508X	





Year	Model & Description	Fig.	Location	Spicer Part No.	SPL Part No.
TOYOTA					
PICK-UP					
1983-1989	Exc. 4 Spd. Trans.	A-B	1,2,3	5-1510X	
		B	3	5-212X	
	w/4 Spd. Trans.	A-B	1,2,3	5-1508X	
1990-1991	Exc. 4 Spd. Trans.	A-B	1,2,3	5-1510X	
		B	3	5-212X	
1992-1995	2-Joint Driveshaft, std. bed w/inside snap rings	A	1,2	5-1510X	
	w/outside snap rings	A	1,2	5-153X	5-785X
	3-Joint Driveshaft	B	1,2,3	5-1510X	
PREVIA					
1991-1992	w/AT Exc. Supercharged Eng. w/Inside Snap Rings	A	1,2	5-1510X	
SEQUOIA					
2001-2003		A	1,2	5-153X	5-785X
2004	w/1310 Series Driveshaft	A	1,2	5-153X	5-785X
	w/1330 Series Driveshaft	A	1,2	5004947	
T100 PICK-UP					
1993-1997	3-Joint Driveshaft w/outside snap rings	B	1,2,3	5-153X	5-785X
	w/inside snap rings	B	1,2,3	5-1510X	
1998	3-Joint Driveshaft w/outside snap rings	B	1,2,3	5-153X	5-785X
TACOMA PICK-UP					
1995-2004	2-Joint Driveshaft w/outside variable thickness snap rings	A	1,2	5-611-1X	
	w/inside snap rings	A	1,2	5-1510X	
	3-Joint Driveshaft w/inside snap rings	B	1,2,3	5-1510X	
2005	2-Joint Driveshaft w/outside snap rings	A	1,2	5004947	
	3-Joint Driveshaft w/outside snap rings	B	1,2,3	5004947	
		B	CB	5002334	
TUNDRA PICK-UP					
2000	3.4L & 4.7L	B	1,2,3	5-153X	5-785X
		B	CB	211750-1X	
2001-2002	3.4L & 4.7L	B	1,2,3	5-153X	5-785X
		B	CB	211750-1X	
	4.7L w/Off Road Pkg.	B	1,2,3	5-153X	5-785X
		B	CB	212174-1X	
2003-2004	3.4L & 4.7L	B	1,2,3	5-153X	5-785X
		B	CB	211750-1X	
VAN					
1984-1985		A	1,2	5-1502X	



Important: See Safety Information in General Information Section (J300P-GI)

U-Joints

Year	Model & Description	Fig.	Location	Spicer Part No.	SPL Part No.
ACURA					
1996-1999	SLX	N	2,3,4,5,6	5-1515X	
AM GENERAL/HUMMER					
2003-2006	H2	L	2,3	5-3147X	5-795X
		L	4,5	5-178X	5-799X
BUICK					
2004-2006	RAINIER - Front shaft u-joint at front axle	L	2	5-350X	
		L	4,5	5-3147X	5-795X
CADILLAC					
1999-2006	ESCALADE	L	2,3,4,5	5-3147X	5-795X
CHEVROLET					
ASTRO VAN					
1990-2002	Front shaft u-joint at front axle	L	2	5-3147X	5-795X
		L	4	5-3147X	5-795X
		L	5	5-178X	5-799X
2003-2005		L	2,4,5	5-3147X	5-795X
AVALANCHE 1500					
2002-2006		L	2,3,4,5	5-3147X	5-795X
AVALANCHE 2500					
2002-2006		L	2,3	5-3147X	5-795X
		L	4,5	5-160X	5-801X
BLAZER - FULL SIZE					
1992-1993		L	2,3,4,5	5-3147X	5-795X
1994	w/o Turbo Diesel	L	2,3,4,5	5-3147X	5-795X
	w/Turbo Diesel	L	2	5-212X	5-793X
		L	3	5-213X	5-790X
		L	4,5	5-3147X	5-795X
BLAZER - K-5					
1969-1971		I	2,3,4,5,6	5-153X	5-785X
	CV centering yoke kit	I	CV	211355X	
	Wheel Joint	I	1	5-260X	
	Lube fitting in brg. cup	I	1	5-260-1X	
1972		I	2,3,4,5,6	5-153X	5-785X
	CV centering yoke kit	I	CV	211355X	
	Wheel Joint w/1.062” Brg. cup dia.	I	1	5-260X	
	Lube fitting in brg. cup	I	1	5-260-1X	
	w/1.188” Brg. cup dia.	I	1	5-760X	
	Lube fitting in brg. cup	I	1	5-297-1X	







Important: See Safety Information in General Information Section (J300P-GI)

Year	Model & Description	Fig.	Location	Spicer Part No.	SPL Part No.
CHEVROLET					
BLAZER - K-5					
1973-1977		I	2,3,4,5,6	5-153X	5-785X
	CV centering yoke kit	I	CV	211355X	
	Wheel Joint	I	1	5-760X	
	Lube fitting in brg. cup	I	1	5-297-1X	
1978	w/inside snap rings	I	2,3,4	5-3147X	5-795X
	CV ball & seat kit	I	CV	211009X	
	CV seat repair kit	I	CV	211007X	
	w/outside snap rings	I	2,3,4	5-153X	5-785X
	CV Centering Yoke Kit	I	CV	211355X	
		I	5,6	5-153X	5-785X
	3-Joint Driveshaft	J	5	5-153X	5-785X
		J	6,7	5-178X	5-799X
		J	CB	210088-1X	
	Wheel Joint	I	1	5-760X	
	Lube fitting in brg. cup	I	1	5-297-1X	
1979-1981		I	2	5-153X	5-785X
		I	3,4	5-3147X	5-795X
	CV ball & seat kit	I	CV	211009X	
	CV seat repair kit	I	CV	211007X	
	w/305 Eng. & 4 Spd. MT	I	5,6	5-178X	5-799X
	All Others	I	5,6	5-153X	5-785X
	Wheel Joint	I	1	5-760X	
	Lube fitting in brg. cup	I	1	5-297-1X	
1982-1986		I	2	5-153X	5-785X
		I	3,4	5-3147X	5-795X
	CV ball & seat kit	I	CV	211009X	
	CV seat repair kit	I	CV	211007X	
	w/outside snap rings	I	5,6	5-178X	5-799X
	w/inside snap rings	I	5,6	5-3147X	5-795X
	Wheel Joint	I	1	5-760X	
	Lube fitting in brg. cup	I	1	5-297-1X	
1987-1991		I	2	5-153X	5-785X
		I	3,4	5-3147X	5-795X
	w/outside snap rings	I	5,6	5-178X	5-799X
	w/inside snap rings	I	5,6	5-3147X	5-795X
	Wheel Joint	I	1	5-760X	
1992-1993		L	2,3,4,5	5-3147X	5-795X



Fig. I



Fig. J



Fig. L

4WD

Important: See Safety Information in General Information Section (J300P-GI)

U-Joints

Year	Model & Description	Fig.	Location	Spicer Part No.	SPL Part No.
CHEVROLET					
BLAZER - K-5					
1994	w/o Turbo Diesel	L	2,3,4,5	5-3147X	5-795X
	w/Turbo Diesel	L	2	5-212X	5-793X
		L	3	5-213X	5-790X
		L	4,5	5-3147X	5-795X
BLAZER - S-10					
1989-1991	w/Press-on Slip Yoke Seal	L	2	N/A	
		L	3	5-153X	5-785X
1992-1994	w/Press-on Slip Yoke Seal	L	3	5-153X	5-785X
1996-2002	w/ZR2 High Wider Pkg.	L	4,5	5-178X	5-799X
2004		L	2	5-350X	
	w/o ZR2 High Wider Pkg.	L	4,5	5-3147X	5-795X
	w/ZR2 High Wider Pkg.	L	4,5	5-178X	5-799X
BLAZER - V-10 SERIES					
1987-1991		I	2	5-153X	5-785X
		I	3,4	5-3147X	5-795X
	CV ball & seat kit	I	CV	211009X	
	w/outside snap rings	I	5,6	5-178X	5-799X
	w/inside snap rings	I	5,6	5-3147X	5-795X
	Wheel Joint	I	1	5-760X	
	Lube fitting in brg. cup	I	1	5-297-1X	
COLORADO PICK-UP					
2004-2006		L	2	5-153X	5-785X
	w/Spicer Driveshaft w/outside snap rings	L	4,5	5-213X	5-790X
	w/inside & outside snap rings	L	5	5-212X	5-793X
	w/AAM 1335 Series Driveshaft	L	4	N/A	
	w/AAM 1335 x 3R Series Conv. Joint	L	5	N/A	
G-10 SERIES, G1500 SERIES AND EXPRESS					
2003-2005	Express 1500	L	2,3	5-3147X	5-795X
		L	4,5	5-178X	5-799X
2006	Express 1500; includes ‘‘LS’’ & ‘‘LT’’	L	2,3	5-3147X	5-795X
		L	4,5	5-178X	5-799X
2003-2006		L	2,3	5-3147X	5-795X
		L	4,5	5-178X	5-799X



Fig. I



Fig. L

4WD

Year	Model & Description	Fig.	Location	Spicer Part No.	SPL Part No.
CHEVROLET					
K-10 SERIES PICK-UP					
1964-1966	w/3 Spd. MT	L	2,3,4,5	5-153X	5-785X
	w/4 Spd. Trans.	M	2,3,6,7	5-153X	5-785X
		M	4,5	5-178X	5-799X
	Wheel Joint w/inside snap rings	L,M	1	5-74X	
	w/outside snap rings	L,M	1	5-86X	
1967-1969		K	2 THRU 8	5-153X	5-785X
	CV centering yoke kit	K	CV	211355X	
	Wheel Joint w/inside snap rings	K	1	5-74X	
	w/outside snap rings	K	1	5-86X	
1970-1971		K	2 THRU 8	5-153X	5-785X
	CV centering yoke kit	K	CV	211355X	
	Wheel Joint	K	1	5-260X	
	Lube fitting in brg. cup	K	1	5-260-1X	
1972		K	2 THRU 8	5-153X	5-785X
	CV centering yoke kit	K	CV	211355X	
	Wheel Joint w/1.062'' Brg. cup dia.	K	1	5-260X	
	Lube fitting in brg. cup	K	1	5-260-1X	
	w/1.188'' Brg. cup dia.	K	1	5-760X	
	Lube fitting in brg. cup	K	1	5-297-1X	
1973-1976		K	2 THRU 8	5-153X	5-785X
	CV centering yoke kit	K	CV	211355X	
	Wheel Joint	K	1	5-760X	
	Lube fitting in brg. cup	K	1	5-297-1X	



Fig. K



Fig. L



Fig. M

4WD

Important: See Safety Information in General Information Section (J300P-GI)

Year	Model & Description	Fig.	Location	Spicer Part No.	SPL Part No.
CHEVROLET					
K-10 SERIES PICK-UP					
1977-1978	w/outside snap rings	I,J	2,3,4	5-153X	5-785X
	CV Centering Yoke Kit	I,J	CV	211355X	
	w/inside snap rings	I,J	2,3,4	5-3147X	5-795X
	CV ball & seat kit	J	CV	211009X	
	CV seat repair kit	J	CV	211007X	
	2-Joint Driveshaft	I	5,6	5-153X	5-785X
	3-Joint Driveshaft	J	5	5-153X	5-785X
		J	6,7	5-178X	5-799X
		J	CB	210088-1X	
	Wheel Joint	I,J	1	5-760X	
	Lube fitting in brg. cup	I,J	1	5-297-1X	
1979-1981		I	2	5-153X	5-785X
		I	3,4	5-3147X	5-795X
	CV ball & seat kit	I	CV	211009X	
	CV seat repair kit	I	CV	211007X	
	2-Joint Driveshaft	I	5,6	5-153X	5-785X
	3-Joint Driveshaft	J	5,6,7	5-178X	5-799X
		J	CB	210088-1X	
	Wheel Joint	I,J	1	5-760X	
	Lube fitting in brg. cup	I,J	1	5-297-1X	
1982-1986		I	2	5-153X	5-785X
		I	3,4	5-3147X	5-795X
	CV ball & seat kit	I	CV	211009X	
	CV seat repair kit	I	CV	211007X	
	w/outside snap rings	I	5,6	5-178X	5-799X
	w/inside snap rings	I	5,6	5-3147X	5-795X
	Wheel Joint	I	1	5-760X	
	Lube fitting in brg. cup	I	1	5-297-1X	
1992-1994		L,N	2,3	5-3147X	5-795X
	Reg. Cab w/6 1/2' Bed w/MD8 & M30 AT & MG5 MT	L	4,5	5-3147X	5-795X
	w/MT8 MT w/alum. driveshaft yoke	L	4,5	5-447X	
	w/steel driveshaft yoke	L	4,5	5-178X	5-799X
	w/8' Bed Exc. MT8 MT & MT1 AT	L	4,5	5-3147X	5-795X









4WD

Year	Model & Description	Fig.	Location	Spicer Part No.	SPL Part No.
CHEVROLET					
K-10 SERIES PICK-UP					
1992-1994	Ext. Cab w/6 1/2' Bed Exc. MT1 AT & MD8 MT & HD Chassis	L	4	5-791X	
		L	5	5-794X	
	w/8' bed w/3-Joint Driveshaft	N	4,5	5-213X	5-790X
		N	6	5-212X	
	w/MT8 MT, MT1 AT & HD Chassis	N	CB	211499X	
		N	4,5,6	5-447X	
		N	CB	211499X	
1995	Reg. Cab w/4 Spd. M30 AT or 5 Spd MG5 MT	L	4,5	5-3147X	5-795X
	w/5 Spd. MW3 MT	L	4,5	5-178X	5-799X
	Ext. Cab w/6 1/2' Bed Exc. HD Chassis w/4 Spd. M30 or 5 Spd. MG5 MT	L	4	5-791X	
		L	5	5-794X	
	w/8' Bed w/4 Spd. AT or 5 Spd. MT w/HD Chassis	L	4,5	5-447X	
	Exc. HD Chassis	N	4,5	5-213X	5-790X
		N	6	5-212X	
		N	CB	211499X	
1996	Reg. Cab w/6 1/2' Bed, w/4 Spd. AT or 5 Spd MT	L	4,5	5-3147X	5-795X
	w/8' Bed	L	4,5	5-3147X	5-795X
	Ext. Cab w/6 1/2' Bed w/4 Spd. MT1 AT	L	4,5	5-447X	
	w/4 Spd. M30 AT or 5 Spd. MT w/HD Chassis	L	4,5	5-447X	
	Exc. HD Chassis	L	4	5-791X	
		L	5	5-794X	
	Ext. Cab w/8' Bed w/4 Spd M30 AT or 5 Spd MT	N	4,5	5-447X	
		N	6	5-212X	
	Exc. HD chassis	N	CB	211499X	
	w/4 Spd MT1 AT or 5 Spd MT	N	4,5,6	5-447X	
		N	CB	211499X	
1997-1998	Reg. Cab w/6 1/2' & 8' Bed	L	4,5	5-3147X	5-795X
	Ext. Cab w/6 1/2' Bed w/4 Spd MT1 & M30 AT or 5 Spd MT, w/HD Chassis	L	4,5	5-447X	
	w/4 Spd M30 AT or 5 Spd MT, Exc. HD Chassis	L	4	5-791X	
		L	5	5-794X	
	Ext. Cab w/8' Bed w/HD Chassis	N	1,2,3	5-447X	
	Exc. HD Chassis w/4 Spd. M30 AT	N	4,5	5-447X	
	w/5 Spd. MG5 & M30 MT	N	6	5-212X	
	Ext. Cab, Exc. HD Chassis, w/4 Spd. MT1 AT & 5 Spd. MW3 MT	N	4,5,6	5-447X	
		N	CB	211499X	





4WD

Important: See Safety Information in General Information Section (J300P-GI)

U-Joints

Year	Model & Description	Fig.	Location	Spicer Part No.	SPL Part No.
CHEVROLET					
K-10 SERIES PICK-UP					
1999	Reg. Cab w 6 1/2' & 8' Bed	L	4,5	5-3147X	5-795X
	Ext. Cab w/6 1/2' Bed				
	w/4 Spd MT1 & M30 AT or 5 Spd MT, w/HD Chassis	L	4,5	5-447X	
	w/4 Spd M30 AT or 5 Spd MT ,Exc. HD chassis	L	4	5-791X	
		L	5	5-794X	
	Ext. Cab w/8' Bed w/HD Chassis	N	1,2,3	5-447X	
	Exc. HD Chassis w/4 Spd. M30 AT	N	4,5	5-447X	
	w/5 Spd. MG5 & M30 MT	N	6	5-212X	
	Ext. Cab, Exc. HD Chassis, w/4 Spd. MT1 AT & 5 Spd. MW3 MT	N	4,5,6	5-447X	
		N	CB	211499X	
K-10 SERIES SUBURBAN					
1968-1976		K	2 THRU 8	5-153X	5-785X
	CV centering yoke kit	K	CV	211355X	
	Wheel Joint w/1.062" Brg. cup dia.	K	1	5-260X	
	w/1.188" Brg. cup dia.	K	1	5-760X	
1977-1978	w/outside snap rings	I,J	2,3,4	5-153X	5-785X
	CV Centering Yoke Kit	I,J	CV	211355X	
	w/inside snap rings	I,J	2,3,4	5-3147X	5-795X
	CV ball & seat kit	I,J	CV	211009X	
	CV seat repair kit	I,J	CV	211007X	
	2-Joint Driveshaft	I	5,6	5-153X	5-785X
	3-Joint Driveshaft	J	5	5-153X	5-785X
		J	6,7	5-178X	5-799X
		J	CB	210088-1X	
	Wheel Joint	I,J	1	5-760X	
	Lube fitting in brg. cup	I,J	1	5-297-1X	
1979-1981		I,J	2	5-153X	5-785X
		I,J	3,4	5-3147X	5-795X
	CV ball & seat kit	I,J	CV	211009X	
	CV seat repair kit	I,J	CV	211007X	
	2-Joint Driveshaft	I	5,6	5-153X	5-785X
	3-Joint Driveshaft	J	5,6,7	5-178X	5-799X
		J	CB	210088-1X	
	Wheel Joint	I,J	1	5-760X	
	Lube fitting in brg. cup	I,J	1	5-297-1X	











4WD

Year	Model & Description	Fig.	Location	Spicer Part No.	SPL Part No.
CHEVROLET					
K-10 SERIES SUBURBAN					
1982-1986		I	2	5-153X	5-785X
		I	3,4	5-3147X	5-795X
	CV ball & seat kit	I	CV	211009X	
	CV seat repair kit	I	CV	211007X	
	w/outside snap rings	I	5,6	5-178X	5-799X
	w/inside snap rings	I	5,6	5-3147X	5-795X
	Wheel Joint	I	1	5-760X	
	Lube fitting in brg. cup	I	1	5-297-1X	
1992		L	2,3	5-3147X	5-795X
	w/MT1 AT & 6.5L Turbo diesel	L	4,5	5-178X	5-799X
	w/MD8, M30 AT & 5.7L Eng.	L	4,5	5-3147X	5-795X
1993	w/MT1 AT & 6.5L Turbo diesel	L	4,5	5-178X	5-799X
	w/MD8, M30 AT & 5.7L Eng.	L	4,5	5-3147X	5-795X
1994		L	2,3	5-3147X	5-795X
	w/MT1 AT & 6.5L Turbo diesel	L	4,5	5-178X	5-799X
	w/MD8, M30 AT & 5.7L Eng.	L	4,5	5-3147X	5-795X
1995-1996	5.0L Eng.	L	2,3	5-3147X	5-795X
	6.5L Diesel Eng.	L	2	5-212X	5-793X
		L	3	5-213X	5-790X
	w/AT	L	4,5	5-3147X	5-795X
	w/MT	L	4,5	5-178X	5-799X
1997-1998		L	2,3	5-3147X	5-795X
	w/AT	L	4,5	5-3147X	5-795X
	w/MT	L	4,5	5-178X	5-799X
1999-2000		L	2,3	5-3147X	5-795X
	w/inside snap rings	L	4,5	5-3147X	5-795X
	w/outside snap rings	L	4,5	5-178X	5-799X
2001-2006		L	2,3,4,5	5-3147X	5-795X
K-20 SERIES PICK-UP					
1960	w/Timken T-221 Trans. Case	M	2,3,5	5-153X	5-785X
		M	4,6,7	5-178X	5-799X
	Wheel Joint, w/inside snap rings	M	1	5-74X	
1961-1966	w/3 Spd. MT	K	2,3,4,5,6	5-153X	5-785X
		K	7,8	5-178X	5-799X
	w/4 Spd. Trans.	K	2,4,6	5-153X	5-785X
		K	5,7,8	5-178X	5-799X
	Wheel Joint w/outside snap rings	K	1	5-86X	
	w/inside snap rings	K	1	5-74X	



Important: See Safety Information in General Information Section (J300P-GI)

Year	Model & Description	Fig.	Location	Spicer Part No.	SPL Part No.
CHEVROLET					
K-20 SERIES PICK-UP					
1967-1969		I	2,3,4,5,6	5-153X	5-785X
	CV centering yoke kit	I	CV	211355X	
	Wheel Joint w/outside snap rings	I	1	5-86X	
	w/inside snap rings	I	1	5-74X	
1970-1971		I	2,3,4,5,6	5-153X	5-785X
	CV centering yoke kit	I	CV	211355X	
	Wheel Joint	I	1	5-260X	
	Lube fitting in brg. cup	I	1	5-260-1X	
1972		I	2,3,4,5,6	5-153X	5-785X
	CV centering yoke kit	I	CV	211355X	
	Wheel Joint w/1.062" Brg. cup dia.	I	1	5-260X	
	Lube fitting in brg. cup	I	1	5-260-1X	
	w/1.188" Brg. cup dia.	I	1	5-760X	
	Lube fitting in brg. cup	I	1	5-297-1X	
1973-1974		I	2,3,4,5,6	5-153X	5-785X
	CV centering yoke kit	I	CV	211355X	
	Wheel Joint	I	1	5-760X	
	Lube fitting in brg. cup	I	1	5-297-1X	
1975-1976		I	2,3,4	5-153X	5-785X
	w/292 Eng.	I	5,6	5-153X	5-785X
	CV Centering Yoke Kit	I	CV	211355X	
	Exc. 292 Eng.	I	5	5-153X	5-785X
		I	6	5-178X	5-799X
	CV centering yoke kit	I	CV	211355X	
	Wheel Joint	I	1	5-760X	
	Lube fitting in brg. cup	I	1	5-297-1X	
1977-1978	w/outside snap rings	I	2,3,4	5-153X	5-785X
	CV Centering Yoke Kit	I	CV	211355X	
	w/inside snap rings	I	2,3,4	5-3147X	5-795X
	CV ball & seat kit	I	CV	211009X	
	CV seat repair kit	I	CV	211007X	
	2-Joint Driveshaft	I	5	5-153X	5-785X
		I	6	5-178X	5-799X
	3-Joint Driveshaft	J	5,6,7	5-178X	5-799X
		J	CB	210088-1X	
	Wheel Joint	I,J	1	5-760X	
	Lube fitting in brg. cup	I,J	1	5-297-1X	





Year	Model & Description	Fig.	Location	Spicer Part No.	SPL Part No.
CHEVROLET					
K-20 SERIES PICK-UP					
1979-1981		I	2	5-153X	5-785X
		I	3,4	5-3147X	5-795X
	CV ball & seat kit	I	CV	211009X	
	CV seat repair kit	I	CV	211007X	
	2-Joint Driveshaft	I	5	5-153X	5-785X
		I	6	5-178X	5-799X
	3-Joint Driveshaft	J	5,6,7	5-178X	5-799X
		J	CB	210088-1X	
	Wheel Joint	I,J	1	5-760X	
	Lube fitting in brg. cup	I,J	1	5-297-1X	
1982-1986		I	2	5-153X	5-785X
		I	3,4	5-3147X	5-795X
	CV ball & seat kit	I	CV	211009X	
	CV seat repair kit	I	CV	211007X	
		I	5,6	5-178X	5-799X
	Wheel Joint	I	1	5-760X	
	Lube fitting in brg. cup	I	1	5-297-1X	
1992-1993		L,N	2,3	5-3147X	5-795X
	2-Joint Driveshaft steel driveshaft yoke	L	4,5	5-178X	5-799X
	alum. driveshaft yoke	L	4,5	5-447X	
	3-Joint Driveshaft steel driveshaft yoke	N	4,5,6	5-178X	5-799X
	w/AT	N	CB	211793-1X	
	w/MT	N	CB	211499X	
1994		L,N	2,3	5-3147X	5-795X
	2-Joint Driveshaft steel driveshaft yoke	L	4,5	5-178X	5-799X
	alum. driveshaft yoke	L	4,5	5-447X	
	3-Joint Driveshaft steel driveshaft yoke	N	4,5,6	5-178X	5-799X
	w/MT1 AT & 6.5L Turbo diesel	N	4,5,6	5-213X	5-790X
	w/AT	N	CB	211793-1X	
	w/MT	N	CB	211499X	
1995-1996		L,N	2,3	5-3147X	5-795X
	2-Joint Driveshaft steel driveshaft yoke	L	4,5	5-178X	5-799X
	alum. driveshaft yoke	L	4,5	5-447X	
	3-Joint Driveshaft steel driveshaft yoke	N	4,5,6	5-178X	5-799X
	w/AT	N	CB	211793-1X	
	w/MT	N	CB	211499X	









Important: See Safety Information in General Information Section (J300P-GI)

Year	Model & Description	Fig.	Location	Spicer Part No.	SPL Part No.
CHEVROLET					
K-20 SERIES PICK-UP					
1997		L,N	2,3	5-3147X	5-795X
	Reg. Cab w/8' Bed	L	4,5	5-178X	5-799X
	Ext. Cab w/AT	L	4,5	5-447X	
		N	CB	211793-1X	
	Ext. Cab w/MT	N	4,5,6	5-447X	
		N	CB	211499X	
1998-1999		L,N	2,3	5-3147X	5-795X
	Ext. Cab w/AT	L	4,5	5-447X	
		N	CB	211793-1X	
	Ext. Cab w/MT	N	4,5,6	5-447X	
		N	CB	211499X	
K-20 SERIES SUBURBAN					
1968		L	2,3	5-153X	5-785X
	w/1.062" Brg. cup dia.	L	4,5	5-153X	5-785X
	w/1.188" Brg. cup dia.	L	4,5	5-178X	5-799X
1969		L	2,3	5-153X	5-785X
	w/1.062" Brg. cup dia.	L	4,5	5-153X	5-785X
	w/1.188" Brg. cup dia.	L	4,5	5-178X	5-799X
	Wheel Joint w/Inside Snap Ring	L	1	5-260X	
	w/Outside Snap Ring	L	1	5-282X	
1970-1971		L	2,3	5-153X	5-785X
	w/1.062" Brg. cup dia.	L	4,5	5-153X	5-785X
	w/1.188" Brg. cup dia.	L	4,5	5-178X	5-799X
	Wheel Joint w/Inside Snap Ring	L	1	5-260X	
1972		L	2,3	5-153X	5-785X
	w/1.062" Brg. cup dia.	L	4,5	5-153X	5-785X
	w/1.188" Brg. cup dia.	L	4,5	5-178X	5-799X
	Wheel Joint	L	1	5-760X	
1973-1974		I	2	5-153X	5-785X
		I	3,4	5-433-1X	
		I	5,6	5-178X	5-799X
	Wheel Joint	L	1	5-760X	
1975-1976		I,J	2	5-153X	5-785X
		I,J	3,4	5-433-1X	
	2-Joint Driveshaft w/Full Time Transfer Case	I	5,6	5-153X	5-785X
	w/Part Time Transfer Case	I	5,6	5-178X	5-799X
	3-Joint Driveshaft w/Part Time Transfer Case	J	5,6,7	5-178X	5-799X
	Wheel Joint	L	1	5-760X	









4WD

Year	Model & Description	Fig.	Location	Spicer Part No.	SPL Part No.
CHEVROLET					
K-20 SERIES SUBURBAN					
1977-1978		I,J	2	5-153X	5-785X
	w/outside snap rings	I,J	3,4	5-433-1X	
	w/inside snap rings	I,J	3,4	5-3147X	5-795X
	2-Joint Driveshaft w/1.062 Brg. cup dia.	I	5	5-153X	5-785X
	w/1.188" Brg. cup dia.	I	6	5-178X	5-799X
	3-Joint Driveshaft w/1.188" Brg. cup dia.	J	5,6,7	5-178X	5-799X
	Wheel Joint	I,J	1	5-760X	
1979-1981		I,J	2	5-153X	5-785X
	w/inside snap rings	I,J	3,4	5-3147X	5-795X
	2-Joint Driveshaft w/1.062 Brg. cup dia.	I	5	5-153X	5-785X
	w/1.188" Brg. cup dia.	I	6	5-178X	5-799X
	3-Joint Driveshaft w/1.188" Brg. cup dia.	J	5,6,7	5-178X	5-799X
	Wheel Joint	I,J	1	5-760X	
1982-1986		I	2	5-153X	5-785X
	w/inside snap rings	I	3,4	5-3147X	5-795X
		I	5,6	5-153X	5-785X
	Wheel Joint	I	1	5-760X	
1992-2000		L	2,3	5-3147X	5-795X
		L	4,5	5-178X	5-799X
2001-2006		L	2,3	5-3147X	5-795X
	w/6.0L Eng.	L	4,5	5-178X	5-799X
	w/8.1L Eng.	L	4,5	5-160X	5-801X
K-30 SERIES PICK-UP					
1977-1978		N	2,3	5-153X	5-785X
		N	4,5,6	5-178X	5-799X
1979		J	2	5-178X	5-799X
		J	3,4	5-153X	5-785X
	CV centering yoke kit	J	CV	211355X	
		J	5,6,7	5-178X	5-799X
		J	CB	210088-1X	
	Wheel Joint	J	1	5-806X	
1980-1986		I,J	2	5-153X	5-785X
		I,J	3,4	5-3147X	5-795X
	CV ball & seat kit	I,J	CV	211009X	
	CV seat repair kit	I,J	CV	211007X	
		I,J	5,6,7	5-178X	5-799X
	Wheel Joint	I,J	1	5-806X	



Important: See Safety Information in General Information Section (J300P-GI)

U-Joints

Year	Model & Description	Fig.	Location	Spicer Part No.	SPL Part No.
CHEVROLET					
K-30 SERIES PICK-UP					
1992-1998		L,N	2,3	5-3147X	5-795X
	2-Joint Driveshaft Regular Cab w/131.5" WB	L	4,5	5-178X	5-799X
	3-Joint steel driveshaft, 2 dr Chassis Cab & ext. Cab	N	4,5,6	5-178X	5-799X
		N	CB	211793-1X	
	4 Dr Chassis Cab w/steel driveshaft	N	4,5,6	5-178X	5-799X
		N	CB	211735-1X	
1999		L,N	2,3	5-3147X	5-795X
	2-Joint Driveshaft Reg. Cab Pick up	L	4,5	5-178X	5-799X
	Chassis Cab w/135.5" or 141.5" WB	L	4,5	5-160X	5-801X
	3-Joint Driveshaft Ext. Cab & Crew Cab Pick up	N	4,5,6	5-178X	5-799X
	Chassis Cab w/159.5", 168.5" or 183.5" WB	N	4,5,6	5-160X	5-801X
LUV					
1979-1982		L,N	2	5-111X	
		L,N	3	5-1515X	
	2-Joint Driveshaft	L	4,5	5-111X	
	3-Joint Driveshaft	N	4,5,6	5-111X	
S-10 PICK-UP					
1983-1990		L	2,3	5-350X	
		L	4,5	5-3147X	5-795X
	Maxicab	N	4,5,6	5-3147X	5-795X
1991	w/Screw-on Slip Yoke Seal	L	2,3	5-350X	
	w/Press-on Slip Yoke Seal	L	2	5-1200X	
		L	3	5-153X	5-785X
		L	4,5	5-3147X	5-795X
1992-1993	w/Screw-on Slip Yoke Seal	L	2,3	5-350X	
	w/Press-on Slip Yoke Seal	L	3	5-153X	5-785X
		L	4,5	5-3147X	5-795X
1994		L	2	5-350X	
		L	4,5	5-3147X	5-795X
1995-1998		L	2,3	5-350X	
	Exc. ZR2 Pkg.	L	4,5	5-3147X	5-795X
	w/ZR2 High Wider Pkg, w/alum. driveshaft	L	5	5-791X	
		L	5	5-794X	
	Ext. Cab, Exc. ZR2 Pkg	N	4,5,6	5-3147X	5-795X
		N	CB	210370-1X	
1999		L	2,3	5-350X	
	Exc. ZR2 Pkg.	L	4,5	5-3147X	5-795X
	Ext. Cab	N	4,5,6	5-3147X	5-795X



Year	Model & Description	Fig.	Location	Spicer Part No.	SPL Part No.
CHEVROLET					
S-10 PICK-UP					
2000-2004		L	2	5-350X	
	Exc. ZR2 Pkg.	L	4,5	5-3147X	5-795X
	Ext. Cab	N	4,5,6	5-3147X	5-795X
SILVERADO 1500					
1999-2000	Regular Cab	L	2,3,4,5	5-3147X	5-795X
	Ext. Cab, Short Bed	L	2,3	5-3147X	5-795X
		L	4	5-213X	5-790X
		L	5	5-212X	5-793X
	Ext. Cab, Long Bed	N	2,3	5-3147X	5-795X
		N	4,5	5-213X	5-790X
		N	6	5-212X	5-793X
2001	1500 & 1500 HD Regular Cab	L	2,3,4,5	5-3147X	5-795X
	Ext. Cab, Short Bed	L	2,3	5-3147X	5-795X
		L	4	5-213X	5-790X
		L	5	5-212X	5-793X
	Ext. Cab, Long Bed	N	2,3	5-3147X	5-795X
		N	4,5	5-213X	5-790X
		N	6	5-212X	5-793X
2002-2003	1500 & 1500 HD				
	Regular Cab	L	2,3,4,5	5-3147X	5-795X
	Ext. Cab, Standard Bed Exc. w/4 Wheel Steering	L	2,3	5-3147X	5-795X
		L	4	5-213X	5-790X
		L	5	5-212X	5-793X
	w/4 Wheel Steering	L	2,3	5-3147X	5-795X
		L	4,5	5-178X	5-799X
	Ext. Cab, Long Bed	N	2,3	5-3147X	5-795X
	Exc. w/4 Wheel Steering	N	4,5	5-213X	5-790X
		N	6	5-212X	5-793X
	Crew Cab	N	2,3	5-3147X	5-795X
		N	4,5,6	5-178X	5-799X
2004	Regular Cab	L	2,3,4,5	5-3147X	5-795X
	Ext. Cab, Standard Bed Exc. 4 Wheel Steering	L	2,3	5-3147X	5-795X
		L	4	5-213X	5-790X
		L	5	5-212X	5-793X
	w/4 Wheel Steering	L	2,3	5-3147X	5-795X
		L	4,5	5-178X	5-799X





Important: See Safety Information in General Information Section (J300P-GI)

Year	Model & Description	Fig.	Location	Spicer Part No.	SPL Part No.
CHEVROLET					
SILVERADO 1500					
2004	Ext. Cab, Long Bed w/4 Wheel Steering	N	2,3	5-3147X	5-795X
		N	4,5	5-213X	5-790X
		N	6	5-212X	5-793X
	Crew Cab	N	2,3	5-3147X	5-795X
		N	4,5,6	5-178X	5-799X
2005	Regular Cab Rear Driveshaft w/inside snap rings	L	2,3,4,5	5-3147X	5-795X
	Rear Driveshaft w/outside snap rings	L	2,3	5-3147X	5-795X
		L	4,5	5-178X	5-799X
	Ext. Cab, Standard Bed w/1.125" Brg. cup dia. Exc. w/4 Wheel Steering & Sport Suspension	L	2,3	5-3147X	5-795X
	w/1.063" Brg. cup dia.	L	4	5-213X	5-790X
	w/1.063" & 1.125" Brg. cup dia.	L	5	5-212X	5-793X
	Ext. Cab, Long Bed w/1.125" Brg. cup dia.	N	2,3	5-3147X	5-795X
	w/1.063" Brg. cup dia.	N	4,5	5-213X	5-790X
	w/1.063" & 1.125" Brg. cup dia.	N	6	5-212X	5-793X
	w/1.125" bearing cap	N	2,3	5-3147X	5-795X
	w/1.188" bearing cap	N	4,5,6	5-178X	5-799X
	Ext. Cab & Sport Suspension, w/4 Wheel Steering	L	2,3	5-3147X	5-795X
		L	4,5	5-178X	5-799X
	Crew Cab w/1.125" Brg. cup dia., Exc. w/4 Wheel Steering	L	2,3	5-3147X	5-795X
	w/1.063" Brg. cup dia.	L	4	5-213X	5-793X
	w/1.063" & 1.125" Brg. cup dia.	L	5	5-212X	5-793X
	w/1.125" bearing cap	L	2,3	5-3147X	5-795X
	w/1.188" bearing cap	L	4,5	5-178X	5-799X
	w/1.125" bearing cap, w/4 Wheel Steering	L	2,3	5-3147X	5-795X
	w/1.188" bearing cap	L	4,5	5-178X	5-799X
2006	Regular Cab, Ext. Cab-Std. Bed, Crew Cab	L	2,3	5-3147X	5-790X
		L	4,5	5-178XX	5-799X
	Ext. Cab - Long bed	N	2,3	5-3147X	5-790X
		N	4,5,6	5-178X	5-799X
SILVERADO 2500					
1999-2000	w/AT; Ext. Cab w/Long Bed	N	2,3	5-3147X	5-795X
		N	4,5,6	5-178X	5-799X
	w/AT; Exc. Ext. Cab w/Long Bed	L	2,3	5-3147X	5-795X
		L	4,5	5-178X	5-799X
	w/MT	L	2,3	5-3147X	5-795X
		L	4,5	5-160X	5-801X





4WD

4WD

Year	Model & Description		Fig.	Location	Spicer Part No.	SPL Part No.
CHEVROLET						
SILVERADO 2500						
2001			L	2,3	5-3147X	5-795X
			L	4,5	5-178X	5-799X
	2500 HD	All Front Driveshafts	L,N	2,3	5-3147X	5-795X
		Reg Cab w/5 Spd AT	L	4,5	5-160X	5-801X
		Reg Cab w/4 Spd AT or 5 Spd MT AAM 1415 Series Driveshaft	L	4,5	N/A	
		Ext. Cab; Std. Bed w/AT or 5 Spd MT	L	4,5	5-160X	5-801X
		Crew Cab; Std. Bed w/AT	L	4,5	5-160X	5-801X
		Crew Cab; Long Bed w/AT	N	4,5,6	5-160X	5-801X
		Crew Cab; w/5 Spd MT	N	4,5,6	5-160X	5-801X
		2-Joint Driveshaft w/6 Spd MT	L	4,5	5-188X	5-803X
		3-Joint Driveshaft w/6 Spd MT	N	4,5,6	5-188X	5-803X
2002			L	2,3	5-3147X	5-795X
	2-Joint Driveshaft	w/3.622" Snap ring dim.	L	4,5	5-178X	5-799X
		w/4.187" Snap ring dim.	L	4,5	5-160X	5-801X
		w/133" WB, w/AAM 1415 Series Driveshaft	L	4,5	N/A	
	2500 HD	All Front Driveshafts	L,N	2,3	5-3147X	5-795X
		Reg Cab w/5 Spd AT	L	4,5	5-160X	5-801X
		Reg Cab w/4 Spd AT or 5 Spd MT AAM 1415 Series Driveshaft	L	4,5	N/A	
		Ext. Cab; Std. Bed w/AT or 5 Spd MT	L	4,5	5-160X	5-801X
		Crew Cab; Std. Bed w/AT	L	4,5	5-160X	5-801X
		Crew Cab; Long Bed w/AT	N	4,5,6	5-160X	5-801X
		Crew Cab; w/5 Spd MT	N	4,5,6	5-160X	5-801X
		2-Joint Driveshaft w/6 Spd MT	L	4,5	5-188X	5-803X
		3-Joint Driveshaft w/6 Spd MT	N	4,5,6	5-188X	5-803X





Important: See Safety Information in General Information Section (J300P-GI)

Year	Model & Description	Fig.	Location	Spicer Part No.	SPL Part No.
CHEVROLET					
SILVERADO 2500					
2003		L,N	2,3	5-3147X	5-795X
	2-Joint Driveshaft w/3.622" Snap ring dim.	L	4,5	5-178X	5-799X
	w/4.187" Snap ring dim.	L	4,5	5-160X	5-801X
	w/133" WB, w/AAM 1415 Series Driveshaft	L	4,5	N/A	
	3-Joint Driveshaft w/3.622" Snap ring dim.	N	4,5,6	5-178X	5-799X
	2500 HD All Front Driveshafts	L,N	2,3	5-3147X	5-795X
	Reg Cab w/5-Speed AT	L	4,5	5-160X	5-801X
	Reg Cab w/4-Speed AT or 5-Speed MT AAM 1415 Series Driveshaft	L	4,5	N/A	
	Ext. Cab; Std. Bed w/AT or 5 Spd MT	L	4,5	5-160X	5-801X
	Crew Cab; Std. Bed w/AT	L	4,5	5-160X	5-801X
	Crew Cab; Long Bed w/AT	N	4,5,6	5-160X	5-801X
	Crew Cab; w/5 Spd MT	N	4,5,6	5-160X	5-801X
	2-Joint Driveshaft w/6 Spd MT	L	4,5	5-188X	5-803X
	3-Joint Driveshaft w/6 Spd MT	N	4,5,6	5-188X	5-803X
2004		L,N	2,3	5-3147X	5-795X
	2-Joint Driveshaft w/3.622" Snap ring dim.	L	4,5	5-178X	5-799X
	w/4.187" Snap ring dim.	L	4,5	5-160X	5-801X
	w/133" WB, w/AAM 1415 Series Driveshaft	L	4,5	N/A	
	3-Joint Driveshaft w/3.622" Snap ring dim.	N	4,5,6	5-178X	5-799X
	2500 HD				
	All Front Driveshafts	L,N	2,3	5-3147X	5-795X
	Reg Cab; Std Bed w/5 Spd AT, w/1.188" Brg. Cap Dia.	L	4,5	5-160X	5-801X
	w/1.375" Brg. Cap Dia.	L	4,5	5-188X	5-803X
	Reg Cab; w/6 Spd MT	L	4,5	5-188X	5-803X
	Ext. Cab; Std. Bed w/4 Spd AT	L	4,5	5-160X	5-801X
	Ext. Cab; Std. Bed w/5-Speed AT, w/1.188" Brg. Cap Dia.	L	4,5	5-160X	5-801X
	Ext. Cab; Std. Bed w/5 Spd MT	L	4,5	5-160X	5-801X
	Ext. Cab; Std. Bed w/6-Speed MT	L	4,5	5-188X	5-803X
	Ext. Cab; Std. Bed w/5 Spd AT, w/1.375" Brg. Cap Dia.	L	4,5	5-188X	5-803X
	Crew Cab; Std. Bed w/AT	L	4,5	5-160X	5-801X
	Crew Cab; Long Bed w/AT	N	4,5,6	5-160X	5-801X
	Crew Cab; w/5 Spd MT	N	4,5,6	5-160X	5-801X
	Crew Cab; w/6 Spd MT	N	4,5,6	5-188X	5-803X
	2-Joint Driveshaft w/133" WB w/AAM 1415 Series Driveshaft	L	4,5	N/A	





4WD

Year	Model & Description	Fig.	Location	Spicer Part No.	SPL Part No.
CHEVROLET					
SILVERADO 2500					
2005	2500 HD				
	All Front Driveshafts	L,N	2,3	5-3147X	5-795X
	Reg Cab w/5 Spd AT	L	4,5	5-188X	5-803X
	Reg Cab w/4 Spd AT or 5- Spd MT AAM 1415 Series Driveshaft	L	4,5	N/A	
	Reg Cab w/6 Spd MT	L	4,5	5-188X	5-803X
	Ext. Cab; Std Bed; w/4 Spd AT or 5 Spd MT	L	4,5	5-160X	5-801X
	Ext. Cab; Std. Bed w/5 Spd AT	L	4,5	5-188X	5-803X
	Ext. Cab; Std. Bed w/6 Spd MT	L	4,5	5-188X	5-803X
	Ext. Cab; Long Bed w/AT	L	4,5	5-160X	5-801X
	Ext. Cab; Long Bed w/5 Spd MT	N	4,5,6	5-160X	5-801X
	Ext. Cab; Long Bed w/6 Spd MT	N	4,5,6	5-188X	5-803X
	Crew Cab; Std. Bed w/AT	L	4,5	5-160X	5-801X
	Crew Cab; Long Bed w/AT	N	4,5,6	5-160X	5-801X
	Crew Cab; w/5 Spd MT	N	4,5,6	5-160X	5-801X
	Crew Cab; w/6 Spd MT	N	4,5,6	5-188X	5-803X
	2-Joint Driveshaft w/133'' WB w/AAM 1415 Series Driveshaft	L	4,5	N/A	
2006	2500 HD				
	All Front Driveshafts	L,N	2,3	5-3147X	5-795X
	Reg Cab w/5 Spd AT	L	4,5	5-188X	5-803X
	Reg Cab w/4 Spd AT or 5 Spd MT AAM 1415 Series Driveshaft	L	4,5	N/A	
	Reg Cab w/6 Spd MT	L	4,5	5-188X	5-803X
	Ext. Cab; Std Bed; w/4-Speed AT or 5-Speed MT	L	4,5	5-160X	5-801X
	Ext. Cab; Std. Bed w/5 Spd AT	L	4,5	5-188X	5-803X
	Ext. Cab; Std. Bed w/6 Spd MT	L	4,5	5-188X	5-803X
	Ext. Cab; Long Bed w/AT	L	4,5	5-160X	5-801X
	Ext. Cab; Long Bed w/5-Speed MT	N	4,5,6	5-160X	5-801X
	Ext. Cab; Long Bed w/6 Spd MT	N	4,5,6	5-188X	5-803X
	Crew Cab; Std. Bed w/AT	L	4,5	5-160X	5-801X
	Crew Cab; Long Bed w/AT	N	4,5,6	5-160X	5-801X
	Crew Cab; w/5 Spd MT	N	4,5,6	5-160X	5-801X
	Crew Cab; w/6 Spd MT	N	4,5,6	5-188X	5-803X
	2-Joint Driveshaft w/133'' WB w/AAM 1415 Series Driveshaft	L	4,5	N/A	





Important: See Safety Information in General Information Section (J300P-GI)

Year	Model & Description	Fig.	Location	Spicer Part No.	SPL Part No.
CHEVROLET					
SILVERADO 3500					
2000		L,N	2,3	5-3147X	5-795X
	Regular Cab Pick up	L	4,5	5-178X	5-799X
	Ext. Cab & Crew Cab Pick up	N	4,5,6	5-178X	5-799X
	Chassis Cab w/135.5” or 141.5’’ WB	L	4,5	5-160X	5-801X
	w/159.5”, 168.5’’ or 183.5” WB	N	4,5,6	5-160X	5-801X
2001		L,N	2,3	5-3147X	5-795X
	Regular Cab				
	Pick up; w/5 Spd AT	L	4,5	5-160X	5-801X
	w/4 Spd AT or 5 Spd MT, w/AAM 1415 Series Driveshaft	L	4,5	N/A	
	w/6 Spd MT	L	4,5	5-188X	5-803X
	Extended Cab w/4 Spd AT or 5 Spd AT	L	4,5	5-160X	5-801X
	w/5-Spd MT	N	4,5,6	5-160X	5-801X
	w/6 Spd MT	N	4,5,6	5-188X	5-803X
	Crew Cab w/AT or 5 Spd MT	L	4,5,6	5-160X	5-801X
	w/6 Spd MT	N	4,5,6	5-188X	5-803X
	Chassis Cab w/137.5” WB, Exc. 6 Spd MT	L	4,5	5-160X	5-801X
	w/137.5” WB, w/6 Spd MT	L	4,5	5-188X	5-803X
	w/161.5” WB, Exc. 6 Spd MT	L	4,5,6	5-160X	5-801X
	w/161.5” WB, w/6 Spd MT	L	4,5,6	5-188X	5-803X
2002-2003		L,N	2,3	5-3147X	5-795X
	Regular Cab				
	Pick up; w/5 Spd AT	L	4,5	5-160X	5-801X
	w/4 Spd AT or 5 Spd MT, w/AAM 1415 Series Driveshaft	L	4,5	N/A	
	w/6 Spd MT	L	4,5	5-188X	5-803X
	Extended Cab w/4 Spd AT or 5 Spd AT	L	4,5	5-160X	5-801X
	w/5 Spd MT	N	4,5,6	5-160X	5-801X
	w/6 Spd MT	N	4,5,6	5-188X	5-803X
	Crew Cab w/AT or 5 Spd MT	L	4,5,6	5-160X	5-801X
	w/6 Spd MT	N	4,5,6	5-188X	5-803X
	Chassis Cab w/137.5” WB, Exc. 6 Spd MT	L	4,5	5-160X	5-801X
	w/137.5” WB, w/6 Spd MT	L	4,5	5-188X	5-803X
	w/161.5” WB, Exc. 6 Spd MT	L	4,5,6	5-160X	5-801X
	w/161.5” WB, w/6 Spd MT	L	4,5,6	5-188X	5-803X





Year	Model & Description	Fig.	Location	Spicer Part No.	SPL Part No.
CHEVROLET					
SILVERADO 3500					
2004		L,N	2,3	5-3147X	5-795X
	Reg. Cab Pick up; w/5 Spd AT				
	w/1.188" Brg. cup dia.	L	4,5	5-160X	5-801X
	w/1.375" Brg. cup dia.	L	4,5	5-188X	5-803X
	w/4 Spd AT or 5 Spd MT, AAM 1415 Series Driveshaft	L	4,5	N/A	
	w/6 Spd MT	L	4,5	5-188X	5-803X
	Ext. Cab w/5 Spd AT, w/1.375" Brg. cup dia.	L	4,5	5-160X	5-801X
	w/4 Spd AT or 5 Spd AT, w/1.188" Brg. cup dia.	L	4,5	5-160X	5-801X
	w/5 Spd MT	N	4,5,6	5-160X	5-801X
	w/6 Spd MT	N	4,5,6	5-188X	5-803X
	Crew Cab w/AT or 5 Spd MT	L	4,5,6	5-160X	5-801X
	w/6 Spd MT	N	4,5,6	5-188X	5-803X
	Chassis Cab w/137.5" WB, Exc. 6 Spd MT	L	4,5	5-160X	5-801X
	w/137.5" WB, w/6 Spd MT	L	4,5	5-188X	5-803X
	w/161.5" WB, Exc. 6 Spd MT	L	4,5,6	5-160X	5-801X
	w/161.5" WB, w/6 Spd MT	L	4,5,6	5-188X	5-803X
2005-2006		L,N	2,3	5-3147X	5-795X
	Reg. Cab Pick up; w/5 Spd AT	L	4,5	5-160X	5-801X
	w/4 Spd AT or 5 Spd MT, w/AAM 1415 Series Driveshaft	L	4,5	N/A	
	w/6 Spd MT	L	4,5	5-188X	5-803X
	Ext. Cab w/4 Spd AT or 5 Spd AT	L	4,5	5-160X	5-801X
	w/5 Spd MT	N	4,5,6	5-160X	5-801X
	w/6 Spd MT	N	4,5,6	5-188X	5-803X
	Crew Cab w/AT or 5 Spd MT	L	4,5,6	5-160X	5-801X
	w/6 Spd MT	N	4,5,6	5-188X	5-803X
	Chassis Cab w/137.5" WB, Exc. 6 Spd MT	L	4,5	5-160X	5-801X
	w/137.5" WB, w/6 Spd MT	L	4,5	5-188X	5-803X
	w/161.5" WB, Exc. 6 Spd MT	L	4,5,6	5-160X	5-801X
	w/161.5" WB, w/6 Spd MT	L	4,5,6	5-188X	5-803X
TAHOE					
1995-2006		L	2,3	5-3147X	5-795X
		L	4,5	5-3147X	5-795X
TRACKER					
1999-2003		L	2,3.4,5	5-1503X	
2004	2.5L w/AT	L	2,3.4,5	5-1503X	





Important: See Safety Information in General Information Section (J300P-GI)

U-Joints

Year	Model & Description	Fig.	Location	Spicer Part No.	SPL Part No.
CHEVROLET					
TRAILBLAZER					
2001		L	2	5-350X	
	Ecx. 2 Dr. w/ZR2 ''High Wider'' sport pkg.	L	4,5	5-3147X	5-795X
	2 Door w/ZR2 ''High Wider'' sport pkg.	L	4,5	5-178X	5-779X
2002-2004		L	2	5-350X	
		L	4,5	5-3147X	5-795X
2005		L	2	5-350X	
V-10 SERIES PICK-UP					
1987-1991		I	2	5-153X	5-785X
		I	3,4	5-3147X	5-795X
	CV ball & seat kit	I	CV	211009X	
	w/inside snap rings	I	5,6	5-3147X	5-795X
	w/outside snap rings	I	5,6	5-178X	5-799X
	Wheel Joint	I	1	5-760X	
	Lube fitting in brg. cup	I	1	5-297-1X	
V-10 SERIES SUBURBAN					
1987-1991		I	2	5-153X	5-785X
		I	3,4	5-3147X	5-795X
	CV ball & seat kit	I	CV	211009X	
	w/inside snap rings	I	5,6	5-3147X	5-795X
	w/outside snap rings	I	5,6	5-178X	5-799X
	Wheel Joint	I	1	5-760X	
	Lube fitting in brg. cup	I	1	5-297-1X	
V-20 SERIES PICK-UP					
1987-1991	w/AT	L,N	2,3	5-3147X	5-795X
	w/MT	L,N	2	5-213X	5-790X
		L,N	3	5-212X	5-793X
	2-Joint Steel Driveshaft	L	4,5	5-178X	5-799X
	2-Joint Alum. Driveshaft	L	4,5	5-447X	
	3-Joint Driveshaft	N	4,5,6	5-178X	5-799X
	Wheel Joint	L,N	1	5-760X	
V-20 SERIES SUBURBAN					
1987-1991		I	2	5-153X	5-785X
		I	3,4	5-3147X	5-795X
	CV ball & seat kit	I	CV	211009X	
		I	5,6	5-178X	5-799X
	Wheel Joint	I	1	5-760X	







4WD

Year	Model & Description	Fig.	Location	Spicer Part No.	SPL Part No.
CHEVROLET					
V-30 SERIES PICK-UP					
1987		I,J	2	5-153X	5-785X
		I,J	3,4	5-3147X	5-795X
	CV ball & seat kit	I,J	CV	211009X	
	CV seat repair kit	I,J	CV	211007X	
	2-Joint Driveshaft	I	5,6	5-178X	5-799X
	3-Joint Driveshaft	J	5,6,7	5-178X	5-799X
		J	CB	210088-1X	
	Wheel Joint w/1.188" Brg. cup dia.	I,J	1	5-760X	
	w/1.375" Brg. cup dia.	I,J	1	5-806X	
1988-1989		I,J	2	5-153X	5-785X
		I,J	3,4	5-3147X	5-795X
	CV ball & seat kit	I,J	CV	211009X	
		L,N	2,3	5-178X	5-799X
	w/AT Exc. dual rear wheels	L,N	2,3	5-3147X	5-795X
	w/MT or dual rear wheels	L,N	2	5-213X	5-790X
		L,N	3	5-212X	
	2-Joint Driveshaft	I	5,6	5-178X	5-799X
	3-Joint Driveshaft	J	5,6,7	5-178X	5-799X
		J	CB	210088-1X	
	2-Joint alum. driveshaft	L	4,5	5-447X	
	2-Joint Steel Driveshaft	L	4,5	5-178X	5-799X
	3-Joint Driveshaft	N	4,5,6	5-178X	5-799X
	Wheel Joint	I,J,L,N	1	5-760X	
1990		I,J	2	5-153X	5-785X
		I,J	3,4	5-3147X	5-795X
	CV ball & seat kit	I,J	CV	211009X	
	w/AT Exc. dual rear wheels	L,N	2,3	5-178X	5-799X
	w/MT or dual rear wheels	L,N	2	5-213X	5-790X
		L,N	3	5-212X	
	2-Joint Driveshaft	I	5,6	5-178X	5-799X
	3-Joint Driveshaft	J	5,6,7	5-178X	5-799X
		J	CB	210088-1X	
	2-Joint Driveshaft	L	4,5	5-178X	5-799X
	3-Joint Driveshaft w/std. Cab or Dual Rear Wheels	N	4,5,6	5-178X	5-799X
	w/ext. Cab Exc. Dual Rear Wheels	N	4,5,6	5-178X	5-799X
	Wheel Joint	I,J,L,N	1	5-760X	









Important: See Safety Information in General Information Section (J300P-GI)

Year	Model & Description	Fig.	Location	Spicer Part No.	SPL Part No.
CHEVROLET					
V-30 SERIES PICK-UP					
1991		I,J	2	5-153X	5-785X
		I,J	3,4	5-3147X	5-795X
	CV ball & seat kit	I	CV	211009X	
	w/AT Exc. dual rear wheels	L,N	2,3	5-178X	5-799X
	w/MT or dual rear wheels	L,N	2	5-213X	5-790X
		L,N	3	5-212X	
	2-Joint Driveshaft	I	5,6	5-178X	5-799X
	3-Joint Driveshaft	J	5,6,7	5-178X	5-799X
		J	CB	210088-1X	
	2-Joint Driveshaft	L	4,5	5-178X	5-799X
	3-Joint Driveshaft w/std. Cab or Dual Rear Wheels	N	4,5,6	5-178X	5-799X
	w/ext. Cab Exc. Dual Rear Wheels	N	4,5,6	5-178X	5-799X
	Wheel Joint	I,J,L,N	1	5-760X	
DODGE					
COLT					
1985-1990	Colt Vista	N	4,5,6	5-1503X	
DAKOTA					
1987		I,J	2 THRU 7	5-1306X	5-789X
	Lube fitting in brg. cup	I	2 THRU 7	5-1306-1X	
1988-1994		I	2	5-353X	5-788X
		I	3,4	5-433-1X	
	CV centering yoke kit	I	CV	211355X	
	w/7290 Series 1.078" Brg. cup dia. Steel Shaft	I	5,6	5-1306X	5-789X
	Lube fitting in brg. cup	I	5,6	5-1306-1X	
	alum. driveshaft	I	5,6	5-599X	
	w/7290 Series 1.126" Brg. cup dia.	I	5,6	5-1309X	5-811X
1995-1998		I	2	5-353X	5-788X
		I	3,4	5-433-1X	
	CV centering yoke kit	I	CV	211355X	
	w/7290 Series 1.126" Brg. cup dia. Exc. Asian AT, 131" WB & 8.25" Axle	I	5,6	5-1309X	5-811X
1999		I	2	5-353X	5-788X
		I	3,4	5-433-1X	
	CV centering yoke kit	I	CV	211355X	
	1330 Series outside snap ring	I	5	5-213X	5-790X
	1330 x 7290 Series, w/(2) Outside & (2) Inside snap rings	I	6	5-797X	
	w/7260 Series 1.078" Brg. cup dia., Inside snap rings	I	5,6	5-1306X	5-789X
	w/7290 Series 1.126" brg. cup dia., Inside snap rings	I	5,6	5-1309X	5-811X



4WD

Year	Model & Description	Fig.	Location	Spicer Part No.	SPL Part No.
DODGE					
DAKOTA					
2000-2006	w/double cardan shaft	I	2,3,4	5-153X	5-785X
	2-Joint Driveshaft	I	5,6	5-213X	5-790X
DURANGO					
1998		I	2	5-153X	5-785X
		I	3,4	5-433-1X	
		I	5,6	5-1309X	
1999		I	2	5-153X	5-785X
		I	3,4	5-433-1X	
		I	5	5-213X	5-790X
		I	6	5-796X	
2000		I	2	5-153X	5-785X
		I	3,4	5-433-1X	
		I	5,6	5-213X	5-790X
2001-2003		I	2	5-153X	5-785X
		I	3,4	N/A	
		I	5,6	5-213X	5-790X
2004-2006		I	2	5-153X	5-785X
		I	3,4	N/A	
		I	5,6	5-3147X	5-795X
POWER RAM 50					
1982-1989		L	2,3	5-1503X	
		L	4,5	5-1516X	
1990-1994		L	2,3	5-1503X	
	2-Joint Driveshaft w/2400cc Eng.	L	4,5	5-1516X	
	3-Joint Driveshaft w/2400cc Eng.	J	5,6,7	5-1516X	
RAIDER					
1987-1990		L	2,3	5-1503X	
	Exc. 3.0L Eng.	L	4,5	5-1516X	







4WD

Important: See Safety Information in General Information Section (J300P-GI)

U-Joints

Year	Model & Description	Fig.	Location	Spicer Part No.	SPL Part No.
DODGE					
RAM 1500					
1994		P,V	2	5-1309X	5-811X
		P,V	3,4	5-433-1X	
		P,V	5,6,7	5-1309X	5-811X
	Wheel Joint	P,V	1	5-760X	
	Lube fitting in brg. cup	P,V	1	5-297-1X	
1995-1997		P,V	2	5-1309X	5-811X
		P,V	3,4	5-213X	5-790X
	w/1.188” Brg. cup dia.	P,V	5,6,8	5-160X	5-801X
	w/1.126” Brg. cup dia.	P,V	5,6,8	5-1309X	5-811X
	Wheel Joint	P,V	1	5-760X	
	Lube fitting in brg. cup	P,V	1	5-297-1X	
1998		P,V	2	5-1309X	5-811X
	w/2 inside & 2 outside snap rings	P,V	2	5-796X	
		P,V	3,4	5-213X	5-790X
	w/1.188” Brg. cup dia.	P,V	5,6,8	5-160X	5-801X
	w/1.126” Brg. cup dia.	P,V	5,6,8	5-1309X	5-811X
	Wheel Joint	P,V	1	5-760X	
	Lube fitting in brg. cup	P,V	1	5-297-1X	
1999		P,V	2	5-796X	
		P,V	3,4	5-213X	5-790X
	Exc. Club & Quad Cab; w/Long Bed	P	5	5-213X	5-790X
		P	6	5-796X	
	Club & Quad Cab	V	5,6	5-213X	5-790X
		V	8	5-796X	
	Wheel Joint	P,V	1	5-760X	
	Lube fitting in brg. cup	P,V	1	5-297-1X	
2000		P,V	2,3,4	5-213X	5-790X
	Exc. Club & Quad Cab; w/Long Bed	P	5	5-213X	5-790X
		P	6	5-796X	
	Club & Quad Cab	V	5,6,8	5-213X	5-790X
	Wheel Joint	P,V	1	5-760X	
	Lube fitting in brg. cup	P,V	1	5-297-1X	
2001		P,V	2,3,4	5-213X	5-790X
	Exc. Club & Quad Cab; w/Long Bed	P	5,6	5-213X	5-790X
	Club & Quad Cab	V	5,6,8	5-213X	5-790X
	Wheel Joint	P,V	1	5-760X	
	Lube fitting in brg. cup	P,V	1	5-297-1X	







4WD

Year	Model & Description	Fig.	Location	Spicer Part No.	SPL Part No.
DODGE					
RAM 1500					
2002-2006		P,V	2	5-213X	5-790X
	Exc. Club & Quad Cab; w/Long Bed	P	5,6	5-213X	5-790X
	Club & Quad Cab	V	5,6,8	5-213X	5-790X
RAM 2500					
1994		I,J	2	5-1309X	5-811X
		I,J	3,4	5-433-1X	
		I,J	5,6,7	5-1309X	5-811X
	Wheel Joint Dana Model 44 Axle	I,J	1	5-760X	
	Lube fitting in brg. cup	I,J	1	5-297-1X	
	Dana Model 60 Axle	I,J	1	5-806X	
1995-1997		I,J	2	5-1309X	5-811X
		I,J	3,4	5-1203X	
	w/9 1/4" Chrysler axle & 7290 Series, w/1.126" Brg. cup dia.	I,J	5,6,7	5-1309X	5-811X
	w/Dana Axle & 1.188" Brg. cup dia.	I,J	5,6,7	5-160X	5-801X
	Wheel Joint Dana Model 44 Axle	I,J	1	5-760X	
	Lube fitting in brg. cup	I,J	1	5-297-1X	
	Dana Model 60 Axle	I,J	1	5-806X	
1998-1999	w/outside snap ring in Slip Yoke	I,J	2	5-796X	
	w/inside snap ring in Slip Yoke	I,J	2	5-1309X	5-811X
		I,J	3,4	5-213X	5-790X
	2-Joint Driveshaft	I	5,6	5-160X	5-801X
	3-Joint Driveshaft	J	5,6,7	5-160X	5-801X
	Wheel Joint Dana Model 44 Axle	I,J	1	5-760X	
	Lube fitting in brg. cup	I,J	1	5-297-1X	
	Dana Model 60 Axle	I,J	1	5-806X	
2000		I,J	2,3,4	5-213X	5-790X
	2-Joint Driveshaft	I	5,6	5-160X	5-801X
	3-Joint Driveshaft	J	5,6,7	5-160X	5-801X
	Wheel Joint Dana Model 60 Axle	I,J	1	5-806X	
2001-2002		I,J	2,3,4	5-213X	5-790X
	2-Joint Driveshaft	I	5,6	5-160X	5-801X
	3-Joint Driveshaft	J	5,6,7	5-160X	5-801X
	Wheel Joint	I,J	1	5-806X	



Important: See Safety Information in General Information Section (J300P-GI)

Year	Model & Description	Fig.	Location	Spicer Part No.	SPL Part No.
DODGE					
RAM 2500					
2003-2004	Front shaft w/Spicer CV Head	I,J	2	5-3147X	5-795X
		I,J	3,4	5-213X	5-790X
	Front shaft w/AAM 1355 Series CV Head	I,J	2	5-3147X	5-795X
		I,J	3,4	N/A	
	2-Joint Driveshaft w/Spicer 1410 Series Driveshaft	I	5,6	5-160X	5-801X
	w/AAM 1415 or 1485 Series Driveshaft	I	5,6	N/A	
	3-Joint Driveshaft w/Spicer 1410 Series Driveshaft	J	5,6,7	5-160X	5-801X
	w/AAM 1415 or 1485 Series Driveshaft	J	5,6,7	N/A	
	Wheel Joint w/AAM Front Axle	I,J	1		5006813
2005	Front shaft w/Spicer CV Head	I,J	2	5-3147X	5-795X
		I,J	3,4	5-213X	5-790X
	Front shaft w/AAM 1355 Series CV Head	I,J	2	5-3147X	5-795X
		I,J	3,4	N/A	
	2-Joint Driveshaft w/AAM 1415 or 1485 Series Driveshaft	I	5,6	N/A	
	3-Joint Driveshaft w/AAM 1415 or 1485 Series Driveshaft	J	5,6,7	N/A	
	Wheel Joint w/AAM Front Axle	I,J	1		5006813
2006	Front shaft w/AAM 1355 Series CV Head	I,J	2	5-3147X	5-795X
		I,J	3,4	N/A	
	2-Joint Driveshaft w/AAM 1415 or 1485 Series Driveshaft	I	5,6	N/A	
	3-Joint Driveshaft w/AAM 1415 or 1485 Series Driveshaft	J	5,6,7	N/A	
	Wheel Joint w/AAM Front Axle	I,J	1		5006813
RAM 3500 PICK-UP					
1994		P,V	2	5-1309X	5-811X
		P,V	3,4	5-433-1X	
		P,V	5,6,7	5-1309X	5-811X
	Wheel Joint	P,V	1	5-806X	
1995-1997		P,V	2	5-1309X	5-811X
		P,V	3,4	5-1203X	5-790X
	w/Dana Axle & 1.188" Brg. cup dia.	P,V	5,6,7	5-160X	5-801X
	w/9 1/4" Chrysler Axle & 7290 Series, w/1.126" Brg. cup dia.	P,V	5,6,7	5-1309X	5-811X
	Wheel Joint	P,V	1	5-806X	
1998-1999	1330 x 7290 Series, w/(2) outside & (2) inside snap ring brg. caps	P,V	2	5-796X	
	7290 Series, w/inside snap ring brg. caps	P,V	2	5-1309X	5-811X
		P,V	3,4	5-213X	5-790X
	2-Joint Driveshaft w/1.062" outside snap ring brg. caps	P	5,6	5-213X	5-790X
	w/1.188" outside snap ring brg. caps	P	5,6	5-160X	5-801X
	w/1.125" inside snap ring brg. caps	P	5,6	5-1309X	5-811X
	3-Joint Driveshaft w/1.188" outside snap ring brg. caps	V	5,6,7	5-160X	5-801X
	Wheel Joint	P,V	1	5-806X	









Year	Model & Description	Fig.	Location	Spicer Part No.	SPL Part No.
DODGE					
RAM 3500 PICK-UP					
2000-2001		P,V	2,3,4	5-213X	5-790X
	2-Joint Driveshaft w/1.062" outside snap ring brg. caps	P	5,6	5-213X	5-790X
	w/1.188" outside snap ring brg. caps 3.625" cap to cap lockup	P	5,6	5-178X	5-799X
	4.188" cap to cap lockup	P	5,6	5-160X	5-801X
	3-Joint Driveshaft w/1.188" outside snap ring brg. caps	V	5,6,7	5-160X	5-801X
	w/1.188" outside snap ring brg. caps	V	CB	211963-1X	
	Wheel Joint	P,V	1	5-806X	
2002		I,J	2,3,4	5-213X	5-790X
	2-Joint Driveshaft w/1.062" outside snap ring brg. caps	I	5,6	5-213X	5-790X
	w/1.188" outside snap ring brg. caps 3.625" cap to cap lockup	I	5,6	5-178X	5-799X
	4.188" cap to cap lockup	I	5,6	5-160X	5-801X
	3-Joint Driveshaft w/1.188" outside snap ring brg. caps	J	5,6,7	5-160X	5-801X
	w/1.188" outside snap ring brg. caps	J	CB	211963-1X	
	Wheel Joint	I,J	1	5-806X	
2003-2004	Front Shaft w/Spicer CV Head	I,J	2	5-3147X	5-795X
		I,J	3,4	5-213X	5-790X
	Front Shaft w/AAM 1355 Series CV Head	I,J	2	5-3147X	5-795X
		I,J	3,4	N/A	
	2-Joint Driveshaft w/Spicer 1410 Series Driveshaft	I	5,6	5-160X	5-801X
	w/AAM 1415 Series Driveshaft	I	5,6	N/A	
	w/AAM 1485 Series Driveshaft	I	5,6	N/A	
	3-Joint Driveshaft w/Spicer 1410 Series Driveshaft	J	5,6,7	5-160X	5-801X
	w/AAM 1415 Series Driveshaft	J	5,6,7	N/A	
	w/AAM 1485 Series Driveshaft	J	5,6,7	N/A	
	Wheel Joint w/AAM Front Axle	I,J	1		5006813
2005	Front Shaft w/Spicer CV Head	I,J	2	5-3147X	5-795X
		I,J	3,4	5-213X	5-790X
	Front Shaft w/AAM 1355 Series CV Head	I,J	2	5-3147X	5-795X
		I,J	3,4	N/A	
	2-Joint Driveshaft w/AAM 1415 Series Driveshaft	I	5,6	N/A	
	w/AAM 1485 Series Driveshaft	I	5,6	N/A	
	3-Joint Driveshaft w/AAM 1415 Series Driveshaft	J	5,6,7	N/A	
	w/AAM 1485 Series Driveshaft	J	5,6,7	N/A	
	Wheel Joint w/AAM Front Axle	I,J	1		5006813









Important: See Safety Information in General Information Section (J300P-GI)

U-Joints

Year	Model & Description	Fig.	Location	Spicer Part No.	SPL Part No.
DODGE					
RAM 3500 PICK-UP					
2006	Front Shaft w/AAM 1355 Series CV Head	I,J	2	5-3147X	5-795X
		I,J	3,4	N/A	
	2-Joint Driveshaft w/AAM 1415 Series Driveshaft	I	5,6	N/A	
	w/AAM 1485 Series Driveshaft	I	5,6	N/A	
	3-Joint Driveshaft w/AAM 1415 Series Driveshaft	J	5,6,7	N/A	
	w/AAM 1485 Series Driveshaft	J	5,6,7	N/A	
	Wheel Joint w/AAM Front Axle	I,J	1		5006813
RAMCHARGER AW100					
1974-1977	w/outside snap rings	I	2,3,4	5-153X	5-785X
	CV Centering Yoke Kit	I	CV	211355X	
	w/inside snap rings	I	2	5-1306-1X	
		I	3,4	5-3147X	5-795X
	CV ball & seat kit	I	CV	211009X	
	CV seat repair kit	I	CV	211007X	
		I	5,6	5-1306-1X	
	Wheel Joint	I	1	5-760X	
	Lube fitting in brg. cup	I	1	5-297-1X	
1978-1981		I	2	5-1306-1X	
		I	3,4	5-3147X	5-795X
	CV ball & seat kit	I	CV	211009X	
	CV seat repair kit	I	CV	211007X	
		I	5	5-1306X	5-789X
		I	6	5-1309X	5-811X
	Wheel Joint	I	1	5-760X	
	Lube fitting in brg. cup	I	1	5-297-1X	
1982-1993	w/7260 Series 1.078" Brg. cup dia.	I	2,5,6	5-1306X	5-789X
	w/7290 Series 1.126" Brg. cup dia.	I	2,5,6	5-1309X	5-811X
		I	3,4	5-3147X	5-795X
	CV ball & seat kit	I	CV	211009X	
	CV seat repair kit	I	CV	211007X	
	Wheel Joint	I	1	5-760X	
	Lube fitting in brg. cup	I	1	5-297-1X	
W100/W150 SERIES					
1958-1960		M	2 THRU 7	5-1200X	
1961-1971		L	2,3,4,5	5-1306X	5-789X
	Lube fitting in brg. cup	L	2,3,4,5	5-1306-1X	
	Wheel Joint w/inside snap rings	L	1	5-74X	
	w/outside snap rings	L	1	5-86X	









4WD

Year	Model & Description	Fig.	Location	Spicer Part No.	SPL Part No.
DODGE					
W100/W150 SERIES					
1972		L	2,3,4,5	5-1306X	5-789X
	Lube fitting in brg. cup	L	2,3,4,5	5-1306-1X	
	Wheel Joint w/1.062" Brg. cup dia.	L	1	5-260X	
	w/1.188" Brg. cup dia.	L	1	5-760X	
	Lube fitting in brg. cup	L	1	5-297-1X	
1973-1974		L	2,3,4,5	5-1306X	5-789X
	Lube fitting in brg. cup	L	2,3,4,5	5-1306-1X	
	Wheel Joint	L	1	5-760X	
	Lube fitting in brg. cup	L	1	5-297-1X	
1975	w/outside snap rings	K	2,3,4	5-153X	5-785X
	CV Centering Yoke Kit	K	CV	211355X	
	w/inside snap rings	K	2,5,6,7	5-1306-1X	
		K	3,4	5-3147X	5-795X
	CV ball & seat kit	K	CV	211009X	
	CV seat repair kit	K	CV	211007X	
		K	8	5-1309X	5-811X
	Wheel Joint	K	1	5-760X	
	Lube fitting in brg. cup	K	1	5-297-1X	
1976-1977	w/outside snap rings	K	2,3,4	5-153X	5-785X
	CV Centering Yoke Kit	K	CV	211355X	
	w/inside snap rings	K	2,5,6,7	5-1306-1X	
		K	3,4	5-3147X	5-795X
	CV ball & seat kit	K	CV	211009X	
	CV seat repair kit	K	CV	211007X	
		K	8	5-1309X	5-811X
	Wheel Joint	K	1	5-760X	
	Lube fitting in brg. cup	K	1	5-297-1X	
1978-1981		I,J	2	5-1306X	5-789X
	Lube fitting in brg. cup	I,J	2	5-1306-1X	
		I,J	3,4	5-3147X	5-795X
	CV ball & seat kit	I,J	CV	211009X	
	CV seat repair kit	I,J	CV	211007X	
	w/1.078" Brg. cup dia.	I,J	5,6,7	5-1306X	5-789X
	Lube fitting in brg. cup	I,J	5,6,7	5-1306-1X	
	w/1.126" Brg. cup dia.	I,J	6,7	5-1309X	5-811X
		J	CB	210088-1X	
	Wheel Joint	I,J	1	5-760X	
	Lube fitting in brg. cup	I,J	1	5-297-1X	









Important: See Safety Information in General Information Section (J300P-GI)

Year	Model & Description	Fig.	Location	Spicer Part No.	SPL Part No.
DODGE					
W100/W150 SERIES					
1982-1988		I,J	3,4	5-3147X	5-795X
	CV ball & seat kit	I,J	CV	211009X	
	CV seat repair kit	I,J	CV	211007X	
		I,J	2,5,6,7	5-1306X	5-789X
	Lube fitting in brg. cup	I,J	2,5,6,7	5-1306-1X	
		J	CB	210088-1X	
	Wheel Joint	I,J	1	5-760X	
	Lube fitting in brg. cup	I,J	1	5-297-1X	
1989-1993	w/7260 Series 1.078" Brg. cup dia.	I,J	2	5-1306-1X	
	w/7290 Series 1.126" Brg. cup dia.	I,J	2	5-1309X	5-811X
		I,J	3,4	5-3147X	5-795X
	CV ball & seat kit	I,J	CV	211009X	
	CV seat repair kit	I,J	CV	211007X	
	w/Diesel Eng. 1.188" Brg. cup dia.	I,J	5,6,7	5-160X	5-801X
		J	CB	210866-1X	
	w/Gasoline Eng. w/7260 Series 1.078" Brg. cup dia.	I,J	5,6,7	5-1306-1X	
	w/7290 Series 1.126" Brg. cup dia.	I,J	5,6,7	5-1309X	5-811X
		J	CB	210088-1X	
	Wheel Joint	I,J	1	5-760X	
	Lube fitting in brg. cup	I,J	1	5-297-1X	
W200/W250 SERIES					
1958-1960		M	2 THRU 7	5-1200X	
1961-1971		M	2 THRU 7	5-1306-1X	
	Wheel Joint w/outside snap rings	M	1	5-86X	
	w/inside snap rings	M	1	5-74X	
1972		M	2 THRU 7	5-1306-1X	
	Wheel Joint w/1.062" Brg. cup dia.	M	1	5-260X	
	Lube fitting in brg. cup	M	1	5-260-1X	
	w/1.188" Brg. cup dia.	M	1	5-760X	
	Lube fitting in brg. cup	M	1	5-297-1X	
1973-1974		M	2 THRU 7	5-1306-1X	
	Wheel Joint	M	1	5-760X	
	Lube fitting in brg. cup	M	1	5-297-1X	







4WD

Year	Model & Description	Fig.	Location	Spicer Part No.	SPL Part No.
DODGE					
W200/W250 SERIES					
1975-1977	w/outside snap rings	I	2,3,4	5-153X	5-785X
	CV Centering Yoke Kit	I	CV	211355X	
	w/inside snap rings	I	2	5-1306-1X	
		I	3,4	5-3147X	5-795X
	CV ball & seat kit	I	CV	211009X	
	CV seat repair kit	I	CV	211007X	
		I	5,6	5-1306X	5-789X
	Lube fitting in brg. cup	I	5,6	5-1306-1X	
	Wheel Joint w/1.062" Brg. cup dia.	I,J	1	5-760X	
	Lube fitting in brg. cup	I,J	1	5-297-1X	
	w/1.375" Brg. cup dia.	I,J	1	5-806X	
1978		I,J	2	5-1306X	5-789X
	Lube fitting in brg. cup	I,J	2	5-1306-1X	
		I,J	3,4	5-3147X	5-795X
	CV ball & seat kit	I,J	CV	211009X	
	CV seat repair kit	I,J	CV	211007X	
	w/1.078" Brg. cup dia.	I,J	5,6,7	5-1306X	5-789X
	Lube fitting in brg. cup	I,J	5,6,7	5-1306-1X	
	w/1.126" Brg. cup dia.	I,J	5,6,7	5-1309X	5-811X
		J	CB	210088-1X	
	Wheel Joint w/1.062" Brg. cup dia.	I,J	1	5-760X	
	Lube fitting in brg. cup	I,J	1	5-297-1X	
	w/1.375" Brg. cup dia.	I,J	1	5-806X	
1979-1981		I,J	2	5-1306-1X	
		I,J	3,4	5-3147X	5-795X
	CV ball & seat kit	I,J	CV	211009X	
	CV seat repair kit	I,J	CV	211007X	
	w/1.078" Brg. cup dia.	I,J	5,6,7	5-1306X	5-789X
	Lube fitting in brg. cup	I,J	5,6,7	5-1306-1X	
	w/1.126" Brg. cup dia.	I,J	6,7	5-1309X	5-811X
		J	CB	210088-1X	
	Wheel Joint w/1.062" Brg. cup dia.	I,J	1	5-760X	
	Lube fitting in brg. cup	I,J	1	5-297-1X	
	w/1.375" Brg. cup dia.	I,J	1	5-806X	
1982-1985		I	2,5,6	5-1306X	5-789X
	Lube fitting in brg. cup	I	2,5,6	5-1306-1X	
		I	3,4	5-3147X	5-795X
	CV ball & seat kit	I	CV	211009X	
	CV seat repair kit	I	CV	211007X	





Important: See Safety Information in General Information Section (J300P-GI)

Year	Model & Description	Fig.	Location	Spicer Part No.	SPL Part No.
DODGE					
W200/W250 SERIES					
1982-1985	Wheel Joint	I	1	5-760X	
	Lube fitting in brg. cup	I	1	5-297-1X	
1986-1988		I	2,5,6	5-1306X	5-789X
	Lube fitting in brg. cup	I	2,5,6	5-1306-1X	
		I	3,4	5-3147X	5-795X
	CV ball & seat kit	I	CV	211009X	
	CV seat repair kit	I	CV	211007X	
	Wheel Joint Dana Model 44 Axle	I,J	1	5-760X	
	Lube fitting in brg. cup	I,J	1	5-297-1X	
	Dana Model 60 Axle	I,J	1	5-806X	
1989-1993	w/7260 Series 1.078" Brg. cup dia.	I,J	2	5-1306X	5-789X
	Lube fitting in brg. cup	I,J	2	5-1306-1X	
	w/7290 Series 1.126" Brg. cup dia.	I,J	2	5-1309X	5-811X
		I,J	3,4	5-3147X	5-795X
	CV ball & seat kit	I,J	CV	211009X	
	CV seat repair kit	I,J	CV	211007X	
	w/Gasoline Eng. w/7260 Series 1.078" Brg. cup dia.	I,J	5,6,7	5-1306X	5-789X
	Lube fitting in brg. cup	I,J	5,6,7	5-1306-1X	
	w/7290 Series 1.126" Brg. cup dia.	I,J	5,6,7	5-1309X	5-811X
		J	CB	210088-1X	
	w/Diesel Eng. 1.188" Brg. cup dia.	I,J	5,6,7	5-160X	5-801X
		J	CB	210866-1X	
	Wheel Joint Dana Model 44 Axle	I,J	1	5-760X	
	Lube fitting in brg. cup	I,J	1	5-297-1X	
	Dana Model 60 Axle	I,J	1	5-806X	
W300/W350 SERIES					
1957		M	4,5	5-1301X	
		M	2,3,6,7	5-1300X	
1958-1959		M	2,3,4,5,6	5-1205X	
1963-1965		M	2 THRU 7	5-1301X	
1966-1970		M	2 THRU 7	5-1300X	
1971-1972		M	2 THRU 7	5-1301X	
1973		M	2 THRU 7	5-1301X	
	Wheel Joint Dana Model 44 Axle	M	1	5-760X	
	Lube fitting in brg. cup	M	1	5-297-1X	
	Dana Model 60 Axle	M	1	5-806X	







4WD

Year	Model & Description	Fig.	Location	Spicer Part No.	SPL Part No.
DODGE					
W300/W350 SERIES					
1974		M	2 THRU 7	5-1301X	
	Wheel Joint Dana Model 44 Axle	M	1	5-760X	
	Dana Model 60 Axle	M	1	5-806X	
1975-1977	w/outside snap rings	I,J	2,3,4	5-153X	5-785X
	CV Centering Yoke Kit	I,J	CV	211355X	
	w/inside snap rings	I,J	3,4	5-3147X	5-795X
	CV ball & seat kit	I,J	CV	211009X	
	CV seat repair kit	I,J	CV	211007X	
		I	5,6	5-1306-1X	
	w/7290 Series 1.126" Brg. cup dia.	I,J	5,6,7	5-1309X	5-811X
	Wheel Joint Dana Model 60 Axle	I,J	1	5-806X	
1978-1981		I,J	2	5-1306-1X	
		I,J	3,4	5-3147X	5-795X
	CV ball & seat kit	I,J	CV	211009X	
	CV seat repair kit	I,J	CV	211007X	
	w/1.078" Brg. cup dia. Lube fitting in brg. cup	I,J	5,6,7	5-1306-1X	
	w/1.126" Brg. cup dia.	I,J	6,7	5-1309X	5-811X
	w/1.231" Brg. cup dia.	J	7	5-1301X	
		J	CB	210088-1X	
	Wheel Joint Dana Model 60 Axle	I,J	1	5-806X	
1982-1986		I,J	2	5-1306X	5-789X
		I,J	3,4	5-3147X	5-795X
	CV ball & seat kit	I,J	CV	211009X	
	CV seat repair kit	I,J	CV	211007X	
	2-Joint Driveshaft	I	5	5-1306X	5-789X
	Lube fitting in brg. cup	I	5	5-1306-1X	
		I	6	5-1301X	
	3-Joint Driveshaft	J	5,6,7	5-1306X	5-789X
	Lube fitting in brg. cup	J	5,6,7	5-1306-1X	
		J	CB	210088-1X	
	Wheel Joint Dana Model 60 Axle	I,J	1	5-806X	
1987-1988		I,J	2	5-1306X	5-789X
	Lube fitting in brg. cup	I,J	2	5-1306-1X	
		I,J	3,4	5-3147X	5-795X
	CV ball & seat kit	I,J	CV	211009X	
	CV seat repair kit	I,J	CV	211007X	
		I	5	5-1306X	5-789X
	Lube fitting in brg. cup	I	5	5-1306-1X	







Important: See Safety Information in General Information Section (J300P-GI)

U-Joints

Year	Model & Description	Fig.	Location	Spicer Part No.	SPL Part No.
DODGE					
W300/W350 SERIES					
1987-1988	w/1.078" Brg. cup dia.	I	6	5-1306X	5-789X
	w/1.231" Brg. cup dia.	I	6	5-1301X	
	Wheel Joint Dana Model 60 Axle	I,J	1	5-806X	
1989-1993	w/7260 Series 1.078" Brg. cup dia.	I,J	2	5-1306X	5-789X
	Lube fitting in brg. cup	I,J	2	5-1306-1X	
	w/7290 Series 1.126" Brg. cup dia.	I,J	2	5-1309X	5-811X
		I,J	3,4	5-3147X	5-795X
	CV ball & seat kit	I,J	CV	211009X	
	CV seat repair kit	I,J	CV	211007X	
	w/Diesel Eng. 1.188" Brg. cup dia.	I,J	5,6,7	5-160X	5-801X
		J	CB	210866-1X	
	w/Gasoline Eng. w/7260 Series 1.078" Brg. cup dia.	I,J	5,6,7	5-1306X	5-789X
	Lube fitting in brg. cup	I,J	5,6,7	5-1306-1X	
	w/7290 Series 1.126" Brg. cup dia.	I,J	5,6,7	5-1309X	5-811X
		J	CB	210088-1X	
	Wheel Joint Dana Model 60 Axle	I,J	1	5-806X	
W400 SERIES					
1977-1981		I,J	2	5-1306-1X	
	CV ball & seat kit	I,J	CV	211009X	
	CV seat repair kit	I,J	CV	211007X	
	w/7260 Series 1.078" Brg. cup dia.	I,J	5,6,7	5-1306X	5-789X
	w/7290 Series 1.126" Brg. cup dia.	I,J	6,7	5-1309X	5-811X
	w/5380 Series 1.231" Brg. cup dia.	I,J	6,7	5-1301X	
		J	CB	210088-1X	
	Wheel Joint	I,J	1	5-806X	
WM300 SERIES					
1960-1961		M	4,5	5-1301X	
		M	2,3,6,7	5-1300X	
1962		M	4,5	5-1301X	
		M	2,3,6,7	5-1300X	
	Power Wagon	M	2 THRU 7	5-1300X	
1963-1970	Power Wagon	M	2 THRU 7	5-1300X	
1971-1972	Power Wagon	M	2 THRU 7	5-1301X	
1973-1975	Power Wagon	M	2 THRU 7	5-1301X	
	Wheel Joint Dana Model 44 Axle	M	1	5-760X	
	Lube fitting in brg. cup	M	1	5-297-1X	
	Dana Model 60 Axle	M	1	5-806X	







4WD

Important: See Safety Information in General Information Section (J300P-GI)

Year	Model & Description	Fig.	Location	Spicer Part No.	SPL Part No.
FORD					
AEROSTAR					
1990		Y	2,3	5-443X	
		Y	4,5	5-153X	5-785X
1991		Y	2,3	5-443X	
		Y	4,5	5-153X	5-785X
	To 5/91 Lube fitting in brg. cup	Y	4,5	5-433-1X	
1992-1997		Y	2,3	5-443X	
	Greaseable	Y	4,5	5-153X	5-785X
BRONCO					
1966-1969	To Serial # G70,001	O	2 THRU 7	5-2530X	
	CV Centering Yoke Kit	O	CV	211355X	
	Wheel Joint	O	1	5-260X	
	Lube fitting in brg. cup	O	1	5-260-1X	
1970	To Serial # G70,001	O	2 THRU 7	5-2530X	
	CV Centering Yoke Kit	O	CV	211355X	
	From Serial # G70,001	O	2,7	5-1200X	
		O	3,4,5,6	5-433-1X	
	CV Centering Yoke Kit	O	CV	211355X	
	Wheel Joint	O	1	5-260X	
	Lube fitting in brg. cup	O	1	5-260-1X	
1971-1977	From Serial # G70,001	O	2,7	5-1200X	
		O	3,4,5,6	5-433-1X	
	CV Centering Yoke Kit	O	CV	211355X	
	Wheel Joint	O	1	5-260X	
	Lube fitting in brg. cup	O	1	5-260-1X	
1978	Joints at Axle Pinion Yokes w/3.469" outside yoke dim	J	2,7	5-153X	5-785X
	w/3.870" outside yoke dim	J	2,7	5-213X	5-790X
	All Others	J	3,4,5,6	5-153X	5-785X
	CV centering yoke kit	J	CV	211355X	
	Wheel Joint	J	1	5-760X	
	Lube fitting in brg. cup	J	1	5-297-1X	
1979	w/1.062" Brg. cup dia.	J	2,3,4	5-213X	5-790X
	w/1.062" & 1.125" Brg. cup dia.	J	2	5-1204X	5-792X
	CV Centering Yoke Kit	J	CV	211179X	
	All Others	J	5,6	5-213X	5-790X
		J	7	5-1204X	5-792X
		J	CB	211175X	
	Wheel Joint	J	1	5-760X	
	Lube fitting in brg. cup	J	1	5-297-1X	







Important: See Safety Information in General Information Section (J300P-GI)

U-Joints

Year	Model & Description	Fig.	Location	Spicer Part No.	SPL Part No.
FORD					
BRONCO					
1980-1981	To Serial # GJ0,001	AA	2,3	5-1203X	5-790X
	From Serial # GJ0,001	AA	2,3	5-1204X	5-792X
	All Others	AA	4,5	5-1203X	5-790X
	CV centering yoke kit	AA	CV	211179X	
		AA	6	5-1204X	5-792X
	Wheel Joint	AA	1	5-760X	
	Lube fitting in brg. cup	AA	1	5-297-1X	
1982-1986		Y,AA	2,3	5-1204X	5-792X
	2-Joint Driveshaft	Y	4	5-1203X	5-790X
		Y	5	5-1204X	5-792X
	3-Joint Driveshaft	AA	4,5	5-1203X	5-790X
	CV centering yoke kit	AA	CV	211179X	
		AA	6	5-1204X	5-792X
	Wheel Joint	AA	1	5-760X	
	Lube fitting in brg. cup	AA	1	5-297-1X	
1987		Y	2	5-1203X	5-790X
		Y	3	5-1204X	5-792X
	w/Cleveland steel & outside snap rings	AA	4,5	5-1203X	5-790X
		AA	6	5-1204X	5-792X
	CV centering yoke kit	AA	CV	211179X	
	w/KOYO Sieko & inside snap rings	AA	4	5-212X	
		AA	5	5-3147X	5-795X
		AA	6	5-1204X	5-792X
	Wheel Joint	AA	1	5-760X	
	Lube fitting in brg. cup	AA	1	5-297-1X	
1988		AA	2,3	5-1204X	5-792X
	Exc. 5 Spd. MT w/OD	AA	4,5	5-1203X	5-790X
		AA	6	5-1204X	5-792X
	CV centering yoke kit	AA	CV	211179X	
	w/5 Spd. MT w/OD	AA	4,5,6	5-1204X	5-792X
	Wheel Joint	AA	1	5-760X	
	Lube fitting in brg. cup	AA	1	5-297-1X	
1989	Exc. 5 Spd. MT w/OD	AA	2,3,6	5-1204X	5-792X
		AA	4,5	5-1203X	5-790X
	CV centering yoke kit	AA	CV	211179X	
	w/5 Spd. MT w/OD	AA	4,5,6	5-1204X	5-792X
	Wheel Joint	AA	1	5-760X	
	Lube fitting in brg. cup	AA	1	5-297-1X	





4WD

Year	Model & Description	Fig.	Location	Spicer Part No.	SPL Part No.
FORD					
BRONCO					
1990		AA	2,3	5-1204X	5-792X
		AA	4,5,6	5-1203X	5-790X
	Wheel Joint	AA	1	5-760X	
	Lube fitting in brg. cup	AA	1	5-297-1X	
1991		AA	2,3	5-1204X	5-792X
	w/5.0L & 4 Spd. AT	AA	4,5,6	5-153X	5-785X
	Exc. 5.0L & 4 Spd. AT	AA	4,5,6	5-213X	5-790X
	Wheel Joint	AA	1	5-760X	
	Lube fitting in brg. cup	AA	1	5-297-1X	
1992-1996		AA	2,3	5-1204X	5-792X
		AA	4,5,6	5-1203X	5-790X
	Wheel Joint	AA	1	5-760X	
	Lube fitting in brg. cup	AA	1	5-297-1X	
BRONCO II					
1984		AA	2,3	5-1200X	
		AA	4,5,6	5-443X	
	CV Flanged Socket Yoke Kit	AA	CV	211342X	
	Slip Yoke Boot Kit	AA		211344X	
	Wheel Joint	AA	1	5-456X	
1985		AA	2,3	5-1200X	
	w/4 Spd. Trans.	AA	4,5,6	5-443X	
	CV Flanged Socket Yoke Kit	AA	CV	211489X	
	Slip Yoke Boot Kit	AA		211344X	
	w/5 Spd. Trans.	AA	4,5,6	5-443X	
	Slip Yoke Boot Kit	AA		211344X	
	Wheel Joint	AA	1	5-456X	
1986		Y,AA	2,3	5-1200X	
	Slip Yoke Boot Kit	AA		211344X	
	To 6/86 w/4 Spd. AT	AA	4,5,6	5-443X	
	CV Flanged Socket Yoke Kit	AA	CV	211489X	
	To 6/86 w/5 Spd. MT or AT	AA	4,5,6	5-443X	
	Wheel Joint	Y,AA	1	5-456X	
1987-1989		Y	2,3	5-1200X	
	Wheel Joint	Y	1	5-456X	
1990		Y	2,3	5-153X	5-785X
	Wheel Joint Dana Model 28 Axle	Y,AA	1	5-456X	
	Dana Model 35 Axle	AA	1	5-760X	





Important: See Safety Information in General Information Section (J300P-GI)

U-Joints

Year	Model & Description	Fig.	Location	Spicer Part No.	SPL Part No.
FORD					
ESCAPE					
2002-2006	w/outside snap rings w/1.063" Brg. cup dia.	S	2,3	5-153X	5-785X
	w/inside and outside snap rings, w/1.063" x 1.126" Brg. cup dia.	S	2,3	5-1201X	5-787X
EXCURSION					
2000-2002	All Front Driveshaft	I	2,3,4	5-178X	5-799X
	w/5.4L Eng.	I	5,6	5-178X	5-799X
	w/6.8L & 7.3L Eng. w/3.875" Yoke Dimensioin	I	5,6	5-178X	5-799X
	w/4.438" outside yoke dim	I	5,6	5-160X	5-801X
	Wheel Joint	I	1	5-806X	
2003-2004	All Front Driveshaft	I	2,3,4	5-178X	5-799X
	2-Joint Driveshaft w/3.875" Yoke Dimensioin	I	5,6	5-178X	5-799X
	w/4.438" outside yoke dim	I	5,6	5-160X	5-801X
	Wheel Joint	I	1	5-806X	
EXPEDITION					
1997-2001		L	2,3	5-213X	5-790X
	2-Joint Driveshaft w/Std. Suspension	L	4,5	5-213X	5-790X
	w/Adj. Suspension	L	4,5	5-178X	5-799X
2002-2006		L	2,3	5-213X	5-790X
	2-Joint Driveshaft	L	4,5	5-178X	5-799X
EXPLORER					
1991-1994		I	2,3,4	5-153X	5-785X
	Lube fitting in brg. cup	I	2,3,4	5-433-1X	
	w/4 Door w/MT	I	5,6	5-213X	5-790X
	Exc.4 Door w/MT	I	5,6	5-153X	5-785X
	Wheel Joint Dana Model 35 Axle	I	1	5-760X	
	Lube fitting in brg. cup	I	1	5-297-1X	
1995-1996	w/Double Cardan shaft	I	2	5-153X	5-785X
		I	3,4	5-433-1X	
		I	5,6	5-213X	5-790X
	w/o Double Cardan shaft	L	2,3	5-153X	5-785X
		L	4,5	5-213X	5-790X







4WD

Important: See Safety Information in General Information Section (J300P-GI)

Year	Model & Description	Fig.	Location	Spicer Part No.	SPL Part No.
FORD					
EXPLORER					
1997	To 7/24/96	I	2,3,4	5-153X	5-785X
		I	5,6	5-213X	5-790X
	From 7-24-96, Except 2-Dr.	L	2	5-153X	5-785X
	w/plunging CV joint at TC	L	3	032SG80002	
		L	4,5	5-213X	5-790X
1998-2003		L	2	5-153X	5-785X
	w/plunging CV joint at TC	L	3	032SG80002	
		L	4,5	5-213X	5-790X
2004	w/o Sport Trac	L	2	5-153X	5-785X
	w/Sport Trac	L	2	5-213X	5-790X
		L	4,5	5-213X	5-790X
2005-2006		L	2	5-153X	5-785X
		L	4,5	5-213X	5-790X
F100 (FULL TIME 4WD)					
1975-1977		I	2,3,4,5,6	5-153X	5-785X
	CV centering yoke kit	I	CV	211355X	
	Wheel Joint	I	1	5-760X	
	Lube fitting in brg. cup	I	1	5-297-1X	
F100 (PART TIME 4WD)					
1960-1965		M	2,3,6,7	5-134X	
		M	4,5	5-153X	5-785X
	Wheel Joint w/inside snap rings	M	1	5-74X	
	w/outside snap rings	M	1	5-86X	
1966		N	2,3,5,6	5-134X	
		N	4	5-153X	5-785X
	Wheel Joint w/inside snap rings	M	1	5-74X	
	w/outside snap rings	M	1	5-86X	









Important: See Safety Information in General Information Section (J300P-GI)

Year	Model & Description		Fig.	Location	Spicer Part No.	SPL Part No.
FORD						
F100 (PART TIME 4WD)						
1967-1969			Y,N	2,3,4,5	5-153X	5-785X
			N	CB	210088-1X	
	Wheel Joint	w/inside snap rings	Y,N	1	5-74X	
		w/outside snap rings	Y,N	1	5-86X	
1970-1971			Y,N	2,3,4,5	5-153X	5-785X
			N	CB	210088-1X	
	Wheel Joint		Y,N	1	5-260X	
		Lube fitting in brg. cup	Y,N	1	5-260-1X	
1972			Y,N	2,3,4,5	5-153X	5-785X
			N	CB	210088-1X	
	Wheel Joint	w/1.062" Brg. cup dia.	Y,N	1	5-260X	
		Lube fitting in brg. cup	Y,N	1	5-260-1X	
		w/1.188" Brg. cup dia.	Y,N	1	5-760X	
		Lube fitting in brg. cup	Y,N	1	5-297-1X	
1973	w/6 cyl Eng.		M	2 THRU 7	5-153X	5-785X
	w/8 Cyl. Eng.	w/(2) Outside Yoke Width 3.469" & (2) at 3.875"	Y	3	5-134X	
		w/3.469" outside yoke dim.	Y	3	5-153X	5-785X
			Y	2,4,5	5-153X	5-785X
	Wheel Joint	w/1.188" Brg. cup dia.	M,Y	1	5-760X	
		Lube fitting in brg. cup	M,Y	1	5-297-1X	
1974-1977	w/6 cyl Eng.		M	2 THRU 7	5-153X	5-785X
	w/8 Cyl. Eng.		Y	2,3,4,5	5-153X	5-785X
	Wheel Joint	w/1.188" Brg. cup dia.	M,Y	1	5-760X	
		Lube fitting in brg. cup	M,Y	1	5-297-1X	
F150 (FULL TIME 4WD)						
1976-1978	w/3.469" outside yoke dim.		I	2,3,4,5,6	5-153X	5-785X
	w/3.875" outside yoke dim.		I	2,5	5-213X	5-790X
		CV centering yoke kit	I	CV	211355X	
	Wheel Joint	w/1.188" Brg. cup dia.	I	1	5-760X	
		Lube fitting in brg. cup	I	1	5-297-1X	









Year	Model & Description	Fig.	Location	Spicer Part No.	SPL Part No.
FORD					
F150 (FULL TIME 4WD)					
1979		J	2,3,4,5,6	5-213X	5-790X
	CV centering yoke kit	J	CV	211179X	
		J	7	5-1204X	5-792X
		J	CB	210088-1X	
	Wheel Joint	J	1	5-760X	
	Lube fitting in brg. cup	J	1	5-297-1X	
F150 (PART TIME 4WD)					
1976-1978	w/3.469” outside yoke dim.	Y	2,3,4,5	5-153X	5-785X
	w/3.875” outside yoke dim.	Y	2	5-213X	5-790X
	(2) caps dim. 1.063” & (2) caps dim. 1.125”	Y	5	5-1204X	5-792X
	Wheel Joint w/1.188” Brg. cup dia.	Y	1	5-760X	
	Lube fitting in brg. cup	Y	1	5-297-1X	
1979	w/3.875” outside yoke dim.	N	2,3,4,5,6	5-213X	5-790X
		J	2 THRU 7	5-213X	5-790X
	CV centering yoke kit	J	CV	211179X	
	(2) caps dim. 1.063” & (2) caps dim. 1.125”	N	6	5-1204X	5-792X
		J	7	5-1204X	5-792X
		J,N	CB	210088-1X	
	Wheel Joint w/1.188” Brg. cup dia.	J,N	1	5-760X	
	Lube fitting in brg. cup	J,N	1	5-297-1X	
1980-1981	Exc. 155” WB, To serial #GJ0,001	Y	2	5-1203X	5-790X
		Y	3	5-1204X	5-792X
	Exc. 155” WB, from serial #GJ0,001	Y	2	5-1204X	5-792X
		Y	3	5-1203X	5-790X
	w/116” & 133” WB	Y	4	5-1203X	5-790X
		Y	5	5-1204X	5-792X
	w/155” WB	Z	3,4,5	5-1203X	5-790X
		Z	2,6	5-1204X	5-792X
		Z	CB	211175X	
	Wheel Joint	Y,Z	1	5-760X	
	Lube fitting in brg. cup	Y,Z	1	5-297-1X	
1982-1983		Y,Z	2,3	5-1204X	5-792X
	w/116” & 133” WB	Y	4,5	5-1204X	5-792X
	w/155” WB	Z	4,6	5-1204X	5-792X
		Z	5	5-1203X	5-790X
		Z	CB	211175X	
	Wheel Joint	Y,Z	1	5-760X	
	Lube fitting in brg. cup	Y,Z	1	5-297-1X	









Year	Model & Description	Fig.	Location	Spicer Part No.	SPL Part No.
FORD					
F150 (PART TIME 4WD)					
1984-1985		Y,Z	2,3	5-1204X	5-792X
	2-Joint Driveshaft	Y	4	5-1203X	5-790X
		Y	5	5-1204X	5-792X
	3-Joint Driveshaft	Z	4,6	5-1204X	5-792X
		Z	5	5-1203X	5-790X
		Z	CB	211175X	
	Wheel Joint	Y,Z	1	5-760X	
	Lube fitting in brg. cup	Y,Z	1	5-297-1X	
1986-1987		Y,Z	2	5-1203X	5-790X
		Y,Z	3	5-1204X	5-792X
	2-Joint Driveshaft w/1.062" Brg. cup dia.	Y	4	5-1203X	5-790X
	w/1.062" & 1.125" Brg. cup dia.	Y	4,5	5-1204X	5-792X
	3-Joint Driveshaft	Z	4,6	5-1204X	5-792X
		Z	5	5-1203X	5-790X
		Z	CB	211175X	
	Wheel Joint	Y,Z	1	5-760X	
	Lube fitting in brg. cup	Y,Z	1	5-297-1X	
1988-1989		Y	2,3	5-1204X	5-792X
		Y	4	5-1203X	5-790X
		Y	5	5-1204X	5-792X
	Wheel Joint	Y	1	5-760X	
	Lube fitting in brg. cup	Y	1	5-297-1X	
1990		Y,Z	2,3	5-1204X	5-792X
	Short Bed, 116" WB	Y	4	5-213X	5-790X
		Y	5	5-1204X	5-792X
	Long bed Exc. U-Bolts at Trans. End	Y	4	5-213X	5-790X
		Y	5	5-1204X	5-792X
	w/U-Bolts at Both Ends	Y	4,5	5-1204X	5-792X
	Super Cab 155" WB	Z	4,5,6	5-213X	5-790X
	w/1.062" & 1.125" Brg. cup dia.	Z	6	5-1204X	5-792X
	3-Joint Rear Shaft	Z	CB	211175X	
	Wheel Joint	Y,Z	1	5-760X	
	Lube fitting in brg. cup	Y,Z	1	5-297-1X	
1991-1992		Y,Z	2,3	5-1204X	5-792X
	Short Bed, 116" WB	Y	4,5	5-213X	5-790X
	Long bed Exc. U-Bolts at Trans. End	Y	4,5	5-213X	5-790X
	w/U-Bolts at Both Ends	Y	4	5-1204X	5-792X
		Y	5	5-213X	5-790X





4WD

Year	Model & Description	Fig.	Location	Spicer Part No.	SPL Part No.
FORD					
F150 (PART TIME 4WD)					
1991-1992	Super Cab 155'' WB	Z	4,5,6	5-213X	5-790X
	Wheel Joint	Y,Z	1	5-760X	
	Lube fitting in brg. cup	Y,Z	1	5-297-1X	
1993-1996		Y,Z	2,3	5-1204X	5-792X
	Exc. Super Cab	Y	4,5	5-213X	5-790X
	Wheel Joint	Y,Z	1	5-760X	
	Lube fitting in brg. cup	Y,Z	1	5-297-1X	
1997-1999		Y	2,3	5-213X	5-790X
	2-Joint Driveshaft w/4 outside snap rings	Y	4,5	5-178X	5-799X
	w/2 inside & 2 outside snap rings	Y	4,5	5-1204X	5-792X
	3-Joint Driveshaft	Z	4,5,6	5-213X	5-790X
	Wheel Joint	Y,Z	1	5-760X	
	Lube fitting in brg. cup	Y,Z	1	5-297-1X	
2000-2001		Y,Z	2,3	5-213X	5-790X
	2-Joint Driveshaft 4.2L & 4.6L Eng. Reg. Cab w/Short Bed	Y	4,5	5-213X	5-790X
	Exc. Reg. Cab w/Short Bed	Y	4,5	5-178X	5-799X
	5.4L Eng.	Y	4,5	5-178X	5-799X
	3-Joint Driveshaft 4.2L & 4.6L Eng.	Z	4,5,6	5-213X	5-790X
	5.4L Eng.	Z	4,5,6	5-178X	5-799X
	Wheel Joint	Y,Z	1	5-760X	
	Lube fitting in brg. cup	Y,Z	1	5-297-1X	
2002-2003		Y,Z	2,3	5-213X	5-790X
	2-Joint Driveshaft 4.2L & 4.6L Eng. Reg. Cab w/Short Bed	Y	4,5	5-213X	5-790X
	Exc. Reg. Cab w/Short Bed	Y	4,5	5-178X	5-799X
	5.4L Eng.	Y	4,5	5-178X	5-799X
	3-Joint Driveshaft 4.2L & 4.6L Eng.	Z	4,5,6	5-213X	5-790X
	5.4L Eng.	Z	4,5,6	5-178X	5-799X
2004		Y,Z	2,3	5-213X	5-790X
	2-Joint Driveshaft 4.2L & 4.6L Eng. Exc. Reg. Cab w/Short Bed	Y	4,5	5-178X	5-799X
	3-Joint Driveshaft 4.2L & 4.6L Eng.	Z	4,5,6	5-213X	5-790X
		Z	4,5,6	5-213X	5-790X
2005		Y,Z	2,3	5-213X	5-790X





Important: See Safety Information in General Information Section (J300P-GI)

Year	Model & Description	Fig.	Location	Spicer Part No.	SPL Part No.
FORD					
F250 (FULL TIME 4WD)					
1975-1977		Q	2,3,4	5-153X	5-785X
		Q	5	5-134X	
		Q	6,7,8,9	5-153X	5-785X
	CV centering yoke kit	Q	CV	211355X	
	Wheel Joint w/1.188” Brg. cup dia.	Q	1	5-760X	
	Lube fitting in brg. cup	Q	1	5-297-1X	
	w/1.375” Brg. cup dia.	Q	1	5-806X	
1978		K	2	5-213X	5-790X
		K	3,4	5-153X	5-785X
	CV centering yoke kit	K	CV	211355X	
	w/3.469” outside yoke dimension	K	5,6	5-153X	5-785X
	w/3.875” outside yoke dim.	K	5,6	5-213X	5-790X
		K	7,8	5-213X	5-790X
	Wheel Joint w/1.188” Brg. cup dia.	K	1	5-760X	
	Lube fitting in brg. cup	K	1	5-297-1X	
	w/1.375” Brg. cup dia.	K	1	5-806X	
1979	w/1.062” Brg. cup dia.	J	2,3,4,5,6	5-213X	5-790X
	w/1.062” & 1.125” Brg. cup dia.	J	2	5-1204X	5-792X
	CV centering yoke kit	J	CV	211179X	
		J	7	5-1204X	5-792X
		J	CB	210088-1X	
	Wheel Joint w/1.188” Brg. cup dia.	J	1	5-760X	
	Lube fitting in brg. cup	J	1	5-297-1X	
	w/1.375” Brg. cup dia.	J	1	5-806X	
F250 (PART TIME 4WD)					
1960-1977		M	2,3,6,7	5-134X	
		M	4,5	5-153X	5-785X
	Wheel Joint w/inside snap rings	M	1	5-74X	
	w/outside snap rings	M	1	5-86X	
1978		K	2	5-213X	5-790X
		K	3,4	5-153X	5-785X
	w/3.469” outside yoke dimension	K	5,6	5-153X	5-785X
	w/3.875” outside yoke dim.	K	5,6	5-213X	5-790X
		K	7,8	5-213X	5-790X
	CV centering yoke kit	K	CV	211355X	
	Wheel Joint	K	1	5-760X	
	Lube fitting in brg. cup	K	1	5-297-1X	
	4500# Front shaft Axle or Snow Plow Package	K	1	5-282X	









Year	Model & Description	Fig.	Location	Spicer Part No.	SPL Part No.
FORD					
F250 (PART TIME 4WD)					
1979		J	2,3,4,5,6	5-213X	5-790X
		J	7	5-1204X	5-792X
	CV centering yoke kit	J	CV	211179X	
	Wheel Joint	J	1	5-760X	
	Lube fitting in brg. cup	J	1	5-297-1X	
	4500# Front shaft Axle or Snow Plow Package	J	1	5-282X	
1980-1981	w/133" WB	Y,Z	2	5-1203X	5-790X
		Y,Z	3	5-1204X	5-792X
		Y	4	5-1203X	5-790X
		Y	5	5-1204X	5-792X
	w/155" WB	Y,Z	2	5-1204X	5-792X
		Y,Z	3	5-1203X	5-790X
		Z	4	5-1203X	5-790X
		Z	5,6	5-1204X	5-792X
		Z	CB	211175X	
	Wheel Joint Dana Model 44 & 44 IFS	Y,Z	1	5-760X	
	Lube fitting in brg. cup	Y,Z	1	5-297-1X	
	Dana Model 50 IFS Axle	Y,Z	1	5-282X	
1982-1983		Y,Z	2,3	5-1204X	5-792X
	2-Joint Driveshaft w/133" WB	Y	4,5	5-1204X	5-792X
	w/155" WB	Y	4	5-1203X	5-790X
		Y	5	5-1204X	5-792X
	3-Joint Driveshaft	Z	4,6	5-1204X	5-792X
		Z	5	5-1203X	5-790X
		Z	CB	211175X	
	Wheel Joint Dana Model 44 & 44 IFS	Y,Z	1	5-760X	
	Lube fitting in brg. cup	Y,Z	1	5-297-1X	
	Dana Model 50 IFS Axle	Y,Z	1	5-282X	
1984-1986	w/1.062" Brg. cup dia.	Y,Z	2	5-1203X	5-790X
	w/1.062" & 1.125" Brg. cup dia.	Y,Z	2,3	5-1204X	5-792X
	2-Joint Driveshaft w/1.062" Brg. cup dia	Y	4	5-1203X	5-790X
	w/1.062" & 1.125" Brg. cup dia.	Y	4,5	5-1204X	5-792X
	3-Joint Driveshaft w/1.062" & 1.125" Brg. cup dia.	Z	4,6	5-1204X	5-792X
	w/1.062" Brg. cup dia	Z	5	5-1203X	5-790X
		Z	CB	211175X	
	Wheel Joint Dana Model 44 & 44 IFS	Y,Z	1	5-760X	
	Lube fitting in brg. cup	Y,Z	1	5-297-1X	
	Dana Model 50 IFS Axle	Y,Z	1	5-282X	







Important: See Safety Information in General Information Section (J300P-GI)

Year	Model & Description	Fig.	Location	Spicer Part No.	SPL Part No.
FORD					
F250 (PART TIME 4WD)					
1987-1988	w/1.062” Brg. cup dia.	Y,Z	2	5-1203X	5-790X
	w/1.062” & 1.125” Brg. cup dia.	Y,Z	2,3	5-1204X	5-792X
	2-Joint Driveshaft Exc. 460 Eng. w/MT				
	w/1.062” Brg. cup dia.	Y	4	5-1203X	5-790X
	w/1.062” & 1.125” Brg. cup dia.	Y	5	5-1204X	5-792X
	w/460 Eng. w/MT	Y	4,5	5-178X	5-799X
	3-Joint Driveshaft w/1.062” & 1.125” Brg. cup dia.	Z	4,6	5-1204X	5-792X
	w/1.062” Brg. cup dia	Z	5	5-1203X	5-790X
		Z	CB	211175X	
	Wheel Joint Dana Model 44 & 44 IFS	Y,Z	1	5-760X	
	Lube fitting in brg. cup	Y,Z	1	5-297-1X	
	Dana Model 50 IFS Axle	Y,Z	1	5-282X	
1989	w/1.062” & 1.125” Brg. cup dia.	Y,Z	2,3	5-1204X	5-792X
	2-Joint Driveshaft				
	Exc. ZF MT w/OD w/1.062” Brg. cup dia.	Y	4	5-1203X	5-790X
	w/1.062” & 1.125” Brg. cup dia.	Y	5	5-1204X	5-792X
	w/ZF Man. OD Trans.	Y	4,5	5-178X	5-799X
	3-Joint Driveshaft				
	Exc. ZF MT w/OD w/1.062” & 1.125” Brg. cup dia.	Z	4,6	5-1204X	5-792X
	w/1.062” Brg. cup dia.	Z	5	5-1203X	5-790X
		Z	CB	211175X	
	w/ZF MT w/OD & 5.8L Eng.				
	w/1.062” Brg. cup dia.	Z	4,5	5-1203X	5-790X
	w/1.062” & 1.125” Brg. cup dia.	Z	6	5-1204X	5-792X
		Z	CB	211175X	
	w/7.3L, 7.5L Eng.	Z	4,5,6	5-178X	5-799X
		Z	CB	211499X	
	Wheel Joint Dana Model 44 & 44 IFS	Y,Z	1	5-760X	
	Lube fitting in brg. cup	Y,Z	1	5-297-1X	
	Dana Model 50 IFS Axle	Y,Z	1	5-282X	
1990	2-Joint Driveshaft w/1.062” & 1.125” Brg. cup dia.	Y,Z	2,3	5-1204X	5-792X
	3-Joint Driveshaft w/1.062” & 1.125” Brg. cup dia.	I,J	2	5-1204X	5-792X
	w/1.062” Brg. cup dia	I,J	3,4	5-213X	5-790X
	Reg. Cab Exc. 7.3L & 7.5L MT Exc. U-Bolts at Trans.	Y	4	5-213X	5-790X
	w/U-Bolts at Trans.	I,Y	4,5	5-1204X	5-792X
	w/7.3L & 7.5L w/MT	Y	4,5	5-178X	5-799X



Year	Model & Description	Fig.	Location	Spicer Part No.	SPL Part No.
FORD					
F250 (PART TIME 4WD)					
1990	Super Cab w/3 Spd. AT & 5.8L w/MT	J	5,6	5-213X	5-790X
	w/1.062" & 1.125" Brg. cup dia.	J	7	5-1204X	5-792X
		J	CB	211175X	
	w/4 Spd. AT & 7.3L, 7.5L MT	J	5,6,7	5-178X	5-799X
	w/7.3L, 7.5L & MT	J	5,6,7	5-178X	5-799X
	Wheel Joint Dana Model 44 & 44 IFS	Y,Z	1	5-760X	
	Lube fitting in brg. cup	Y,Z	1	5-297-1X	
	Dana Model 50 IFS Axle	Y,Z	1	5-282X	
1991		Y,Z	2,3	5-1204X	5-792X
	Reg. Cab Exc. 7.3L & 7.5L MT Exc. U-Bolt at Trans. End	Y	4	5-213X	5-790X
		Y	5	5-1204X	5-792X
	w/7.3L & 7.5L w/MT	Y	4,5	5-178X	5-799X
	Super Cab w/3 Spd. AT & 5.8L w/MT	Z	4,5	5-213X	5-790X
		Z	6	5-1204X	5-792X
		Z	CB	211175X	
	w/4 Spd. AT	Z	4,5,6	5-178X	5-799X
	w/7.3L, 7.5L & MT	Z	4,5,6	5-178X	5-799X
	Wheel Joint Dana Model 44 & 44 IFS	Y,Z	1	5-760X	
	Lube fitting in brg. cup	Y,Z	1	5-297-1X	
	Dana Model 50 IFS Axle	Y,Z	1	5-282X	
1992		Y,Z	2,3	5-1204X	5-792X
	Reg. Cab				
	Exc. 7.3L & 7.5L MT To 1/92 Exc. U-Bolt at Trans. End	Y	4	5-213X	5-790X
		Y	5	5-1204X	5-792X
	From 1/92 w/U-Bolts	Y	4,5	5-1204X	5-792X
	From 1/92 Exc. U-Bolts	Y	4,5	5-213X	5-790X
	w/7.3L & 7.5L w/MT	Y	4,5	5-178X	5-799X
	Super Cab w/3 Spd. AT & 5.8L w/MT to 2/92	Z	4,5	5-213X	5-790X
		Z	6	5-1204X	5-792X
		Z	6	5-1204X	5-792X
		Z	CB	211175X	
	w/4 Spd. AT	Z	4,5,6	5-178X	5-799X
	w/7.3L, 7.5L & MT to 2/92	Z	4,5,6	5-178X	5-799X
	Wheel Joint Dana Model 44 & 44 IFS	Y,Z	1	5-760X	
	Lube fitting in brg. cup	Y,Z	1	5-297-1X	
	Dana Model 50 IFS Axle	Y,Z	1	5-282X	



Fig. J



Fig. Y



Fig. Z

Important: See Safety Information in General Information Section (J300P-GI)

U-Joints

Year	Model & Description	Fig.	Location	Spicer Part No.	SPL Part No.
FORD					
F250 (PART TIME 4WD)					
1993		Y,Z	2,3	5-1204X	5-792X
	Reg. Cab 133” WB	Y	4	5-213X	5-790X
		Y	5	5-1204X	5-792X
	Reg. Cab Exc. 7.3L & 7.5L MT w/U-Bolts	Y	4,5	5-1204X	5-792X
	Exc. U-Bolts	Y	4,5	5-213X	5-790X
	w/7.3L & 7.5L w/MT	Y	4,5	5-178X	5-799X
	Super Cab w/4 Spd. AT	Z	4,5,6	5-178X	5-799X
	Wheel Joint Dana Model 44 & 44 IFS	Y,Z	1	5-760X	
	Lube fitting in brg. cup	Y,Z	1	5-297-1X	
	Dana Model 50 IFS Axle	Y,Z	1	5-282X	
1994-1995		Y,Z	2,3	5-1204X	5-792X
	Reg. Cab 133” WB	Y	4	5-213X	5-790X
		Y	5	5-1204X	5-792X
	Reg. Cab Exc. 7.3L & 7.5L MT w/U-Bolts	Y	4,5	5-1204X	5-792X
	Exc. U-Bolts	Y	4,5	5-213X	5-790X
	w/7.3L & 7.5L w/MT	Y	4,5	5-178X	5-799X
	Super Cab w/4 Spd. AT	Z	4,5,6	5-178X	5-799X
	Wheel Joint Dana Model 44 & 44 IFS	Y,Z	1	5-760X	
	Lube fitting in brg. cup	Y,Z	1	5-297-1X	
1996		Y,Z	2,3	5-1204X	5-792X
	Reg. Cab 133” WB	Y	4	5-213X	5-790X
		Y	5	5-1204X	5-792X
1997-1999	w/4.2L, 4.6L & 5.8L Eng. w/outside snap rings	Y,Z	2,3	5-213X	5-790X
	w/2 outside & 2 inside snap rings	Y,Z	2,3	5-1204X	5-792X
	w/7.3L & 7.5L Eng.	Y,Z	2,3	5-1204X	5-792X
	w/4.2L, 4.6L & 5.8L Eng. 2-Joint Driveshaft	Y	4	5-213X	5-790X
		Y	5	5-1204X	5-792X
	3-Joint Driveshaft	Z	4,5	5-213X	5-790X
		Z	6	5-1204X	5-792X
	w/7.3L & 7.5L Eng.	Y,Z	4,5,6	5-178X	5-799X





Year	Model & Description	Fig.	Location	Spicer Part No.	SPL Part No.
FORD					
F250 SUPER DUTY					
1999	Front Driveshaft	I,J,O	2,3,4	5-178X	5-799X
	5.4L w/AT 137" WB	I	5,6	5-178X	5-799X
	142" & 172" WB	J	5,6,7	5-160X	5-801X
		J	CB	211359X	
	6.0L Diesel w/AT 172" WB	J	5,6,7	5-160X	5-801X
		J	CB	211359X	
	6.8L w/AT 137" WB	O	5,6	5-178X	5-799X
		O	7	5-160X	5-801X
	158" WB	J	5,6,7	5-160X	5-801X
		J	CB	211359X	
	6.8L w/MT or 7.3L Diesel AT 137" & 142" WB	I	5,6	5-160X	5-801X
	6.8L w/MT 156" & 158" WB	J	5,6,7	5-160X	5-801X
		J	CB	211359X	
	7.3L Diesel w/156", 158" & 172" WB	J	5,6,7	5-160X	5-801X
	7.3L Diesel w/156", 158" & 172" WB	J	CB	211359X	
	Wheel Joint Dana Model 50 Front Axle	I,J,O	1	5-282X	
	Dana Model 60 Front Axle	I,J,O	1	5-806X	
2000	Front Driveshaft	I,J,O	2,3,4	5-178X	5-799X
	5.4L w/AT 137" WB	I	5,6	5-178X	5-799X
	142" & 172" WB	J	5,6,7	5-160X	5-801X
		J	CB	211359X	
	6.0L Diesel w/AT 172" WB	J	5,6,7	5-160X	5-801X
		J	CB	211359X	
	6.8L w/AT 137" WB	O	5,6	5-178X	5-799X
		O	7	5-160X	5-801X
	142" WB	I	5,6	5-160X	5-801X
	158" WB	J	5,6,7	5-160X	5-801X
		J	CB	211359X	
	6.8L w/MT 137" & 142" WB	I	5,6	5-160X	5-801X
	156" & 158" WB	J	5,6,7	5-160X	5-801X
		J	CB	211359X	
	7.3L Diesel 137" & 142" WB	I	5,6	5-160X	5-801X
	158" & 172" WB	J	5,6,7	5-160X	5-801X
		J	CB	211359X	
	Wheel Joint Dana Model 50 Front Axle	I,J,O	1	5-282X	
	Dana Model 60 Front Axle	I,J,O	1	5-806X	







Important: See Safety Information in General Information Section (J300P-GI)

Year	Model & Description	Fig.	Location	Spicer Part No.	SPL Part No.
FORD					
F250 SUPER DUTY					
2001-2002	Front Driveshaft	I,J,O	2,3,4	5-178X	5-799X
	5.4L w/AT 137” WB	I	5,6	5-178X	5-799X
	142” & 172” WB	J	5,6,7	5-160X	5-801X
		J	CB	211359X	
	6.0L Diesel w/AT 172” WB	J	5,6,7	5-160X	5-801X
		J	CB	211359X	
	6.8L w/AT 137” WB	O	5,6	5-178X	5-799X
		O	7	5-160X	5-801X
	142” WB	I	5,6	5-160X	5-801X
	158” WB	J	5,6,7	5-160X	5-801X
		J	CB	211359X	
	6.8L w/MT 137” & 142” WB	I	5,6	5-160X	5-801X
	156” & 158” WB	J	5,6,7	5-160X	5-801X
		J	CB	211359X	
	7.3L Diesel w/AT 137” & 142” WB	I	5,6	5-160X	5-801X
	158” & 172” WB	J	5,6,7	5-160X	5-801X
		J	CB	211359X	
	7.3L Diesel w/MT 137” & 142” WB	I	5,6	5-160X	5-801X
	156” & 172” WB	J	5,6,7	5-160X	5-801X
		J	CB	211359X	
	Wheel Joint Dana Model 50 Front Axle	I,J,O	1	5-282X	
	Dana Model 60 Front Axle	I,J,O	1	5-806X	
2003	Front Driveshaft	I,J,O	2,3,4	5-178X	5-799X
	5.4L w/AT 137” & 142” WB	I	5,6	5-178X	5-799X
	5.4L w/MT 142” WB	I	5,6	5-178X	5-799X
	6.0L Diesel w/AT 137” WB	I	5,6	5-160X	5-801X
	172” WB	J	5,6,7	5-160X	5-801X
		J	CB	211359X	
	6.0L Diesel w/MT 137” WB	I	5,6	5-160X	5-801X
	156” WB	J	5,6,7	5-160X	5-801X
		J	CB	211359X	
	6.8L w/AT 137” WB	I	5,6	5-160X	5-801X
	6.8L w/MT 137” & 142” WB	O	5,6,7	5-178X	5-799X
	156” WB	J	5,6,7	5-160X	5-801X
		J	CB	211359X	
	7.3L Diesel w/AT 137” & 142” WB	I	5,6	5-160X	5-801X
	7.3L Diesel w/MT 137” & 142” WB	I	5,6	5-160X	5-801X
	156” & 172” WB	J	5,6,7	5-160X	5-801X
		J	CB	211359X	







4WD

Year	Model & Description	Fig.	Location	Spicer Part No.	SPL Part No.
FORD					
F250 SUPER DUTY					
2003	Wheel Joint Dana Model 50 Front Axle	I,J,O	1	5-282X	
	Dana Model 60 Front Axle	I,J,O	1	5-806X	
2004	Front Driveshaft	I,J,O	2,3,4	5-178X	5-799X
	5.4L w/AT 137” & 142” WB	I	5,6	5-178X	5-799X
	5.4L w/MT 142” WB	I	5,6	5-178X	5-799X
	6.0L Diesel w/AT 137” WB	I	5,6	5-160X	5-801X
	172” WB	J	5,6,7	5-160X	5-801X
		J	CB	211359X	
	6.0L Diesel w/MT 137” WB	I	5,6	5-160X	5-801X
	156” WB	J	5,6,7	5-160X	5-801X
		J	CB	211359X	
	6.8L w/AT 137” WB	I	5,6	5-160X	5-801X
	6.8L w/MT 137” & 142” WB	O	5,6,7	5-178X	5-799X
	156” WB	J	5,6,7	5-160X	5-801X
		J	CB	211359X	
	7.3L Diesel w/AT 137” & 142” WB	I	5,6	5-160X	5-801X
	7.3L Diesel w/MT 137” & 142” WB	I	5,6	5-160X	5-801X
	156” & 172” WB	J	5,6,7	5-160X	5-801X
		J	CB	211359X	
	Wheel Joint Dana Model 50 Front Axle	I,J,O	1	5-282X	
	Dana Model 60 Axle	I,J,O	1	5-806X	
2005	Front Driveshaft	I,J	2,3,4	5-178X	5-799X
	2-Joint Driveshaft 137” & 142” WB	I	5,6	5-160X	5-801X
	3-Joint Driveshaft 156” or Longer WB	J	5,6,7	5-160X	5-801X
	Wheel Joint Dana Model 60 Axle	I,J	1	5-806X	
2006	Front Driveshaft	I,J	2,3,4	5-178X	5-799X
	2-Joint Driveshaft 137” & 142” WB	I	5,6	5-160X	5-801X
	3-Joint Driveshaft 162” or Longer WB	J	5,6,7	5-160X	5-801X
	Wheel Joint Dana Model 60 Front Axle	I,J	1	5-806X	
F350 (FULL TIME 4WD)					
1979		J	2,3,4	5-213X	5-790X
	CV centering yoke kit	J	CV	211179X	
		J	5,6	5-213X	5-790X
		J	7	5-1204X	5-792X
	Wheel Joint	J	1	5-806X	







4WD

Important: See Safety Information in General Information Section (J300P-GI)

Year	Model & Description	Fig.	Location	Spicer Part No.	SPL Part No.
FORD					
F350 (PART TIME 4WD)					
1979		J	2,3,4	5-213X	5-790X
	CV centering yoke kit	J	CV	211179X	
		J	5,6	5-213X	5-790X
		J	7	5-1204X	5-792X
		J	CB	210088-1X	
	Wheel Joint	J	1	5-806X	
1980	2-Joint Driveshaft	Y	2,4	5-1203X	5-790X
		Y	3,5	5-1204X	5-792X
	Wheel Joint Dana Model 44 IFS Axle	Y	1	5-760X	
	Lube fitting in brg. cup	Y	1	5-297-1X	
	Dana Model 50 IFS Axle	Y	1	5-282X	
1981	2-Joint Driveshaft	Y	2,4	5-1203X	5-790X
		Y	3,5	5-1204X	5-792X
	Wheel Joint Dana Model 44 IFS Axle	Y	1	5-760X	
	Lube fitting in brg. cup	Y	1	5-297-1X	
	Dana Model 50 IFS Axle	Y	1	5-282X	
1982	2-Joint Driveshaft	Y,Z	2,3	5-1204X	5-792X
	w/1.062” Brg. cup dia.	Y	4	5-1203X	5-790X
	w/1.062” & 1.125” Brg. cup dia.	Y	4,5	5-1204X	5-792X
	3-Joint Driveshaft	Z	4,6	5-1204X	5-792X
		Z	5	5-1203X	5-790X
		Z	CB	211175X	
	Wheel Joint Dana Model 50 IFS Axle	Y,Z	1	5-282X	
1983-1984	2-Joint Driveshaft	Y,Z	2,3	5-1204X	5-792X
	w/1.062” Brg. cup dia.	Y	4	5-1203X	5-790X
	w/1.062” & 1.125” Brg. cup dia.	Y	4,5	5-1204X	5-792X
	3-Joint Driveshaft	Z	4,6	5-1204X	5-792X
		Z	5	5-1203X	5-790X
		Z	CB	211175X	
	Wheel Joint Dana Model 44 IFS Axle	Y,Z	1	5-760X	
	Lube fitting in brg. cup	Y,Z	1	5-297-1X	
	Dana Model 50 IFS Axle	Y,Z	1	5-282X	







Year	Model & Description	Fig.	Location	Spicer Part No.	SPL Part No.
FORD					
F350 (PART TIME 4WD)					
1985	2-Joint Driveshaft	L,N,Y,Z	2,3	5-1204X	5-792X
	w/1.062'' & 1.125'' Brg. cup dia.	P,V	2	5-1204X	5-792X
	w/1.062'' Brg. cup dia.	P,V	3,4	5-1203X	5-790X
		L,P,Y	4	5-1203X	5-790X
	w/1.062'' & 1.125'' Brg. cup dia.	L,P,Y	4,5	5-1204X	5-792X
	3-Joint Driveshaft	N,V,Z	4,6	5-1204X	5-792X
		N,V,Z	5	5-1203X	5-790X
		N,V,Z	CB	211175X	
	Wheel Joint Dana Model 44 IFS Axle	Y,Z	1	5-760X	
	Lube fitting in brg. cup	Y,Z	1	5-297-1X	
	Dana Model 50 IFS Axle	Y,Z	1	5-282X	
	Model 60 w/Monobeam	L,N	1	5-806X	
1986-1987	w/New Process Trans.	Y,Z	2	5-1204X	5-792X
		Y,Z	3	5-1203X	5-790X
	Exc. New Process Trans.	J	2	5-1204X	5-792X
		J	3,4	5-1203X	5-790X
	2-Joint Driveshaft w/1.062'' & 1.125'' Brg. cup dia.	Y	4,5	5-1204X	5-792X
	w/1.062'' Brg. cup dia.	Y	4	5-1203X	5-790X
	3-Joint Driveshaft w/1.062'' Brg. cup dia.	Z	4,5	5-1203X	5-790X
	w/1.062'' & 1.125'' Brg. cup dia.	Z	6	5-1204X	5-792X
	w/1.062'' Brg. cup dia.	J	5,6,7	5-1203X	5-790X
		J,Z	CB	211175X	
	Wheel Joint Model 60 w/Monobeam	J	1	5-806X	
	Dana Model 50 IFS Axle	Y,Z	1	5-282X	
1988-1989	2-Joint Driveshaft	Y,Z	2	5-1203X	5-790X
		Y,Z	3	5-1204X	5-792X
	3-Joint Driveshaft	I,J	2	5-1204X	5-792X
		I,J	3,4	5-1203X	5-790X



Important: See Safety Information in General Information Section (J300P-GI)

Year	Model & Description	Fig.	Location	Spicer Part No.	SPL Part No.
FORD					
F350 (PART TIME 4WD)					
1988-1989	2-Joint Driveshaft w/1.062" Brg. cup dia.	I	5	5-1203X	5-790X
		Y	4	5-1203X	5-790X
	w/1.188" Brg. cup dia.	I	5,6	5-178X	5-799X
		Y	4,5	5-178X	5-799X
	w/1.062" & 1.125" Brg. cup dia.	I	6	5-1204X	5-792X
		Y	5	5-1204X	5-792X
	3-Joint Driveshaft w/1.188" Brg. cup dia.	J	5,6,7	5-178X	5-799X
		Z	4,5,6	5-178X	5-799X
	Wheel Joint Model 60 w/Monobeam	J	1	5-806X	
	Dana Model 50 IFS Axle	Y,Z	1	5-282X	
1990-1991	Exc. 160" WB w/7.5L & 3 Spd AT	I,J	2	5-1204X	5-792X
		I,J	3,4	5-213X	5-790X
	w/160" WB w/7.5L & 3 Spd AT	I,J	2	5-1204X	5-792X
		I,J	3	5-3147X	5-795X
		I,J	4	5-212X	
	Reg. Cab 133" WB w/AT	I	5	5-213X	5-790X
		I	6	5-1204X	5-792X
	w/5.8L Eng & MT	I	5	5-213X	5-790X
		I	6	5-1204X	5-792X
	w/7.3L & 7.5L Eng & MT	I	5,6	5-178X	5-799X
	Reg. Cab 136" WB	I	5,6	5-178X	5-799X
	Super Cab 160" & 168" WB	J	5,6,7	5-178X	5-799X
	Wheel Joint w/inside snap rings	I,J	1	5-806X	
	w/outside snap rings Front axle has 3 Wheel Joints	I,J	1	5-282X	
1992		I,J	2	5-1204X	5-792X
		I,J	3,4	5-213X	5-790X
	Reg. Cab 133" WB w/AT from 1/92	I	5,6	5-213X	5-790X
	w/AT to 1/92	I	5	5-213X	5-790X
		I	6	5-1204X	5-792X
	w/5.8L Eng & MT from 1/92	I	5,6	5-213X	5-790X
	w/5.8L Eng & MT to 1/92	I	5	5-213X	5-790X
		I	6	5-1204X	5-792X
	w/7.3L & 7.5L Eng & MT	I	5,6	5-178X	5-799X
	Reg. Cab 136" WB	I	5,6	5-178X	5-799X
	Reg. Cab 138" WB w/5.8L &3 Spd AT, & 5 spd MT	J	5,6,7	5-178X	5-799X
	Super Cab 160" & 168" WB	J	5,6,7	5-178X	5-799X
	Wheel Joint w/inside snap rings	I,J	1	5-806X	
	w/outside snap ringsFront axle has 3 Wheel Joints	I,J	1	5-282X	



Year	Model & Description	Fig.	Location	Spicer Part No.	SPL Part No.
FORD					
F350 (PART TIME 4WD)					
1993-1995		I,J	2	5-1204X	5-792X
		I,J	3,4	5-213X	5-790X
	Reg. Cab 133'' WB w/AT	I	5	5-213X	5-790X
		I	6	5-1204X	5-792X
	w/7.3L & 7.5L Eng & MT	I	5,6	5-178X	5-799X
	w/5.8L Eng & 4 Spd MT	I	5	5-1204X	5-792X
		I	6,7	5-213X	5-790X
	Super Cab 160'' WB w/5.8L & 3 Spd AT	I	5	5-1204X	5-792X
		I	6,7	5-213X	5-790X
		I	CB	211499X	
	Super Cab 168'' WB w/5.8L & 4 Spd AT	J	5,6,7	5-178X	5-799X
	Wheel Joint w/inside snap rings	I,J	1	5-806X	
	w/outside snap rings Front axle has 3 Wheel Joints	I,J	1	5-282X	
1996-1998	Slip Yoke Boot Kit	I,J	2	211462X	
	w/1.062'' Brg. cup dia.	I,J	2,3,4	5-213X	5-790X
	w/1.062'' & 1.125'' Brg. cup dia.	I,J	2	5-1204X	5-792X
	Reg. Cab 133'' WB w/5.8L Eng & 4 Spd AT	I	5	5-213X	5-790X
		I	6	5-1204X	5-792X
	w/7.3L & 7.5L Eng	I	5,6	5-3147X	5-795X
		J	5,6,7	5-178X	5-799X
	Wheel Joint w/inside snap rings	I,J	1	5-806X	
	w/outside snap rings Front axle has 3 Wheel Joints	I,J	1	5-282X	
1999	Slip Yoke Boot Kit	I,J	2	211462X	
	w/1.062'' Brg. cup dia.	I,J	2,3,4	5-213X	5-790X
	w/1.062'' & 1.125'' Brg. cup dia.	I,J	2	5-1204X	5-792X
	Reg. Cab 133'' WB w/5.8L Eng & 4 Spd AT	I	5	5-213X	5-790X
		I	6	5-1204X	5-792X
	w/7.3L & 7.5L Eng	I	5,6	5-3147X	5-795X
		J	5,6,7	5-178X	5-799X
	Wheel Joint w/inside snap rings	I,J	1	5-806X	
	w/outside snap rings Front axle has 3 Wheel Joints	I,J	1	5-282X	
F350 SUPER DUTY					
1999-2003		I,J,O	2,3,4	5-178X	5-799X
	5.4L w/AT 137'' WB	I	5,6	5-178X	5-799X
	142'' & 172'' WB	J	5,6,7	5-160X	5-801X
		J	CB	211359X	
	6.0L Diesel w/AT 172'' WB	J	5,6,7	5-160X	5-801X
		J	CB	211359X	







Important: See Safety Information in General Information Section (J300P-GI)

U-Joints

Year	Model & Description	Fig.	Location	Spicer Part No.	SPL Part No.
FORD					
F350 SUPER DUTY					
1999-2003	6.0L, 6.8L, 7.3L Eng. 141” WB	I	5,6	5-160X	5-801X
	137” & 142” WB	O	5,6	5-178X	5-799X
		O	7	5-160X	5-801X
	6.8L Eng. w/156” & 158” WB	J	5,6,7	5-160X	5-801X
		J	CB	211359X	
	7.3L Diesel Eng. w/158” WB	J	5,6,7	5-160X	5-801X
		J	CB	211359X	
	Wheel Joint Dana Model 50 Axle	I,J,O	1	5-282X	
	Dana Model 60 Axle	I,J,O	1	5-806X	
2004		I,J,O	2,3,4	5-178X	5-799X
	5.4L w/AT 137” WB	I	5,6	5-178X	5-799X
	142” & 172” WB	J	5,6,7	5-160X	5-801X
		J	CB	211359X	
	6.0L Diesel w/AT 172” WB	J	5,6,7	5-160X	5-801X
		J	CB	211359X	
	6.0L, 6.8L, 7.3L Eng. 141” WB	I	5,6	5-160X	5-801X
	137” & 142” WB	O	5,6	5-178X	5-799X
		O	7	5-160X	5-801X
	6.8L Eng. w/156” & 158” WB	J	5,6,7	5-160X	5-801X
		J	CB	211359X	
	7.3L Diesel Eng. w/158” WB	J	5,6,7	5-160X	5-801X
		J	CB	211359X	
	Wheel Joint Dana Model 50 Axle	I,J,O	1	5-282X	
	Dana Model 60 Front Axle	I,J,O	1	5-806X	
2005-2006		I,J,O	2,3,4	5-178X	5-799X
	Reg. Cab Exc. Double Carden Joint at Transmission	I	5,6	5-160X	5-801X
	Reg. Cab, Super Cab w/Short Bed w/Double Carden Joint at Transmission	O	5,6,7	5-160X	5-801X
	Chassis Cab w/141” WB	I	5,6	5-160X	5-801X
	w/156” or longer WB	J	5,6,7	5-160X	5-801X
	Super Cab w/Long Bed & Crew Cab	J	5,6,7	5-160X	5-801X
	Wheel Joint Dana Model 60 Axle	I,J,O	1	5-806X	
F450 SUPER DUTY					
1999-2006	Front Driveshaft	I,J	2,3,4	5-178X	5-799X
	2-Joint Driveshaft w/141” WB	I	5,6	5-188X	5-803X
	3-Joint Driveshaft w/165” or Longer WB	J	5,6,7	5-188X	5-803X
	Wheel Joint	I,J	1	5-806X	







4WD

Year	Model & Description	Fig.	Location	Spicer Part No.	SPL Part No.
FORD					
F550 SUPERDUTY					
1999-2006	Front Driveshaft	I,J	2,3,4	5-178X	5-799X
	2-Joint Driveshaft w/141'' WB	I	5,6	5-188X	5-803X
	3-Joint Driveshaft w/165'' or Longer WB	J	5,6,7	5-188X	5-803X
	Wheel Joint	I,J	1	5-806X	
RANGER					
1983-1984	w/AT & 4 Spd. MT	Y,AA	2	5-1200X	
		Y,AA	3	5-443X	
	w/5 Spd. MT	Y,AA	2,3	5-1200X	
	w/6' Bed, 108'' WB	AA	4,5,6	5-443X	
	CV centering yoke kit	AA	CV	211342X	
	w/7' Bed, 114'' WB	Y	4,5	5-443X	
	Wheel Joint	Y,AA	1	5-456X	
1985	w/108'' WB w/4 Spd. Trans.	Y,AA	2	5-1200X	
		Y,AA	3	5-443X	
	Exc. 108'' WB, w/4 Spd. Trans.	Y,AA	2,3	5-1200X	
	w/7' Bed, 114'' WB	Y	4,5	5-443X	
	w/6' Bed, 108'' WB	AA	4,5,6	5-443X	
	CV centering yoke kit	AA	CV	211342X	
	Wheel Joint	Y,AA	1	5-456X	
1986		Y,AA	2,3	5-1200X	
	Reg. Cab	Y	4,5	5-443X	
	Super Cab	AA	4,6	5-443X	
	Wheel Joint	Y,AA	1	5-456X	
1987	Regular Cab Exc. STX	Y,AA	2,3	5-1200X	
	STX	Y,AA	2,3	5-443X	
	w/6' Bed, 108'' WB	AA	4,5,6	5-443X	
	w/7' Bed, 114'' WB	Y	4,5	5-443X	
	Super Cab w/125'' WB	Y,AA	2,3	5-1200X	
		AA	4,5	5-443X	
	Wheel Joint	Y,AA	1	5-456X	
1988	Regular Cab Exc. STX	Y,AA	2,3	5-1200X	
	STX	Y,AA	2,3	5-443X	
	w/6' Bed, 108'' WB	AA	4,5,6	5-443X	
	w/7' Bed, 114'' WB	Y	4,5	5-443X	
	Super Cab	Y,AA	2,3	5-1200X	
	Exc. STX, w/AT	AA	4,5	5-443X	
	Exc. STX, w/MT to 6/88	AA	4,5	5-443X	
	Exc. STX, w/MT from 6/88	AA	4,5,6	5-443X	









Important: See Safety Information in General Information Section (J300P-GI)

Year	Model & Description		Fig.	Location	Spicer Part No.	SPL Part No.
FORD						
RANGER						
1988	Super Cab STX		AA	4,5	5-443X	
	Wheel Joint		Y,AA	1	5-456X	
1989	Regular Cab	w/std Ride Height	Y,AA	2,3	5-153X	5-785X
		w/Improved Ride Height	Y,AA	2,3	5-443X	
		w/7' Bed, 114'' WB	Y	4,5	5-443X	
		w/6' Bed, 108'' WB	AA	4,5,6	5-153X	5-785X
	Super Cab	w/std Ride Height	Y,AA	2,3	5-153X	5-785X
		w/125'' WB	AA	4,5,6	5-443X	
	Wheel Joint		Y,AA	1	5-456X	
1990	Exc. CV Style Front shaft		Y,AA	2,3	5-153X	5-785X
			I,J,O	2,3,4	5-153X	5-785X
	Regular Cab	w/6' Bed, 108'' WB	O	5,6,7	5-153X	5-785X
		w/7' Bed, 114'' WB	I	5,6	5-153X	5-785X
	Super Cab	w/125'' WB	J	5,6,7	5-153X	5-785X
			J	CB	211590-1X	
	Wheel Joint	Dana Model 28 Axle	ALL	1	5-456X	
		Dana Model 35 Axle	ALL	1	5-760X	
1991-1992	Exc. CV Style Front shaft		Y,AA	2,3	5-153X	5-785X
			I,J,O	2,3,4	5-153X	5-785X
		Lube fitting in brg. cup	I,J,O	2,3,4	5-433-1X	
	Reg. Cab w/6' Bed, 108'' WB		O	5,6,7	5-153X	5-785X
		Lube fitting in brg. cup	O	5,6,7	5-433-1X	
	Reg. Cab w/7' Bed, 114'' WB		I,Y	5,6	5-153X	5-785X
		Lube fitting in brg. cup	I,Y	5,6	5-433-1X	
	Super Cab w/125'' WB		J,AA	5,6,7	5-153X	5-785X
		Lube fitting in brg. cup	J,AA	5,6,7	5-433-1X	
			J,AA	CB	211590-1X	
	Wheel Joint	Dana Model 28 Axle	ALL	1	5-456X	
		Dana Model 35 Axle	ALL	1	5-760X	
1993-1997	Exc. CV Style Front shaft		Y,AA	2,3	5-153X	5-785X
			I,J,O	2,3,4	5-153X	5-785X
		Lube fitting in brg. cup	I,J,O	2,3,4	5-433-1X	











Year	Model & Description	Fig.	Location	Spicer Part No.	SPL Part No.
FORD					
RANGER					
1993-1997	Reg. Cab w/6' Bed, 108'' WB	O	5,6,7	5-153X	5-785X
	Lube fitting in brg. cup	O	5,6,7	5-433-1X	
	Reg. Cab w/7' Bed, 114'' WB	I,Y	5,6	5-153X	5-785X
	Lube fitting in brg. cup	I,Y	5,6	5-433-1X	
	Super Cab w/125'' WB	J,AA	5,6,7	5-153X	5-785X
	Lube fitting in brg. cup	J,AA	5,6,7	5-433-1X	
	Wheel Joint Dana Model 28 Axle	ALL	1	5-456X	
	Dana Model 35 Axle	ALL	1	5-760X	
1998		L	2	5-153X	5-785X
	w/plunging CV joint at TC	L	3	032DS850002	
	2-Joint Driveshaft	L	4,5	5-213X	5-790X
1999-2001		L,N	2	5-153X	5-785X
	w/plunging CV joint at TC	L,N	3	032DS850002	
	2-Joint Driveshaft	L	4,5	5-213X	5-790X
	3-Joint Driveshaft	N	4,5,6	5-153X	5-785X
		N	CB	211872-1X	
2002-2004		L,N	2	5-153X	5-785X
	w/plunging CV joint at TC	L,N	3	032DS850002	
	2-Joint Driveshaft	L	4,5	5-213X	5-790X
	3-Joint Driveshaft	N	4,5,6	5-153X	5-785X
		N	CB	211872-1X	
2005-2006		L	2	5-153X	5-785X
	w/plunging CV joint at TC	L	3	032DS850002	
	2-Joint Driveshaft	L	4,5	5-213X	5-790X
GEO					
1989-1998	TRACKER	L	2,3	5-1503X	
		L	4,5	5-1503X	















Important: See Safety Information in General Information Section (J300P-GI)

U-Joints

Year	Model & Description	Fig.	Location	Spicer Part No.	SPL Part No.
GMC					
CANYON PICK-UP					
2004-2006	Front Driveshaft	L	2	5-153X	5-785X
		L	4	5-213X	5-790X
		L	5	5-212X	5003097
	w/AAM 1335 Series Driveshaft	L	4	N/A	
	w/AAM 1335 x 3R(Saginaw) Series Driveshaft	L	5	N/A	
ENVOY					
2002-2006	Front Driveshaft	L	2	5-350X	
		L	4,5	5-3147X	5-795X
H1500 SERIES SAVANA					
2003-2006	Front Driveshaft	L	2,3	5-3147X	5-795X
	2-Joint Driveshaft	L	4,5	5-178X	5-799X
H2500 SERIES SAVANA					
2003-2006		L	2,3	5-3147X	5-795X
		L	4,5	5-178X	5-799X
JIMMY (FULL SIZE)					
1969-1971		I	2,3,4,5,6	5-153X	5-785X
	CV centering yoke kit	I	CV	211355X	
	Wheel Joint	I	1	5-260X	
	Lube fitting in brg. cup	I	1	5-260-1X	
1972		I	2,3,4,5,6	5-153X	5-785X
	CV centering yoke kit	I	CV	211355X	
	Wheel Joint w/1.062” Brg. cup dia	I	1	5-260X	
	Lube fitting in brg. cup	I	1	5-260-1X	
	w/1.188” Brg. cup dia.	I	1	5-760X	
	Lube fitting in brg. cup	I	1	5-297-1X	
1973-1977		I	2,3,4,5,6	5-153X	5-785X
	CV centering yoke kit	I	CV	211355X	
	Wheel Joint	I	1	5-760X	
	Lube fitting in brg. cup	I	1	5-297-1X	
1978	w/inside snap rings	I	2,3,4	5-3147X	5-795X
	CV ball & seat kit	I	CV	211009X	
	CV seat repair kit	I	CV	211007X	
	w/outside snap rings	I	2,3,4	5-153X	5-785X
	CV centering yoke kit	I	CV	211355X	
		I	5,6	5-153X	5-785X





4WD

Year	Model & Description	Fig.	Location	Spicer Part No.	SPL Part No.
GMC					
JIMMY (FULL SIZE)					
1978	3-Joint Driveshaft	J	5	5-153X	5-785X
		J	6,7	5-178X	5-799X
		J	CB	210088-1X	
	Wheel Joint	I	1	5-760X	
	Lube fitting in brg. cup	I	1	5-297-1X	
1979-1981		I	2	5-153X	5-785X
		I	3,4	5-3147X	5-795X
	CV ball & seat kit	I	CV	211009X	
	CV seat repair kit	I	CV	211007X	
	w/305 Eng. & 4 Spd. MT	I	5,6	5-178X	5-799X
	All Others	I	5,6	5-3147X	5-795X
	Wheel Joint	I	1	5-760X	
	Lube fitting in brg. cup	I	1	5-297-1X	
1982-1986		I	2	5-153X	5-785X
		I	3,4	5-3147X	5-795X
	CV ball & seat kit	I	CV	211009X	
	CV seat repair kit	I	CV	211007X	
	w/outside snap rings	I	5,6	5-178X	5-799X
	w/inside snap rings	I	5,6	5-3147X	5-795X
	Wheel Joint	I	1	5-760X	
	Lube fitting in brg. cup	I	1	5-297-1X	
1987-1991		I	2	5-153X	5-785X
		I	3,4	5-3147X	5-795X
	w/outside snap rings	I	5,6	5-178X	5-799X
	w/inside snap rings	I	5,6	5-3147X	5-795X
	Wheel Joint	I	1	5-760X	
K-15 SERIES PICK-UP					
1957-1959	w/3.469” outside yoke dim.	M	2,3	5-153X	5-785X
	w/3.875” outside yoke dim.	M	2,3	5-178X	5-799X
	w/Hydramatic Trans.	M	4,5	5-153X	5-785X
	w/MT	M	4,5	5-178X	5-799X
	All	M	6,7	5-178X	5-799X
1960-1963	1500 w/3 Spd. MT	M	2,3,4,5	5-153X	5-785X
		M	6,7	5-178X	5-799X
	w/4 Spd. MT	M	2,3,5	5-153X	5-785X
		M	4,6,7	5-178X	5-799X
	K1000 w/3 Spd. MT	M	2 THRU 7	5-153X	5-785X
	w/4 Spd. MT	M	2,3,5,6,7	5-153X	5-785X







Important: See Safety Information in General Information Section (J300P-GI)

Year	Model & Description		Fig.	Location	Spicer Part No.	SPL Part No.
GMC						
K-15 SERIES PICK-UP						
1960-1963			M	4	5-178X	5-799X
	Wheel Joint	w/inside snap rings	M	1	5-74X	
		w/outside snap rings	M	1	5-86X	
1964-1966	w/3 Spd. MT		M	2,3,4,5	5-153X	5-785X
			M	6,7	5-178X	5-799X
	w/4 Spd. MT		M	2,3,5	5-153X	5-785X
			M	4,6,7	5-178X	5-799X
	Wheel Joint	w/inside snap rings	M	1	5-74X	
		w/outside snap rings	M	1	5-86X	
1967-1976			K	2,3,4,5,6	5-153X	5-785X
		CV centering yoke kit	K	CV	211355X	
			K	7,8	5-153X	5-785X
	Wheel Joint	w/inside snap rings	K	1	5-74X	
		w/outside snap rings	K	1	5-86X	
1977-1978	w/outside snap rings		I	2,3,4,5,6	5-153X	5-785X
		CV centering yoke kit	I	CV	211355X	
	w/inside snap rings		J	2,3,4	5-3147X	5-795X
	3-Joint Driveshaft	CV ball & seat kit	J	CV	211009X	
		CV seat repair kit	J	CV	211007X	
			J	5	5-3147X	5-795X
			J	6,7	5-178X	5-799X
			J	CB	210088-1X	
	Wheel Joint		I,J	1	5-760X	
		Lube fitting in brg. cup	I,J	1	5-297-1X	
1979-1981	w/outside snap rings	w/1.062” Brg. cup dia	I,J	2	5-153X	5-785X
	w/inside snap rings	w/1.126” Brg. cup dia.	I,J	3,4	5-3147X	5-795X
		CV ball & seat kit	I,J	CV	211009X	
		CV seat repair kit	I,J	CV	211007X	
	w/outside snap rings	w/1.062” Brg. cup dia	I	5,6	5-153X	5-785X
		w/1.188” Brg. cup dia.	J	5,6,7	5-178X	5-799X
			J	CB	210088-1X	
	Wheel Joint		I,J	1	5-760X	
		Lube fitting in brg. cup	I,J	1	5-297-1X	
1982-1986			I	2	5-153X	5-785X
			I	3,4	5-3147X	5-795X
		CV ball & seat kit	I	CV	211009X	
		CV seat repair kit	I	CV	211007X	
	w/inside snap rings		I	5,6	5-3147X	5-795X



Year	Model & Description	Fig.	Location	Spicer Part No.	SPL Part No.
GMC					
K-15 SERIES PICK-UP					
1982-1986	w/outside snap rings	I	5,6	5-178X	5-799X
	Wheel Joint	I	1	5-760X	
	Lube fitting in brg. cup	I	1	5-297-1X	
1992-1999	w/Turbo Diesel	L,N	2	5-212X	5-793X
		L,N	3	5-213X	5-790X
	w/o Turbo Diesel	L,N	2,3	5-3147X	5-795X
	Regular Cab w/inside snap rings	L	4,5	5-3147X	5-795X
	w/outside snap rings	L	4,5	5-178X	5-799X
	Ext. Cab w/2-Joint Driveshaft w/1.062'' Brg. cup dia	L	4	5-213X	5-790X
	w/1.062'' & 1.125'' Brg. cup dia.	L	5	5-212X	5-793X
	w/1.188'' Brg. cup dia.	L	4,5	5-178X	5-799X
	Ext. Cab w/3-Joint Driveshaft w/6 1/2' Bed, Exc. MT1 AT, MT8 MT & HD Chassis	L	4	5-213X	5-790X
		L	5	5-212X	5-793X
	w/8' Bed, Exc. MT1 AT, MT8 MT & HD Chassis	N	4,5	5-213X	5-790X
		N	6	5-212X	5-793X
	w/8' Bed, w/MT1 AT or MT8 MT & HD Suspension	N	4,5,6	5-178X	5-799X
		N	CB	211499X	
K-15 SERIES SUBURBAN					
1957-1959	w/3.469'' outside yoke dim.	M	2,3	5-153X	5-785X
	w/3.875'' outside yoke dim.	M	2,3	5-178X	5-799X
	w/Hydramatic Trans.	M	4,5	5-153X	5-785X
	w/MT	M	4,5	5-178X	5-799X
	All	M	6,7	5-178X	5-799X
1960-1963	1500 w/3 Spd. MT	M	2,3,4,5	5-153X	5-785X
		M	6,7	5-178X	5-799X
	w/4 Spd. MT	M	2,3,5	5-153X	5-785X
		M	4,6,7	5-178X	5-799X
	K1000 w/3 Spd. MT	M	2 THRU 7	5-153X	5-785X
	w/4 Spd. MT	M	2,3,5,6,7	5-153X	5-785X
		M	4	5-178X	5-799X
	Wheel Joint w/inside snap rings	M	1	5-74X	
	w/outside snap rings	M	1	5-86X	
1964-1966	w/3 Spd. MT	M	2,3,4,5	5-153X	5-785X
		M	6,7	5-178X	5-799X
	w/4 Spd. MT	M	2,3,5	5-153X	5-785X
		M	4,6,7	5-178X	5-799X
	Wheel Joint w/inside snap rings	M	1	5-74X	
	w/outside snap rings	M	1	5-86X	









Important: See Safety Information in General Information Section (J300P-GI)

Year	Model & Description	Fig.	Location	Spicer Part No.	SPL Part No.
GMC					
K-15 SERIES SUBURBAN					
1967-1969		K	2 THRU 8	5-153X	5-785X
	CV centering yoke kit	K	CV	211355X	
		K	7,8	5-153X	5-785X
	Wheel Joint w/inside snap rings	K	1	5-74X	
	w/outside snap rings	K	1	5-86X	
1970-1971		K	2 THRU 8	5-153X	5-785X
	CV centering yoke kit	K	CV	211355X	
	Wheel Joint	K	1	5-260X	
	Lube fitting in brg. cup	K	1	5-260-1X	
1972		K	2 THRU 8	5-153X	5-785X
	CV centering yoke kit	K	CV	211355X	
	Wheel Joint w/1.062” Brg. cup dia.	K	1	5-260X	
	Lube fitting in brg. cup	K	1	5-260-1X	
	w/1.188” Brg. cup dia.	J,K	1	5-760X	
	Lube fitting in brg. cup	J,K	1	5-297-1X	
1973-1976		K	2 THRU 8	5-153X	5-785X
	CV centering yoke kit	K	CV	211355X	
	Wheel Joint	K	1	5-760X	
	Lube fitting in brg. cup	K	1	5-297-1X	
1977-1978	w/outside snap rings	I	2,3,4,5,6	5-153X	5-785X
	CV centering yoke kit	I	CV	211355X	
	w/inside snap rings	I	2,3,4	5-3147X	5-795X
	3-Joint Driveshaft CV ball & seat kit	J	CV	211009X	
	CV seat repair kit	J	CV	211007X	
		J	5	5-3147X	5-795X
		J	6,7	5-178X	5-799X
		J	CB	210088-1X	
	Wheel Joint	I,J	1	5-760X	
	Lube fitting in brg. cup	I,J	1	5-297-1X	
1979-1981	w/outside snap rings w/1.062” Brg. cup dia	I,J	2	5-153X	5-785X
	w/inside snap rings w/1.126” Brg. cup dia.	I,J	3,4	5-3147X	5-795X
	CV ball & seat kit	I,J	CV	211009X	
	CV seat repair kit	I	CV	211007X	
	w/outside snap rings w/1.062” Brg. cup dia	I	5,6	5-153X	5-785X
	w/1.188” Brg. cup dia.	J	5,6,7	5-178X	5-799X
		J	CB	210088-1X	
	Wheel Joint	I,J	1	5-760X	
	Lube fitting in brg. cup.	I,J	1	5-297-1X	







4WD

Year	Model & Description	Fig.	Location	Spicer Part No.	SPL Part No.
GMC					
K-15 SERIES SUBURBAN					
1982-1986		I	2	5-153X	5-785X
		I	3,4	5-3147X	5-795X
	CV ball & seat kit	I	CV	211009X	
	CV seat repair kit	I	CV	211007X	
	w/inside snap rings	I	5,6	5-3147X	5-795X
	w/outside snap rings	I	5,6	5-178X	5-799X
	Wheel Joint	I	1	5-760X	
	Lube fitting in brg. cup.	I	1	5-297-1X	
1992-1993		L	2,3	5-3147X	5-795X
		L	4,5	5-3147X	5-795X
1994-1996	w/Turbo Diesel	L	2	5-212X	5-793X
		L	3	5-213X	5-790X
	w/o Turbo Diesel	L	2,3	5-3147X	5-795X
	w/AT	L	4,5	5-3147X	5-795X
	w/MT	L	4,5	5-178X	5-799X
1997-1999		L	2,3	5-3147X	5-795X
	w/inside snap rings	L	4,5	5-3147X	5-795X
	w/outside snap rings	L	4,5	5-178X	5-799X
K-25 SERIES PICK-UP					
1964-1966	w/3 Spd. Trans.	K	2,3,4,5,6	5-153X	5-785X
	CV centering yoke kit	K	CV	211355X	
		K	7,8	5-178X	5-799X
	Wheel Joint w/inside snap rings	K	1	5-74X	
	w/outside snap rings	K	1	5-86X	
1967-1969		I	2,3,4,5,6	5-153X	5-785X
	CV centering yoke kit	I	CV	211355X	
	Wheel Joint w/inside snap rings	I	1	5-74X	
	w/outside snap rings	I	1	5-86X	
1970-1971		I	2,3,4,5,6	5-153X	5-785X
	CV centering yoke kit	I	CV	211355X	
	Wheel Joint	I	1	5-260X	
	Lube fitting in brg. cup	I	1	5-260-1X	
1972		I	2,3,4,5,6	5-153X	5-785X
	CV centering yoke kit	I	CV	211355X	
	Wheel Joint w/1.062'' Brg. cup dia	I	1	5-260X	
	Lube fitting in brg. cup	I	1	5-260-1X	
	w/1.188'' Brg. cup dia.	I	1	5-760X	
	Lube fitting in brg. cup	I	1	5-297-1X	







Year	Model & Description	Fig.	Location	Spicer Part No.	SPL Part No.
GMC					
K-25 SERIES PICK-UP					
1973-1974		I	2,3,4,5,6	5-153X	5-785X
	CV centering yoke kit	I	CV	211355X	
	Wheel Joint	I,J	1	5-760X	
	Lube fitting in brg. cup	I,J	1	5-297-1X	
1975-1976		I,J	2,3,4	5-153X	5-785X
	CV centering yoke kit	I	CV	211355X	
	Exc. 292 Eng.	I	5	5-153X	5-785X
		I	6	5-178X	5-799X
	w/292 Eng.	I	5,6	5-153X	5-785X
	Wheel Joint	I,J	1	5-760X	
	Lube fitting in brg. cup	I,J	1	5-297-1X	
1977-1978	w/outside snap rings	I,J	2,3,4	5-153X	5-785X
	CV centering yoke kit	I,J	CV	211355X	
	w/inside snap rings	I,J	2,3,4	5-3147X	5-795X
	CV ball & seat kit	I,J	CV	211009X	
	CV seat repair kit	I,J	CV	211007X	
	2-Joint Driveshaft	I	5	5-153X	5-785X
		I	6	5-178X	5-799X
	3-Joint Driveshaft	J	5,6,7	5-178X	5-799X
		J	CB	210088-1X	
	Wheel Joint	I,J	1	5-760X	
	Lube fitting in brg. cup	I,J	1	5-297-1X	
1979-1981		I,J	2	5-153X	5-785X
		I,J	3,4	5-3147X	5-795X
	CV ball & seat kit	I,J	CV	211009X	
	CV seat repair kit	I,J	CV	211007X	
	2-Joint Driveshaft	I	5	5-153X	5-785X
		I	6	5-178X	5-799X
	3-Joint Driveshaft	J	5,6,7	5-178X	5-799X
		J	CB	210088-1X	
	Wheel Joint	I,J	1	5-760X	
	Lube fitting in brg. cup	I,J	1	5-297-1X	
1982-1986		I	2	5-153X	5-785X
		I	3,4	5-3147X	5-795X
	CV ball & seat kit	I	CV	211009X	
	CV seat repair kit	I	CV	211007X	
	2-Joint Driveshaft	I	5,6	5-178X	5-799X
	Wheel Joint	I	1	5-760X	
	Lube fitting in brg. cup	I	1	5-297-1X	





Year	Model & Description		Fig.	Location	Spicer Part No.	SPL Part No.
GMC						
K-25 SERIES PICK-UP						
1992-1993			L,N	2,3	5-3147X	5-795X
	2-Joint Driveshaft	Aluminum driveshaft	L	4,5	5-447X	
		Steel Driveshaft	L	4,5	5-178X	5-799X
	3-Joint Driveshaft	Steel Driveshaft	N	4,5,6	5-178X	5-799X
		w/AT	N	CB	211793-1X	
		w/MT	N	CB	211499X	
	Wheel Joint		L,N	1	5-760X	
1994			L,N	2,3	5-3147X	5-795X
	2-Joint Driveshaft	Aluminum driveshaft	L	4,5	5-447X	
		Steel Driveshaft	L	4,5	5-178X	5-799X
	3-Joint Driveshaft	Steel Driveshaft	N	4,5,6	5-178X	5-799X
		w/MT1 AT & 6.5L Turbo diesel	N	4,5,6	5-213X	5-790X
		w/AT, Including MT1 AT & 6.5L Turbo Diesel	N	CB	211793-1X	
		w/MT	N	CB	211499X	
	Wheel Joint		L,N	1	5-760X	
1995-1996			L,N	2,3	5-3147X	5-795X
	2-Joint Driveshaft	Aluminum driveshaft	L	4,5	5-447X	
		Steel Driveshaft	L	4,5	5-178X	5-799X
	3-Joint Driveshaft	Steel Driveshaft	N	4,5,6	5-178X	5-799X
		w/AT	N	CB	211793-1X	
		w/MT	N	CB	211499X	
	Wheel Joint		L,N	1	5-760X	
1997-1999			L,N	2,3	5-3147X	5-795X
	Reg. Cab w/8' Bed		L	4,5	5-178X	5-799X
	Ext. Cab		N	4,5,6	5-178X	5-799X
	w/AT		N	CB	211793-1X	
	w/MT		N	CB	211499X	
	Wheel Joint		L,N	1	5-760X	
K-25 SERIES SUBURBAN						
1992-1999	Front Driveshaft		L	2,3	5-3147X	5-795X
	2-Joint Driveshaft		L	4,5	5-178X	5-799X
K-35 SERIES						
1977-1978			N	2,3	5-153X	5-785X
			N	4,5,6	5-178X	5-799X
	Wheel Joint		N	1	5-806X	
1979			J	2	5-178X	5-799X
			J	3,4	5-153X	5-785X
		CV centering yoke kit	J	CV	211355X	







Important: See Safety Information in General Information Section (J300P-GI)

Year	Model & Description	Fig.	Location	Spicer Part No.	SPL Part No.
GMC					
K-35 SERIES					
1979	w/AT	J	5	5-153X	5-785X
		J	6,7	5-178X	5-799X
		J	CB	210088-1X	
	w/MT	J	5,6,7	5-178X	5-799X
	Wheel Joint	J	1	5-806X	
1980-1986		I,J	2	5-153X	5-785X
		I,J	3,4	5-3147X	5-795X
	CV ball & seat kit	I,J	CV	211009X	
	CV seat repair kit	I,J	CV	211007X	
		I,J	5,6,7	5-178X	5-799X
	Wheel Joint	I,J	1	5-806X	
1992-1998	w/inside snap rings	L,N	2,3	5-3147X	5-795X
	2-Joint Driveshaft Regular Cab w/131.5" WB	L	4,5	5-178X	5-799X
	3-Joint steel driveshaft 2 dr Chassis Cab & ext. Cab	N	4,5,6	5-178X	5-799X
		N	CB	211793-1X	
	4 Dr Chassis Cab w/steel driveshaft	N	4,5,6	5-178X	5-799X
		N	CB	211735-1X	
1999-2000	Front Driveshaft	L,N	2,3	5-3147X	5-795X
	2-Joint Driveshaft Regular Cab	L	4,5	5-178X	5-799X
	Chassis Cab w/135.5" or 141.5" WB	L	4,5	5-160X	5-801X
	3-Joint Driveshaft Ext. Cab or Crew Cab	N	4,5,6	5-178X	5-799X
	Chassis Cab w/159.5", 168.5" or 183.5" WB	N	4,5,6	5-160X	5-801X
S-15 JIMMY					
1983-1990		L	2,3	5-350X	
		L	4,5	5-3147X	5-795X
1991	w/Press-on Slip Yoke Seal	L	2	5-1200X	
		L	3	5-153X	5-785X
	w/Screw-on Slip Yoke Seal	L	2,3	5-350X	
		L	4,5	5-3147X	5-795X
1992-1993	Exc. Typhoon w/Press-on Slip Yoke Seal	L	2	5-1200X	
		L	3	5-153X	5-785X
	w/Screw-on Slip Yoke Seal	L	2,3	5-350X	
		L	4,5	5-3147X	5-795X
	Typhoon w/2.688" Yoke Dimension	I	3,4	5-443X	5-736X
	w/3.469" yoke dimension	I	3,4	5-433-1X	
		I	4,5	5-3147X	5-795X









4WD

Year	Model & Description	Fig.	Location	Spicer Part No.	SPL Part No.
GMC					
S-15 JIMMY					
1994	w/Press-on Slip Yoke Seal	L	2	5-1200X	
		L	3	5-153X	5-785X
	w/Screw-on Slip Yoke Seal	L	2,3	5-350X	
		L	4,5	5-3147X	5-795X
1995-1999		L	2,3	5-350X	
		L	4,5	5-3147X	5-795X
2000-2001		L	2	5-350X	
	Exc. 2-Door w/ZR2 ''High Wider'' Sport Pkg. w/Inside Snap Ring	L	4,5	5-3147X	5-795X
	2-Door w/ZR2 ''High Wider'' Sport Pkg. w/Outside Snap Ring	L	4,5	5-178X	5-799X
S-15 PICK-UP/SONOMA					
1983-1990		L,N	2,3	5-350X	
		L	4,5	5-3147X	5-795X
	Mexicab	N	4,5,6	5-3147X	5-795X
1991	Exc. Syclone w/Press-on Slip Yoke Seal	L	2	5-1200X	
		L	3	5-153X	5-785X
	w/Screw-on Slip Yoke Seal	L	2,3	5-350X	
		L	4,5	5-3147X	5-795X
	Syclone w/2.688'' Yoke Dimension	I	3,4	5-443X	5-736X
	w/3.469'' yoke dimension	I	3,4	5-433-1X	
		I	5,6	5-3147X	5-795X
1992-1993	w/Screw-on Slip Yoke Seal	L	2,3	5-350X	
	w/Press-on Slip Yoke Seal	L	3	5-153X	5-785X
		L	4,5	5-3147X	5-795X
1994	w/Press-on Slip Yoke Seal	L	2	5-350X	
		L	3	5-153X	5-785X
	w/Screw-on Slip Yoke Seal	L	2,3	5-350X	
		L	4,5	5-3147X	5-795X
1995-1999		L,N	2,3	5-350X	
	Exc. ZR2 High Wider Pkg.	L	4,5	5-3147X	5-795X
		N	4,5,6	5-3147X	5-795X
		N	CB	210370-1X	
	w/ZR2 High Wider Pkg & alum. driveshaft	L	4	5-791X	
		L	5	5-794X	
2000-2004		L	2	5-350X	
		L	4,5	5-3147X	5-795X





Important: See Safety Information in General Information Section (J300P-GI)

U-Joints

Year	Model & Description	Fig.	Location	Spicer Part No.	SPL Part No.
GMC					
SAFARI					
1990-2002		L	2	5-3147X	5-795X
		L	4	5-3147X	5-795X
		L	5	5-178X	5-799X
2003-2005		L	2	5-3147X	5-795X
		L	4,5	5-3147X	5-795X
SIERRA 1500					
1999-2000	Regular Cab	L	2,3,4,5	5-3147X	5-795X
	Ext. Cab or Crew Cab w/Short Bed	L	2,3	5-3147X	5-795X
		L	4	5-213X	5-790X
		L	5	5-212X	5-793X
	w/Long Bed	N	2,3	5-3147X	5-795X
		N	4,5	5-213X	5-790X
		N	6	5-212X	5-793X
2001	Regular Cab Incl. HD	L	2,3,4,5	5-3147X	5-795X
	Ext. Cab or Crew Cab w/Short Bed; Incl. HD	L	2,3	5-3147X	5-795X
		L	4	5-213X	5-790X
		L	5	5-212X	5-793X
	w/Long Bed; Incl. HD	N	2,3	5-3147X	5-795X
		N	4,5	5-213X	5-790X
		N	6	5-212X	5-793X
2002-2004	Regular Cab Incl. HD	L	2,3,4,5	5-3147X	5-795X
	Ext. Cab, Std. Bed; Incl. HD Exc. 4 Wheel Steering	L	2,3	5-3147X	5-795X
		L	4	5-213X	5-790X
		L	5	5-212X	5-793X
	w/4 Wheel Steering	L	2,3	5-3147X	5-795X
		L	4,5	5-178X	5-799X
	Ext. Cab, Long Bed; Incl. HD	N	2,3	5-3147X	5-795X
		N	4,5	5-213X	5-790X
		N	6	5-212X	5-793X
	Crew Cab; Incl. HD	N	2,3	5-3147X	5-795X
		N	4,5,6	5-178X	5-799X
2005	Front Driveshaft	L,N	2,3	5-3147X	5-795X
	Regular Cab w/Inside snap rings	L	4,5	5-3147X	5-795X
	w/Outside snap rings	L	4,5	5-178X	5-799X
	Ext. Cab, Std. Bed w/1.062" Brg. cup dia	L	4	5-213X	5-790X
	w/1.062" & 1.125" Brg. cup dia.	L	5	5-212X	5-793X
	w/1.188" Brg. cup dia. Exc. 4 Wheel Steering	L	4,5	5-178X	5-799X





4WD

Year	Model & Description	Fig.	Location	Spicer Part No.	SPL Part No.
GMC					
SIERRA 1500					
2005	Ext. Cab, Long Bed				
	w/1.062" & 1.125" Brg. cup dia.	N	5	5-212X	5-793X
	w/1.062" Brg. cup dia	N	4,5	5-213X	5-790X
	w/1.188" Brg. cup dia. Exc. w/4 Wheel Steering	N	4,5,6	5-178X	5-799X
	Ext. Cab or Crew Cab w/4 Wheel Steering	L	4,5	5-178X	5-799X
	Crew Cab w/1.188" Brg. cup dia. Exc. w/4 Wheel Steering	L	4,5	5-178X	5-799X
2006	Front Driveshaft	L,N	2,3	5-3147X	5-795X
	Regular Cab, Ext. Cab-Std. Bed, Crew Cab	L	4,5	5-178X	5-799X
	Ext. Cab, Long Bed	N	4,5,6	5-178X	5-799X
SIERRA 2500					
1999-2000	Front Driveshaft	L,N	2,3	5-3147X	5-795X
	2-Joint Driveshaft w/AT	L	4,5	5-178X	5-799X
	w/MT	L	4,5	5-160X	5-5-801X
	3-Joint Driveshaft w/AT	N	4,5	5-178X	5-799X
2001-2003	2500 & 2500HD Series	L,N	2,3	5-3147X	5-795X
	2500 Series	L	4,5	5-178X	5-799X
	2500HD Series				
	Reg. Cab w/5 Spd AT	L	4,5	5-160X	5-801X
	Ext. Cab w/Std bed; w/5 Spd MT or w/AT	L	4,5	5-160X	5-801X
	Crew Cab w/Std bed; w/AT	L	4,5	5-160X	5-801X
	2-Joint Driveshaft w/6 Spd MT	L	4,5	5-188X	5-803X
	Reg. Cab; w/5 Spd MT or 4 Spd AT, w/AAM 1415 Series Driveshaft	L	4,5	N/A	
	Crew Cab w/Long Bed; w/AT	N	4,5,6	5-160X	5-801X
	Crew Cab w/5 Spd MT	N	4,5,6	5-160X	5-801X
	3-Joint Driveshaft w/6 Spd MT	N	4,5,6	5-188X	5-803X





Important: See Safety Information in General Information Section (J300P-GI)

Year	Model & Description	Fig.	Location	Spicer Part No.	SPL Part No.
GMC					
SIERRA 2500					
2004	2500 & 2500HD Series	L,N	2,3	5-3147X	5-795X
	2500 Series	L	4,5	5-178X	5-799X
	2500HD Series				
	Reg. Cab w/5 Spd AT w/1.188" Bearing Cap Diameter	L	4,5	5-160X	5-801X
	Ext. Cab w/Std bed; w/5 Spd MT or w/4 Spd AT	L	4,5	5-160X	5-801X
	Crew Cab w/Std bed; w/AT	L	4,5	5-160X	5-801X
	Ext. Cab w/Std bed; w/5 Spd AT w/1.188" Bearing Cap Diameter	L	4,5	5-160X	5-801X
	2-Joint Driveshaft w/6 Spd MT	L	4,5	5-188X	5-803X
	Reg. Cab w/5 Spd AT w/1.375" Bearing Cap Diameter	L	4,5	5-188X	5-803X
	Ext. Cab w/Std bed; w/5 Spd AT	L	4,5	5-188X	5-803X
	Reg. Cab; w/5 Spd MT or w/4 Spd AT AAM 1415 Series Driveshaft	L	4,5	N/A	
	Crew Cab w/Long Bed; w/AT	N	4,5,6	5-160X	5-801X
	Crew Cab w/5 Spd MT	N	4,5,6	5-160X	5-801X
	Crew Cab w/6 Spd MT	N	4,5,6	5-188X	5-803X
2005	2500HD Series	L,N	2,3	5-3147X	5-795X
	Reg. Cab w/5 Spd AT	L	4,5	5-188X	5-803X
	Reg. Cab w/6 Spd MT	L	4,5	5-188X	5-803X
	Reg. Cab; w/5 Spd MT or w/4 Spd AT AAM 1415 Series Driveshaft	L	4,5	N/A	
	Ext. Cab w/Std bed; w/5 Spd MT or w/4 Spd AT	L	4,5	5-160X	5-801X
	Ext. Cab w/Std bed; w/5 Spd AT	L	4,5	5-188X	5-803X
	Ext. Cab w/Std bed; w/6 Spd MT or w/6 Spd AT	L	4,5	5-188X	5-803X
	Ext. Cab w/Std bed; w/6 Spd MT	L	4,5	5-188X	5-803X
	Exc. Cab w/Long Bed; w/AT	L	4,5	5-160X	5-801X
	Crew Cab w/Std bed; w/AT	L	4,5	5-160X	5-801X
	Exc. Cab w/Long Bed; w/5 Spd MT	N	4,5,6	5-160X	5-801X
	Crew Cab w/Long Bed; w/AT	N	4,5,6	5-160X	5-801X
	3-Joint Driveshaft w/6 Spd MT	N	4,5,6	5-188X	5-803X
	Crew Cab w/5 Spd MT	N	4,5,6	5-160X	5-801X





4WD

Year	Model & Description	Fig.	Location	Spicer Part No.	SPL Part No.
GMC					
SIERRA 2500					
2006	2500HD Series	L,N	2,3	5-3147X	5-795X
	Reg. Cab w/6 Spd MT or w/6 Spd AT	L	4,5	5-188X	5-803X
	Reg. Cab; w/5 Spd MT or w/4 Spd AT AAM 1415 Series Driveshaft	L	4,5	N/A	
	Ext. Cab w/Std bed; w/5 Spd MT or w/4 Spd AT	L	4,5	5-160X	5-801X
	Exc. Cab w/Long Bed; w/AT	L	4,5	5-160X	5-801X
	Crew Cab w/Std bed; w/AT	L	4,5	5-160X	5-801X
	Exc. Cab w/Long Bed; w/5 Spd MT	N	4,5,6	5-160X	5-801X
	3-Joint Driveshaft w/6 Spd MT	N	4,5,6	5-188X	5-803X
	Crew Cab w/Long Bed; w/AT	N	4,5,6	5-160X	5-801X
	Crew Cab w/5 Spd MT	N	4,5,6	5-160X	5-801X
SIERRA 3500					
2001-2003	Front Driveshaft	L,N	2,3	5-3147X	5-795X
	w/6.0L Eng.	L	4,5	5-160X	5-801X
		N	4,5,6	5-160X	5-801X
	w/6.6L Turbo Diesel or 8.1L Eng. w/AT	L	4,5	5-160X	5-801X
	w/MT	L	4,5	5-188X	5-803X
	w/AT	N	4,5,6	5-160X	5-801X
	w/MT	N	4,5,6	5-188X	5-803X
2004	Front Driveshaft	L,N	2,3	5-3147X	5-795X
	Reg. Cab, Ext. Cab, or Ext. Cab w/4 spd. AT w/1.188" Brg. cup dia.	L	4,5	5-160X	5-801X
	Reg. Cab w/4 spd. AT or 5 spd. MT w/AAM 1415 Series Driveshaft	L	4,5	N/A	
	Reg. Cab w/5 spd. AT or Ext. Cab w/5 spd. AT w/1.375" Brg. cup dia.	L	4,5	5-188X	5-803X
	Reg. Cab w/6 spd. MT or Ext. Cab w/6 spd. MT	L	4,5	5-188X	5-803X
	Ext. Cab w/5 spd. MT	N	4,5,6	5-160X	5-801X
	Crew Cab w/AT or 5 spd. MT	N	4,5,6	5-160X	5-801X
	Crew Cab w/6 spd. MT	N	4,5,6	5-188X	5-803X
	Chassis Cab w/137" WB Exc. 6 spd. MT	L	4,5	5-160X	5-801X
	w/6 spd. MT	L	4,5	5-188X	5-803X
	Chassis Cab w/161.5" WB Exc. 6 spd. MT	N	4,5,6	5-160X	5-801X
	w/6 spd. MT	N	4,5,6	5-188X	5-803X
2005	Front Driveshaft	L,N	2,3	5-3147X	5-795X
	Reg. Cab w/4 spd. AT or 5 spd. MT w/AAM 1415 Series Driveshaft	L	4,5	N/A	
	Reg. Cab w/5 spd. AT or w/6 spd. MT	L	4,5	5-188X	5-803X
	Ext. Cab w/AT	L	4,5	5-160X	5-801X





Important: See Safety Information in General Information Section (J300P-GI)

Year	Model & Description	Fig.	Location	Spicer Part No.	SPL Part No.
GMC					
SIERRA 3500					
2005	Ext. Cab w/5 spd. MT	N	4,5,6	5-160X	5-801X
	Ext. Cab w/6 spd. MT	N	4,5,6	5-188X	5-803X
	Crew Cab w/AT or 5 spd. MT	N	4,5,6	5-160X	5-801X
	Crew Cab w/6 spd. MT	N	4,5,6	5-188X	5-803X
	Chassis Cab w/137" WB w/AT or 5 spd. MT	L	4,5	5-160X	5-801X
	w/6 spd. MT	L	4,5	5-188X	5-803X
	Chassis Cab w/161.5" WB w/AT or 5 spd. MT	N	4,5,6	5-160X	5-801X
	w/6 spd. MT	N	4,5,6	5-188X	5-803X
2006	SIERRA 3500 Front Driveshaft	L,N	2,3	5-3147X	5-795X
	Reg. Cab w/4 spd. AT or 5 spd. MT w/AAM 1415 Series Driveshaft	L	4,5	N/A	
	Reg. Cab w/6 spd. AT w/1.188" Brg. cup dia.	L	4,5	5-160X	5-801X
	Reg. Cab w/6 spd. AT or 6 spd. MT, w/1.375" Brg. cup dia.	L	4,5	5-188X	5-803X
	Ext. Cab w/AT	L	4,5	5-160X	5-801X
	Ext. Cab w/5 spd. MT	N	4,5,6	5-160X	5-801X
	Ext. Cab w/6 spd. MT	N	4,5,6	5-188X	5-803X
	Crew Cab w/AT or 5 spd. MT	N	4,5,6	5-160X	5-801X
	Crew Cab w/6 spd. MT	N	4,5,6	5-188X	5-803X
	Chassis Cab w/137" WB w/AT or 5 spd. MT	L	4,5	5-160X	5-801X
	w/6 spd. MT	L	4,5	5-188X	5-803X
	Chassis Cab w/161.5" WB w/AT or 5 spd. MT	N	4,5,6	5-160X	5-801X
	w/6 spd. MT	N	4,5,6	5-188X	5-803X
V-15 SERIES JIMMY					
1987-1991		I	2	5-153X	5-785X
		I	3,4	5-3147X	5-795X
	CV ball & seat kit	I	CV	211009X	
	w/inside snap rings	I	5,6	5-3147X	5-795X
	w/outside snap rings	I	5,6	5-178X	5-799X
	Wheel Joint	I	1	5-760X	
	Lube fitting in brg. cup	I	1	5-297-1X	
V-15 SERIES PICKUP					
1987-1991		I	2	5-153X	5-785X
		I	3,4	5-3147X	5-795X
	CV ball & seat kit	I	CV	211009X	
	w/inside snap rings	I	5,6	5-3147X	5-795X
	w/outside snap rings	I	5,6	5-178X	5-799X
	Wheel Joint	I	1	5-760X	
	Lube fitting in brg. cup	I	1	5-297-1X	







Year	Model & Description	Fig.	Location	Spicer Part No.	SPL Part No.
GMC					
V-15 SERIES SUBURBAN					
1987-1991		I	2	5-153X	5-785X
		I	3,4	5-3147X	5-795X
	CV ball & seat kit	I	CV	211009X	
	w/inside snap rings	I	5,6	5-3147X	5-795X
	w/outside snap rings	I	5,6	5-178X	5-799X
	Wheel Joint	I	1	5-760X	
	Lube fitting in brg. cup	I	1	5-297-1X	
V-25 SERIES PICK-UP					
1987-1991	w/AT	L,N	2,3	5-3147X	5-795X
	w/MT	L,N	2	5-213X	5-790X
		L,N	3	5-212X	5-793X
	2-Joint Steel Driveshaft	L	4,5	5-178X	5-799X
	2-Joint Alum. Driveshaft	L	4,5	5-447X	
	3-Joint Driveshaft	N	4,5,6	5-178X	5-799X
	Wheel Joint	L,N	1	5-760X	
V-25 SERIES SUBURBAN					
1987-1991	w/AT	L,N	2,3	5-3147X	5-795X
	w/MT	L,N	2	5-213X	5-790X
		L,N	3	5-212X	5-793X
	2-Joint Steel Driveshaft	L	4,5	5-178X	5-799X
	2-Joint Alum. Driveshaft	L	4,5	5-447X	
	3-Joint Driveshaft	N	4,5,6	5-178X	5-799X
	Wheel Joint	L,N	1	5-760X	
V-35 SERIES					
1987-1991		I,J	2	5-153X	5-785X
		I,J	3,4	5-3147X	5-795X
	CV ball & seat kit	I,J	CV	211009X	
	2-Joint Driveshaft	I	5,6	5-178X	5-799X
	3-Joint Driveshaft	J	5,6,7	5-178X	5-799X
		J	CB	210088-1X	
	Wheel Joint	I,J	1	5-806X	
YUKON					
1992-1999		L	2,3	5-3147X	5-795X
		L	4,5	5-3147X	5-795X



Important: See Safety Information in General Information Section (J300P-GI)

U-Joints

Year	Model & Description	Fig.	Location	Spicer Part No.	SPL Part No.
GMC					
YUKON					
2000		L	2,3	5-3147X	5-795X
		L	4,5	5-3147X	5-795X
	Yukon ''XL 1500''	L	2,3	5-3147X	5-795X
	w/Inside Snap Ring	L	4,5	5-3147X	5-795X
	w/Outside Snap Ring	L	4,5	5-178X	5-799X
	Yukon ''XL 2500''	L	2,3	5-3147X	5-795X
		L	4,5	5-178X	5-799X
2001-2006		L	2,3	5-3147X	5-795X
		L	4,5	5-3147X	5-795X
	Yukon ''XL 1500''	L	2,3	5-3147X	5-795X
		L	4,5	5-3147X	5-795X
	Yukon ''XL 2500'' w/6.0L & 8.1L Eng.	L	2,3	5-3147X	5-795X
	w/6.0L Eng.	L	4,5	5-178X	5-799X
	w/8.1L Eng.	L	4,5	5-160X	5-801X
HONDA					
PASSPORT					
1994-1997		N	2,3	5-1515X	
		N	4,5,6	5-153X	5-785X
1998-2002		L	2,3	5-153X	5-785X
		L	4,5	5-153X	5-785X





4WD

Year	Model & Description	Fig.	Location	Spicer Part No.	SPL Part No.
IHC					
100, 110, 120, 900, 1000 & 1200 SERIES					
1959-1969		M	2,3,4	5-153X	5-785X
		M	5,6,7	5-153X	5-785X
	Wheel Joint w/inside snap rings	M	1	5-74X	
	w/outside snap rings	M	1	5-86X	
1970-1973		M	2,3,4	5-153X	5-785X
		M	5,6,7	5-153X	5-785X
	Wheel Joint	M	1	5-260X	
	Lube fitting in brg. cup	M	1	5-260-1X	
1974-1979		M	2,3,4	5-153X	5-785X
		M	5,6,7	5-153X	5-785X
	Wheel Joint	M	1	5-760X	
	Lube fitting in brg. cup	M	1	5-297-1X	
130 SERIES					
1959-1979		M	2,3,4	5-153X	5-785X
		M	5,6,7	5-153X	5-785X
	Wheel Joint	M	1	5-88X	
1300 (INCLUDING STATION WAGONS) SERIES					
1959-1979		M	2,3,4	5-153X	5-785X
		M	5,6,7	5-153X	5-785X
	Wheel Joint	M	1	5-88X	
SCOUT 800 SERIES					
1961-1966		L	2,3,4,5	5-2140X	
	Wheel Joint w/inside snap rings	L	1	5-74X	
1967-1969		L	2,3,4,5	5-1200X	
	Wheel Joint w/inside snap rings	L	1	5-74X	
1970-1973		L	2,3,4,5	5-1200X	
	Wheel Joint	L	1	5-260X	
1974-1980		L	2,3,4,5	5-1200X	
	Wheel Joint	L	1	5-760X	
	Lube fitting in brg. cup	L	1	5-297-1X	
INFINITI					
1997-2003	QX4	L	2,3	5-153X	5-785X
		L	4,5	5-1505X	





Important: See Safety Information in General Information Section (J300P-GI)

U-Joints

Year	Model & Description	Fig.	Location	Spicer Part No.	SPL Part No.
ISUZU					
AMIGO					
1988	Exc. 3.2L Eng.	L	2,3	5-153X	5-785X
	w/3.2L Eng.	I	2,3,4	5-153X	5-785X
1989-1995		N	2,3	5-1515X	
		N	4,5,6	5-1515X	
ASCENDER					
2003-2006		L	2	5-350X	
		L	4,5	5-3147X	5-795X
AXIOM					
2002-2004		L	4,5	5-153X	5-785X
PUP					
1981-1997	w/outside snap rings	L,N	2,3	5-111X	
	w/inside snap rings	L,N	2,3	5-1515X	
	2-Joint Driveshaft w/outside snap rings	L	4,5	5-111X	
	w/inside snap rings	L	4,5	5-1515X	
	3-Joint Driveshaft w/outside snap rings	N	4,5,6	5-111X	
	w/inside snap rings	N	4,5,6	5-1515X	
RODEO					
1991-1997		N	2,3	5-1515X	
		N	4,5,6	5-153X	5-785X
1998-2004		L	2,3	5-153X	5-785X
		L	4,5	5-153X	5-785X
TROOPER II					
1981-1997	w/inside snap rings	L,N	2,3	5-1515X	
	w/outside snap rings	L,N	2,3	5-111X	
	2-Joint Driveshaft w/inside snap rings	L	4,5	5-1515X	
	w/outside snap rings	L	4,5	5-111X	
	3-Joint Driveshaft w/inside snap rings	N	4,5,6	5-1515X	
	w/outside snap rings	N	4,5,6	5-111X	
1998-2002	Front Driveshaft; Exc.Torque on Demand	L	2,3	5-1515X	
	Rear Driveshaft	L	4,5	N/A	
VEHICROSS					
2001		L	4,5	5-1515X	







Year	Model & Description	Fig.	Location	Spicer Part No.	SPL Part No.
JEEP					
10 SERIES					
1982-1988		I	2	5-153X	5-785X
		I	3,4	5-433-1X	
	CV centering yoke kit	I	CV	211355X	
	2-Joint Driveshaft	I	5,6	5-153X	5-785X
	Wheel Joint	I	1	5-760X	
20 SERIES					
1974-1978		I	2	5-153X	5-785X
		I	3,4	5-433-1X	
	2-Joint Driveshaft	I	5,6	5-153X	5-785X
	Wheel Joint	I	1	5-760X	
	Lube fitting in brg. cup	I	1	5-297-1X	
1979-1988		I	2	5-153X	5-785X
		I	3,4	5-433-1X	
	CV centering yoke kit	I	CV	211355X	
	2-Joint Driveshaft	I	5,6	5-153X	5-785X
	Wheel Joint	I	1	5-760X	
	Lube fitting in brg. cup	I	1	5-297-1X	
40 SERIES					
1974-1978		L	2,3,4,5	5-153X	5-785X
	Wheel Joint	I	1	5-760X	
	Lube fitting in brg. cup	I	1	5-297-1X	
1979-1981		I	2,3,4	5-153X	5-785X
		I	5,6	5-153X	5-785X
	CV centering yoke kit	I	CV	211355X	
	Wheel Joint	I	1	5-760X	
	Lube fitting in brg. cup	I	1	5-297-1X	
1982-1988		I	5,6	5-153X	5-785X
BRIARWOOD					
1984-1985		L	2,4,5	5-153X	5-785X
	Wheel Joint Part Time 4WD	L	1	5-260X	
1986-1987	Std Duty w/Gas Eng.	L	2,3	5-153X	5-785X
	HD w/Gas or Diesel Eng.	I	2	5-153X	5-785X
		I	3,4	5-433-1X	
	CV centering yoke kit	I	CV	211355X	
		L	4,5	5-153X	5-785X
		I	5,6	5-153X	5-785X
	Wheel Joint Part Time 4WD	L	1	5-260X	



Fig. I



Fig. L

Important: See Safety Information in General Information Section (J300P-GI)

U-Joints

Year	Model & Description	Fig.	Location	Spicer Part No.	SPL Part No.
JEEP					
BRIARWOOD					
1988-1993		I	2,5,6	5-153X	5-785X
		I	3,4	5-433-1X	
	CV centering yoke kit	I	CV	211355X	
	Wheel Joint Part Time 4WD	L	1	5-260X	
1994-1998		I	2	5-153X	5-785X
		I	3,4	5-433-1X	
	w/2 inside & 2 outside snap rings	I	5,6	5-353X	5-788X
	w/4 outside snap rings	I	5,6	5-153X	5-785X
	w/4 inside snap rings w/7290 Series	I	5,6	5-1309X	5-811X
C101					
1967-1969		L	2,3	5-248X	
		L	4,5	5-153X	5-785X
	Wheel Joint	L	1	5-260X	
	Lube fitting in brg. cup	L	1	5-260-1X	
1970-1973	C101	L	2,3,4,5	5-153X	5-785X
	Wheel Joint	L	1	5-260X	
	Lube fitting in brg. cup	L	1	5-260-1X	
CHEROKEE COMPACT (XJ)					
1984-1985	Front Driveshaft	L	2	5-153X	5-785X
	2-Joint Driveshaft	L	4,5	5-153X	5-785X
	Wheel Joint w/1.062" Brg. cup dia.	L	1	5-260X	
	w/1.188" Brg. cup dia.	L	1	5-760X	
1986-1987	Std Duty w/Gas Eng.	L	2,3	5-153X	5-785X
	HD w/Gas or Diesel Eng.	I	2	5-153X	5-785X
		I	3,4	5-433-1X	
	CV centering yoke kit	I	CV	211355X	
	2-Joint Driveshaft	L	4,5	5-153X	5-785X
		I	5,6	5-153X	5-785X
	Wheel Joint w/1.062" Brg. cup dia	I,L	1	5-260X	
	w/1.188" Brg. cup dia.	I,L	1	5-760X	
1988-1993	Front Driveshaft	I	2	5-153X	5-785X
		I	3,4	5-433-1X	
	CV centering yoke kit	I	CV	211355X	
	2-Joint Driveshaft	I	5,6	5-153X	5-785X
	Wheel Joint w/1.062" Brg. cup dia.	I	1	5-260X	
	w/1.188" Brg. cup dia.	I	1	5-760X	



Fig. I



Fig. L

4WD

Year	Model & Description	Fig.	Location	Spicer Part No.	SPL Part No.
JEEP					
CHEROKEE COMPACT (XJ)					
1994	Front Driveshaft	I	2	5-153X	5-785X
		I	3,4	5-433-1X	
	w/2 inside & 2 outside snap rings	I	5,6	5-353X	5-788X
	w/4 outside snap rings	I	5,6	5-153X	5-785X
	w/4 inside snap rings 7290 Series	I	5,6	5-1309X	5-811X
	Wheel Joint w/1.062'' Brg. cup dia	I	1	5-260X	
	w/1.188'' Brg. cup dia.	I	1	5-760X	
1995-1998	Front Driveshaft	I	2	5-153X	5-785X
		I	3,4	5-433-1X	
	w/2 inside & 2 outside snap rings	I	5,6	5-353X	5-788X
	w/4 outside snap rings	I	5,6	5-153X	5-785X
	w/4 inside snap rings 7290 Series	I	5,6	5-1309X	5-811X
	Wheel Joint w/1.188'' Brg. cup dia.	I	1	5-760X	
1999-2001	Front Driveshaft	I	2	5-153X	5-785X
		I	3,4	5-433-1X	
	2-Joint Driveshaft w/AT	I	5,6	5-153X	5-785X
	2-Joint Driveshaft w/MT	I	5	5-213X	5-790X
		I	6	5-153X	5-785X
	Wheel Joint w/1.188'' Brg. cup dia.	I	1	5-760X	
CHEROKEE FULLSIZE (SJ)					
1974-1980		I	2,3,4	5-153X	5-785X
	CV centering yoke kit	I	CV	211355X	
	w/Hydramatic Trans.	I	5,6	5-153X	5-785X
	w/MT	I	5	5-1407X	
		I	6	5-1306X	5-789X
	Lube fitting in brg. cup	I	6	5-1306-1X	
	Wheel Joint	I	1	5-760X	
	Lube fitting in brg. cup	I	1	5-297-1X	
1981-1983		I	2	5-153X	5-785X
		I	3,4	5-433-1X	
	CV centering yoke kit	I	CV	211355X	
		I	5,6	5-153X	5-785X
	Wheel Joint	I	1	5-760X	
	Lube fitting in brg. cup	I	1	5-297-1X	



Important: See Safety Information in General Information Section (J300P-GI)

U-Joints

Year	Model & Description	Fig.	Location	Spicer Part No.	SPL Part No.
JEEP					
CJ5					
1955-1962	w/outside snap rings	N	2,3,4,6	5-153X	5-785X
1963-1966	w/outside snap rings	N	2,3,4,6	5-153X	5-785X
	Wheel Joint	N	1	5-260X	
	Lube fitting in brg. cup	N	1	5-260-1X	
1967-1978		L	2,3,4,6	5-153X	5-785X
	Wheel Joint	L	1	5-260X	
	Lube fitting in brg. cup	L	1	5-260-1X	
1979-1981		I	2,5,6	5-153X	5-785X
		I	3,4	5-433-1X	
	CV centering yoke kit	I	CV	211355X	
	Wheel Joint	I	1	5-260X	
	Lube fitting in brg. cup	I	1	5-260-1X	
1982-1983		L	2,3,4,5	5-153X	5-785X
	Wheel Joint	L	1	5-260X	
	Lube fitting in brg. cup	L	1	5-260-1X	
CJ6					
1955-1962	w/outside snap rings	N	2,3,4,6	5-153X	5-785X
1963-1966	w/outside snap rings	N	2,3,4,6	5-153X	5-785X
	Wheel Joint	N	1	5-260X	
	Lube fitting in brg. cup	N	1	5-260-1X	
1967-1975		L	2,3,4,5	5-153X	5-785X
	Wheel Joint	L	1	5-260X	
	Lube fitting in brg. cup	L	1	5-260-1X	
CJ7					
1976-1978		L	2,3,4,5	5-153X	5-785X
	Wheel Joint	L	1	5-260X	
	Lube fitting in brg. cup	L	1	5-260-1X	
1979-1981		I	2,5,6	5-153X	5-785X
		I	3,4	5-433-1X	
	CV centering yoke kit	I	CV	211355X	
	Wheel Joint	I	1	5-260X	
	Lube fitting in brg. cup	I	1	5-260-1X	
1982-1986		L	2,3,4,5	5-153X	5-785X
	Wheel Joint	L	1	5-260X	
	Lube fitting in brg. cup	L	1	5-260-1X	







Year	Model & Description	Fig.	Location	Spicer Part No.	SPL Part No.
JEEP					
COMANCHE					
1986-1987	Front Driveshaft Std Duty w/Gas Eng.	L	2,3	5-153X	5-785X
	HD w/Gas or Diesel Eng.	I	2	5-153X	5-785X
		I	3,4	5-433-1X	
	HD w/Gas or Diesel Eng. CV centering yoke kit	I	CV	211355X	
	2-Joint Driveshaft	L	4,5	5-153X	5-785X
		I	5,6	5-153X	5-785X
	Wheel Joint w/Part Time 4WD	I,L	1	5-260X	
	Lube fitting in brg. cup	I,L	1	5-260-1X	
1988	Front Driveshaft	I	2	5-153X	5-785X
		I	3,4	5-433-1X	
	CV centering yoke kit	I	CV	211355X	
	2-Joint Driveshaft	I	5,6	5-153X	5-785X
	Wheel Joint w/Part Time 4WD	I	1	5-260X	
	Lube fitting in brg. cup	I	1	5-260-1X	
1989	Front Driveshaft	I	2	5-153X	5-785X
		I	3,4	5-433-1X	
	CV centering yoke kit	I	CV	211355X	
	2-Joint Driveshaft	I	5,6	5-153X	5-785X
	Wheel Joint w/Part Time 4WD	I	1	5-260X	
	Part Time 4WD Lube fitting in brg. cup	I	1	5-260-1X	
1990-1992	Front Driveshaft	I	2	5-153X	5-785X
		I	3,4	5-433-1X	
	CV centering yoke kit	I	CV	211355X	
	2-Joint Driveshaft	I	5,6	5-153X	5-785X
	Wheel Joint w/Part Time 4WD	I	1	5-260X	
	Lube fitting in brg. cup	I	1	5-260-1X	
COMMANDO					
1967-1969	Front Driveshaft	L	2,3	5-248X	
	2-Joint Driveshaft	L	4,5	5-153X	5-785X
	Wheel Joint	L	1	5-260X	
	Lube fitting in brg. cup	L	1	5-260-1X	
1970-1973		L	2,3,4,5	5-153X	5-785X
	Wheel Joint	L	1	5-260X	
	Lube fitting in brg. cup	L	1	5-260-1X	





Important: See Safety Information in General Information Section (J300P-GI)

U-Joints

Year	Model & Description	Fig.	Location	Spicer Part No.	SPL Part No.
JEEP					
GLADIATOR					
1963-1966	Front Driveshaft	L	2,3	5-153X	5-785X
	2-Joint Driveshaft	L	4,5	5-153X	5-785X
	Wheel Joint	L	1	5-260X	
	Lube fitting in brg. cup	L	1	5-260-1X	
1967	Front Driveshaft	L	2,3	5-153X	5-785X
	2-Joint Driveshaft	L	2,3	5-153X	5-785X
	Wheel Joint	L	1	5-260X	
1968-1973	Front Driveshaft w/outside snap rings	L	2,3	5-153X	5-785X
	w/inside snap rings	I	2	5-1520X	
		I	3	5-2140X	
		I	4	5-2530X	
	2-Joint Driveshaft	L	4,5	5-153X	5-785X
		I	5,6	5-153X	5-785X
	Wheel Joint	I,L	1	5-260X	
	Lube fitting in brg. cup	I,L	1	5-260-1X	
GRAND CHEROKEE					
1993	Front Driveshaft	I	2	5-153X	5-785X
		I	3,4	5-433-1X	
	CV centering yoke kit	I	CV	211355X	
	2-Joint Driveshaft	I	5,6	5-153X	5-785X
	Wheel Joint w/Part Time 4WD	I	1	5-260X	
	Lube fitting in brg. cup	I	1	5-260-1X	
1994-1998	Front Driveshaft	I	2	5-153X	5-785X
		I	3,4	5-433-1X	
	w/2 inside & 2 outside snap rings	I	5,6	5-353X	5-788X
	w/4 outside snap rings	I	5,6	5-153X	5-785X
	w/4 inside snap rings w/7290 Series	I	5,6	5-1309X	5-811X
	Wheel Joint w/1.188" Brg. cup dia.	I	1	5-760X	
1999	Front Driveshaft	I	2	5-153X	5-785X
		I	3,4	5-433-1X	
	2-Joint Driveshaft w/4.0L & 4.7L Eng.	I	5,6	5-153X	5-785X
	Wheel Joint w/1.188" Brg. cup dia.	I	1	5-760X	
2000	Front Driveshaft	I	2	5-153X	5-785X
		I	3,4	5-433-1X	5-785X
	2-Joint Driveshaft w/4.0L & 4.7L Eng.	I	5,6	5-153X	5-785X
2001	Front Driveshaft w/4.7L Eng.	I	2	5-153X	5-785X
		I	3,4	5-433-1X	5-785X





Year	Model & Description	Fig.	Location	Spicer Part No.	SPL Part No.
JEEP					
GRAND CHEROKEE					
2001	2-Joint Driveshaft 4.0L w/Selec-Trac	I	5,6	5-153X	5-785X
	4.7L w/o Selec-Trac	I	5,6	5-153X	5-785X
	4.7L w/Selec-Trac	I	5	5-213X	5-790X
		I	6	5-153X	5-785X
2002-2003	Front Driveshaft w/4.7L Eng.	I	2	5-153X	5-785X
		I	3,4	5-433-1X	
	2-Joint Driveshaft 4.0L w/Selec-Trac	I	5,6	5-153X	5-785X
	4.7L w/o Selec-Trac	I	5,6	5-153X	5-785X
	4.7L w/Selec-Trac	I	5	5-213X	5-790X
		I	6	5-153X	5-785X
2004	Front Driveshaft w/4.7L Eng., w/Double Cardan Shaft	I	2	5-153X	5-785X
		I	3,4	5-153X	5-785X
	2-Joint Driveshaft w/4.0L & 4.7L Eng.	I	5,6	5-153X	5-785X
GRAND WAGONEER					
1983-1991	Front Driveshaft	I	2	5-153X	5-785X
		I	3,4	5-433-1X	
	CV centering yoke kit	I	CV	211355X	
	2-Joint Driveshaft	I	5,6	5-153X	5-785X
	Wheel Joint	I	1	5-760X	
	Lube fitting in brg. cup	I	1	5-297-1X	
J262, J264, J362 & J364					
1963-1977		L	2,3,4,5	5-153X	5-785X
	w/inside snap rings	J	2	5-1520X	
		J	3	5-2140X	
		J	4	5-2530X	
	Wheel Joint	L	1	5-260X	
JEEPSTER					
1967-1969	Front Driveshaft	L	2,3	5-248X	
	2-Joint Driveshaft	L	4,5	5-153X	5-785X
	Wheel Joint	L	1	5-260X	
	Lube fitting in brg. cup	L	1	5-260-1X	
1970	Front Driveshaft	L	2,3	5-153X	5-785X
	2-Joint Driveshaft	L	4,5	5-153X	5-785X
	Wheel Joint	L	1	5-260X	
	Lube fitting in brg. cup	L	1	5-260-1X	
1971-1972	Front Driveshaft	L	2,3	5-153X	5-785X
	Wheel Joint	L	1	5-260X	
	Lube fitting in brg. cup	L	1	5-260-1X	







Important: See Safety Information in General Information Section (J300P-GI)

U-Joints

Year	Model & Description	Fig.	Location	Spicer Part No.	SPL Part No.
JEEP					
JEEPSTER					
1973	Front Driveshaft	L	2,3	5-153X	5-785X
	2-Joint Driveshaft	L	4,5	5-153X	5-785X
	Wheel Joint	L	1	5-260X	
	Lube fitting in brg. cup	L	1	5-260-1X	
JEEPSTER C101					
1967-1969	Front Driveshaft	L	2,3	5-248X	
	2-Joint Driveshaft	L	4,5	5-153X	5-785X
	Wheel Joint	L	1	5-260X	
	Lube fitting in brg. cup	L	1	5-260-1X	
1970-1973	Front Driveshaft	L	2,3	5-153X	5-785X
		L	4,5	5-153X	5-785X
	Wheel Joint	L	1	5-260X	
	Lube fitting in brg. cup	L	1	5-260-1X	
LIBERTY					
2002	w/2.4L Eng.	L	4,5	5-153X	5-785X
	w/3.7L Eng.	L	4,5	5-213X	5-790X
2003	w/2.4L Eng. w/3.469" yoke dimension	L	4	5-153X	5-785X
	w/3.875" yoke dimension	L	5	5-213X	5-790X
	w/3.469" yoke dimension	L	4,5	5-153X	5-785X
	w/3.7L Eng. w/3.469" yoke dimension	L	4,5	5-153X	5-785X
	w/3.875" yoke dimension	L	4,5	5-213X	5-790X
2004	w/2.4L & 3.7L Eng.	L	4,5	5-153X	5-785X
2005-2006	Exc. Manual "Shift-on-the Fly" Transfer Case	L	4,5	5-153X	5-785X
	w/Manual "Shift-on-the Fly" Transfer Case	L	4	5-213X	5-790X
		L	5	5-153X	5-785X
SCRAMBLER CJ8					
1981		I	2,5,6	5-153X	5-785X
		I	3,4	5-433-1X	
	CV centering yoke kit	I	CV	211355X	
	Wheel Joint	I	1	5-260X	
	Lube fitting in brg. cup	I	1	5-260-1X	
1982-1985		L	2,3,4,5	5-153X	5-785X
	Wheel Joint	L	1	5-260X	
	Lube fitting in brg. cup	L	1	5-260-1X	





4WD

Year	Model & Description	Fig.	Location	Spicer Part No.	SPL Part No.
JEEP					
WAGONEER					
1963-1977	Front Driveshaft J164 Model	L	2,3	5-153X	5-785X
	Exc. J164 Model	L	2,3	5-105X	
	w/MT Pot type w/o body	L	4	5-1407X	
	2-Joint Driveshaft w/MT	L	4,5	5-1306X	5-789X
	Lube fitting in brg. cup	L	4,5	5-1306-1X	
	2-Joint Driveshaft w/AT	L	4,5	5-153X	5-785X
	Wheel Joint	L	1	5-260X	
	Lube fitting in brg. cup	L	1	5-260-1X	
1978-1980	Front Driveshaft	I	2,3,4	5-153X	5-785X
	CV centering yoke kit	I	CV	211355X	
	w/MT Pot type w/o body	I	5	5-1407X	
		I	6	5-1306X	5-789X
	Lube fitting in brg. cup	I	6	5-1306-1X	
	2-Joint Driveshaft w/Hydramatic Trans.	I	5,6	5-153X	5-785X
	Wheel Joint	I	1	5-760X	
	Lube fitting in brg. cup	I	1	5-297-1X	
1981-1983	Front Driveshaft	I	2	5-153X	5-785X
		I	3,4	5-433-1X	
	CV centering yoke kit	I	CV	211355X	
	2-Joint Driveshaft	I	5,6	5-153X	5-785X
	Wheel Joint	I	1	5-760X	
	Lube fitting in brg. cup	I	1	5-297-1X	
WAGONEER COMPACT (XJ)					
1984-1985	Front Driveshaft	L	2	5-153X	5-785X
	2-Joint Driveshaft	L	4,5	5-153X	5-785X
	Wheel Joint w/1.062'' Brg. cup dia.	L	1	5-260X	
	w/1.188'' Brg. cup dia.	L	1	5-760X	
1986-1987	Std Duty w/Gas Eng.	L	2,3	5-153X	5-785X
	HD w/Gas or Diesel Eng.	I	2	5-153X	5-785X
		I	3,4	5-433-1X	
	CV centering yoke kit	I	CV	211355X	
	2-Joint Driveshaft	L	4,5	5-153X	5-785X
		I	5,6	5-153X	5-785X
	Wheel Joint w/1.062'' Brg. cup dia	I,L	1	5-260X	
	w/1.188'' Brg. cup dia.	I,L	1	5-760X	





Important: See Safety Information in General Information Section (J300P-GI)

U-Joints

Year	Model & Description	Fig.	Location	Spicer Part No.	SPL Part No.
JEEP					
WAGONEER COMPACT (XJ)					
1988-1990	Front Driveshaft	I	2	5-153X	5-785X
		I	3,4	5-433-1X	
	CV centering yoke kit	I	CV	211355X	
	2-Joint Driveshaft	I	5,6	5-153X	5-785X
	Wheel Joint				
	w/1.062” Brg. cup dia	I	1	5-260X	
	w/1.188” Brg. cup dia.	I	1	5-760X	
1991	Front Driveshaft	I	2	5-153X	5-785X
		I	3,4	5-433-1X	
	CV centering yoke kit	I	CV	211355X	
	2-Joint Driveshaft	I	5,6	5-153X	5-785X
	Wheel Joint w/1.062” Brg. cup dia.	I	1	5-260X	
WRANGLER (TJ)					
1997-1998		L	2,3	5-153X	5-785X
		L	4,5	5-153X	5-785X
	Wheel Joint	L	1	5-760X	
1999-2002		I	2	5-153X	5-785X
		I	3,4	5-433-1X	
		I	5,6	5-153X	5-785X
	Wheel Joint	I	1	5-760X	
2003-2004	Exc. Wrangler Rubicon	I	2	5-153X	5-785X
		I	3,4	5-433-1X	
	Rubicon	I	2	5-212X	5-793X
		I	3,4	5-213X	5-790X
	Exc. Wrangler Rubicon	I	5,6	5-153X	5-785X
	Rubicon	I	5	5-3147X	5-795X
		I	6	5-212X	5-793X
	Wheel Joint	I	1	5-760X	
2005-2006	Exc. Rubicon & Unlimited Rubicon	I	2	5-153X	5-785X
		I	3,4	5-433-1X	
	Rubicon & Unlimited Rubicon	I	2	5-212X	5-793X
		I	3,4	5-213X	5-790X
	Exc. Rubicon & Unlimited Rubicon	I	5,6	5-153X	5-785X
	Rubicon w/Shaft #410AD	I	5	5-3147X	5-795X
		I	6	5-212X	5-793X
	Unlimited Rubicon w/Shaft #585AA	I	5,6	5-153X	5-785X
	Wheel Joint	I	1	5-760X	



Fig. I



Fig. L

Year	Model & Description	Fig.	Location	Spicer Part No.	SPL Part No.
JEEP					
WRANGLER (YJ)					
1987-1992		L	2,3	5-153X	5-785X
		L	4,5	5-153X	5-785X
	Wheel Joint	L	1	5-260X	
	Lube fitting in brg. cup	L	1	5-260-1X	
1993-1995		L	2,3	5-153X	5-785X
	w/3.469” yoke dimension	L	4	5-153X	5-785X
	w/3.875” yoke dimension	L	5	5-213X	5-790X
	w/3.469” yoke dimension	L	4,5	5-153X	5-785X
	Wheel Joint w/1.062” Brg. cup dia.	L	1	5-260X	
	w/1.188” Brg. cup dia.	L	1	5-760X	
LAND ROVER					
1993-1997	DEFENDER 90	L	2,3,4,5	5-4X	
1994-2001	DISCOVERY	L	2,3,4,5	5-4X	
2002	DISCOVERY Front Driveshaft	L	2,3	5-4X	
	2-Joint Driveshaft	L	4	5-4X	
		L	5	N/A	
1987-1995	RANGE ROVER	L	2,3,4,5	5-4X	
1996-2002	RANGE ROVER Front Driveshaft	L	2,3	5-4X	
	2-Joint Driveshaft	L	4	5-4X	
		L	5	N/A	
LEXUS					
2003-2005	GX470	L	2,3	5-1510X	
		L	4,5	5-1510X	
1996-1997	LX450	L	2,3	5-1510X	
		L	4,5	5-1511X	
1998-2005	LX470	L	2,3	5-1510X	
		L	4,5	5-1510X	
LINCOLN					
2003-2005	AVIATOR w/4.0L & 4.6L Eng.	L	2	5-153X	5-785X
	w/plunging CV joint at TC	L	3	032SG80002	
		L	4,5	5-213X	5-790X
1998-2006	NAVIGATOR	L	2,3	5-213X	5-790X
		L	4,5	5-178X	5-799X



Fig. L

4WD

Important: See Safety Information in General Information Section (J300P-GI)

U-Joints

Year	Model & Description	Fig.	Location	Spicer Part No.	SPL Part No.
MAZDA					
MPV					
1989-1995	Exc. w/Staked in U-Joints	J	5,7	5-1507X	
NAVAJO					
1991-1994		J	2	5-153X	5-785X
		J	3,4	5-433-1X	
		J	5,7	5-433-1X	
PICK-UP					
1987-1993	2-Joint Driveshaft	L	4,5	5-1507X	
	Std. Bed	L	5,6	5-1507X	
	3-Joint Driveshaft	J	5,6,7	5-1507X	
	Long bed & Cab Plus	J	5,6,7	5-1507X	
1994-1997	Front Driveshaft	P,V	2,3,4	5-153X	5-785X
	w/108'' WB	P	5,6	5-153X	5-785X
	w/114'' WB Long Bed	P	5,6	5-213X	5-790X
	w/125'' WB Cab Plus	V	5,6,8	5-153X	5-785X
	Wheel Joint	P,V	1	5-760X	
1998-2005	Front Driveshaft	I	2	5-153X	5-785X
	2-Joint Driveshaft	I	5,6	5-213X	5-790X
MERCURY					
MARINER					
2005-2006		L	4,5	5-153X	5-785X
MOUNTAINEER					
1997	5.0L Eng.	I,L	2	5-153X	5-785X
	w/o plunging CV joint at TC, Thru 7/23/1996	I	3,4	5-153X	5-785X
	w/plunging CV joint at TC, From 7/24/1996	L	3	032SG80002	
	Thru 7/23/1996	I	5,6	5-213X	5-812X
	From 7/24/1996	L	4,5	5-213X	5-812X
1998-2000	4.0L & 5.0L Eng.	L	2	5-153X	5-785X
	w/plunging CV joint at TC	L	3	032SG80002	
		L	4,5	5-213X	5-812X
2001	4.0L & 5.0L Eng.	L	2	5-153X	5-785X
	w/plunging CV joint at TC	L	3	032SG80002	
		L	4,5	5-213X	5-812











4WD

Year	Model & Description	Fig.	Location	Spicer Part No.	SPL Part No.
MERCURY					
MOUNTAINEER					
2002-2005	4.0L & 4.6L Eng.	L	2	5-153X	5-785X
	w/plunging CV joint at TC	L	3	032SG80002	
		L	4,5	5-213X	5-812X
2006	4.0L Eng. exc. Mountaineer Premier	L	2	5-153X	5-785X
		L	4,5	5-213X	5-812X
	4.0L & 4.6L Eng. w/plunging CV joint at TC, Exc. Mountaineer Premier	L	3	032SG80002	
	4.6L Eng.	L	2	5-153X	5-785X
		L	4,5	5-213X	5-812X
MITSUBISHI					
MONTERO					
1983-1988	Front Driveshaft	L	2,3	5-1503X	
	2-Joint Driveshaft	L	4,5	5-1516X	
1989-1994	Front Driveshaft	L	2,3	5-1503X	
1995-1996	Front Driveshaft w/3.0L Eng.	L	2,3	5-1503X	
	Front Driveshaft w/3.5L Eng.	L	2,3	5-1516X	
1997-1998	Front Driveshaft	L	2	5-1516X	
1999-2000	Front Driveshaft	L	2	5-1503X	
2001-2004	Front Driveshaft includes Sport Model	L	2	5-1503X	
2005	Front Driveshaft Exc.Sport Model	L	2	5-1503X	
PICK-UP					
1982-1986	Front Driveshaft	N	2,3	5-1503X	
	3-Joint Driveshaft	N	4,5,6	5-1516X	
1987-1988	Front Driveshaft	N	2,3	5-1503X	
	Rear Driveshaft	N	4,5,6	5-1516X	
1989	Front Driveshaft	N	2,3	5-1503X	
	3-Joint Driveshaft	N	4,5,6	5-1516X	
1990-1996	Front Driveshaft	N	2,3	5-1503X	
NISSAN/DATSUN					
ARMADA					
2004-2006		L	2,3	5-153X	5-785X
		L	4,5	5-178X	5-799X
FRONTIER PICK-UP					
1998-2001		N	2,3	5-153X	5-785X
	w/outside snap rings	N	4,5,6	5-153X	5-785X





Important: See Safety Information in General Information Section (J300P-GI)

Year	Model & Description		Fig.	Location	Spicer Part No.	SPL Part No.
NISSAN/DATSUN						
FRONTIER PICK-UP						
2002-2004			L,N	2,3	5-153X	5-785X
	Exc. Crew Cab w/Long Bed		L	4,5	5-153X	5-785X
	Crew Cab w/Long Bed		N	4,5,6	5-153X	5-785X
2005-2006			L,N	2,3	5-153X	5-785X
	Exc. Crew Cab w/Long Bed		L	4,5	5-213X	5-790X
	Crew Cab w/Long Bed		N	4,5,6	5-213X	5-790X
PATHFINDER						
1987			L	2,3	5-153X	5-785X
			L	4,5	5-1505X	
1988-1989	w/4cyl Eng.		L	2,3	5-1501X	
			L	4,5	5-153X	5-785X
	w/6 Cyl. Eng.		L	2,3	5-153X	5-785X
			L	4,5	5-1505X	
1990-2004			L	2,3	5-153X	5-785X
			L	4,5	5-1505X	
2005-2006			L	2,3	5-153X	5-785X
			L	4,5	5-213X	5-790X
PICK-UP						
1980-1982			M	2 THRU 7	5-1501X	
1983	Thru 10/1982		M	2 THRU 7	5-1501X	
	From 11/1982		M	2 THRU 7	5-1505X	
1984-1985			M	2 THRU 7	5-1505X	
1986	720 Model Pickup		M	2 THRU 7	5-1505X	
	Hardbody/D21 model	American Built VIN starts 1N6	L	2,3,4,5	5-153X	5-785X
		Japanese Built VIN starts JN6	L,N	2,3	N/A	
			L	4,5	5-1505X	
			N	4,5,6	5-1505X	
1987	Hardbody/D21 model	American Built VIN starts 1N6	L	2,3,4,5	5-153X	5-785X
		Japanese Built VIN starts JN6 w/4cyl Eng.	L,N	2,3	5-1501X	
		w/6cyl Eng.	L,N	2,3	N/A	
			L	4,5	5-1505X	
			N	4,5,6	5-1505X	
1988-1989	Hardbody/D21 model	American Built VIN starts 1N6	L	2,3,4,5	5-153X	5-785X
		Japanese Built VIN starts JN6 w/4cyl Eng.	L,N	2,3	5-1501X	
		w/6cyl. Eng.	L,N	2,3	N/A	
			L	4,5	5-1505X	
			N	4,5,6	5-1505X	







Important: See Safety Information in General Information Section (J300P-GI)

Year	Model & Description	Fig.	Location	Spicer Part No.	SPL Part No.
NISSAN/DATSUN					
PICK-UP					
1990-1997	Hardbody/D21 model, American Built VIN starts 1N6 w/Outside Snap Rings	L,N	2,3	5-153X	5-785X
		L	4,5	5-153X	5-785X
		N	4,5,6	5-153X	5-785X
TITAN PICK-UP					
2004-2006		L	2,3	5-153X	5-785X
		L	4,5	5-178X	5-799X
XTERRA					
2000	w/V6 Eng. TC-RA	I	1,2	5-153X	5-785X
		I	5,6	5-153X	5-785X
2001-2003	V-6 Eng. 4x4 Front	L	2,3	5-153X	5-785X
		I	5,6	5-153X	5-785X
	V-6 Eng. 4x4	I	5,6	5-153X	5-785X
2004		I	5,6	5-153X	5-785X
OLDSMOBILE					
BRAVADA					
1991-1998		L	2,3	5-350X	
		L	4,5	5-3147X	5-795X
1999-2004		L	4,5	5-3147X	5-795X
PLYMOUTH					
SCAMP					
1983	Front Driveshaft	I	2	5-1306X	5-789X
	Lube fitting in brg. cup	I	2	5-1306-1X	
		I	3,4	5-3147X	5-795X
	CV ball & seat kit	I	CV	211009X	
	CV seat repair kit	I	CV	211007X	
	2-Joint Driveshaft	I	5,6	5-1306X	5-789X
	Lube fitting in brg. cup	I	5,6	5-1306-1X	
	Wheel Joint	I	1	5-760X	
	Lube fitting in brg. cup	I	1	5-297-1X	







Important: See Safety Information in General Information Section (J300P-GI)

U-Joints

Year	Model & Description	Fig.	Location	Spicer Part No.	SPL Part No.
PLYMOUTH					
TRAIL DUSTER					
1974-1977	w/outside snap rings	I	2,3,4	5-153X	5-785X
	CV centering yoke kit	I	CV	211355X	
	w/inside snap rings Lube fitting in brg. cup	I	2	5-1306-1X	
		I	3,4	5-3147X	5-795X
	CV ball & seat kit	I	CV	211009X	
	CV seat repair kit	I	CV	211007X	
	2-Joint Driveshaft	I	5,6	5-1306X	5-789X
	Lube fitting in brg. cup	I	5,6	5-1306-1X	
	Wheel Joint	I	1	5-760X	
	Lube fitting in brg. cup	I	1	5-297-1X	
1978-1981	Lube Fitting in Bearing Cup	I	2	5-1306-1X	
		I	3,4	5-3147X	5-795X
	CV ball & seat kit	I	CV	211009X	
	CV seat repair kit	I	CV	211007X	
	2-Joint Driveshaft	I	5	5-1306X	5-789X
	Lube fitting in brg. cup	I	5	5-1306-1X	
		I	6	5-1309X	5-811X
	Wheel Joint	I	1	5-760X	
	Lube fitting in brg. cup	I	1	5-297-1X	
1982-1985		I	2	5-1306X	5-789X
	Lube fitting in brg. cup	I	2	5-1306-1X	
		I	3,4	5-3147X	5-795X
	CV ball & seat kit	I	CV	211009X	
	CV seat repair kit	I	CV	211007X	
	2-Joint Driveshaft	I	5,6	5-1306X	5-789X
	Lube fitting in brg. cup	I	5,6	5-1306-1X	
	Wheel Joint	I	1	5-760X	
	Lube fitting in brg. cup	I	1	5-297-1X	
SUBARU					
BRAT					
1975-1984		E	1,2	5-1501X	
1985-1987	2 Dr GL	E	1,2	5-1501X	
LEGACY					
1999	w/AT, w/o Outback	B	1,2,3	5-443X	
STATION WAGON					
1975-1980		E	1,2	5-1501X	







4WD

Year	Model & Description		Fig.	Location	Spicer Part No.	SPL Part No.
SUZUKI						
GRAND VITARA						
1999-2005	Front Driveshaft		L	2,3	5-1503X	
	2-Joint Driveshaft	w/AT	L	4,5	5-1503X	
		w/MT	L	4,5	N/A	
XL-7						
2001-2005	Front Driveshaft		L	2,3	5-1503X	
SAMURAI						
1985-1995	Front Driveshaft		M	2,3,4,5	5-1503X	
	2-Joint Driveshaft		M	6,7	5-1503X	
SIDEKICK						
1985-1998			L	2,3,4,5	5-1503X	
VITARA						
1999-2004			L	2,3,4,5	5-1503X	
TOYOTA						
4-RUNNER						
1984-1987	Front Driveshaft	2-Joint Driveshaft	L	2,3	5-1510X	
		3-Joint Driveshaft	I,J	2	5-1510X	
			I,J	3,4	5-1520X	
	Rear Driveshaft	2-Joint Driveshaft	I,L	5,6	5-1510X	
		3-Joint Driveshaft	J	5,6,7	5-1510X	
1988-2004			I	2,4,5,6	5-1510X	
LANDCRUISER						
1969-1976			M	2,3,4,5	5-1509X	
	PTO Shaft w/4-Joints - Station Wagon		M	4,5	5-1509X	
	w/6 Joints		M	4,5	5-1509X	
1977-1980			L	2,3,4,5	5-1511X	
1981-1990	Front Driveshaft	Station Wagon 2-Joint Driveshaft	L	2,3	5-1511X	
		Station Wagon 3-Joint Driveshaft	I	2	5-1511X	
	Rear Driveshaft		L	4,5	5-1511X	
			I	5,6	5-1511X	
1991-1998	Front Driveshaft		L	2,3	5-1510X	
	Rear Driveshaft		L	4,5	5-1511X	
			I	5,6	5-1511X	
1999-2002	Rear Driveshaft		L	4,5	5-1510X	
2003-2005			L	2,3,4,5	5-1510X	









Important: See Safety Information in General Information Section (J300P-GI)

U-Joints

Year	Model & Description		Fig.	Location	Spicer Part No.	SPL Part No.
TOYOTA						
PICK-UP						
1979-1983	Front Driveshaft		I	2	5-1510X	
			I	3,4	5-1520X	
		CV repair kit	I	CV	211975X	
	2-Joint Driveshaft		I	5,6	5-1510X	
	3-Joint Driveshaft		J	5,6,7	5-1510X	
1984-1987	Front Driveshaft	2-Joint Driveshaft	L	2,3	5-1510X	
		3-Joint Driveshaft	I	2	5-1510X	
			I	3,4	5-1520X	
	Rear Driveshaft	2-Joint Driveshaft	I	5,6	5-1510X	
		3-Joint Driveshaft	J	5,6,7	5-1510X	
1988-1993			I	2,4,5,6	5-1510X	
PREVIA						
1991-1992	w/AT		L	4,5	5-1510X	
SEQUOIA						
2001-2004			L	2,3	5-153X	5-785X
			L	4,5	5-1510X	
T100 PICK-UP						
1993-1998			J	2,5,7	5-1510X	
TACOMA PICK-UP						
1995-2004			J	2	5-1510X	
			J	5,7	5-1510X	
2005			Y	2,3	5002322	
			Y	4,5	5004947	
	Zerk in cap		Y	4,5	5001919	
TUNDRA PICK-UP						
2000-2004			J	2,4	5-153X	5-785X
			J	5,7	5-1510X	
2005			Z	2,3	5002322	



4WD

Center Bearing Detail



Style 1

Center Bearing Assy Part Number	B Centerline To Mounting Surface	C Bracket Width	Center Bearing Major Parts: Bracket Part Number	Center Bearing Major Parts: Rubber Cushion Part Nbr.	Center Bearing Major Parts: Bearing & Retainer Assy.	Front Slinger Part Number	Rear Slinger Part Number	Retainers: Bottom	Retainers: Top
			Parts not sold separately — Shown for informational purposes only						
A = 0.750 Bearing I.D.									
210330-1X	Max 8"	~	230512 230513	~	230514-1	~	~	~	~
			PTO adjustable bearing hanger, variable centerline to mounting surface, Max. 8"						
A = 0.875 Bearing I.D.									
210330-2X	Max 8"	~	230512 230513	~	230514-2	~	~	~	~
			PTO adjustable bearing hanger, variable centerline to mounting surface, Max. 8"						
A = 1.000 Bearing I.D.									
210330-4X	Max 8"	~	230512 230513	~	230514-4	~	~	~	~
			PTO adjustable bearing hanger, variable centerline to mounting surface, Max. 8"						
A = 1.250 Bearing I.D.									
210330-6X	Max 8"	~	230512 230513	~	230514-6	~	~	~	~
			PTO adjustable bearing hanger, variable centerline to mounting surface, Max. 8"						

Center Bearing Detail



Style 2

Center Bearing Assy Part Number	B Centerline To Mounting Surface	C Bracket Width	Parts not sold separately — Shown for informational purposes only: Center Bearing Major Parts: Bracket Part Number	Rubber Cushion Part Nbr.	Bearing & Retainer Assy.	Front Slinger Part Number	Rear Slinger Part Number	Retainers: Bottom	Top
A = 1.181 Bearing I.D. D = 3.700 Bolt Hole/Stud Size = M12 X 1.75TH (nut)									
212187-1X	3.976	1.181	~	~	~	~	~	~	~
(2) nuts attached to bracket									



Style 3

Center Bearing Assy Part Number	B Centerline To Mounting Surface	C Bracket Width	Parts not sold separately — Shown for informational purposes only: Center Bearing Major Parts: Bracket Part Number	Rubber Cushion Part Nbr.	Bearing & Retainer Assy.	Front Slinger Part Number	Rear Slinger Part Number	Retainers: Bottom	Top
A = 1.181 Bearing I.D.									
211406X	~	~	~	231653	580914-2	231563	~	~	~
Part has been discontinued; offered until supply is exhausted									
211514X	~	~	~	231653	580914-2	231563	~	~	~
Has the 211406X included, with washer 230123-12 and nut 231781									



Style 4

Center Bearing Assy Part Number	B Centerline To Mounting Surface	C Bracket Width	Parts not sold separately — Shown for informational purposes only: Center Bearing Major Parts: Bracket Part Number	Rubber Cushion Part Nbr.	Bearing & Retainer Assy.	Front Slinger Part Number	Rear Slinger Part Number	Retainers: Bottom	Top
A = 1.181 Bearing I.D.									
211502X	~	~	~	231855	580914-3	~	231563	~	~

No bracket, Dust Cap 231811



Style 5

Center Bearing Assy Part Number	B Centerline To Mounting Surface	C Bracket Width	Parts not sold separately — Shown for informational purposes only: Center Bearing Major Parts: Bracket Part Number	Rubber Cushion Part Nbr.	Bearing & Retainer Assy.	Front Slinger Part Number	Rear Slinger Part Number	Retainers: Bottom	Top
A = 1.181 Bearing I.D.		**D = 3.700**	**Threaded Hole**						
211589-1X	3.230	~	~	~	~	~	~	~	~

(2) nuts attached to bracket

Center Bearing Detail



Style 6

Center Bearing Assy Part Number	B Centerline To Mounting Surface	C Bracket Width	Center Bearing Major Parts: Bracket Part Number	Rubber Cushion Part Nbr.	Bearing & Retainer Assy.	Front Slinger Part Number	Rear Slinger Part Number	Retainers: Bottom	Top
Parts not sold separately — Shown for informational purposes only									
A = 1.181 Bearing I.D.	**D = 5.910**								
211750-1X	~	~	~	~	~	~	~	~	~



Style 7

Center Bearing Assy Part Number	B Centerline To Mounting Surface	C Bracket Width	Center Bearing Major Parts: Bracket Part Number	Rubber Cushion Part Nbr.	Bearing & Retainer Assy.	Front Slinger Part Number	Rear Slinger Part Number	Retainers: Bottom	Top
Parts not sold separately — Shown for informational purposes only									
A = 1.181 Bearing I.D.	**D = 5.880**	**Bolt Hole/Stud Size = .630 (H)**							
211872-1X	2.080	1.390	211976X	211983X	580921	~	~	~	~

232520 retainer lock

MSC



Style 8

Center Bearing Assy Part Number	B Centerline To Mounting Surface	C Bracket Width	Center Bearing Major Parts: Bracket Part Number	Center Bearing Major Parts: Rubber Cushion Part Nbr.	Center Bearing Major Parts: Bearing & Retainer Assy.	Front Slinger Part Number	Rear Slinger Part Number	Retainers: Bottom	Retainers: Top
Parts not sold separately — Shown for informational purposes only									
A = 1.181 Bearing I.D. D = 6.890 Bolt Hole/Stud Size = .787 X .512 (H)									
212165-1X	1.440	2.268	~	212163X	580931	~	~	~	~
									E = 2.087
212166-1X	1.440	2.268	~	212164X	580931	~	~	~	~
									E = 1.693; Part has been discontinued



Style 9

Center Bearing Assy Part Number	B Centerline To Mounting Surface	C Bracket Width	Center Bearing Major Parts: Bracket Part Number	Center Bearing Major Parts: Rubber Cushion Part Nbr.	Center Bearing Major Parts: Bearing & Retainer Assy.	Front Slinger Part Number	Rear Slinger Part Number	Retainers: Bottom	Retainers: Top
Parts not sold separately — Shown for informational purposes only									
A = 1.181 Bearing I.D. D = 3.937 Bolt Hole/Stud Size = .750 (H)									
212244-1X	2.480	~	233031	211983X	580921-1	~	~	232520	~

Center Bearing Detail



Style 10

Center Bearing Assy Part Number	B Centerline To Mounting Surface	C Bracket Width	Center Bearing Major Parts: Bracket Part Number	Rubber Cushion Part Nbr.	Bearing & Retainer Assy.	Front Slinger Part Number	Rear Slinger Part Number	Retainers: Bottom	Top
Parts not sold separately — Shown for informational purposes only									
A = 1.181 Bearing I.D. D = 1.500 (2) Threaded Holes									
210527X	3.560	.630	210580X		550735	230318	~	~	~



Style 11

Center Bearing Assy Part Number	B Centerline To Mounting Surface	C Bracket Width	Center Bearing Major Parts: Bracket Part Number	Rubber Cushion Part Nbr.	Bearing & Retainer Assy.	Front Slinger Part Number	Rear Slinger Part Number	Retainers: Bottom	Top
Parts not sold separately — Shown for informational purposes only									
A = 1.181 Bearing I.D. D = 5.880 Bolt Hole/Stud Size = .630 (H)									
211590-1X	1.940	1.450	5007512	231695	211554X	231696	~	3-95-139	~
A = 1.260 Bearing I.D. D = 5.880 Bolt Hole/Stud Size = .630 (H)									
211431X	1.940	1.450	231694	231695	211409-1X	231696	~	3-95-139	~
A = 1.378 Bearing I.D. D = 6.620 Bolt Hole/Stud Size = .560 (H)									
211175X	2.250	1.726	231285	231212	210086X	231286	231256	3-95-99	~
211819-1X	2.250	1.726	231285	232181	210086-3X	231286	231256	3-95-99	~
								Part has been discontinued	
A = 1.574 Bearing I.D. D = 6.620 Bolt Hole/Stud Size = .560 (H)									
211499X	2.250	1.726	231285	231212	210865-1X	231286	231834	3-95-99	~
211748-3X	2.250	1.726	231285	232181	210865-1X	231286	231834	3-95-99	~
								Part has been discontinued	
212053-1X	2.250	1.726	231285	231212	210865-1X	231286	~	3-95-99	~



Style 12

Center Bearing Assy Part Number	B Centerline To Mounting Surface	C Bracket Width	Parts not sold separately — Shown for informational purposes only: Center Bearing Major Parts: Bracket Part Number	Rubber Cushion Part Nbr.	Bearing & Retainer Assy.	Front Slinger Part Number	Rear Slinger Part Number	Retainers: Bottom	Top
A = 1.259 Bearing I.D. D = 5.880 Bolt Hole/Stud Size = .500 (H)									
211571X	1.690	1.420	211478-1X		580917	231000	231596	~	~



Style 13

Center Bearing Assy Part Number	B Centerline To Mounting Surface	C Bracket Width	Parts not sold separately — Shown for informational purposes only: Center Bearing Major Parts: Bracket Part Number	Rubber Cushion Part Nbr.	Bearing & Retainer Assy.	Front Slinger Part Number	Rear Slinger Part Number	Retainers: Bottom	Top
A = 1.378 Bearing I.D. D = 6.620 Bolt Hole/Stud Size = .560 (H)									
211985X	2.750	1.226	231247	232615	580923	~	~	~	~

Has a 1/2" spacer attached to bracket, rubber cushion w/canister
Part has been discontinued

Center Bearing Detail



Style 14

Center Bearing Assy Part Number	B Centerline To Mounting Surface	C Bracket Width	Parts not sold separately — Shown for informational purposes only: Center Bearing Major Parts: Bracket Part Number	Rubber Cushion Part Nbr.	Bearing & Retainer Assy.	Front Slinger Part Number	Rear Slinger Part Number	Retainers: Bottom	Top
A = 1.378 Bearing I.D. D = 6.625 Bolt Hole/Stud Size = .560 (H)									
212088-1X	2.250	~		212087X		231286	231256	~	~
Square bracket w/thin plate; Part has been discontinued									

MSC

Center Bearing Detail



Style 15

Center Bearing Assy Part Number	B Centerline To Mounting Surface	C Bracket Width	Parts not sold separately — Shown for informational purposes only: Center Bearing Major Parts: Bracket Part Number	Rubber Cushion Part Nbr.	Bearing & Retainer Assy.	Front Slinger Part Number	Rear Slinger Part Number	Retainers: Bottom	Top
A = 1.378 Bearing I.D. D = 6.620 Bolt Hole/Stud Size = .560 (H)									
210088-1X	2.250	1.226	231247	230119-1	210086X	230118	230121	3-95-139	~
210090-1X	2.250	1.226	231247	230119-1	210086X	230118	230118	3-95-139	~
210367-1X	2.250	1.226	231247	230119-1	210228X	230982	98-1473	3-95-139	~
210370-1X	2.250	1.226	231247	230119-1	210228X	230982	230104	3-95-139	~ *Has 98-1473 shield*
211415X	2.250	1.226	231247	231709	211414X	231286	230121	3-95-139	~
A = 1.574 Bearing I.D. D = 6.620 Bolt Hole/Stud Size = .560 (H)									
210866-1X	2.250	1.226	231247	230119-1	210865-1X	231004	231000	3-95-139	~
210873-1X	2.250	1.226	231247	230119-1	210865-1X	231004	231004	3-95-139	~
211260X	2.250	1.226	231247	230119-1	210865-1X	~	~	3-95-139	~
211359X	2.250	1.226	231247	231212	210865-1X	231286	231000	3-95-139	~
211735-3X	2.250	1.226	231247	232165	210865-1X	231286	231000	3-95-139	~
211793-1X	2.250	1.226	231247	230119-1	210865-1X	231286	231000	3-95-139	~

Center Bearing Detail



Style 16

Center Bearing Assy Part Number	B Centerline To Mounting Surface	C Bracket Width	Parts not sold separately — Shown for informational purposes only: Center Bearing Major Parts: Bracket Part Number	Rubber Cushion Part Nbr.	Bearing & Retainer Assy.	Front Slinger Part Number	Rear Slinger Part Number	Retainers: Bottom	Top
A = 1.574 Bearing I.D. D = 3.380 Bolt Hole/Stud Size = .437 X 14TH (nut)									
211848-1X	3.250	1.742	232465	231212	210865-1X	231286	232662	~	~
Nuts are incorporated in bracket									
A = 1.574 Bearing I.D. D = 3.380 Bolt Hole/Stud Size = M10 X 1.5TH (nut)									
211963-1X	3.250	1.742	232683	231212	210865-1X	231286	232662	~	~
Nuts are incorporated in bracket									



Style 17

Center Bearing Assy Part Number	B Centerline To Mounting Surface	C Bracket Width	Parts not sold separately — Shown for informational purposes only: Center Bearing Major Parts: Bracket Part Number	Rubber Cushion Part Nbr.	Bearing & Retainer Assy.	Front Slinger Part Number	Rear Slinger Part Number	Retainers: Bottom	Top
A = 1.574 Bearing I.D. D = 6.620 Bolt Hole/Stud Size = M10 X 1.5TH (stud)									
212028-1X	2.250	1.226	232820	212027X	580924	~	~	3-95-139	~
rubber cushion w/canister, studs in bracket; 232817 Boot Can									

MSC

Center Bearing Detail



Style 18

Center Bearing Assy Part Number	B Centerline To Mounting Surface	C Bracket Width	Parts not sold separately — Shown for informational purposes only: Center Bearing Major Parts: Bracket Part Number	Rubber Cushion Part Nbr.	Bearing & Retainer Assy.	Front Slinger Part Number	Rear Slinger Part Number	Retainers: Bottom	Top
A = 1.574 Bearing I.D. D = 6.620 Bolt Hole/Stud Size = M10 - 1.50TH (stud)									
212032-1X	2.630	1.226	232820	212027X	580924	~	~	~	~
Has a .380" spacer, rubber cushion w/canister, studs in bracket; 232817 Boot Can									

Center Bearing Detail



Style 19

Center Bearing Assy Part Number	B Centerline To Mounting Surface	C Bracket Width	Parts not sold separately — Shown for informational purposes only: Center Bearing Major Parts: Bracket Part Number	Rubber Cushion Part Nbr.	Bearing & Retainer Assy.	Front Slinger Part Number	Rear Slinger Part Number	Retainers: Bottom	Top
A = 1.574 Bearing I.D. D = 6.620 Bolt Hole/Stud Size = .560 (H)									
212030-1X	2.250	1.226	231247	212027X	580924	~	~	~	~
						rubber cushion w/canister; 232817 Boot Can			
A = 1.574 Bearing I.D. D = 6.620 Bolt Hole/Stud Size = 1.180 X .430 (H)									
212031-1X	2.250	1.226	232824	212027X	580924	~	~	~	~
						rubber cushion w/canister; 232817 Boot Can			
A = 1.574 Bearing I.D. D = 6.700 Bolt Hole/Stud Size = .470 (H)									
212258-1X	2.250	1.226	233052	5001377	580924	~	~	~	~
						rubber cushion w/canister; 232817 Boot Can			
A = 1.771 Bearing I.D. D = 7.622 Bolt Hole/Stud Size = .560 (H)									
212134-1X	2.689	2.250	230148	212133X	580932	~	~	~	~
						Less boot can			

Center Bearing Detail



Style 20

Center Bearing Assy Part Number	B Centerline To Mounting Surface	C Bracket Width	Parts not sold separately — Shown for informational purposes only: Center Bearing Major Parts: Bracket Part Number	Rubber Cushion Part Nbr.	Bearing & Retainer Assy.	Front Slinger Part Number	Rear Slinger Part Number	Retainers: Bottom	Top
A = 1.574 Bearing I.D. D = 6.620 Bolt Hole/Stud Size = .560 (H)									
210140-1X	2.440	2.000	230549	230126-1	210119-1X	230207	230208	~	~
210144-1X	2.440	2.000	230549	230126-1	210119-1X	230207	230207	~	~
210391-1X	2.440	2.000	230549	230126-1	210085-1X	230124	230124	~	~
210433-1X	2.440	2.000	230549	230126-1	210085-1X	230124	230209	~	~
211037-1X	2.440	2.000	230549	230126-1	210085-1X	230124	230209	~	~
211098-1X	2.440	2.000	230549	230126-1	210085-1X	~	~	~	~
A = 1.771 Bearing I.D. D = 7.620 Bolt Hole/Stud Size = .560 (H)									
210084-2X	2.690	2.250	230148	230147-3	210092-1X	230151	230151	~	~
210207-1X	2.690	2.250	230148	230147-3	210092-1X	230151	230363	~	~
211172-1X	2.690	2.250	230148	230147-3	210092-1X	230151	230151 230363	~	~
							Can use 210084-2X plus 230363 slinger		
A = 1.968 Bearing I.D. D = 6.520 Bolt Hole/Stud Size = .620 (H)									
210121-1X	2.780	2.250	230164	230167-1	210120-1X	230166	230166	~	~
210881-1X	2.780	2.250	230164	230958-1	210120-1X	230166	230166	~	~
211625-1X	2.780	2.250	230164	230167-1	210120-1X	230166	231994	~	~

Center Bearing Detail



Style 21

Center Bearing Assy Part Number	B Centerline To Mounting Surface	C Bracket Width	Center Bearing Major Parts: Bracket Part Number	Rubber Cushion Part Nbr.	Bearing & Retainer Assy.	Front Slinger Part Number	Rear Slinger Part Number	Retainers: Bottom	Top
			Parts not sold separately — Shown for informational purposes only						
A = 1.750 Bearing I.D.									
211304X	~	~	~	~	~	~	~	~	~

Part has been discontinued



Style 22

Center Bearing Assy Part Number	B Centerline To Mounting Surface	C Bracket Width	Center Bearing Major Parts: Bracket Part Number	Rubber Cushion Part Nbr.	Bearing & Retainer Assy.	Front Slinger Part Number	Rear Slinger Part Number	Retainers: Bottom	Top
			Parts not sold separately — Shown for informational purposes only						
A = 1.968 Bearing I.D.		**D = 7.620**		**Bolt Hole/Stud Size = .620 (H)**					
212142-1X	2.780	2.250	230164	212141X	580933	~	~	~	~

232944 Boot Can; Rubber cushion with canister



Style 23

Center Bearing Assy Part Number	B Centerline To Mounting Surface	C Bracket Width	Center Bearing Major Parts: Bracket Part Number	Rubber Cushion Part Nbr.	Bearing & Retainer Assy.	Front Slinger Part Number	Rear Slinger Part Number	Retainers: Bottom	Top
			Parts not sold separately — Shown for informational purposes only						
A = 1.771 Bearing I.D.		**D = 7.620**	**Bolt Hole/Stud Size = M12 X 1.75TH (nut)**						
212145-1X	2.689	2.250	212222X	212133X	580932	~	~	~	~
232930 Boot Can; Rubber cushion with canister; nuts attached to bracket									
A = 1.968 Bearing I.D.		**D = 7.620**	**Bolt Hole/Stud Size = M12 X 1.75TH (nut)**						
212153-1X	2.780	2.250	212229X	212141X	580933	~	~	~	~
232944 Boot Can; Rubber cushion with canister; nuts attached to bracket									
Part has been discontinued; offered until supply is exhausted									



Style 24

Center Bearing Assy Part Number	B Centerline To Mounting Surface	C Bracket Width	Center Bearing Major Parts: Bracket Part Number	Rubber Cushion Part Nbr.	Bearing & Retainer Assy.	Front Slinger Part Number	Rear Slinger Part Number	Retainers: Bottom	Top
			Parts not sold separately — Shown for informational purposes only						
A = 1.968 Bearing I.D.		**D = 7.620**	**Bolt Hole/Stud Size = M12 X 1.75TH (nut)**						
212156-1X	2.780	2.250	212229X	230167-1	550788	230166	230166	~	~
212229X consists of 232953 bracket and (2) nuts attached to bracket; Part has been discontinued									

Center Bearing Detail



Style 25

Center Bearing Assy Part Number	B Centerline To Mounting Surface	C Bracket Width	Center Bearing Major Parts: Bracket Part Number	Rubber Cushion Part Nbr.	Bearing & Retainer Assy.	Front Slinger Part Number	Rear Slinger Part Number	Retainers: Bottom	Top
			Parts not sold separately — Shown for informational purposes only						
A = 2.362 Bearing I.D.	**D = 8.622**	**Bolt Hole/Stud Size = .618 (H)**							
5003323	3.330	2.917	5003324	5003325	5001950	~	~	~	~
						Replaces 210661-1X, 210987-1X, 212066-1X, 212129-1X			
5003326	3.300	2.917	5003324	5002433	5001950	~	~	~	~
						Solid rubber, replaces 210875-1X, 210989-1X			
5003628	3.300	2.917	5003627	5003325	5001950	~	~	~	~
						Semi slotted rubber, replaces 212155-1X			



Style 26

Center Bearing Assy Part Number	B Centerline To Mounting Surface	C Bracket Width	Center Bearing Major Parts: Bracket Part Number	Rubber Cushion Part Nbr.	Bearing & Retainer Assy.	Front Slinger Part Number	Rear Slinger Part Number	Retainers: Bottom	Top
			Parts not sold separately — Shown for informational purposes only						
A = 2.362 Bearing I.D.	**D = 8.620**	**Bolt Hole/Stud Size = .560 (H)**							
210661-1X	3.380	2.530	230750	230749-1	210660-1X	230746	230746	~	8-95-49
							Superseded to 5003323 (Style 25)		
210875-1X	3.380	2.530	230750	231008-1	210660-1X	230746	230746	~	8-95-49
							Solid rubber; Superseded to 5003326 (Style 25)		
210989-1X	3.380	2.530	230750	231008-1	210660-1X	~	~	~	8-95-49
							Solid rubber; Superseded to 5003326 (Style 25)		
212066-1X	3.380	2.530	230750	232853	210660-1X	230746	230746	~	8-95-49
							Superseded to 5003323 (Style 25)		

SPICER® DRIVESHAFT LUBRICATION INTERVALS*

SERIES	CITY	ON-HWY.	LINEHAUL	ON/OFF-HWY.
Spicer® 10-Series™ (1480 thru 1810 & SPL-90) Slip members also require lubrication.	5,000/8,000 mi (8,000/12,800 km) or 3 Months (whichever comes first)	10,000/15,000 mi (16,000/24,000 km) or 3 Months (whichever comes first)	10,000/15,000 mi (16,000/24,000 km) or 3 Months (whichever comes first)	5,000/8,000 mi (8,000/12,000 km) or 3 Months (whichever comes first)
Spicer Life Series® - Medium Duty (SPL-55, 70 & 100) Slip members are booted and permanently lubricated.	25,000 mi 40,000 km or 6 Months (whichever comes first)	25,000 mi 40,000 km or 6 Months (whichever comes first)	25,000 mi 40,000 km or 6 Months (whichever comes first)	25,000 mi 40,000 km or 6 Months (whichever comes first)
Spicer Life Series - Heavy Duty (SPL-140) Standard Spicer Life Series® u-joint. Slip members are booted and permanently lubricated.	25,000 mi 40,000 km or 6 Months (whichever comes first)	100,000 mi 160,000 km or 6 Months (whichever comes first)	100,000 mi 160,000 km or 6 Months (whichever comes first)	25,000 mi 40,000 km or 6 Months (whichever comes first)

MSC

SPICER LIFE XL® FIRST LUBRICATION CYCLE*

Spicer Life XL® - Heavy Duty (SPL-170XL, & 250XL) Extended Lubrication u-joints. After initial miles (kilometers) or time is reached, the joints must be relubricated. Slip members are booted and permanently lubricated.	100,000 mi 160,000 km or 1 Year (whichever comes first)	350,000 mi 560,000 km or 3 Years (whichever comes first)	350,000 mi 560,000 km or 3 Years (whichever comes first)	100,000 mi 160,000 km or 1 Year (whichever comes first)

SPICER LIFE XL® RELUBRICATION CYCLE*

Spicer Life XL - Heavy Duty (SPL-170XL & 250XL) Extended lubrication u-joints. Once greased, this relubrication interval must be followed. Slip members are booted and permanently lubricated.	25,000 mi 40,000 km or 6 months (whichever comes first)	100,000 mi 160,000 km or 6 months (whichever comes first)	100,000 mi 160,000 km or 6 months (whichever comes first)	25,000 mi 40,000 km or 6 months (whichever comes first)

***We recommend relubrication with Chevron Ultra-Duty EP-2 or a compatible lithium based grease meeting N.L.G.I. Grade 2 specifications with an operating range of +325°F/+163°C to -10°F/-23°C.**

***NOTE**: We recommend that all driveshafts be inspected for wear and damage every time the vehicle is serviced. This includes any scheduled and/or unscheduled maintenance that occurs within the driveshaft lube intervals.

City is defined as all applications that require a minimum of 90% of operation time within the city limits.

On-Highway is defined as all applications requiring less than 10% of operating time on gravel dirt or unpaved roads.

Linehaul is defined as 100% of operation time on smooth concrete or asphalt.

On/Off-Highway is defined as all applications operating primarily on paved roads, but requiring more than 10% of operating time on gravel, dirt or unpaved roads.

Common U-Joint Kits By Series

Driveline Series	Spicer® Service Kit (Greaseable)	Spicer® OE Kit (Triple Lip Non-Greaseable)	Spicer Life™ OE Kit (Greaseable)	Spicer Life™ OE Kit (Non-Greaseable)
1210	5-443X	5-736X	—	—
1310/SPL22	5-153X/5-1200X	—	5-810X / SPL22-7X	5-785X / SPL22-1X
1310/SPL22 (Alum.)	—	—	—	5-786X / SPL22-2X
1310/SPL22 x 7260	—	—	—	5-788X / SPL22-4X
1310 x 7260 (Alum.)	—	5-647X•	—	—
1310 (Wheel Joint)	5-297-1X*	—	—	5-760X
1330/SPL25	5-213X / 5-1203X	5-742X	5-812X / SPL25-10X	5-790X / SPL25-1X
1330/SPL25 (Alum.)	—	—	—	5-791X / SPL25-2X
1330 x 7260	—	5-599X•	—	—
1350/SPL30	5-178X	—	—	5-799X / SPL30-1X
1350/SPL30 (Alum.)	—	—	—	5-800X / SPL30-2X
1410/SPL36	5-160X	—	—	5-801X / SPL36-1X
1410/SPL36 (Alum.)	—	5-726X	—	5-802X / SPL36-2X
1480/SPL55	5-188X	—	5-804X / SPL55-1X	5-803X / SPL55-2X
1480/SPL55 (Wheel Joint)	—	—	5-807X / SPL55-4X	5-806X / SPL55-3X
1485 AAM (Wheel Joint)	—	—	—	5006813
1550/SPL70	5-155X	—	5-809X / SPL70-1X	5-808X / SPL70X
1550/SPL70 (Wheel Joint)	—	—	SPL70-4X	SPL70-3X
7260	5-1306X	—	—	5-789X / SPL22-8X
7290	5-1309X	—	—	5-811X / SPL25-9X
1310SPEC/SPL22 SPEC	5-1201X	—	—	5-787X / SPL22-3X
1330SPEC/SPL25 SPEC	5-1204X	—	—	5-792X / SPL25-3X
1330/SPL25 x S44	5-212X	—	—	5-793X / SPL25-4X
1330/SPL25 x S44 (Alum.)	—	5-745X	—	5-794X / SPL25-5X
S44	5-3147X	—	—	5-795X / SPL25-6X
1330/SPL25 x 7290	—	5-749X	—	5-796X / SPL25-7X
1330/SPL25 x 7290 (Alum.)	—	—	—	5-797X / SPL25-8X
SPL90	SPL90X■	—	SPL90X	—
SPL100	—	—	SPL100-1X	—
1610 (Full Round)	5-279X■	—	—	—
1610 (Half Round)	5-674X■	—	—	—
1650 (Full Round)	5-165X■	—	—	—
1710 (Full Round)	5-280X■	—	—	—
1710 (Half Round)	5-675X■	—	—	—
SPL140	—	—	SPL140X	—
1760 (Full Round)	5-407X■	—	—	—
1760 (Half Round)	5-677X■	—	—	—
SPL170	—	—	SPL170X	—
1800 (Full Round)	5-124X■	—	—	—
1810 (Full Round)	5-281X■	—	—	—
1810 (Half Round)	5-676X■	—	—	—
SPL250X	—	—	SPL250X	—
1880 (Full Round)	5-308X■	—	—	—

• Double Lip Non-Greasable ■ OE Kit *Zerk in cup

Conversion Kit Number	Series Joined	Converts Yokes Using Kit Number	Greasable (Y/N)	Page Number
5-134X	Spicer 1310 to Spicer 1330	5-153X & 5-213X	Y	277
5-186X	Spicer 1850 to Mechanics 9C/92N/88WB	5-185X & 5-9001X	Y	285
5-187X	Spicer 1850 to Mechanics 9C/92N/88WB	5-185X & 5-9000X	Y	285
5-212X	Spicer 1330 to Saginaw S44	5-1203X & 5-3147X	Y	283
5-220X	Spicer 1550 to Mechanics 6C/62N	5-155X & 5-6000X	Y	285
5-221X	Spicer 1550 to Mechanics 6C/62N	5-155X & 5-6006X	Y	285
5-248X	Spicer 1110 to Spicer 1210	5-111X & 5-443X	Y	283
5-291X	Spicer 1310 to Mechanics 2C	5-153X & 5-2002X	Y	285
5-324X	Spicer 1810 to Mechanics 9C/92N	5-281X & 5-9001X	Y	291
5-326X	Spicer 1880 to Mechanics 9C/92N	5-308X & 5-9001X	Y	291
5-327X	Spicer 1880 to Mechanics 9C/92N	5-308X & 5-9000X	Y	291
5-328X	Spicer 1550 to Rockwell 58WB	5-155X & 5800X	Y	285
5-329X	Spicer 1550 to Rockwell 58WB	5-155X & 58WB(HWT)	Y	285
5-330X	Spicer 1650 to Mechanics 7C/72N	5-165X & 5-7105X	Y	285
5-331X	Spicer 1650 to Mechanics 7C/72N	5-165X & 7C/72N(HWT)	Y	285
5-345X	Spicer 1410 to Mechanics 4C	5-160X & 5-4143X	Y	285
5-346X	Spicer 1410 to Mechanics 4C	5-160X & 5-4002X	Y	285
5-347X	Spicer 1480 to Mechanics 5C	5-188X & 5-5177X	Y	285
5-348X	Spicer 1480 to Mechanics 5C	5-188X & 5-5000X	Y	285
5-353X	Spicer 1310 to Detroit 7260	5-153X & 5-1306X	Y	283
5-354X	Spicer 1310 to Detroit 7290	5-153X & 5-1309X	Y	284
5-356X	Spicer 1310 to Mechanics 3C	5-153X & 5-3000X	Y	285
5-357X	Spicer 1410 to Chrysler 5380	5-160X & 5-1301X	Y	284
5-430X	Spicer 1000 to Rockwell L6N	5-170X & 5-92X	Y	281
5-460X	Spicer 1310 to Spicer 1350	5-153X & 5-178X	Y	277
5-527X	Detroit 7260 to Detroit 7290	5-1306X & 5-1309X	Y	281
5-541X	Spicer 1330 to Saginaw S44	5-1203X & 5-3147X	Y	283
5-599X	Spicer 1330 to Detroit 7260	5-213X & 5-1306X	Y	283
5-648X	Spicer 1330 to Spicer 1350	5-213X & 5-178X	Y	278
5-793X	Spicer 1330 to Saginaw S44	5-1203X & 5-3147X	Y	284
5-796X	Spicer 1330 to Detroit 7290	5-1203X & 5-1309X	N	284
5-1312X	Spicer 1330SPEC to Saginaw S44	5-1204X & 5-3147X	Y	284
5-1313X	Spicer 1350 to 1330SPEC	5-178X & 5-1204X	Y	284
5-3022X	Spicer 1310 to Saginaw S44	5-153X & 5-3147X	Y	283
5-3163X	Chrysler/Detroit 7290 to Saginaw S44	5-1309X & 5-3147X	N	282
5C-3X	Spicer 1480 to Mechanics 5C	5-188X & 5-5177X	Y	285
5C-5X	Spicer 1480 to Mechanics 5C	5-188X & 5-5000X	Y	285
6C-3X	Spicer 1550 to Mechanics 6C/62N	5-155X & 5-6006X	Y	285
6C-5X	Spicer 1550 to Mechanics 6C/62N	5-155X & 5-6000X	Y	285

Universal Joint Kit Attaching Hardware & Torque Specifications

U-Bolt



Series	Spicer® Kit Number	Spicer® U-Bolt Assy	Recommended Bolt Torque
1280	5-200X	2-94-28X	14-17 Lb. Ft.
1310/SPL22	5-153X	2-94-28X	14-17 Lb. Ft.
1330/SPL25	5-213X	2-94-28X	14-17 Lb. Ft.
1350/SPL30	5-178X	3-94-18X	20-24 Lb. Ft.
1410/SPL36	5-160X	3-94-18X	20-24 Lb. Ft.
1480/SPL55	5-188X	3-94-28X	32-37 Lb. Ft.
1550/SPL70	5-155X	3-94-28X	32-37 Lb. Ft.

Bearing Strap



Warning: Bearing strap retaining bolts should **NOT** be reused

Series	Spicer® Kit Number	Spicer® Strap Kit Assy	Recommended Bolt Torque
SPL90	SPL90X	90-70-28X	45-60 Lb. Ft.
1210	5-443X	2-70-18X	13-18 Lb. Ft.
1280	5-200X	2-70-18X	13-18 Lb. Ft.
1310/SPL22	5-153X	2-70-18X	13-18 Lb. Ft.
1330/SPL25	5-213X	2-70-18X	13-18 Lb. Ft.
3R/S44	5-3147X	2-70-48X	30-35 Lb. Ft.
1350/SPL30	5-178X	3-70-28X	30-35 Lb. Ft.
1350SPEC ♦		2-70-48X	25-30 Lb. Ft.
1410/SPL36	5-160X	3-70-28X	30-35 Lb. Ft.
1480/SPL55	5-188X	3-70-38X	55-60 Lb. Ft.
1550/SPL70	5-155X	3-70-38X	55-60 Lb. Ft.
1610	5-438X	5-70-28X	55-60 Lb. Ft.
1710	5-515X	6.5-70-18X	130-135 Lb. Ft.
1710	5-515X	212214X■	130-135 Lb. Ft.
1760	5-469X	6.5-70-18X	130-135 Lb. Ft.
1760	5-469X	212214X■	130-135 Lb. Ft.
1810	5-510X	6.5-70-18X	130-135 Lb. Ft.
1810	5-510X	212214X■	130-135 Lb. Ft.

Cap & Bolt



Series	Spicer® Kit Number	Spicer® Cap & Bolt Assy	Recommended Bolt Torque
1650	5-165X	5-70-18X	77-103 Lb. Ft.
1850	5-185X	8-70-18X	110-147 Lb. Ft.
1850	5-227X	8-70-18X	110-147 Lb. Ft.
1910◄	5-316X	N.S.S.	110-147 Lb. Ft.
1950◄	5-339X	9-70-18X	271-362 Lb. Ft.
2010◄	5-371X	N.S.S.	102-118 Lb. Ft.
2050◄	5-340X	9-70-28X	744-844 Lb. Ft.
2110◄	5-372X	N.S.S.	171-197 Lb. Ft.
2150◄	5-298X	9-70-38X	744-844 Lb. Ft.
2210◄	5-373X	N.S.S.	260-298 Lb. Ft.

♦ Strap kit 1350 Series “Special” for Corvette with metric bolts 3-70-48X also fits some Dodge Viper.
■ Kit has "cast" style strap
◄ For reference only; these driveline series are not serviced by Dana Spicer Service Parts

Universal Joint Kit Attaching Hardware & Torque Specifications

Bearing Plate



Warning: Self locking bolts should **NOT** be reused

Series	Spicer® Kit Number	Bolt Part Number	Lockstrap Part Number	Recommended Bolt Torque
1610	*5-279X	5-73-709	N.A.	26-35 Lb. Ft.
1710	*5-280X	6-73-209	N.A.	38-48 Lb. Ft.
1760	*5-407X	6-73-209	N.A.	38-48 Lb. Ft.
1810	*5-281X	6-73-209	N.A.	38-48 Lb. Ft.
1880	*5-308X	7-73-315	N.A.	60-70 Lb. Ft.
1610	5-654X	5-73-109	98-1741	17-24 Lb. Ft.
1710	5-656X	6-73-109	230323	32-42 Lb. Ft.
1760	5-658X	6-73-109	230323	32-42 Lb. Ft.
1810	5-660X	6-73-109	230323	32-42 Lb. Ft.
1880	5-668X	7-73-115	231009	50-66 Lb. Ft.

*these kits use self-locking bolts with lock patch.

Series	Spicer® Kit Number	Spicer® Strap Kit Assy	OLD "Yellow/Gold" Attaching Bolt Part Number	Recommended Bolt Torque	NEW "Green" Attaching Bolt Part Number	Recommended Bolt Torque
SPL140	SPL140X	140-70-18X	12-73-125M	100-120 Lb. Ft.	5007417	115-135 Lb. Ft.
SPL170	SPL170X	170-70-18X	12-73-125M	100-120 Lb. Ft.	5007417	115-135 Lb. Ft.
SPL250	SPL250X	250-70-18X	12-73-125M	100-120 Lb. Ft.	5007417	115-135 Lb. Ft.

Originally SPL140 and SPL250 Series bearing retainer and u-joint kits included bolt part number 12-73-125M, which is YELLOW/GOLD in color. The newer bolt part number, 5007417, is GREEN in color. This was a running change that began in the second quarter of 2006.

U-Joint Kit Method of Retention and Hardware Kit Part Number

Spicer Part Number	Original Equipment		Bearing Diameter	Spicer Part Number			
	Mfg.	Series		U-Bolt 	Strap Kit 	Outside Snap Ring	Inside Snap Ring
5-101X	Spicer	1110	.938”	-	-	1-7-29	-
5-103X	Spicer	1000SG	.938”	-	-	-	10-7-29
5-105X	Spicer	1100/1110	1.000”	-	-	-	230093
5-111X	Spicer	1100	.938”	-	-	1-7-29	-
5-129X	Spicer	1240	1.126”	-	-	2-7-149	-
5-134X	Spicer	1310/1330	1.063”	2-94-28X	2-70-18X	2-7-29	-
5-153X	Spicer	1310	1.063”	2-94-28X	2-70-18X	2-7-29	-
5-155X	Spicer	1550	1.375”	3-94-28X	3-70-38X	3-7-109	-
5-160X	Spicer	1410	1.188”	3-94-18X	3-70-28X	3-7-38	-
5-170X	Spicer	1000	.938”	-	-	-	10-7-29
5-178X	Spicer	1350	1.188”	3-94-18X	3-70-28X	3-7-38	-
5-188X	Spicer	1480	1.375”	3-94-28X	3-70-38X	3-7-89	-
5-200X	Spicer	1280	1.063”	2-94-28X	2-70-18X	2-7-29	-
5-212X	Mechanics / Spicer	3RL/1330	1.063” x 1.125”	-	2-70-18X	2-7-29	2-7-299
5-213X	Spicer	1330	1.063”	2-94-28X	2-70-18X	2-7-29	-
5-260X	Spicer	1310WJ	1.063”	-	-	-	2-7-99
5-297X	Spicer	1310WJ	1.188”	-	-	-	3-7-99
5-332X	Spicer	1480WJ	1.375”	-	-	-	3-7-129
5-350X	Spicer	1310	1.063”	2-94-28X	-	-	2-7-99
5-353X	Spicer / Detroit	1310/7260	1.063” X 1.078”	-	-	2-7-29	2-7-99
5-433-1X	Spicer	1310	1.063”	2-94-28X	-	2-7-29	-
5-443X	Spicer	1210	1.063”	2-94-28X	2-70-18X	2-7-29	-
5-541X	Mechanics / Spicer	3RL/1330	1.063” X 1.125”	-	2-70-18X	2-7-29	2-7-299
5-1200X	Cleveland / Spicer	S55/1310	1.063”	2-94-28X	-	2-7-29	2-7-99
5-1201X	Cleveland	S55	1.063” X 1.125”	2-94-58X	-	2-7-29	2-7-99
5-1203X	Cleveland / Spicer	P55/1330	1.063”	2-94-28X	-	2-7-29	2-7-99
5-1204X	Cleveland / Spicer	P55/1330	1.063” X 1.125”	2-94-58X	-	2-7-29	2-7-99
5-1205X	Cleveland / Spicer	R55/1350	1.188”	3-94-18X	3-70-28X	3-7-39	3-7-99
5-1206X	Cleveland / Spicer	O55/1410	1.188”	3-94-18X	3-70-28X	3-7-39	3-7-99
5-1306X	Detroit	7260	1.078”	-	2-70-38X	-	2-7-99
5-1309X	Detroit	7290	1.125”	-	-	-	2-7-299
5-2011X	Mechanics	2R	1.000”	-	2-70-18X	-	230093
5-3011X	Mechanics	3R	1.125”	-	2-70-28X	-	2-7-299
5-3022X	Mechanics	3R	1.063” X 1.125”	-	-	2-7-29	2-7-299
5-3147X	Saginaw / Mechanics	3R	1.125”	-	2-70-48X	-	2-7-299

Outside Snap Ring (OSR) Style



G1 Over Caps	D1 Bearing cap Diameter	G2 Over Caps	D2 Bearing cap Diameter	OE Mfg.	OE Series	Converts From this Series	To this Series Part	Greasable (Y=yes N=no)	Spicer Part Number
1.732	.811	1.732	.811	SPICER ITALCARDANO	44-B			N	050576000
1.850	.732	1.850	.732	SPICER ITALCARDANO	47-B			Y	050560000
						45° zerk is located in center of cross			
2.046	.750	2.046	.750	SPICER ITALCARDANO	U-30			Y	050910000
						90° zerk is located in center of cross			
2.165	.866	2.615	.866	WALTERSCHEID	2100				040116■
2.409	.938	2.409	.938	SPICER	1100-SG			Y	5-102X•
2.411	.938	2.411	.938	SPICER ITALCARDANO	61-B OR 1100			Y	050701000
2.411	.938	2.411	.938	SPICER	1100			N	5-101X
2.411	.938	2.411	.938	SPICER	1100			Y	5-111X
							5-111X was replaced by 5-101X		
2.438	1.062	2.438	1.062	SPICER	1210			Y	5-443X
								Lube fitting in brg. cap	
2.438	1.062	2.438	1.062	SPICER	1210			N	5-526X
2.438	1.062	2.438	1.062	SPICER	1210			N	5-547X
								Has metal back seals	
2.438	1.062	2.438	1.062	SPICER	1210			Y	5-554X
						Grease zerk in brg. cup, Has metal back seals			
2.438	1.062	2.438	1.062	SPICER	1210			N	5-736X
2.498	.984	2.498	.984	DODGE COLT				Y	5-1503X
2.679	1.125	2.679	1.125	ROCKWELL	L14N	1240	L14N	Y	5-129X
2.931	.882	2.931	.882	ROCKWELL	1FR-AG			Y	5-264X
								No Brgs in brg.cap	
2.933	1.063	2.933	1.063	WALTERSCHEID	2300				044444•
2.938	1.063	2.938	1.063	SPICER	1310			Y	5-4X•
2.939	1.062	2.939	1.062	SPICER ITALCARDANO	75-B			Y	050585000
2.993	1.260	2.993	1.260	WALTERSCHEID	2400				312410•
3.207	1.250	3.207	1.250	ROCKWELL	35N	1340	35N	Y	5-243X
3.219	1.062	3.219	1.062	SPICER	1310			Y	5-255X
						5-255X will be replaced by 5-810X when supply is exhausted			
3.219	1.062	3.219	1.062	SPICER	1310			Y	5-810X
								Spicer Life Series	
3.219	1.062	3.219	1.062	SPICER	1310/SPL22			N	SPL22-1X
3.219	1.062	3.219	1.062	SPICER	1310/SPL22			N	SPL22-2X
								Coated bearing caps	
3.219	1.062	3.219	1.062	SPICER	1310			Y	5-153X

• Part is discontinued ■ Part is available until supply is exhausted ⅄ Not sold separately

Outside Snap Ring (OSR) Style



G1 Over Caps	D1 Bearing cap Diameter	G2 Over Caps	D2 Bearing cap Diameter	OE Mfg.	OE Series	Converts From this Series	To this Series Part	Greasable (Y=yes N=no)	Spicer Part Number
3.219	1.062	3.219	1.062	SPICER	1310			Y	5-278X
									Flush lube fitting in cross
3.219	1.062	3.219	1.062	SPICER	1310			Y	5-419X
									Has metal back seals
3.219	1.062	3.219	1.062	SPICER	1310-CV			Y	5-433-1X
									Lube fitting in bearing cap
3.219	1.062	3.219	1.062	SPICER	1310			Y	5-477X
									Same as 5-153X except has black seals
3.219	1.062	3.219	1.062	SPICER	1310			Y	5-511X
									Has long grease zerk
3.219	1.062	3.219	1.062	SPICER	1310			N	5-611-1X
									Includes various thickness snap rings
3.219	1.062	3.219	1.062	SPICER	1310			N	5-785X
									Spicer Life Series
3.219	1.062	3.219	1.062	SPICER	1310			N	5-786X•
									Coated bearing caps; Spicer Life Series
3.219	1.062	3.219	1.125	SPICER	1310SPEC/SPL22	S55	SPL22	N	SPL22-3X
3.219	1.062	3.219	1.125	SPICER	1310SPEC			Y	5-1201X
3.219	1.062	3.219	1.125	SPICER	1310SPEC			Y	5-719X•
3.219	1.062	3.219	1.125	SPICER	1310SPEC			N	5-787X
									Spicer Life Series
3.219	1.062	3.625	1.062	SPICER		1310	1330	Y	5-134X
3.219	1.062	3.625	1.188	SPICER		1310	1350	Y	5-460X
3.503	1.417	3.503	1.417	WALTERSCHEID	2500				312209•
3.622	1.181	3.622	1.181	WALTERSCHEID	W220				041662•
3.625	1.062	3.625	1.062	SPICER	1330/SPL25			N	SPL25-1X
3.625	1.062	3.625	1.062	SPICER	1330/SPL25			N	SPL25-2X•
									Coated bearing caps
3.625	1.062	3.625	1.062	SPICER	1330			Y	5-1203X
3.625	1.062	3.625	1.062	SPICER	1330			Y	5-213X
3.625	1.062	3.625	1.062	SPICER	1330			Y	5-273X
									Has metal back seals
3.625	1.062	3.625	1.062	SPICER	1330			N	5-790X
									Spicer Life Series
3.625	1.062	3.625	1.062	SPICER	1330			N	5-791X•
									Coated bearing caps; Spicer Life Series
3.625	1.062	3.625	1.062	SPICER	SPL25/1330			Y	5-812X
									Spicer Life Series
3.625	1.062	3.625	1.125	SPICER	1310SPEC/SPL22			N	SPL25-3X

• Part is discontinued ■ Part is available until supply is exhausted ⅄ Not sold separately

Outside Snap Ring (OSR) Style



G1 Over Caps	D1 Bearing cap Diameter	G2 Over Caps	D2 Bearing cap Diameter	OE Mfg.	OE Series	Converts From this Series	To this Series Part	Greasable (Y=yes N=no)	Spicer Part Number
3.625	1.062	3.625	1.125	SPICER	1330SPEC			Y	5-1204X
3.625	1.062	3.625	1.125	SPICER	1330SPEC			N	5-792X
									Spicer Life Series
3.625	1.062	3.625	1.188	SPICER		1330	1350	Y	5-648X
3.625	1.188	3.625	1.188	SPICER	1350/SPL30			N	SPL30-1X
3.625	1.188	3.625	1.188	SPICER	SPL30			N	SPL30-2X•
									Coated bearing caps
3.625	1.188	3.625	1.188	SPICER	1350/SPL30			N	SPL30-3X▪
									2-Coated bearing caps, 2-Uncoated
3.625	1.188	3.625	1.188	SPICER	1350/SPL30			N	SPL30-4X•
3.625	1.188	3.625	1.188	SPICER	1350			Y	5-174X
									Has metal back seals
3.625	1.188	3.625	1.188	SPICER	1350WJ			N	5-282X
									Has metal back seals
3.625	1.188	3.625	1.188	SPICER	1350			N	5-447X
									Coated bearing caps
3.625	1.188	3.625	1.188	SPICER	1350			N	5-471X
									Has metal back seals - spec for US govt.
3.625	1.188	3.625	1.188	SPICER	1350			Y	5-480X▪
3.625	1.188	3.625	1.188	SPICER	1350			Y	5-542X
									Has metal back seals
3.625	1.188	3.625	1.188	SPICER	1350			Y	5-584X
									Same as 5-178X except includes 45° Zerk
3.625	1.188	3.625	1.188	SPICER	1350WJ			N	5-86X
									Used in closed end Spicer front axle; No bearing cap seals
3.625	1.188	3.625	1.888	SPICER	1350			Y	5-178X
3.625	1.188	3.625	1.888	SPICER	1350			N	5-799X
									Spicer Life Series
3.625	1.188	3.625	1.888	SPICER	1350			N	5-800X•
				SPICER					*Coated bearing caps; Spicer Life Series*
3.767	1.126	3.767	1.126	ITALCARDANO	96-B			Y	050207000
3.900	1.005	3.900	1.005	BORG WARNER	3DR			Y	5-265X
									4-round knurled caps - No hardware incl.
4.188	1.188	4.188	1.188	SPICER	1410/SPL36			N	SPL36-1X
4.188	1.188	4.188	1.188	SPICER	1410/SPL36			N	SPL36-2X•
									Coated bearing caps;
4.188	1.188	4.188	1.188	SPICER	1410/SPL36			N	SPL36-3X•
4.188	1.188	4.188	1.188	SPICER	1410/SPL36			N	SPL36-4X•

• Part is discontinued ■ Part is available until supply is exhausted ⅄ Not sold separately

Outside Snap Ring (OSR) Style



G1 Over Caps	D1 Bearing cap Diameter	G2 Over Caps	D2 Bearing cap Diameter	OE Mfg.	OE Series	Converts From this Series	To this Series Part	Greasable (Y=yes N=no)	Spicer Part Number
4.188	1.188	4.188	1.188	SPICER	1410			Y	5-160X
4.188	1.188	4.188	1.188	SPICER	1410			N	5-429X▪
								Has metal back seals	
4.188	1.188	4.188	1.188	SPICER	1410			Y	5-462X
4.188	1.188	4.188	1.188	SPICER	1410			Y	5-481X
4.188	1.188	4.188	1.188	SPICER	1410			N	5-641X
							5-641X was replaced by 5-801X		
4.188	1.188	4.188	1.188	SPICER	1410			N	5-801X
								Spicer Life Series	
4.188	1.375	4.188	1.375	SPICER	1480/SPL55			Y	SPL55-1X
4.188	1.375	4.188	1.375	SPICER	1480/SPL55			N	SPL55-2X•
4.188	1.375	4.188	1.375	SPICER	1480/SPL55			N	SPL55X
4.188	1.375	4.188	1.375	WALTERSCHEID	2200			Y	044439•
4.188	1.375	4.188	1.375	SPICER	1480			Y	5-188X
4.188	1.375	4.188	1.375	SPICER	1480			Y	5-263X
4.188	1.375	4.188	1.375	SPICER	1480			N	5-319X
								Has metal back seals	
4.188	1.375	4.188	1.375	SPICER	1480			Y	5-482X
4.188	1.375	4.188	1.375	SPICER	1480			N	5-803X
								Spicer Life Series	
4.188	1.375	4.188	1.375	SPICER	SPL55/1480			Y	5-804X
								Spicer Life Series	
4.312	1.531	4.312	1.531	ROCKWELL	55N			Y	5-432X
4.957	1.625	4.957	1.625	SPICER	SPL100			Y	SPL100-1X
							Dimensionally same as SPL90X		
4.957	1.625	4.957	1.625	SPICER	SPL90			Y	SPL90X
4.964	1.375	4.964	1.375	SPICER	1550/SPL70			Y	SPL70-1X
4.964	1.375	4.964	1.375	SPICER	1550/SPL70			N	SPL70X
4.964	1.375	4.964	1.375	SPICER	1550			Y	5-155X
4.964	1.375	4.964	1.375	SPICER	1550			Y	5-275X
								Has metal back seals	
4.964	1.375	4.964	1.375	SPICER	1550			Y	5-304X
4.964	1.375	4.964	1.375	SPICER	1550			Y	5-483X
4.964	1.375	4.964	1.375	SPICER	1550			Y	5-543X
								Has metal back seals	
4.964	1.375	4.964	1.375	SPICER	1550			Y	5-546X
							2-Snap rings & 2-Thrust plates w/metric bolts		
4.964	1.375	4.964	1.375	SPICER	1550			Y	5-778X
					Same as 5-275X but includes 45° zerk, and has metal back				

• Part is discontinued ■ Part is available until supply is exhausted ⅄ Not sold separately

Outside Snap Ring (OSR) Style



G1 Over Caps	D1 Bearing cap Diameter	G2 Over Caps	D2 Bearing cap Diameter	OE Mfg.	OE Series	Converts From this Series	To this Series Part	Greasable (Y=yes N=no)	Spicer Part Number
4.964	1.375	4.964	1.375	SPICER	1550			N	5-808X
									Spicer Life Series
5.590	1.163	5.590	1.163	SPICER	1650			Y	5-165X
6.011	1.980	6.011	1.980	SPICER ITALCARDANO				Y	050967100
						Has three hole plates instead of snap rings			
8.092	2.186	8.092	2.186	SPICER	1850			Y	5-185X

• Part is discontinued ■ Part is available until supply is exhausted ⅄ Not sold separately

Inside Snap Ring (ISR) Style



K1 Between Snap Rings	D1 Bearing cap Diameter	K2 Between Snap Rings	D2 Bearing cap Diameter	OE Mfg.	OE Series	Converts From this Series	To this Series Part	Greasable (Y=yes N=no)	Spicer Part Number
1.445	.971	1.445	.971	ROCKWELL	L6N			Y	5-92X
1.482	.886	1.482	.886	MAZDA				N	5-1514X
1.496	.787	1.496	.787	DAT-TOY				N	5-1500X
1.500	.938	1.445	.971	ROCKWELL	L6N	1000	L6N	Y	5-430X
1.500	.938	1.500	.938	SPICER	1000			N	5-110X
1.500	.938	1.500	.938	SPICER	1000SG			Y	5-755X•
							Used in aluminum steering shafts		
1.500	.938	1.500	.938	SPICER	1000SG			Y	5-103X
1.500	.938	1.500	.938	SPICER	1000			Y	5-170-1X
								Lube fitting in brg. cap	
1.500	.938	1.500	.938	SPICER	1000			Y	5-170X
1.640	1.062	1.640	1.062	SPICER	1210WJ			N	5-456X
1.718	1.000	1.718	1.000	SPICER	1100			Y	5-105X
1.723	.984	1.723	.984	MAZDA				N	5-1504X•
1.734	.984	1.734	.984	DATSUN				N	5-1501X
1.828	1.062	1.828	1.062	ROCKWELL	L12N	1140	L12N	Y	5-242X
2.047	1.142	2.047	1.142	TOYOTA				N	5-1510X
2.080	1.142	2.080	1.142	CHEV LUV				Y	5-1515X
2.125	1.078	2.125	1.078	DETROIT	7260			Y	5-1306-1X
								Lube fitting in brg. cap	
2.125	1.078	2.125	1.078	DETROIT	7260			N	5-789X
								Spicer Life Series	
2.125	1.078	2.125	1.078	DETROIT	7260			Y	5-1306X
2.125	1.078	2.125	1.078	MERCRUISER	7260			Y	5-589X
									Mercruiser kit
2.125	1.078	2.625	1.125	DETROIT	7260	7260	7290	Y	5-527X•
2.188	1.062	2.188	1.062	SPICER	1310WJ			N	5-74X
							Used in closed end Spicer front axle; No bearing cap seals		
2.188	1.062	2.188	1.062	SPICER	1310WJ			Y	5-260-1X
								Lube fitting in brg. cap	
2.188	1.062	2.188	1.062	SPICER	1310WJ			N	5-260X
2.188	1.188	2.188	1.188	SPICER	1310WJ			N	5-297X
							5-297X was replaced by 5-760X		
2.188	1.188	2.188	1.188	SPICER	1310WJ			N	5-760X
2.188	1.188	2.188	1.188	SPICER	1310WJ			Y	5-297-1X
								Lube fitting in brg. cap	
2.200	1.025	2.200	1.025	TOYOTA				Y	5-1508X
2.208	1.102	2.208	1.102	DATSUN				Y	5-1505X
2.343	1.062	2.343	1.062	SPICER	1310			Y	5-350X

• Part is discontinued ■ Part is available until supply is exhausted ⅄ Not sold separately

Inside Snap Ring (ISR) Style





K1 Between Snap Rings	D1 Bearing cap Diameter	K2 Between Snap Rings	D2 Bearing cap Diameter	OE Mfg.	OE Series	Converts From this Series	To this Series Part	Greasable (Y=yes N=no)	Spicer Part Number
2.344	1.000	2.344	1.000	MECHANICS	2R			Y	5-2011X
2.375	1.062	2.375	1.062	CLEVELAND	S55			Y	5-718X
								Coated bearing caps	
2.375	1.062	2.375	1.062	CLEVELAND	S55			Y	5-1200X
2.453	1.497	2.453	1.497	MERCEDES				Y	5-1506X•
2.520	1.260	2.520	1.260	TOYOTA				Y	5-1511X•
2.556	1.125	2.556	1.125	MECHANICS	S44			N	SPL25-6X
2.556	1.125	2.556	1.125	MECHANICS	S44			Y	5-3147X
2.556	1.125	2.556	1.125	SPICER	SPL25/S44			N	5-795X
								Spicer Life Series	
2.563	1.188	2.563	1.188	CLEVELAND	R55			Y	5-1205X
2.625	1.125	2.556	1.125	DETROIT/SAGINAW	7290/S44	7290	S44	N	5-3163X•
2.625	1.125	2.625	1.125	DETROIT	7290			Y	5-1309X
2.625	1.125	2.625	1.125	DETROIT	7290			N	SPL25-9X•
2.625	1.125	2.625	1.125	DETROIT	7290			N	5-811X
								Spicer Life Series	
2.781	1.312	2.781	1.312	ROCKWELL	44R			Y	5-431X
2.920	1.375	2.920	1.375	AAM	1485WJ			N	5006813
								Spicer Life Series	
3.000	1.231	3.000	1.231	DETROIT	5380			Y	5-1301X
3.000	1.375	3.000	1.375	SPICER	SPL55/1480WJ			Y	5-807X
							Wheel Joint, Same as SPL55-4X		
3.000	1.375	3.000	1.375	SPICER	SPL55/1480WJ			N	5-806X
							Wheel Joint, Same as SPL55-3X		
3.000	1.375	3.000	1.375	SPICER	1480WJ			N	5-332X
								Can use 5-806X	
3.000	1.375	3.000	1.375	SPICER	1480WJ			N	5-88X
					Used in closed end Spicer front axle; No bearing cap seals				
3.000	1.375	3.000	1.375	SPICER	SPL55/1480WJ			Y	SPL55-4X
							Wheel Joint, Same as 5-807X		
3.000	1.375	3.000	1.375	SPICER	SPL55/1480WJ			N	SPL55-3X
							Wheel Joint, Same as 5-806X		
3.125	1.188	3.125	1.188	CLEVELAND	O55			Y	5-1206X
3.125	1.188	3.125	1.188	SPICER	SPL36			N	5004989
								Spicer Life Series	
3.250	1.125	3.250	1.125	MECHANICS	4R			Y	5-4015X
3.780	1.375	3.780	1.375	SPICER	SPL70WJ			Y	SPL70-4X
3.780	1.375	3.780	1.375	SPICER	SPL70WJ			N	SPL70-3X

• Part is discontinued ■ Part is available until supply is exhausted ⅄ Not sold separately

Outside Snap Ring/Inside Snap Ring (OSR/ISR) Style



K Inside Snap Ring Dimension	D1 Inside Bearing cap Diameter	G Outside Snap Ring Dimension	D2 Outside Bearing cap Diameter	OE Mfg.	OE Series	Converts From this Series	To this Series Part	Greasable (Y=yes N=no)	Spicer Part Number
1.719	1.000	2.438	1.062	SPICER	1110/1210	1110	1210	Y	5-248X
							Grease zerk in center of cross		
1.719	1.000	2.438	1.062	SPICER	1110 SPEC	1110	1210	Y	5-249X
							5-249X was replaced by 5-248X		
2.049	1.142	3.219	1.062	TOYOTA		TOYOTA	1310		5-721X•
2.125	1.078	3.219	1.062	DETROIT	7260	7260	1310	Y	5-353X
2.125	1.078	3.219	1.062	DETROIT	7260	7260	1310	N	5-634X
							5-634X was replaced by 5-788X		
2.125	1.078	3.219	1.062	DETROIT	7260	7260	1310	N	5-647X
								Coated bearing caps	
2.125	1.078	3.219	1.062	DETROIT	7260	7260	1310	N	5-788X
								Spicer Life Series	
2.125	1.078	3.220	1.062	DETROIT	7260	7260	1310/SPL22	N	SPL22-4X
2.125	1.078	3.625	1.062	DETROIT	7260	7260	1330	Y	5-599X•
2.125	1.125	3.219	1.062	MECHANICS		2.5R	1310		5-2530X
							Plug in center of cross lube fitting not included		
2.344	1.000	3.219	1.062	SPICER		2R	1310	Y	5-2140X
2.344	1.000	3.219	1.125	MECHANICS	2CL	2CL	1260	Y	5-2173X
2.375	1.062	3.625	1.062	CLEVELAND	S55			Y	5-1202X
2.556	1.125	3.219	1.062	SAGINAW	S44	S44	1310	Y	5-3022X
2.556	1.125	3.625	1.062	SAGINAW	S44	S44	1330/SPL25	N	SPL25-4X
2.556	1.125	3.625	1.062	SAGINAW	S44	S44	1330/SPL25	N	SPL25-5X
								Outside snap rings are coated	
2.556	1.125	3.625	1.062	SAGINAW	S44	S44	1330	Y	5-212X
2.556	1.125	3.625	1.062	SPICER	1330/S44			N	5-541X
							5-541X was replaced by 5-793X		
2.556	1.125	3.625	1.062	SAGINAW	S44	S44	1330	N	5-619X
							5-619X was replaced by 5-793X		
2.556	1.125	3.625	1.062	SAGINAW	S44	S44	1330	N	5-621X
							5-621X was replaced by 5-793X		

• Part is discontinued ■ Part is available until supply is exhausted ⅄ Not sold separately

Outside Snap Ring/Inside Snap Ring (OSR/ISR) Style



K Inside Snap Ring Dimension	D1 Inside Bearing cap Diameter	G Outside Snap Ring Dimension	D2 Outside Bearing cap Diameter	OE Mfg.	OE Series	Converts From this Series	To this Series Part	Greasable (Y=yes N=no)	Spicer Part Number
2.556	1.125	3.625	1.062	SPICER	1330/S44			N	5-793X
									Spicer Life Series
2.556	1.125	3.625	1.062	SAGINAW	S44	S44	1330	N	5-794X•
						Outside snap rings are coated; Spicer Life Series			
2.556	1.125	3.625	1.062	SAGINAW	S44	S44	1330	N	5003097
2.556	1.125	3.625	1.125	CLEVELAND	P55	S44	P55	Y	5-1312X•
2.625	1.125	3.219	1.062	DETROIT		7290	1310	Y	5-354X•
2.625	1.125	3.625	1.062	DETROIT	7290	7290	1330/SPL25	N	SPL25-7X
2.625	1.125	3.625	1.062	DETROIT	7290	7290	1330/SPL25	N	SPL25-8X
									Coated bearing caps
2.625	1.125	3.625	1.062	DETROIT	7290	7290	1330	N	5-637X
							5-637X was replaced by 5-796X		
2.625	1.125	3.625	1.062	DETROIT	7290	7290	1330	N	5-672X
2.625	1.125	3.625	1.062	DETROIT	7290	7290	1330	N	5-796X
									Spicer Life Series
2.767	1.062	3.625	1.125	SPICER		1330	1330SPEC	N	5-538X▪
2.767	1.125	3.625	1.188	CLEVELAND	P55	1350	P55	Y	5-1313X•
3.000	1.231	4.188	1.188	DETROIT	5380	5380	1410	Y	5-357X

• Part is discontinued ■ Part is available until supply is exhausted ⅄ Not sold separately

Outside Snap Ring/Wing Bearing (OSR/WB) Style



G Over Caps	D Bearing cap Diameter	C Pilot Diameter	S Between Bolt Holes	WB Cap Type	Converts From this Series	To this Series Part	Greasable (Y=yes N=no)	Spicer Part Number
3.219	1.062	3.125	1.312	TBC	2C	1310	Y	5-291X
3.219	1.062	3.562	1.438	TBC	3C	1310	Y	5-356X•
3.625	1.062	3.562	1.438	LWT	3C	1330/P55	Y	5-688X•
3.625	1.062	3.562	1.438	TBC	3C	1330	Y	5-314X•
3.625	1.188	3.562	1.438	LWT	3C	1350	Y	5-689X•
3.625	1.188	3.562	1.438	HWD	3C	1350	Y	5-698X•
4.188	1.188	4.250	1.438	HWD	4C	1410	Y	5-345X
4.188	1.188	4.250	1.438	LWT	4C	1410	Y	5-346X•
4.188	1.375	4.531	1.688	HWD	5C	1480	Y	5C-3X
4.188	1.375	4.531	1.688	HWT	5C	1480	Y	5C-5X
4.188	1.375	4.531	1.688	HWD	5C	1480	Y	5-347X
							5-347X was replaced by 5C-3X	
4.188	1.375	4.531	1.688	HWT	5C	1480	Y	5-348X
							5-348X was replaced by 5C-5X	
4.969	1.375	5.312	1.938	HWD	58WB	1550	Y	5-328X
4.969	1.375	5.312	1.938	LWT	58WB	1550	Y	5-693X•
4.969	1.375	5.312	1.938	HWT	58WB	1550	Y	5-329X•
4.969	1.375	5.531	1.688	HWD	6C/62N	1550	Y	5-221X
							5-221X was replaced by 6C-3X	
4.969	1.375	5.531	1.688	HWD	6C/62N	1550	Y	6C-3X
4.969	1.375	5.531	1.688	HWT	6C/62N	1550	Y	6C-5X
4.969	1.375	5.531	1.688	HWT	6C/62N	1550	Y	5-220X
							5-220X was replaced by 6C-5X	
5.594	1.625	5.844	1.938	HWT	7C/72N/68WB	1650	Y	5-331X•
5.594	1.625	5.844	1.938	HWD	7C/72N/68WB	1650	Y	5-330X
8.092	2.186	8.250	2.812	HWT	9C/92N/88WB	1850	Y	5-187X
8.092	2.186	8.250	2.812	HWD	9C/92N/88WB	1850	Y	5-186X

• Part is discontinued ■ Part is available until supply is exhausted ⅄ Not sold separately

Inside Snap Ring/Wing Bearing (ISR/WB) Style



K Between Snap Rings	D Bearing cap Diameter	C Pilot Diameter	S Between Bolt Holes	WB Cap Type	Converts From this Series	To this Series Part	Greasable (Y=yes N=no)	Spicer Part Number
2.125	1.078	—	1.750	LWD	7260	SPECIAL	Y	5-1304X•
2.344	1.000	3.125	1.312	LWD	2CRL	2R	Y	5-2033X
2.344	1.000	3.125	1.312	TBC	2CRL	2R	Y	5-2031X
2.562	1.125	3.562	1.438	TBC	3CRL	S44	Y	5-3012X•
3.250	1.125	4.250	1.438	LWD	4CSRL	4R	Y	5-4016X•
3.250	1.125	4.250	1.438	LWT	4CRL	4D	Y	5-4014X
3.312	1.312	4.531	1.688	LWD	5CSRL	5R	Y	5-5015X
3.312	1.312	4.531	1.688	LWT	5CRL	5C	Y	5-5008X•

• Part is discontinued ■ Part is available until supply is exhausted ⅄ Not sold separately

Wing Bearing (WB) Style









LWD
LWT



HWD
HWT



TBC

C1 Pilot Diameter	S1 Centerline to Centerline	WB (1) Cap Type	C2 Pilot Diameter	S2 Centerline to Centerline	WB (2) Cap Type	OE Manufacturer	Series	Greasable (Y=yes N=no)	Spicer Part Number
3.125	1.312	LWD	3.125	1.312	LWD	SPICER ITALCARDANO	2C	N	050238000
3.125	1.312	LWD	3.125	1.312	LWD	SPICER ITALCARDANO	2C	Y	050239010
							Grease zerk located in cap		
3.125	1.312	LWD	3.125	2.387	TBC	MECHANICS	2C	Y	5-2116X
3.125	1.312	TBC	3.125	2.687	TBC	MECHANICS	2C	Y	5-2002X
3.125	1.312	LWD	3.125	1.312	LWD	SPICER ITALCARDANO	2C	Y	5-781X
							Grease zerk located in cap		
3.125	1.312	LWD	3.125	1.312	LWD	SPICER ITALCARDANO	2C	N	050239000
3.562	1.438	TBC	3.562	1.438	TBC	MECHANICS	3C	Y	5-3000X
4.250	1.438	LWT	4.250	1.438	LWT	MECHANICS	4C	Y	5-4002X
4.250	1.438	HWD	4.250	1.438	HWD	MECHANICS	4C		5-4143X
4.250	1.438	HWD	4.250	1.438	TBC	MECHANICS	4C	Y	5-4140X
4.250	1.438	HWD	4.250	1.438	HWD	SPICER ITALCARDANO	4C	N	050742020
							Bolt part number 815300001, not included		
4.250	1.438	HWD	4.250	1.438	HWD	SPICER ITALCARDANO	4C	Y	050742010
							Bolt part number 815300001, not included		
4.250	1.438	HWD	4.250	1.438	HWD	SPICER ITALCARDANO	4C	Y	050742000
							Bolt part number 815300001, not included		
4.531	1.688	LWD	4.531	1.688	LWT	MECHANICS	5C	Y	5-5121X
4.531	1.688	TBC	4.531	1.688	LWT	MECHANICS	5C	Y	5-5000X
4.531	1.688	HWD	4.531	1.688	HWD	MECHANICS	5C	N	050370000
							Bolt part number 815300007, not included		
4.531	1.688	HWD	4.531	1.688	HWD	MECHANICS	5C	Y	5-5177X
							5-5177X was replaced by 5C-1X		
4.531	1.688	HWD	4.531	1.688	HWD	MECHANICS	5C	Y	5C-1X▪
4.531	1.688	HWD	4.531	1.688	HWD	SPICER ITALCARDANO	5C	Y	050776020
							Bolt part number 815300007, not included		
4.531	1.688	HWD	4.531	1.688	HWD	SPICER ITALCARDANO	5C	Y	050776010
							Bolt part number 815300007, not included		
5.312	1.938	HWD	5.312	1.938	HWD	ROCKWELL	58WB	Y	5-5800X•
5.531	1.688	LWT	5.531	1.688	LWD	MECHANICS/ROCKWELL	6C/62N	Y	5-6000X
5.531	1.688	HWD	5.531	1.688	HWD	MECHANICS/ROCKWELL	6C/62N	Y	5-6106X
							5-6106X was replaced by 050138000		

• Part is discontinued ■ Part is available until supply is exhausted ⅄ Not sold separately

Note: Bolts are not included with Italcardano joints unless noted; Contact manufacturer

Wing Bearing (WB) Style









LWD
LWT



HWD
HWT



TBC

MSC

C1 Pilot Diameter	S1 Centerline to Centerline	WB (1) Cap Type	C2 Pilot Diameter	S2 Centerline to Centerline	WB (2) Cap Type	OE Manufacturer	Series	Greasable (Y=yes N=no)	Spicer Part Number
5.531	1.688	LWT	5.531	1.688	HWD	MECHANICS/ROCKWELL	6C/62N	Y	5-6102X
							5-6102X was replaced by 6C-9X		
5.531	1.688	LWT	5.531	1.688	HWD	MECHANICS/ROCKWELL	6C/62N	Y	6C-9X•
5.531	1.688	HWD	5.531	1.688	HWD	MECHANICS/ROCKWELL	6C/62N	Y	050138000
							Bolt part number 815300007, not included		
5.531	1.688	HWD	5.531	1.688	HWD	SPICER ITALCARDANO	6C/62N	Y	050223000
5.531	1.688	HWD	5.531	1.688	HWD	SPICER ITALCARDANO	6C/62N	N	050273000
							Bolt part number 815300007, not included		
5.531	1.688	HWD	5.531	1.688	HWD	SPICER ITALCARDANO	6C/62N	Y	050138010
							Bolt part number 815300007, not included		
5.531	1.688	HWD	5.531	1.688	HWD	SPICER ITALCARDANO	6C/62N	Y	050380000
5.531	1.688	TBC	5.844	1.938	HWD	MECHANICS/ROCKWELL	6C/7C	Y	5-6109X•
5.531	1.688	TBC	5.844	1.938	TBC	MECHANICS/ROCKWELL	6C/7C	Y	5-6108X•
5.844	1.938	LWT	5.844	1.938	LWT	MECHANICS/ROCKWELL	7C/72N	Y	5-7000X
5.844	1.938	HWD	5.844	1.938	HWD	MECHANICS/ROCKWELL	7C/72N	Y	5-7105X
5.844	1.938	TBC	5.844	1.938	HWD	MECHANICS/ROCKWELL	7C/72N	Y	5-7202X
5.844	1.938	HWD	5.844	1.938	HWD	SPICER ITALCARDANO	7C/72N	N	050280000
							Bolt Part Number 815300014, not included		
5.844	1.938	HWD	5.844	1.938	HWD	SPICER ITALCARDANO	7C/72N	N	050915222
5.844	1.938	HWD	5.844	1.938	HWD	SPICER ITALCARDANO	7C/72N	Y	050915010
							Bolt part number 815300014, not included		
5.844	1.938	HWD	5.844	1.938	HWD	SPICER ITALCARDANO	7C/72N	Y	050915000
							Bolt part number 815300014, not included		
6.500	2.812	HWD	6.500	2.812	HWD	SPICER ITALCARDANO	8.5C	Y	050246000
							Dual zerk in ctr of cross; Bolt# 815300015, not incl.		
6.500	2.812	HWD	6.500	2.812	HWD	SPICER ITALCARDANO	8.5C	N	050281000
							Bolt Part Number 815300015, not included		
6.500	2.812	LWD	6.500	2.812	LWD	SPICER ITALCARDANO	8.5C	Y	050964000
8.125	1.938	LWT	8.125	1.938	LWT	MECHANICS/ROCKWELL	8C/82N	Y	5-8200X
8.125	1.938	HWD	8.125	1.938	HWD	SPICER ITALCARDANO	8C/82N	Y	050509000
							Bolt Part Number 815300014, not included		
8.125	1.938	HWD	8.125	1.938	HWD	MECHANICS/ROCKWELL	8C/82N	Y	5-8105X
8.125	1.938	HWD	8.125	1.938	HWD	SPICER ITALCARDANO	8C/82N	Y	050509010
							Bolt Part Number 815300014, not included		

• Part is discontinued ■ Part is available until supply is exhausted ⅄ Not sold separately

Note: Bolts are not included with Italcardano joints unless noted; Contact manufacturer

Wing Bearing (WB) Style









LWD
LWT



HWD
HWT



TBC

C1 Pilot Diameter	S1 Centerline to Centerline	WB (1) Cap Type	C2 Pilot Diameter	S2 Centerline to Centerline	WB (2) Cap Type	OE Manufacturer	Series	Greasable (Y=yes N=no)	Spicer Part Number
8.125	1.938	HWD	8.125	1.938	HWD	SPICER ITALCARDANO	8C/82N	N	050A64000
						Bolt Part Number 815300014, not included			
8.125	1.938	TBC	8.125	1.938	HWD	MECHANICS/ROCKWELL	8C/82N	Y	5-8202X
8.250	2.812	HWT	8.250	2.812	HWD	MECHANICS/ROCKWELL	9C/92N	Y	5-9002X
8.250	2.812	HWD	8.250	2.812	HWD	MECHANICS/ROCKWELL	9C/92N	Y	5-9001X
8.250	2.812	HWD	8.250	2.812	HWD	MECHANICS/ROCKWELL	9C/92N	Y	5-643X
8.250	2.812	HWT	8.250	2.812	HWT	MECHANICS/ROCKWELL	9C/92N	Y	5-9000X
8.250	2.812	HWD	8.250	2.812	HWD	SPICER ITALCARDANO	9C/92N	N	050427000
						Bolt part number 815300015, not included			
8.250	2.812	HWD	8.250	2.812	HWD	SPICER ITALCARDANO	9C/92N	Y	050231000
						Two zerks in cross; Bolt part# 815300015, not incl.			
8.374	3.626	HWD	8.374	3.626	HWD	SPICER ITALCARDANO	10C	N	050A53000
						Bolt part# 815300017, not incl.			
8.374	3.626	HWD	8.374	3.626	HWD	SPICER ITALCARDANO	10C	Y	050A58000
						Two 45° zerks in cross			
8.374	3.626	HWD	8.374	3.626	HWD	SPICER ITALCARDANO	10C	N	050417000
8.374	3.626	HWD	8.374	3.626	HWD	SPICER ITALCARDANO	10C	Y	050242000
						Two zerks in cross; Bolt part# 815300017, not incl.			
8.750	3.500	HWD	8.750	3.500	HWD	SPICER ITALCARDANO	11C	Y	050A55000
						Bolt part # 815300004, not incl.			
8.750	3.500	HWD	8.750	3.500	HWD	SPICER ITALCARDANO	11C	N	050A56000
						Bolt part # 815300004, not incl.			
8.750	3.500	HWD	8.750	3.500	HWD	SPICER ITALCARDANO	11C	Y	050435000
						Has two zerks in cross			
8.750	3.500	HWD	8.750	3.500	HWD	TW DISC	J490	Y	5-10490X
9.685	3.228	HWD	9.685	3.228	HWD	SPICER ITALCARDANO	246-M210	Y	050781200
						Has two zerks in cross; includes bolts			
10.235	3.936	HWD	10.235	3.936	HWD	SPICER ITALCARDANO	15C	Y	050523001
						Has two zerks in cross			
11.024	3.622	HWD	11.024	3.622	HWD	SPICER ITALCARDANO	12.5C	Y	050518000
						Two zerks in cross; Bolt Part# 815180001, not incl.			
11.374	3.326	HWD	11.374	3.326	HWD	SPICER ITALCARDANO	12C	Y	050A68000
						Two 90° zerks in cross; bolt# 815180001, not incl.			

• Part is discontinued ■ Part is available until supply is exhausted ⅄ Not sold separately

Note: Bolts are not included with Italcardano joints unless noted; Contact manufacturer

Wing Bearing (WB) Style







C1 Pilot Diameter	S1 Centerline to Centerline	WB (1) Cap Type	C2 Pilot Diameter	S2 Centerline to Centerline	WB (2) Cap Type	OE Manufacturer	Series	Greasable (Y=yes N=no)	Spicer Part Number
11.374	3.326	HWD	11.374	3.326	HWD	SPICER ITALCARDANO	12C	N	050111000
						Bolt part # 815180001, not incl.			
11.374	3.326	HWD	11.374	3.326	HWD	SPICER ITALCARDANO	12C	Y	050A54000
						Has two zerks in cross; Bolt# 815180001, not incl.			
12.204	4.213	HWD	12.204	4.213	HWD	SPICER ITALCARDANO	14.5C	N	050421000
13.339	5.310	HWD	13.339	5.310	HWD	SPICER ITALCARDANO	14C	N	050101000
						Bolt Part Number 81493001, not included			
13.339	5.310	HWD	13.339	5.310	HWD	SPICER ITALCARDANO	14C	Y	050A51000
						Dual zerk in ctr of cross; Bolt# 814930001, not incl.			

• Part is discontinued ■ Part is available until supply is exhausted ⅄ Not sold separately

Note: Bolts are not included with Italcardano joints unless noted; Contact manufacturer

Bearing Plate/Wing Bearing (BP/WB) Style



E Between Caps	D Bearing cap Diameter	C Pilot Diameter	S Between Holes	WB Cap Type	Converts From this Series	To this Series Part	Greasable (Y=yes N=no)	Spicer Part Number
5.312	1.875	5.606	2.400	HWD	BRADLEY	1610	Y	5012401
						Bradley Military Vehicle (PAINTED)		
5.312	1.875	5.606	2.400	HWD	BRADLEY	1610	Y	5-450X
							Bradley Military Vehicle	
6.094	1.938	6.375	2.438	HWD	1710	J210	Y	5-705X•
6.094	1.938	6.500	2.812	HWD	1710	8.5C/85WB	Y	5-704X•
7.547	1.938	8.250	2.812	HWD	1810	9C/92N	Y	5-324X
7.547	1.938	8.250	2.812	HWD	1810	9C/92N	Y	5-727X
							Two 45º grease fittings in cross	
7.547	1.938	8.250	2.812	LWT	1810	9C/92N	Y	5-696X•
8.094	2.188	8.250	2.812	HWT	1880	9C/92N	Y	5-327X
8.094	2.188	8.250	2.812	HWD	1880	9C/92N	Y	5-642X
8.094	2.188	8.250	2.812	HWD	1880	9C/92N	Y	5-326X

• Part is discontinued ■ Part is available until supply is exhausted ⅄ Not sold separately

Spicer Life Series™ (SPL)
(Spring Tab Style)







E Over Caps (mm)	E Over Caps (std)	D Bearing cap Diameter (mm)	D Bearing cap Diameter (std)	OE Series	Spicer OE Series	Greasable (Y=yes N=no)	Spicer Part Number
138.71	5.461	49.20	1.937	SPICER	SPL140	Y	SPL140X
164.00	6.456	55.00	2.165	SPICER	SPL170	Y	SPL170X
163.00	6.417	60.00	2.362	SPICER	SPL250	Y	SPL250X

• Part is discontinued ■ Part is available until supply is exhausted ⅄ Not sold separately

Bearing Plate (BP) Style



E Between Caps	D Bearing cap Diameter	OE Mfg.	OE Series	Greasable (Y=yes N=no)	Spicer Part Number
4.562	1.562	SPICER	1500	Y	5-115X•
5.312	1.875	SPICER	1610	Y	5-279X
6.094	1.938	SPICER	1710	Y	5-280X
6.094	1.938	SPICER	1710	Y	5-280-4X•
					Four lube fittings in journal
6.594	2.312	SPICER	1800	Y	5-124X
7.000	1.938	SPICER	1760	Y	5-407X
7.547	1.938	SPICER	1810	Y	5-281-4X•
					Has four zerks in cross
7.547	1.938	SPICER	1810	Y	5-281X
8.094	2.188	SPICER	1880		5-308X
8.781	2.812	SPICER	1900	Y	5-54X•

• Part is discontinued ■ Part is available until supply is exhausted ⅄ Not sold separately

Half Round (HR) Style



E1 Between Caps	D1 Bearing cap Diameter	E2 Over Bearing Caps	D2 Bearing cap Diameter	OE Mfg	OE Series	Greasable (Y=yes N=no)	Spicer Part Number
5.312	1.875	5.312	1.875	SPICER	1610	Y	5-674X *Includes strap kit*
5.312	1.875	5.312	1.875	SPICER	1610	N	5001247 *Has (2) plugs in place of the zerks*
5.312	1.875	5.312	1.875	SPICER	1610	N	5-610X
5.312	1.875	5.312	1.875	SPICER	1610	Y	5-777X *Same as 5-674X w/out strap kit*
5.312	1.875	5.312	1.875	SPICER	1610	Y	5-585XM *Metric bolts w/lock strap; Grease zerk in center of cross*
5.312	1.875	5.312	1.875	SPICER	1610	Y	5-438X *5-438X was replaced by 5-674X*
5.312	1.875	5.312	1.875	SPICER	1610	Y	5-423X *Grease zerk in center of cross*
6.094	1.938	6.094	1.938	SPICER	1710	Y	5-746X *Includes metric bolts used on bearing cap*
6.094	1.938	6.094	1.938	SPICER	1710	Y	5-773X *Same as 5-675X but uses/includes strap with metric bolts*
6.094	1.938	6.094	1.938	SPICER	1710	Y	5-671X *Thrustwashers in bearing cap*
6.094	1.938	6.094	1.938	SPICER	1710	Y	5-675X *Includes strap kit*
6.094	1.938	6.094	1.938	SPICER	1710	Y	5-515X *5-515X was replaced by 5-675X*
7.000	1.938	7.000	1.938	SPICER	1760	Y	5-469X *5-469X was replaced by 5-677X*
7.000	1.938	7.000	1.938	SPICER	1760	Y	5-677X *Includes strap kit*
7.547	1.938	5.547	1.938	SPICER	1810	Y	5-510X *5-510X was replaced by 5-676X*
7.547	1.938	7.547	1.938	SPICER	1810	Y	5-676X *Includes strap kit*

• Part is discontinued ■ Part is available until supply is exhausted ⅄ Not sold separately

Pot (POT) Style



A Flange Diameter	B Pin Length	C Pin Diameter	D Ball Diameter	E Ball Thickness	Spicer Part Number
3.625	2.969	.562	1.031	.609	5-1407X•
4.000	2.875	.562	1.031	.609	5-1405X•

• Part is discontinued ■ Part is available until supply is exhausted ⅄ Not sold separately

Threaded Cap (THDCAP) Style



Over Caps	D Bearing cap Diameter	Thread Size	OE Series	Greasable (Y=yes N=no)	Spicer Part Number
2.934	1.125	.938-20	CHEV	Y	5-3031X

• Part is discontinued ■ Part is available until supply is exhausted ⅄ Not sold separately

Threaded Plate (THDPLT) Style



E Over Caps	D1 Bearing cap Diameter	S Bolt Hole C-Line to C-Line	OE Mfg.	OE Series	Greasable (Y=yes N=no)	Spicer Part Number
4.188	1.375	1.750	CLEVELAND	D56	Y	5-1214X•
						Bearing plates not supplied with kit

• Part is discontinued ■ Part is available until supply is exhausted ⅄ Not sold separately



Figure 1



Figure 2

Figure 1		Figure 2		OE Series	Spicer OE Series	Greasable (Y=yes N=no)	Spicer Part Number
E Over Caps	D1 Bearing cap Diameter	K Between Snap Rings	D2 Bearing cap Diameter				
—	—	5.665	2.565	SPICER	1910	Y	5-316X•
10.046	3.062	—	—	SPICER	1950	Y	5-339X•
12.343	3.812	—	—	SPICER	2050	Y	5-340X•

• Part is discontinued ■ Part is available until supply is exhausted ⅄ Not sold separately

Outside Snap Ring (OSR) Style GWB Replacement Kits



G Over Caps	D Bearing cap Diameter	OE Mfg.	OE Series
1.614	.591	SPICER GWB	473.10
1.937	.748	SPICER GWB	473.20
1.976	.866	SPICER GWB	373.20
2.323	.866	SPICER GWB	473.30
2.409	.937	SPICER GWB	687.10
2.748	1.024	SPICER GWB	287.00
2.933	1.063	SPICER GWB	687.15
3.220	1.181	SPICER GWB	287.10
3.220	1.189	SPICER GWB	687.20
3.622	1.374	SPICER GWB	687.25
3.811	1.378	SPICER GWB	287.20
3.811	1.378	SPICER GWB	587.10
4.114	1.654	SPICER GWB	587.15
4.165	1.496	SPICER GWB	387.20
4.198	1.374	SPICER GWB	687.30

G Over Caps	D Bearing cap Diameter	OE Mfg.	OE Series
4.587	1.890	SPICER GWB	587.20
4.701	1.654	SPICER GWB	687.35
4.913	1.732	SPICER GWB	287.30
5.236	2.047	SPICER GWB	587.30
5.322	1.874	SPICER GWB	687.40
5.669	2.244	SPICER GWB	587.35
5.745	2.047	SPICER GWB	687.45
5.984	2.244	SPICER GWB	687.55
5.987	2.244	SPICER GWB	587.42
6.024	1.969	SPICER GWB	287.40
6.457	2.165	SPICER GWB	387.40
6.602	2.323	SPICER GWB	687.60
6.772	2.559	SPICER GWB	687.65
6.772	2.559	SPICER GWB	587.48
7.283	2.835	SPICER GWB	587.50
8.534	2.913	SPICER GWB	587.55
9.110	3.267	SPICER GWB	587.60

• Part is discontinued ■ Part is available until supply is exhausted ⅄ Not sold separately

Note: For reference only; these u-joint kits are not serviced by Dana Spicer Service Parts. These service u-joint kits can be obtained by contacting Dana Driveshaft Products Group, *Products of Spicer Gelenkwellenbau*, Greenville, SC, (864) 987-0281.

Whatever your *ANGLE*, The Spicer® Anglemaster® has you covered!

The Spicer® Anglemaster®

One-Piece Driveline Inclinometer Series

Incorrect driveline angles associated with torsional vibration can lead to costly, time consuming repairs on your vehicle. That's why measuring driveline angles correctly is so critical.

The Spicer® Anglemaster® II one-piece driveline inclinometer provides precise driveline angle measurements, without the inconvenience of other measurement tools. The Spicer Anglemaster II measures driveline angles digitally, virtually eliminating human error and produces readings with higher, more accurate resolutions than can be made manually.

For more information about Spicer products or to purchase the Spicer Anglemaster II, please visit our website at www.spicerparts.com.

DANA SPICER®
Drivetrain Products

Dana Holding Corporation
Spicer Service Parts
PO Box 321
Toledo, Ohio 43697-0321
1-800-SAY-DANA (729-3262)

www.dana.com
www.spicerparts.com

Dana Holding Corporation
Spicer Service Parts - Canada
5095 South Service Road
Beamsville, Ontario LOR 1BO
Tech Service: (905) 563-4991

Dana Holding Corporation
Spicer Service Parts - International
(419) 861-6325

K350-1-DSSP
4/2008
Printed in U.S.A

Copyright Dana Limited, 2008
All rights reserved.

Drivetrain Products