


FWS2 Mounting Dimensions



SAF-HOLLAND Group

FWS2 Sliding ILS Inboard Mount for Angle

Also Available With Angle Later In This Section.
Discontinued - Replacement Parts Only



STANDARD OPTION CODES REPLACES THE UNDERSCORE (_) ON THE PART NUMBER.	
NUMBER CODE	DESCRIPTION
00 / Blank	Standard, No Other Options
14	Grease Fittings in Top Plate, Four (4) Fittings
80	Air Release, OEM Replacement, Left-Hand Only
86	Air Release, New Installations, Left-Hand Only

ILS FW PART NUMBER [◇] *	HEIGHT IN [MM]	SLIDE TRAVEL IN [MM]	SLIDE BASE LENGTH	B	C	REPLACEMENT SLIDE BASE AND BRACKET**	REPLACEMENT SLIDE BASE**	REPLACEMENT BRACKETS**	FIFTH WHEEL WEIGHT LBS [KG]
FWS2B712XL__	7.1" [180]	12.0" [305]	31.0" [787]	8°	6°	XA-B712	XA-B12	RK-10689-1	411.00 [186.43]
FWS2B724XL__		24.0" [610]	43.0" [1092]			XB-B724	XA-B24		439.00 [199.13]
FWS2B736XL__		36.0" [914]	55.0" [1397]			XA-B736	XA-B36		467.00 [211.83]
FWS2B748XL__		48.0" [1219]	67.0" [1702]			XA-B748	XA-B48		495.00 [224.53]
FWS2B812XL__	8.1" [206]	12.0" [305]	31.0" [787]	12°	12°	XA-B812	XA-B12	RK-10689-2	416.00 [188.69]
FWS2B824XL__		24.0" [610]	43.0" [1092]			XA-B824	XA-B24		444.00 [201.40]
FWS2B836XL__		36.0" [914]	55.0" [1397]			XA-B836	XA-B36		472.00 [214.10]
FWS2B848XL__		48.0" [1219]	67.0" [1702]			XA-B848	XA-B48		500.00 [226.80]
FWS2B912XL__	9.1" [231]	12.0" [305]	31.0" [787]	15°	19°	XA-B912	XA-B12	RK-10689-3	420.00 [190.51]
FWS2B924XL__		24.0" [610]	43.0" [1092]			XA-B924	XA-B24		448.00 [203.21]
FWS2B936XL__		36.0" [914]	55.0" [1397]			XA-B936	XA-B36		476.00 [215.91]
FWS2B948XL__		48.0" [1219]	67.0" [1702]			XA-B948	XA-B48		504.00 [228.61]



◇ For right-hand release fifth wheels, change "L" to "R" in part number.

* No longer available.

** See bracket section for more information.

FWS2 Stationary Brackets with Angle Mount

Discontinued - Replacement Parts Only



STANDARD OPTION CODES REPLACES THE UNDERSCORE (_) ON THE PART NUMBER.	
NUMBER CODE	DESCRIPTION
00 / Blank	Standard, No Other Options
14	Grease Fittings in Top Plate, Four (4) Fittings
80	Air Release, OEM Replacement, Left-Hand Only
86	Air Release, New installations, Left-Hand Only
21	.38" x 5" x 5" Angle
51	.38" x 4.0" [102] x 6" Angle

FRAME WIDTH CODE CHART					
CODE	FRAME WIDTH IN [MM]	CODE	FRAME WIDTH IN [MM]	CODE	FRAME WIDTH IN [MM]
A	33.25" [845]	F	33.88" [861]	L	34.50" [876]
B	33.38" [848]	G†	34.00" [864]	M	34.62" [879]
C	33.50" [851]	H	34.12" [867]	N	34.75" [883]
D	33.62" [854]	J	34.25" [870]		
E	33.75" [857]	K	34.38" [873]		

† Standard

FW PART NUMBER CAST BRACKET♦*	HEIGHT IN [MM]	A	B	REPLACEMENT BRACKETS**	FIFTH WHEEL WEIGHT LBS [KG]
FWS2W600GL__	6.1" [155]	8°	10°	RK-W600-G	335.00 [151.95]
FWS2W700GL__	7.1" [180]	11°	15°	RK-W700-G	342.00 [155.13]
FWS2W800GL__	8.1" [206]	14°	19°	RK-W800-G	347.00 [157.40]
FWS2W900GL__	9.1" [231]	17°	24°	RK-W900-G	351.00 [159.21]

♦ For right-hand release fifth wheels, change "L" to "R" in part number.

* No longer available.

** See bracket section for more information.


FWS2 Mounting Dimensions




SAF-HOLLAND Group

FWS2 Sliding ILS Inboard with Angle Mount

Discontinued - Replacement Parts Only



AIR RELEASE SHOWN.



Frame width "A-C": .38" x 3" x 4" angle

"D-K": .38" x 3.5" x 4" angle

"K-Q": .38" x 4" x 4" angle

See option codes for other options.

STANDARD OPTION CODES REPLACES THE UNDERSCORE (_) ON THE PART NUMBER.	
NUMBER CODE	DESCRIPTION
00 / Blank	Standard, No Other Option
14	Grease Fittings in Top Plate, Four (4) Fittings
21	.38" x 5" x 5" Angle
51	.38" x 4" x 6" Angle
65	.31" x 4" x 4" x Angle
80	Air Release, OEM Replacement, Left-Hand Only
86	Air Release, Aftermarket Installations, Air Control Modules Included, Left-Hand Only

FRAME WIDTH CODE CHART					
CODE	FRAME WIDTH IN [MM]	CODE	FRAME WIDTH IN [MM]	CODE	FRAME WIDTH IN [MM]
A	33.25" [845]	F	33.88" [861]	L	34.50" [876]
B	33.38" [848]	G†	34.00" [864]	M	34.62" [879]
C	33.50" [851]	H	34.12" [867]	N	34.75" [883]
D	33.62" [854]	J	34.25" [870]	P	34.88" [886]
E	33.75" [857]	K	34.38" [873]	Q	35.00" [889]

† Standard

FW PART NUMBER◇*	HEIGHT IN [MM]	SLIDE TRAVEL IN [MM]	SLIDE BASE LENGTH IN [MM]	B	C	REPLACEMENT SLIDE BASE AND BRACKET**	REPLACEMENT SLIDE BASE **	REPLACEMENT BRACKET**	FIFTH WHEEL WEIGHT LBS [KG]
FWS2B712GL__	7.5" [191]	12.0" [305]	31.0" [787]	8°	6°	XA-B712G	XA-B12G	RK-10689-1	463.00 [210.01]
FWS2B724GL__		24.0" [610]	43.0" [1092]			XA-B724G	XA-B24G	RK-10689-1	509.00 [230.88]
FWS2B736GL__		36.0" [914]	55.0" [1397]			XA-B736G	XA-B36G	RK-10689-1	555.00 [251.74]
FWS2B748GL__		48.0" [1219]	67.0" [1702]			XA-B748G	XA-B48G	RK-10689-1	601.00 [272.61]
FWS2B812GL__	8.5" [216]	12.0" [305]	31.0" [787]	12°	12°	XA-B812G	XA-B12G	RK-10689-2	468.00 [212.28]
FWS2B824GL__		24.0" [610]	43.0" [1092]			XA-B824G	XA-B24G	RK-10689-2	514.00 [233.15]
FWS2B836GL__		36.0" [914]	55.0" [1397]			XA-B836G	XA-B36G	RK-10689-2	560.00 [254.01]
FWS2B848GL__		48.0" [1219]	67.0" [1702]			XA-B848G	XA-B48G	RK-10689-2	606.00 [274.88]
FWS2B912GL__	9.5" [229]	12.0" [305]	31.0" [787]	15°	19°	XA-B912G	XA-B12G	RK-10689-3	472.00 [214.10]
FWS2B924GL__		24.0" [610]	43.0" [1092]			XA-B924G	XA-B24G	RK-10689-3	518.00 [234.96]
FWS2B936GL__		36.0" [914]	55.0" [1397]			XA-B936G	XA-B36G	RK-10689-3	564.00 [255.83]
FWS2B948GL__		48.0" [1219]	67.0" [1702]			XA-B948G	XA-B48G	RK-10689-3	610.00 [276.69]

◇ For right-hand release fifth wheels, change "L" to "R" in part number.

* No longer available.

** See bracket section for more information.



SAF-HOLLAND Group


THIS PAGE INTENTIONALLY LEFT BLANK

Simplex SE Exploded View




SAF-HOLLAND Group


Discontinued - Replacement Parts Only



For Models With Manual Indicator




For Models With TouchLoc



SIMPLEX SE PARTS LIST				
ITEM	DESCRIPTION	PART NUMBER	QTY.	WEIGHT LBS [KG]
1*	Pin, Eccentric Jaw	4109922-P	1	1.93 [0.88]
3A*	Lock Jaw, See 4000644	XA-4109939	1	8.48 [3.85]
3B*	Lock, See 4000647	4109931	1	6.58 [2.98]
4	Spring, Jaw Return	1200101	1	0.10 [0.05]
9	Washer, .66" I.D. x 1.31" O.D.	XB-T-199	1	0.03 [0.01]
10	Spring, Lock	1200706	1	0.63 [0.29]
13	Pin, Spring, .19" Dia. x 1.15" Long	9900181	1	0.01 [0.005]
14	Pin, Cotter, .19" Dia. x 1.25" Long	9900170	1	0.01 [0.005]
18	HHSB, .50"-13 x 1.88" GR 5	XB-11127	1	0.16 [0.07]
19	Plate, Cover	XA-10969	1	4.03 [1.83]
21L	Lever Bar, Left-Hand	4100373	1	2.69 [1.22]
22	Lock Nut, .50"-20 GR C, Cam Plates, Bracket Pins, Air Release	XB-T-69-A	2	0.04 [0.02]
23L*	Release Handle, Left-Hand with Automatic Indicator, See 4000531	4100420	1	1.46 [0.66]
23O*	Release Handle, Left-Hand with Manual Indicator, See 4000507	4100382	1	1.43 [0.65]
24	Washer, .41" I.D. x .81" O.D., Hardened	9900174	2	0.01 [0.005]
28	HHCS, .38"-16 x .75" GR 5	9900182	2	0.04 [0.02]
29	Fittings, Grease	84787	4	0.01 [0.005]
34A	Pin, Bracket	5400705	2	3.25 [1.47]
35*	Cylinder Assembly, Air, See 4000273	XA-11660	1	6.88 [3.12]
36	Pin, Cotter, .38" Dia. x 1.50" Long (Service Only)	9900169	2	0.08 [0.04]
40A	Lock Indicator, Automatic TouchLoc	4100294	1	0.55 [0.25]
40M	Lock Indicator, Manual	4101250	1	0.66 [0.30]
42	Pin, Indicator	5400711	1	0.18 [0.08]
43	Pin, Cotter, .13" Dia. x 1.25" Long	84261	1	0.01 [0.005]
52	HHCS, .50"-20 x 1.25" GR 5	XB-C-95	2	0.11 [0.05]
63	Shoe, Bracket	4100328	2	0.69 [0.31]
64A*	Insert, .33" Bracket, See 4000640	4100339	2	1.01 [0.46]
64B*	Insert, .38" Bracket, See 4000528	4100329	2	0.51 [0.23]
64C*	Insert, .42" Bracket, See 4000587	4100376	2	0.75 [0.34]

*Not sold individually - must be purchased in kit.

REPLACEMENT TOP PLATE PART NUMBERS	
PART NUMBER	DESCRIPTION
10402720	Left-Hand Release with Automatic Indicator
10402727	Left-Hand Release with Manual Indicator
10602720	Left-Hand Release with TouchLoc










For Top Plate rebuild procedures, see Holland publication XL-FW456 at www.safholland.us

Simplex SE Replacement Kits



SAF-HOLLAND Group




SIMPLEX SE KIT PARTS LIST

ITEM	DESCRIPTION	PART NUMBER	QTY.	WEIGHT LBS [KG]
1*	Eccentric Jaw Pin	4109922-P	1	1.93 [0.88]
3A*	Lock Jaw, Left-Hand	XA-4109939	1	8.48 [3.85]
3B*	Lock, Left Hand	4109931	1	6.58 [2.98]
4	Spring, Jaw Return	1200101	1	0.10 [0.05]
5	Pin, Clevis, .63" Dia. X 2.25" Long	5400707	1	0.22 [0.10]
9	Washer, .66" I.D. x 1.31" O.D.	XB-T-199	1	0.03 [0.01]
10	Spring, Lock	1200706	1	0.63 [0.29]
13	Pin, Spring, .19" Dia. x 1.15" Long	9900181	1	0.01 [0.005]
14	Pin, Cotter, .19" Dia. x 1.25" Long	9900170	1	0.01 [0.005]
18	HHSB, .50"-13 x 1.88" Gr 5	XB-11127	1	0.16 [0.07]
19	Plate, Cover	XA-10969	1	4.03 [1.83]
21L	Lever Bar, Left-Hand	4100373	1	2.69 [1.22]
23L*	Release Handle, Left-Hand with Automatic Indicator	4100420	1	1.46 [0.66]


SIMPLEX SE KIT PARTS LIST

ITEM	DESCRIPTION	PART NUMBER	QTY.	WEIGHT LBS [KG]
23O*	Release Handle, Left-Hand with Manual Indicator	4100382	1	1.43 [0.65]
24	Washer, .41" I.D. x .81" O.D., Hardened	9900174	2	0.01 [0.005]
28	HHCS, .38"-16 x .75" Gr 5	9900182	2	0.04 [0.02]
34A	Pin, Bracket	5400705	2	3.25 [1.47]
35*	Cylinder Assembly, Air	XA-11660	1	6.88 [3.12]
36	Pin, Cotter, .38" Dia. x 1.50" Long	9900169	2	0.08 [0.04]
40A	Lock Indicator, Left-Hand Automatic	4100294	1	0.55 [0.25]
40M	Lock Indicator, Left-Hand Manual	4101250	1	0.66 [0.30]
42	Pin, Indicator	5400711	1	0.18 [0.08]
43	Pin, Cotter, .13" Dia. x 1.25" Long	84261	1	0.01 [0.005]
63	Shoe, Bracket	4100328	2	0.69 [0.31]
64	Insert, .38" Bracket	4100329	2	0.51 [0.23]

RK-11801 Complete Rebuild, Air Release



RK-11799 Complete Rebuild, Manual Release



SIMPLEX SE KIT PARTS LIST

ITEM	DESCRIPTION	PART NUMBER	QTY.	WEIGHT LBS [KG]
1*	Eccentric Jaw Pin	4109922-P	1	1.93 [0.88]
3A*	Lock Jaw, Left-Hand	XA-4109939	1	8.48 [3.85]
3B*	Lock, Left Hand	4109931	1	6.58 [2.98]
4	Spring, Jaw Return	1200101	1	0.10 [0.05]
5	Pin, Clevis, .63" Dia. X 2.25" Long	5400707	1	0.22 [0.10]
9	Washer, .66" I.D. x 1.31" O.D.	XB-T-199	1	0.03 [0.01]
10	Spring, Lock	1200706	1	0.63 [0.29]
13	Pin, Spring, .19" Dia. x 1.15" Long	9900181	1	0.01 [0.005]
14	Pin, Cotter, .19" Dia. x 1.25" Long	9900170	1	0.01 [0.005]
18	HHSB, .50"-13 x 1.88" Gr 5	XB-11127	1	0.16 [0.07]
19	Plate, Cover	XA-10969	1	4.03 [1.83]
21L	Lever Bar, Left-Hand	4100373	1	2.69 [1.22]

SIMPLEX SE KIT PARTS LIST

ITEM	DESCRIPTION	PART NUMBER	QTY.	WEIGHT LBS [KG]
23L*	Release Handle, Left-Hand with Automatic Indicator	4100420	1	1.46 [0.66]
24	Washer, .41" I.D. x .81" O.D., Hardened	9900174	2	0.01 [0.005]
28	HHCS, .38"-16 x .75" Gr 5	9900182	2	0.04 [0.02]
35*	Cylinder Assembly, Air	XA-11660	1	6.88 [3.12]
36	Pin, Cotter, .38" Dia. x 1.50" Long	9900169	2	0.08 [0.04]
40A	Lock Indicator, Left-Hand Automatic	4100294	1	0.55 [0.25]
42	Pin, Indicator	5400711	1	0.18 [0.08]
43A	Pin, Cotter, .13" Dia. x 1.25" Long	84261	2	0.01 [0.005]
63	Shoe, Bracket	4100328	2	0.69 [0.31]
64B*	Insert, .38" Pocket	4100329	2	0.51 [0.23]

*Not sold individually - must be purchased in kit.



Simplex SE Mounting Dimensions



SAF-HOLLAND Group

Simplex SE with Bracket Head Castings Only

Discontinued - Replacement Parts Only



FW ASS'Y SIMPLEX SE*◇	FW WEIGHT LBS [KG]	FW ASS'Y SIMPLEX SE WITH TOUCHLOC*	FW WEIGHT LBS [KG]	HEIGHT IN [MM]	INSIDE BRACKET IN [MM]	OUTSIDE BRACKET IN [MM]	BRACKET PART NUMBER+ **
10469557	244.00 [110.68]	10669557	351.00 [159.21]	5.62" [143]	26.13" [664]	31.88" [810]	4100110
10469074	245.00 [111.13]	10669074	252.00 [114.31]	5.93" [151]			4109976
10469075	252.00 [114.31]	10669075	259.00 [117.48]	7.18" [182]			4109961
10469076	259.00 [117.48]	10669076	266.00 [120.66]	8.18" [208]			4109960
10469080	261.00 [118.39]	10669680	268.00 [121.56]	8.69" [221]	25.50" [648]	32.50" [826]	4109991
10469078	274.00 [124.28]	10669078	281.00 [127.46]	9.68" [246]			4109982

◇ Add "M" to the end of the part number to specify wheel to have manual indicator.

* No longer available.

+ Only one bracket included in part number.


** See Bracket Section for more information.

Simplex SE with Narrow Or Wide Flat Base Brackets



Discontinued - Replacement Parts Only



NARROW



WIDE



FW ASS'Y SIMPLEX SE*◇	FW WEIGHT LBS [KG]	FW ASS'Y SIMPLEX SE WITH TOUCHLOC*	FW WEIGHT LBS [KG]	FLAT BASE TYPE	HEIGHT IN [MM]	A	B	BRACKET PART NUMBER +**
10460031	275.00 [124.74]	10660031	282.00 [127.91]	Narrow	7.12" [181]	2.28" [58]	1.06" [27]	4109839
10460032	271.00 [122.92]	10660032	278.00 [126.10]	Wide	6.25" [158]	3.16" [80]	1.75" [44]	4109865
10460033	277.00 [125.65]	10660033	284.00 [128.82]		7.12" [181]			4109011
10460034	283.00 [128.37]	10660034	290.00 [131.54]		8.50" [216]			4109933

◇ Add "M" to the end of the part number to specify wheel to have manual indicator.

* No longer available.

+ Only one bracket included in part number.

** See Bracket Section for more information.


Simplex SE Mounting Dimensions



SAF-HOLLAND Group

Simplex SE with Cast Fabricated Brackets

Discontinued - Replacement Parts Only



FW ASS'Y SIMPLEX SE*◇	FW WEIGHT LBS [KG]	FW ASS'Y SIMPLEX SE WITH TOUCHLOC*	FW WEIGHT LBS [KG]	HEIGHT IN [MM]	B	C	BRACKET PART NUMBER+**
10469215	336.00 [152.41]	10669215	296.00 [134.26]	6.44" [164]	2.56" [65]	6.50" [165]	4000105
10469307	343.00 [155.58]	10669307	303.00 [137.44]	7.69" [195]	3.81" [97]	6.50" [165]	4009114
10469276	350.00 [158.76]	10669276	310.00 [140.61]	8.69" [221]	4.81" [122]	6.50" [165]	4009297

◇ Add "M" to the end of the part number to specify wheel to have manual indicator.

* No longer available.

+ Only one bracket included in part number.


** See Bracket Section for more information.

Simplex SE with Flat Mounting Plate

Discontinued - Replacement Parts Only



TILT STOPS DOWN



FW ASS'Y SIMPLEX SE*◇	FW WEIGHT LBS [KG]	FW ASS'Y SIMPLEX SE WITH TOUCHLOC*	FW WEIGHT LBS [KG]	TILT STOPS	HEIGHT IN [MM]	BRACKET PART NUMBER**
10469686	315.00 [142.88]	10669686	322.00 [146.06]	Without Tilt Stops	6.00" [152]	4009866
10469687	316.00 [143.34]	10669687	323.00 [146.51]		6.31" [160]	4009867
10469688	323.00 [146.51]	10669688	330.00 [149.69]		7.56" [192]	4009868
10469667	330.00 [149.69]	10669667	337.00 [152.86]		8.56" [217]	4009822
10469689	333.00 [151.05]	10669689	340.00 [154.22]		9.06" [230]	4009869
10469668	345.00 [156.49]	10669668	352.00 [159.66]	With Tilt Stops	10.06" [256]	4009823
10469633	316.00 [143.34]	10669633	323.00 [146.51]		6.00" [152]	4009747
10469618	317.00 [143.79]	10669618	324.00 [146.96]		6.31" [160]	4009723
10469666	325.00 [147.42]	10669666	332.00 [150.59]		7.56" [192]	4009821

◇ Add "M" to the end of the part number to specify wheel to have manual indicator.

* No longer available.

** See Bracket Section for more information.



Simplex SE Mounting Dimensions



SAF-HOLLAND Group

Simplex SE with Drop-Over Angle Bracket

Discontinued - Replacement Parts Only



FW ASS'Y SIMPLEX SE*◇	FW WEIGHT LBS [KG]	FW ASS'Y SIMPLEX SE WITH TOUCHLOC*	FW WEIGHT LBS [KG]	HEIGHT IN [MM]	FRAME WIDTH IN [MM]	BRACKET PART NUMBER+ **	BRACKET WEIGHT LBS [KG]
10460190	304.00 [137.89]	10660190	311.00 [141.07]	6.00" [152]	34.00" [864]	4101534	40.50 [18.37]
10460194	305.00 [138.35]	10660194	312.00 [141.52]	6.31" [160]		4101536	40.81 [18.51]
10460195	312.00 [141.52]	10660195	319.00 [144.70]	7.56" [192]		4101538	45.71 [20.73]
10460196	319.00 [144.70]	10660196	326.00 [147.87]	8.56" [217]		4101539	48.76 [22.12]
10460179	322.00 [146.06]	10660179	329.00 [149.23]	9.06" [230]		4101540	50.88 [23.08]
10460198	334.00 [151.50]	10660198	341.00 [154.67]	10.06" [256]		4101630	55.56 [25.20]
10460390	304.00 [137.89]	10660390	311.00 [141.07]	6.00" [152]	33.50" [851]	4101734	40.50 [18.37]
10460394	305.00 [138.35]	10660394	312.00 [141.52]	6.31" [160]		4101736	40.81 [18.51]
10460395	312.00 [141.52]	10660395	319.00 [144.70]	7.56" [192]		4101738	44.60 [20.23]
10460396	319.00 [144.70]	10660396	326.00 [147.87]	8.56" [217]		4101739	47.81 [21.69]
10460379	322.00 [146.06]	10660379	329.00 [149.23]	9.06" [230]		4101740	49.31 [22.37]
10460398	334.00 [151.50]	10660398	341.00 [154.67]	10.06" [256]		4101830	55.56 [25.20]
10460290	304.00 [137.89]	10660290	311.00 [141.07]	6.00" [152]	33.25" [845]	4101634	40.50 [18.37]
10460294	305.00 [138.35]	10660294	312.00 [141.52]	6.31" [160]		4101636	40.81 [18.51]
10460295	312.00 [141.52]	10660295	319.00 [144.70]	7.56" [192]		4101638	44.60 [20.23]
10460296	319.00 [144.70]	10660296	326.00 [147.87]	8.56" [217]		4101639	47.81 [21.69]
10460279	322.00 [146.06]	10660279	329.00 [149.23]	9.06" [230]		4101640	49.31 [22.37]
10460298	334.00 [151.50]	10660298	341.00 [154.67]	10.06" [256]		4101730	55.56 [25.20]

◇ Add "M" to the end of the part number to specify wheel to have manual indicator.



* No longer available.

+ Only one bracket included in part number.

** See Bracket Section for more information.

Simplex SE with Taperloc™ XL Slider

Discontinued - Replacement Parts Only



FW ASS'Y SIMPLEX SE*◇	FW WEIGHT LBS [KG]	FW ASS'Y SIMPLEX SE WITH TOUCHLOC*	FW WEIGHT LBS [KG]	SLIDE TRAVEL IN [MM]	SLIDE BASE LENGTH IN [MM]	HEIGHT IN [MM]	A # OF HOLES	B	C	SLIDE* BRACKET ASSEMBLY**	SLIDE BASE* REPLACEMENT**
10580000	412.00 [186.88]	10780000	419.00 [190.06]	12.0" [305]	36.0" [914]	6.81" [173]	12	7°	7°	4300298	4300280
10580001	419.00 [190.06]	10780001	426.00 [193.23]	16.0" [407]	40.0" [1016]		16				4300281
10580002	436.00 [197.77]	10780002	443.00 [200.94]	24.0" [610]	48.0" [1219]		16				4300282
10580003	460.00 [208.65]	10780003	467.00 [211.83]	36.0" [914]	60.0" [1524]		20				4300283
10580004	493.00 [223.62]	10780004	500.00 [226.80]	48.0" [1219]	72.0" [1829]		24				4300284
10580005	423.00 [191.87]	10780005	430.00 [195.04]	12.0" [305]	36.0" [914]	7.75" [197]	12	12°	12°	4300299	4300280
10580006	430.00 [195.04]	10780006	437.00 [198.22]	16.0" [407]	40.0" [1016]		16				4300281
10580007	447.00 [202.76]	10780007	454.00 [205.93]	24.0" [610]	48.0" [1219]		16				4300282
10580008	471.00 [213.64]	10780008	478.00 [216.82]	36.0" [914]	60.0" [1524]		20				4300283
10580009	505.00 [229.06]	10780009	512.00 [232.24]	48.0" [1219]	72.0" [1829]		24				4300284
10580010	439.00 [199.13]	10780010	446.00 [202.30]	12.0" [305]	36.0" [914]	8.75" [222]	12	12°	12°	4300300	4300280
10580011	446.00 [202.30]	10780011	453.00 [205.48]	16.0" [407]	40.0" [1016]		16				4300281
10580012	463.00 [210.01]	10780012	470.00 [213.19]	24.0" [610]	48.0" [1219]		16				4300282
10580013	488.00 [221.35]	10780013	496.00 [224.98]	36.0" [914]	60.0" [1524]		20				4300283
10580014	521.00 [236.32]	10780014	528.00 [239.50]	48.0" [1219]	72.0" [1829]		24				4300284

◇ Add "M" to the end of the part number to specify wheel to have manual indicator.

* No longer available.

** See Bracket Section for more information.



Simplex SE Mounting Dimensions



SAF-HOLLAND Group

Taperloc™ Slider with Simplex SE

Discontinued - Replacement Parts Only



◊ Add "M" to the end of the part number to specify wheel to have manual indicator.

* No longer available.

** See Bracket Section for more information.



SAF-HOLLAND Group

Simplex SE Mounting Dimensions

Simplex SE



FW ASSEMBLY NUMBER		FW WEIGHT LBS [KG]	ASSEMBLY NUMBER		FW WEIGHT LBS [KG]	"B" MAX FWD	C	D	HGT	SLIDE TRAVEL IN [MM]	SLIDE BASE LENGTH	A # OF HOLES	SLIDE BASE PART NO.	SLIDE BASE WEIGHT LBS [KG]	BRACKET PART NO.	BRACKET PART WEIGHT
AIR SLIDER*◇	MANUAL SLIDER*◇		TOUCHLOC AIR SLIDER*	TOUCHLOC MANUAL SLIDER*												
10575531	10575071	461.00 [209.11]	10775531	10775071	468.00 [212.28]	8.00" [203]	8.0" [203]	4.0" [102]	6.81" [173]	12.0" [305]	40.0" [1016]	12	4300175	103.40 [46.90]	4300165 (Air) 4300204 (Manual)	144.30 [65.45] (Air) 146.10 [66.27] (Manual)
10575537	10575076	469.00 [212.73]	10775536	10775076	476.00 [215.91]		4.0" [102]	8.0" [203]		16.0" [406]	44.0" [1118]	12	4300196	113.30 [51.39]		
10575532	10575072	484.00 [219.54]	10775532	10775072	491.00 [222.71]		8.0" [203]	4.0" [102]		24.0" [610]	52.0" [1321]	16	4300176	128.10 [58.11]		
10575533	10575073	505.00 [229.06]	10775533	10775073	509.00 [230.88]		8.0" [203]	4.0" [102]		36.0" [914]	64.0" [1626]	20	4300177	152.80 [69.31]		
10575534	10575074	536.00 [243.13]	10775534	10775074	543.00 [246.30]		8.0" [203]	4.0" [102]		48.0" [1219]	76.0" [1930]	24	4300178	186.50 [84.59]		
10575631	10575171	468.00 [212.28]	10775631	10775171	475.00 [215.46]	10.00" [254]	8.0" [203]	4.0" [102]	7.75" [197]	12.0" [305]	40.0" [1016]	12	4300175	103.40 [46.90]	4300166 (Air) 4300205 (Manual)	148.10 [67.18] (Air) 149.90 [67.99] (Manual)
10575637	10575176	476.00 [215.91]	10775636	10775176	483.00 [219.09]		4.0" [102]	8.0" [203]		16.0" [406]	44.0" [1118]	12	4300196	113.30 [51.39]		
10575632	10575172	486.00 [220.45]	10775632	10775172	493.00 [223.62]		8.0" [203]	4.0" [102]		24.0" [610]	52.0" [1321]	16	4300176	128.10 [58.11]		
10575633	10575173	512.00 [232.24]	10775633	10775173	519.00 [235.41]		8.0" [203]	4.0" [102]		36.0" [914]	64.0" [1626]	20	4300177	152.80 [69.31]		
10575634	10575174	543.00 [246.30]	10775634	10775174	550.00 [249.48]		8.0" [203]	4.0" [102]		48.0" [1219]	76.0" [1930]	24	4300178	186.50 [84.59]		
10575731	10575271	472.00 [214.10]	10775731	10775271	479.00 [217.27]	10.00" [254]	8.0" [203]	4.0" [102]	8.75" [222]	12.0" [305]	40.0" [1016]	12	4300175	103.40 [46.90]	4300167 (Air) 4300206 (Manual)	151.90 [68.90] (Air) 153.70 [69.72] (Manual)
10575737	10575276	480.00 [217.72]	10775736	10775276	487.00 [220.90]		4.0" [102]	8.0" [203]		16.0" [406]	44.0" [1118]	12	4300196	113.30 [51.39]		
10575732	10575272	495.00 [224.53]	10775732	10775272	502.00 [227.70]		8.0" [203]	4.0" [102]		24.0" [610]	52.0" [1321]	16	4300176	128.10 [58.11]		
10575733	10575273	516.00 [234.05]	10775733	10775273	523.00 [237.23]		8.0" [203]	4.0" [102]		36.0" [914]	64.0" [1626]	20	4300177	152.80 [69.31]		
10575734	10575374	547.00 [248.12]	10775734	10775274	554.00 [251.29]		8.0" [203]	4.0" [102]		48.0" [1219]	76.0" [1930]	24	4300178	186.50 [84.59]		
10575831	10575371	492.00 [223.17]	10775831	10775371	492.00 [223.17]	10.00" [254]	8.0" [203]	4.0" [102]	9.75" [248]	12.0" [305]	40.0" [1016]	12	4300175	103.40 [46.90]	4300172 (Air) 4300173 (Manual)	165.00 [74.84] (Air) 166.70 [75.61] (Manual)
10575837	10575376	500.00 [226.80]	10775836	10775376	500.00 [226.80]		4.0" [102]	8.0" [203]		16.0" [406]	44.0" [1118]	12	4300196	113.30 [51.39]		
10575832	10575372	502.00 [227.70]	10775832	10775372	502.00 [227.70]		8.0" [203]	4.0" [102]		24.0" [610]	52.0" [1321]	16	4300176	128.10 [58.11]		
10575833	10575373	536.00 [243.13]	10775833	10775373	536.00 [243.13]		8.0" [203]	4.0" [102]		36.0" [914]	64.0" [1626]	20	4300177	152.80 [69.31]		
10575834	10575374	566.00 [256.73]	10775834	10775374	566.00 [256.73]		8.0" [203]	4.0" [102]		48.0" [1219]	76.0" [1930]	24	4300178	186.50 [84.59]		

Simplex Lite Straight Pull Exploded View




SAF-HOLLAND Group


Discontinued - Replacement Parts Only



FOR MODELS WITH TOUCHLOC




FOR MODELS WITH MANUAL INDICATOR



SIMPLEX LITE PARTS LIST				
ITEM	DESCRIPTION	PART NUMBER	QTY.	WEIGHT LBS [KG]
1A*	Pin, Eccentric Jaw	4109916	1	1.87 [0.85]
3A*	Lock Jaw, See 4000501, 4000502, 4000539	XA-4109939	1	8.48 [3.85]
3B*	Lock, Left-Hand, See 4000570	XA-4109931	1	6.58 [2.98]
10	Spring, Lock	1200706	1	0.63 [0.29]
13	Pin, Spring, .19" Dia. x 1.15" Long	9900181	1	0.01 [0.005]
14	Pin, Cotter, .19" Dia. x 1.25" Long	9900170	1	0.01 [0.005]
18	Pin, Lever Bar	4000250	1	0.18 [0.08]
19	Plate, Cover	4100155	1	2.37 [1.08]
21L	Lever Bar, Left-Hand	4100373	1	2.69 [1.22]
23L*	Release Handle, Left-Hand with Automatic Indicator, See 4000531	4100420	1	1.46 [0.66]
23O*	Release Handle, Left-Hand with Manual Indicator, See 4000507	4100382	1	1.43 [0.65]
24	Washer, .41" I.D. x .81" O.D., Hardened	9900174	2	0.01 [0.005]
27	SHCS, .38"-16 x 3" Long	9900184	1	0.12 [0.05]
28	HHCS, .38"-16 x .75" GR 5	9900182	2	0.04 [0.02]
29	Fittings, Grease	84787	2	0.01 [0.005]
34A	Pin, Bracket	5400705	2	3.25 [1.47]
35*	Cylinder Assembly, Air, See 4000273	XA-11660	1	6.88 [3.12]
36	Pin, Cotter, .38" Dia. x 1.50" Long	9900169	2	0.08 [0.04]
40A	Lock Indicator, Left-Hand Automatic	4100294	1	0.55 [0.25]
40M	Lock Indicator, Left-Hand Manual	4101250	1	0.66 [0.30]
42	Pin, Indicator	5400711	1	0.18 [0.08]
43	Pin, Cotter, .13" Dia. x 1.25" Long	84261	2	0.01 [0.005]
63	Shoe, Bracket	4100328	2	0.69 [0.31]
64*	Insert, .38" Bracket, See 4000528 or 4000504	4100329	2	0.51 [0.23]
79	Fittings, Grease 65° x .38" Long	85496	1	0.01 [0.005]

*Not sold individually - must be purchased in kit.

NOTE: Replacement top plates no longer available.











For Top Plate rebuild procedures, see Holland publication XL-FW460 at www.safholland.us

Simplex Lite Straight Pull Replacement Kits






SAF-HOLLAND Group



SIMPLEX LITE STRAIGHT PULL KIT PARTS LIST				
ITEM	DESCRIPTION	PART NUMBER	QTY.	WEIGHT LBS [KG]
1A*	Pin, Eccentric Jaw	4109916	1	1.87 [0.85]
1B*	Pin, Eccentric Jaw, Oversized	4109977	1	1.90 [0.86]
3A*	Lock Jaw, Left-Hand	XA-4109939	1	8.48 [3.85]
3B*	Lock, Left-Hand	4109931	1	6.58 [2.98]
10	Spring, Lock	1200706	1	0.63 [0.29]
13	Pin, Spring, .19" Dia. x 1.15" Long	9900181	1	0.01 [0.005]
14	Pin, Cotter, .19" Dia. x 1.25" Long	9900170	1	0.01 [0.005]
18	Pin, Lever Bar	4000250	1	0.18 [0.08]
19	Plate, Cover	4100155	1	2.37 [1.08]
20	Plate, Spring Retainer, Left-Hand	4100101	1	0.31 [0.14]
21L	Lever Bar, Left-Hand	4100373	1	2.69 [1.22]
23L*	Release Handle, Left-Hand with Automatic Indicator	4100420	1	1.46 [0.66]
23O*	Release Handle, Left-Hand with Manual Indicator	4100382	1	1.43 [0.65]
24	Washer, .41" I.D. x .81" O.D., Hardened	9900174	2	0.01 [0.005]

SIMPLEX LITE STRAIGHT PULL KIT PARTS LIST				
ITEM	DESCRIPTION	PART NUMBER	QTY.	WEIGHT LBS [KG]
28	HHCS, .38"-16 x .75" GR 5	9900182	2	0.04 [0.02]
35*	Cylinder Assembly, Air	XA-11660	1	6.88 [3.12]
40A	Lock Indicator, Left-Hand Automatic	4100294	1	0.55 [0.25]
40M	Lock Indicator, Left-Hand Manual	4101250	1	0.66 [0.30]
42	Pin, Indicator	5400711	1	0.18 [0.08]
43	Pin, Cotter, .13" Dia. x 1.25" Long	84261	1	0.01 [0.005]

*Not sold individually - must be purchased in kit.



SIMPLEX LITE STRAIGHT PULL KIT PARTS LIST				
ITEM	DESCRIPTION	PART NUMBER	QTY.	WEIGHT LBS [KG]
34A	Pin, Bracket	5400705	2	3.25 [1.47]
36	Pin, Cotter, .38" Dia. x 1.50" Long	9900169	2	0.08 [0.04]
63	Shoe, Bracket	4100328	2	0.69 [0.31]
64B	Insert, .38" Bracket, See 4000528 or 4000504	4100329	2	0.51 [0.23]

*Not sold individually - must be purchased in kit.



Simplex Lite Straight Pull Mounting Dimensions



SAF-HOLLAND Group

Simplex Lite Straight Pull with Bracket Head Castings Only

Discontinued - Replacement Parts Only



BRACKET PART NUMBER+**	HEIGHT IN [MM]	INSIDE BRACKET	OUTSIDE BRACKET	WEIGHT LBS [KG]
4100110	5.62" [143]	26.13" [664]	31.88" [810]	10.33 [4.69]
4109976	5.93" [151]			10.48 [4.75]
4109961	7.18" [182]			14.10 [6.40]
4109960	8.18" [208]			17.13 [7.77]
4109991	8.69" [221]	25.50" [648]	32.50" [826]	19.27 [8.74]
4109982	9.68" [246]			23.86 [10.82]

◊ Add "M" to the end of the part number to specify wheel to have manual indicator.

* No longer available.

+ Only one bracket included in part number.



** See Bracket Section for more information.

Simplex Lite Straight Pull with Narrow Or Wide Flat Base Brackets


Discontinued - Replacement Parts Only



NARROW



WIDE



BRACKET PART NUMBER + **	FLAT BASE TYPE	HEIGHT IN [MM]	A	B	WEIGHT LBS [KG]
4109839	Narrow	7.12" [181]	2.28" [58]	1.06" [27]	25.44 [11.54]
4109865	Wide	6.25" [159]	3.16" [80]	1.75" [44]	23.80 [10.80]
4109011		7.12" [181]			26.70 [12.11]
4109933		8.50" [216]			30.20 [13.70]

◊ Add "M" to the end of the part number to specify wheel to have manual indicator.

* No longer available.

+ Only one bracket included in part number.

** See Bracket Section for more information.



Simplex Lite Straight Pull Mounting Dimensions



SAF-HOLLAND Group

Simplex Lite Straight Pull with Cast Fabricated Brackets

Discontinued - Replacement Parts Only



BRACKET PART NUMBER+ **	HEIGHT IN [MM]	B	C	WEIGHT LBS [KG]
4000105	6.44" [164]	2.56" [65]	6.50" [165]	33.04 [14.99]
4009114	7.69" [195]	3.81" [97]	6.50" [165]	36.65 [16.62]
4009297	8.69" [221]	4.81" [122]	6.50" [165]	39.68 [18.00]

◊ Add "M" to the end of the part number to specify wheel to have manual indicator.



* No longer available.

+ Only one bracket included in part number.

** See Bracket Section for more information.

Simplex Lite Straight Pull with Flat Mounting Plate

Discontinued - Replacement Parts Only



Simplex LT Straight

BRACKET PART NUMBER+**	TILT STOPS	HEIGHT IN [MM]	WEIGHT LBS [KG]
10469686	Without Tilt Stops	6.00" [152]	315.00 [142.88]
10469687		6.31" [160]	316.00 [143.34]
10469688		7.56" [192]	323.00 [146.51]
10469667		8.56" [217]	330.00 [149.69]
10469689		9.06" [230]	333.00 [151.05]
10469668	With Tilt Stops	10.06" [256]	345.00 [156.49]
10469633		6.00" [152]	316.00 [143.34]
10469618		6.31" [160]	317.00 [143.79]
10469666		7.56" [192]	325.00 [147.42]

◇ Add "M" to the end of the part number to specify wheel to have manual indicator.

* No longer available.

** See Bracket Section for more information.



Simplex Lite Straight Pull Mounting Dimensions



SAF-HOLLAND Group

Simplex Lite Straight Pull with Drop-Over Angle Bracket

Discontinued - Replacement Parts Only



BRACKET PART NUMBER+ **	HEIGHT IN [MM]	FRAME WIDTH IN [MM]	WEIGHT LBS [KG]
4101534	6.00" [152]	34.00" [864]	40.50 [18.37]
4101536	6.31" [160]		40.81 [18.51]
4101538	7.56" [192]		45.71 [20.73]
4101539	8.56" [217]		48.76 [22.12]
4101540	9.06" [230]		50.88 [23.08]
4101630	10.06" [256]		55.56 [25.20]
4101734	6.00" [152]	33.50" [851]	40.50 [18.37]
4101736	6.31" [160]		40.81 [18.51]
4101738	7.56" [192]		44.60 [20.23]
4101739	8.56" [217]		47.81 [21.69]
4101740	9.06" [230]		49.31 [22.37]
4101830	10.06" [256]		55.56 [25.20]
4101634	6.00" [152]	33.25" [845]	40.50 [18.37]
4101636	6.31" [160]		40.81 [18.51]
4101638	7.56" [192]		44.60 [20.23]
4101639	8.56" [217]		47.81 [21.69]
4101640	9.06" [230]		49.31 [22.37]
4101730	10.06" [256]		55.56 [25.20]

◊ Add "M" to the end of the part number to specify wheel to have manual indicator.

* No longer available.

+ Only one bracket included in part number.


** See Bracket Section for more information.



SAF-HOLLAND Group

THIS PAGE INTENTIONALLY LEFT BLANK

Taperloc™ Slider with Simplex Lite Straight Pull



AIR RELEASE SHOWN





SAF-HOLLAND Group

Simplex Lite Straight Pull Mounting Dimensions

SLIDE BASE PART NO.	SLIDE BASE WEIGHT LBS [KG]	AIR-BRACKET PART NO.	AIR-BRACKET PART WEIGHT	MANUAL-BRACKET PART NO.	MANUAL-BRACKET WEIGHT	"B" MAX FWD	C	D	HEIGHT IN [MM]	SLIDE TRAVEL IN [MM]	SLIDE BASE LENGTH	A # OF HOLES
4300175	103.40 [46.90]	4300165	144.3 lbs.	4300204	146.1 lbs.	8.00" [203]	8.0" [203]	4.0" [102]	6.81 [173]	12.0" [305]	40.0" [1016]	12
4300196	113.30 [51.39]						4.0" [102]	8.0" [203]		16.0" [406]	44.0" [1118]	12
4300176	128.10 [58.11]						8.0" [203]	4.0" [102]		24.0" [610]	52.0" [1321]	16
4300177	152.80 [69.31]						8.0" [203]	4.0" [102]		36.0" [914]	64.0" [1626]	20
4300178	186.50 [84.59]						8.0" [203]	4.0" [102]		48.0" [1219]	76.0" [1930]	24
4300175	103.40 [46.90]	4300166	148.1 lbs.	4300205	149.9 lbs.	10.00" [254]	8.0" [203]	4.0" [102]	7.75" [197]	12.0" [305]	40.0" [1016]	12
4300196	113.30 [51.39]						4.0" [102]	8.0" [203]		16.0" [406]	44.0" [1118]	12
4300176	128.10 [58.11]						8.0" [203]	4.0" [102]		24.0" [610]	52.0" [1321]	16
4300177	152.80 [69.31]						8.0" [203]	4.0" [102]		36.0" [914]	64.0" [1626]	20
4300178	186.50 [84.59]						8.0" [203]	4.0" [102]		48.0" [1219]	76.0" [1930]	24
4300175	103.40 [46.90]	4300167	151.9 lbs.	4300206	153.7 lbs.	10.00" [254]	8.0" [203]	4.0" [102]	8.75" [222]	12.0" [305]	40.0" [1016]	12
4300196	113.30 [51.39]						4.0" [102]	8.0" [203]		16.0" [406]	44.0" [1118]	12
4300176	128.10 [58.11]						8.0" [203]	4.0" [102]		24.0" [610]	52.0" [1321]	16
4300177	152.80 [69.31]						8.0" [203]	4.0" [102]		36.0" [914]	64.0" [1626]	20
4300178	186.50 [84.59]						8.0" [203]	4.0" [102]		48.0" [1219]	76.0" [1930]	24
4300175	103.40 [46.90]	4300172	165.0 lbs.	4300173	166.7 lbs.	10.00" [254]	8.0" [203]	4.0" [102]	9.75" [248]	12.0" [305]	40.0" [1016]	12
4300196	113.30 [51.39]						4.0" [102]	8.0" [203]		16.0" [406]	44.0" [1118]	12
4300176	128.10 [58.11]						8.0" [203]	4.0" [102]		24.0" [610]	52.0" [1321]	16
4300177	152.80 [69.31]						8.0" [203]	4.0" [102]		36.0" [914]	64.0" [1626]	20
4300178	186.50 [84.59]						8.0" [203]	4.0" [102]		48.0" [1219]	76.0" [1930]	24

◊ Add "M" to the end of the part number to specify wheel to have manual indicator.

* No longer available.

** See Bracket Section for more information.



Simplex LT Straight

Simplex Lite Rotary Pull Exploded View




SAF-HOLLAND Group

Replaced by Simplex SE




FOR MODELS WITH TOUCHLOC



SIMPLEX LITE PARTS LIST				
ITEM	DESCRIPTION	PART NUMBER	QTY.	WEIGHT LBS [KG]
1A*	Pin, Eccentric Jaw	4109916	1	1.87 [0.85]
3A*	Lock Jaw, See 4000501, 4000502 or 4000539	XA-4109939	1	8.48 [3.85]
3B*	Lock, Left-Hand, See 4000578	4109931	1	6.58 [2.98]
10	Spring, Lock	1200706	1	0.63 [0.29]
14	Pin, Cotter, .19" Dia. x 1.25" Long	9900170	1	0.01 [0.005]
18	Pin, Lever Bar	4000250	1	0.18 [0.08]
19	Plate, Cover	4100155	1	2.37 [1.08]
21L	Lever Bar, Left-Hand	4100372	1	2.53 [1.15]
23L*	Release Handle, Left-Hand with Automatic Indicator, See 4000531	4100386	1	1.70 [0.77]
24	Washer, .41" I.D. x .81" O.D., Hardened	9900174	2	0.01 [0.005]
28	HHCS, .38"-16 x .75" GR 5	9900182	2	0.04 [0.02]
29	Fittings, Grease, Left-Hand	84787	2	0.01 [0.005]
	Fittings, Grease, TouchLoc		1	0.01 [0.005]
34A	Pin, Bracket	5400705	2	3.25 [1.47]
35*	Cylinder Assembly, Air, See 4000272	4100421	1	6.80 [3.08]
36	Pin, Cotter, .38" Dia. x 1.50" Long	9900169	2	0.08 [0.04]
42A	Safety Indicator	4100374	1	0.51 [0.23]
43	Pin, Cotter, .13" Dia. x 1.25" Long	84261	1	0.01 [0.005]
63	Shoe, Bracket	4100328	2	0.69 [0.31]
64*	Insert, .38" Bracket, See 4000528 or 4000504	4100329	2	0.51 [0.23]
68	HHSB, .38"-16 x 2"	4100402	1	0.02 [0.01]
69	Lock Nut, .38"-16 Gr C	9900139	1	0.01 [0.005]
70	SHCS, .38"-16 x 2.5" Long	9900183	1	0.06 [0.03]
79	Fittings, Grease 65° x .38" Long	85496	1	0.01 [0.005]

*Not sold individually - must be purchased in kit.

NOTE: Replacement top plates no longer available.











For Top Plate rebuild procedures, see Holland publication XL-FW460 at www.safholland.us

Simplex Lite Rotary Pull Replacement Kits



SAF-HOLLAND Group



SIMPLEX LITE ROTARY PULL KIT PARTS LIST				
ITEM	DESCRIPTION	PART NUMBER	QTY.	WEIGHT LBS [KG]
1A*	Pin, Eccentric Jaw	4109916	1	1.87 [0.85]
1B*	Pin, Eccentric Jaw, Oversized	4109977	1	1.90 [0.86]
3A*	Lock Jaw, Left-Hand	XA-4109939	1	8.48 [3.85]
3B*	Lock, Left-Hand	4109931	1	6.58 [2.98]
4	Spring, Jaw Ret. Simplex	1200101	1	0.10 [0.05]
10	Spring, Lock	1200706	1	0.63 [0.29]
14	Pin, Cotter, .19" Dia. x 1.25" Long	9900170	1	0.01 [0.005]
18	Pin, Lever Bar	4000250	1	0.18 [0.08]
19	Plate, Cover	4100155	1	2.37 [1.08]
20	Plate, Spring Retainer, Left-Hand	4100101	1	0.31 [0.14]
21L	Lever Bar, Left-Hand	4100372	1	2.53 [1.15]
23L*	Release Handle, Left-Hand with Automatic Indicator	4100386	1	1.70 [0.77]

SIMPLEX LITE ROTARY PULL KIT PARTS LIST				
ITEM	DESCRIPTION	PART NUMBER	QTY.	WEIGHT LBS [KG]
24	Washer, .41" I.D. x .81" O.D., Hardened	9900174	2	0.01 [0.005]
28	HHCS, .38"-16 x .75" GR 5	9900182	2	0.04 [0.02]
34A	Pin, Bracket	5400705	2	3.25 [1.47]
35*	Cylinder Assembly, Air	4100421	1	6.80 [3.08]
36	Pin, Cotter, .38" Dia. x 1.50" Long	9900169	2	0.08 [0.04]
42A	Safety Indicator	4100374	1	0.51 [0.23]
43	Pin, Cotter, .13" Dia. x 1.25" Long	84261	1	0.01 [0.005]
63	Shoe, Bracket	4100328	2	0.69 [0.31]
64*	Insert, .38" Bracket	4100329	2	0.51 [0.23]
68	HHSB, .38"-16 x 2" Long	4100402	1	0.02 [0.01]
69	Lock Nut, .38"-16 GR C	9900139	1	0.01 [0.005]
70	SHCS, .38"-16 x 2.5" Long	9900183	1	0.06 [0.03]

*Not sold individually - must be purchased in kit.



THIS PAGE INTENTIONALLY LEFT BLANK



Simplex Lite Rotary Pull Mounting Dimensions



SAF-HOLLAND Group

Simplex Lite Rotary Pull with Bracket Head Castings Only

Discontinued - Replacement Parts Only



FW PART NUMBER	FW WEIGHT LB [KG]	BRACKET PART NUMBER+ **	BRACKET HEIGHT IN [MM]	INSIDE BRACKET	OUTSIDE BRACKET	BRACKET WEIGHT LB [KG]
4019541	322.90 [146.46]	4109976	5.93" [151]	26.13" [664]	31.88" [810]	10.48 [4.75]
4019059	336.90 [152.82]	4109960	8.18" [208]			17.13 [7.77]
4019049	352.50 [159.89]	4109982	9.68" [246]	25.50" [648]	32.50" [826]	23.86 [10.82]

* No longer available.

+ Only one bracket included in part number.



** See Bracket Section for more information.

Simplex Lite Rotary Pull with Narrow Or Wide Flat Base Brackets


Discontinued - Replacement Parts Only



NARROW



WIDE



FW PART NUMBER	FW WEIGHT LB [KG]	BRACKET PART NUMBER+ **	FLAT BASE TYPE	HEIGHT IN [MM]	A	B	BRACKET WEIGHT LB [KG]
4019486	352.21 [159.76]	4109839	Narrow	7.12" [181]	2.28" [58]	1.06" [27]	25.44 [11.54]
4019496	361.81 [164.11]	4109933	Wide	8.50" [216]	3.16" [80]	1.75" [44]	30.20 [13.70]

* No longer available.

+ Only one bracket included in part number.

** See Bracket Section for more information.



Simplex Lite Rotary Pull Mounting Dimensions



SAF-HOLLAND Group

Simplex Lite Rotary Pull with Cast Fabricated Brackets

Discontinued - Replacement Parts Only



BRACKET PART NUMBER**+	HEIGHT IN [MM]	B	C	WEIGHT LBS [KG]
4000105	6.44" [164]	2.56" [65]	6.50" [165]	33.04 [14.99]
4009114	7.69" [195]	3.81" [97]	6.50" [165]	36.65 [16.62]
4009297	8.69" [221]	4.81" [102]	6.50" [165]	39.68 [18.00]

◊ Add "M" to the end of the part number to specify wheel to have manual indicator.



* No longer available.

+ Only one bracket included in part number.

** See Bracket Section for more information.



Simplex Lite Rotary Pull with Flat Mounting Plate



BRACKET PART NUMBER**	TILT STOPS	HEIGHT	WEIGHT
		IN [MM]	LBS [KG]
4009866	Without Tilt Stops	6.00" [152]	92.20 [41.82]
4009867		6.31" [160]	92.50 [41.96]
4009868		7.56" [192]	99.72 [45.23]
4009822		8.56" [217]	105.79 [47.99]
4009869		9.06" [230]	110.06 [49.92]
4009823		10.06" [256]	119.26 [54.10]
4009747		With Tilt Stops	6.00" [152]
4009723	6.31" [160]		93.84 [42.57]
4009821	7.56" [192]		101.41 [46.00]

** See Bracket Section for more information.

Simplex LT Rotary




Simplex Lite Rotary Pull Mounting Dimensions



SAF-HOLLAND Group

Simplex Lite Rotary Pull with Drop-Over Angle Bracket

Discontinued - Replacement Parts Only



Angle Size: .38" x 3.5" x 5"

BRACKET PART NUMBER+ **	HEIGHT IN [MM]	FRAME WIDTH IN [MM]
4101534	6.00" [152]	34.00" [864]
4101536	6.31" [160]	
4101538	7.56" [192]	
4101539	8.56" [217]	
4101540	9.06" [230]	
4101630	10.06" [256]	33.50" [851]
4101734	6.00" [152]	
4101736	6.31" [160]	
4101738	7.56" [192]	
4101739	8.56" [217]	
4101740	9.06" [230]	33.25" [845]
4101830	10.06" [256]	
4101634	6.00" [152]	
4101636	6.31" [160]	
4101638	7.56" [192]	
4101639	8.56" [217]	
4101640	9.06" [230]	
4101730	10.06" [256]	

◊ Add "M" to the end of the part number to specify wheel to have manual indicator.

* No longer available.

+ Only one bracket included in part number.

** See Bracket Section for more information.



SAF-HOLLAND Group

Simplex Lite Rotary Pull Mounting Dimensions

THIS PAGE INTENTIONALLY LEFT BLANK

Simplex LT Rotary


Simplex Lite Rotary Pull Mounting Dimensions





SAF-HOLLAND Group

Taperloc™ Slider with Simplex Lite Rotary Pull

Discontinued - Replacement Parts Only



AIR RELEASE SHOWN





SAF-HOLLAND Group

Simplex Lite Rotary Pull Mounting Dimensions

SLIDE BASE PART NO.	SLIDE BASE WEIGHT LBS [KG]	AIR- BRACKET PART NO.	AIR- BRACKET PART WEIGHT LBS [KG]	MANUAL- BRACKET PART NO.	MANUAL- BRACKET WEIGHT LBS [KG]	"B" MAX FWD	C	D	HEIGHT IN [MM]	SLIDE TRAVEL IN [MM]	SLIDE BASE LENGTH	A # OF HOLES
4300175	103.40 [46.90]	4300165	144.30 [65.45]	4300204	146.10 [66.27]	8.00" [203]	8.0" [203]	4.0" [102]	6.81" [173]	12.0" [305]	40.0" [1016]	12
4300196	113.30 [51.39]						4.0" [102]	8.0" [203]		16.0" [406]	44.0" [1118]	12
4300176	128.10 [58.11]						8.0" [203]	4.0" [102]		24.0" [610]	52.0" [1321]	16
4300177	152.80 [69.31]						8.0" [203]	4.0" [102]		36.0" [914]	64.0" [1626]	20
4300178	186.50 [84.59]						8.0" [203]	4.0" [102]		48.0" [1219]	76.0" [1930]	24
4300175	103.40 [46.90]	4300166	148.10 [67.18]	4300205	149.90 [67.99]	10.00" [254]	8.0" [203]	4.0" [102]	7.75" [197]	12.0" [305]	40.0" [1016]	12
4300196	113.30 [51.39]						4.0" [102]	8.0" [203]		16.0" [406]	44.0" [1118]	12
4300176	128.10 [58.11]						8.0" [203]	4.0" [102]		24.0" [610]	52.0" [1321]	16
4300177	152.80 [69.31]						8.0" [203]	4.0" [102]		36.0" [914]	64.0" [1626]	20
4300178	186.50 [84.59]						8.0" [203]	4.0" [102]		48.0" [1219]	76.0" [1930]	24
4300175	103.40 [46.90]	4300167	151.90 [68.90]	4300206	153.70 [69.72]	10.00" [254]	8.0" [203]	4.0" [102]	8.75" [222]	12.0" [305]	40.0" [1016]	12
4300196	113.30 [51.39]						4.0" [102]	8.0" [203]		16.0" [406]	44.0" [1118]	12
4300176	128.10 [58.11]						8.0" [203]	4.0" [102]		24.0" [610]	52.0" [1321]	16
4300177	152.80 [69.31]						8.0" [203]	4.0" [102]		36.0" [914]	64.0" [1626]	20
4300178	186.50 [84.59]						8.0" [203]	4.0" [102]		48.0" [1219]	76.0" [1930]	24
4300175	103.40 [46.90]	4300172	165.00 [74.84]	4300173	166.70 [75.61]	10.00" [254]	8.0" [203]	4.0" [102]	9.75" [248]	12.0" [305]	40.0" [1016]	12
4300196	113.30 [51.39]						4.0" [102]	8.0" [203]		16.0" [406]	44.0" [1118]	12
4300176	128.10 [58.11]						8.0" [203]	4.0" [102]		24.0" [610]	52.0" [1321]	16
4300177	152.80 [69.31]						8.0" [203]	4.0" [102]		36.0" [914]	64.0" [1626]	20
4300178	186.50 [84.59]						8.0" [203]	4.0" [102]		48.0" [1219]	76.0" [1930]	24

◇ Add "M" to the end of the part number to specify wheel to have manual indicator.

* No longer available.


** See Bracket Section for more information.

Simplex LT Rotary

FW0070 Series Exploded View




SAF-HOLLAND Group




FW0070 SERIES PARTS LIST				
ITEM	DESCRIPTION	PART NUMBER	QTY.	WEIGHT LBS [KG]
1	Fifth Wheel Top Plate For 2" Kingpin	XA-71-DAP	1	316.00 [143.34]
1A	Fifth Wheel Top Plate For 3.5" Kingpin	XA-71-OAP	1	312.00 [141.52]
1B	Fifth Wheel Top Plate - 2" Kingpin For FW2570-7103 Series or FW2570-7113 Series Only	XA-71-03706	1	307.81 [139.62]
1C	Fifth Whl. Top Plate - 3.5" Kingpin For FW2570-7103 or FW2570-7113 Series Only	XA-03711	1	281.50 [127.69]
2	Cotter Pin 0.25" x 2.0"	XB-5	1	0.05 [0.02]
3	Lock Pin	XA-1016-C	1	0.92 [0.42]
4	Cotter Pin 0.25" x 2.5"	XB-T-60	1	0.04 [0.02]
5	Lock Pin	XA-FW-108-D	1	2.37 [1.08]
5A	Lock Pin	XA-FW-108-D-15	1	
6*	Lock Set For 2" Kingpin	XA-FW-104-D	1	16.58 [7.52]
6A*	Lock Set For 3.5" Kingpin	XA-FW-104-03	1	13.85 [6.28]
7	Spring	XA-FW-128	1	0.57 [0.26]
8	Cotter Pin 1/8" x 1"	XB-16	1	0.01 [0.005]
9	Secondary Lock Release Handle	XA-FW-78	1	0.89 [0.40]
10*	Secondary Lock Arm	XA-FW-137-2	1	3.20 [1.45]
11	Spring	XB-1028-2	1	0.19 [0.09]
12	Hex Hd. Bolt 1/2" - 20 x 1.75"	XB-2083	1	0.13 [0.06]
13	Plain Washer	XB-T-49	1	0.04 [0.02]
14	Hex Lock Nut	XB-T-69-A	3	0.04 [0.02]
15	Release Lever	XA-1005-FH	1	1.98 [0.90]
16	Release Handle	XA-1117-H	1	1.97 [0.89]
16A	Release Handle	XA-03715	1	2.37 [1.08]
17	Plunger	XA-1104	1	3.09 [1.40]
18	Compression Spring (Red)	XB-1007	1	0.32 [0.15]
19	Jam Nut 1" - 14	XB-04473	1	0.13 [0.06]
20	Socket Head Cap Screw	XB-09407	1	0.40 [0.18]
21	Lock Nut 5/8" - 11	XB-HNH-58-C	1	0.08 [0.03]
22	Adjusting Wedge	XD-3123-1	1	1.18 [0.54]
23	Compression Spring	XB-403	1	0.07 [0.03]
24	Nylon Bushing	XB-02949	1	0.01 [0.005]
25	Lube Fitting (90°)	XB-0769	2	0.02 [0.01]
26	Lube Fitting	XB-H-38	2	0.01 [0.005]
*27	Bushing (Prior to 5/82)	XB-1604-9	2	0.53 [0.24]
27A	Bushing (5/82 - 9/87)	XB-0012-1	2	0.32 [0.15]
27B	Bushing (After 9/87)	XB-0012-3	2	0.54 [0.24]
28	Pivot Bolt (Prior to 11/86)	XA-2632	2	4.00 [1.81]
28A	Pivot Pin (After 11/86)	XE-02759	2	4.06 [1.84]
29	Nut (Prior to 11/86) (Not Shown)	XB-T-9N-2	2	N/A
30	Cotter Pin (Prior to 11/86)	XB-T-60	2	0.04 [0.02]
31	Roll Pin	XB-21-S-375-1750	2	0.02 [0.01]
33	Socket Button Head Cap Screw	XB-08002	2	0.04 [0.02]
36	Adjusting Block	XA-05768-1	1	0.74 [0.34]
38				

* Not sold individually. Must be purchased in kit


REPLACEMENT TOP PLATE PART NUMBERS			
DESCRIPTION	PART NUMBER	KINGPIN LOCK	WEIGHT LBS [KG]
Left Hand Release	XA-71-DAP	2.0"	316.00 [143.33]
Right Hand Release	XA-71-OAP	3.5"	316.00 [143.33]




RK-65014
Complete Rebuild Kit - XA-71-DA (2.0" Kingpin)




RK-65014-1
Complete Rebuild Kit - XA-71-DA-03705 (2.0" Kingpin)




RK-65015
Complete Rebuild Kit - XA-71-OA (3.5" Kingpin)




RK-65015-1
Complete Rebuild Kit - XA-71-OA-03713 (3.5" Kingpin)




RK-65024
Kit, Lock (XA-71-DA)




RK-65024-1
Kit, Lock (3.5")




RK-65025
Kit, H.D. Secondary Lock



XA-1117-H
Handle, Release



XA-03715
Handle, Release



FW0070 KIT PARTS LIST

ITEM	DESCRIPTION	PART NUMBER	QTY.	WEIGHT LBS [KG]
2	Cotter Pin 0.25" x 2.0"	XB-5	1	0.05 [0.02]
3	Lock Pin	XA-1016-C	1	0.92 [0.42]
4	Cotter Pin 0.25" x 2.5"	XB-T-60	1	0.04 [0.02]
5A	Lock Pin	XA-FW-108-D-15	1	
6*	Lock Set For 2" Kingpin	XA-FW-104-D	1	16.58 [7.52]
6A*	Lock Set For 3.5" Kingpin	XA-FW-104-D	1	13.85 [6.28]
7	Spring	XA-FW-128	1	0.57 [0.26]
8	Cotter Pin 1/8" x 1"	XB-16	1	0.01 [0.005]
9	Secondary Lock Release Handle	XA-FW-78	1	0.89 [0.40]
10*	Secondary Lock Arm	XA-FW-137-2	1	3.20 [1.45]
11	Spring	XB-1028-2	1	0.19 [0.09]
12	Hex Hd. Bolt 1/2" - 20 x 1.75"	XB-2083	1	0.13 [0.06]
13	Plain Washer	XB-T-49	1	0.04 [0.02]
14	Hex Lock Nut	XB-T-69-A	3	0.04 [0.02]
15	Release Lever	XA-1005-FH	1	1.98 [0.90]
16	Release Handle	XA-1117-H	1	1.97 [0.89]
16A	Release Handle	XA-03715	1	2.37 [1.08]
17	Plunger	XA-1104	1	3.09 [1.40]
18	Compression Spring (Red)	XB-1007	1	0.32 [0.15]

FW0070 KIT PARTS LIST

ITEM	DESCRIPTION	PART NUMBER	QTY.	WEIGHT LBS [KG]
19	Jam Nut 1" - 14	XB-04473	1	0.13 [0.06]
20	Socket Head Cap Screw	XB-09407	1	0.40 [0.18]
21	Lock Nut 5/8" - 11	XB-HNH-58-C	1	0.08 [0.03]
22	Adjusting Wedge	XD-3123-1	1	1.18 [0.54]
23	Compression Spring	XB-403	1	0.07 [0.03]
24	Nylon Bushing	XB-02949	1	0.01 [0.005]
25	Lube Fitting (90°)	XB-0769	2	0.02 [0.01]
26	Lube Fitting	XB-H-38	2	0.01 [0.005]
32	Never-Seez, 7.5g Tube	XB-02967		N/A
37	Washer, Lock 1.0"	XB-10327	1	
38	Ring, Retaining	XB-09153	1	




* Not sold individually. Must be purchased in kit

FW0070 Mounting Dimensions



SAF-HOLLAND Group

FW0070 Stationary Foot Mount






PART NUMBER	HEIGHT IN [MM]	A	B	REPLACEMENT BRACKETS	WEIGHT LBS [KG]
FW0070-7603XL	7.0" [177]	12°	11°	XA-7603	412.00 [186.88]
FW0070-7602XL	8.0" [203]	15°	15°	XA-7602	419.00 [190.06]
FW0070-7601XL	9.0" [229]	15°	15°	XA-7601	421.00 [190.96]

Corrugated Plate Option adds .9" to height.


A flat or corrugated mounting plate is required for foot mount brackets.

FW0070 Stationary Integrated Plate Mount





PART NUMBER	HEIGHT IN [MM]	A	B	REPLACEMENT BRACKET	WEIGHT LBS [KG]
FW0070-7685XL	7.0" [177]	11°	6°	XA-7685	533.00 [241.77]
FW0070-7684XL	8.0" [203]	14°	15°	XA-7684	539.00 [244.49]
FW0070-7683XL	9.0" [229]	15°	15°	XA-7683	542.00 [245.85]

FW0070 Stationary Brackets for Angle Mounting



PART NUMBER	HEIGHT in [MM]	A	B	REPLACEMENT BRACKET	WEIGHT LBS [KG]
FW0070-7623XL	6.5" [165]	12°	11°	XA-7623	373.00 [169.19]
FW0070-7622XL	7.5" [191]	15°	15°	XA-7622	380.00 [172.37]
FW0070-7621XL	8.5" [216]	15°	15°	XA-7621	382.00 [173.27]

FW0070 Stationary Brackets with Angle Mounting



PART NUMBER	HEIGHT in [MM]	A	B	REPLACEMENT BRACKET	WEIGHT LBS [KG]
FW0070-7614GL	6.0" [152]	8°	5°	XA-7614-G	441.00 [200.03]
FW0070-7613GL	7.0" [177]	12°	11°	XA-7613-G	450.00 [204.12]
FW0070-7612GL	8.0" [203]	15°	15°	XA-7612-G	457.00 [207.29]
FW0070-7611GL	9.0" [229]	15°	15°	XA-7611-G	459.00 [208.20]

FRAME WIDTH	CODE	FRAME WIDTH	CODE	FRAME WIDTH	CODE
33.25" [845]"	A	33.75" [857]"	E	34.25" [870]"	J
33.38" [848]	B	33.88" [861]"	F	34.38" [873]"	K
33.50" [851]	C	34.00" [864]"	G	34.50" [876]"	L
33.62" [854]"	D	34.12" [867]"	H		


FW00100/FW0165 Series Exploded View



SAF-HOLLAND Group



**DISCONTINUED MODEL
SERVICE PARTS ONLY**
Please contact Customer Service
for part availability
888.396.6501





SAF-HOLLAND Group

FW0100/FW0165 Series Parts List

FW0100/FW0165 SERIES PARTS LIST				
ITEM	DESCRIPTION	PART NUMBER	QTY.	WEIGHT LBS [KG]
1	Fifth Wheel Top Plate – 2" Kingpin – For FW0100	XA-101-D	1	314.00 [142.43]
1A	Fifth Wheel Top Plate – 3-1/2" Kingpin – For FW0100	XA-101-O	1	310.00 [140.61]
1B	Fifth Wheel Top Plate – 2" Kingpin – For FW0165	XA-0115-1	1	373.49 [169.41]
1C	Fifth Wheel Top Plate – 3-1/2" Kingpin – For FW0165	XA-0115	1	370.70 [168.15]
2	Cotter Pin 1/4" x 2"	XB-5	1	0.05 [0.02]
3	Lock Pin	XA-1016-C	1	0.92 [0.42]
4	Cotter Pin 1/4" x 2-1/2"	XB-T-60	1	0.04 [0.02]
5	Lock Pin	XA-FW-108-D-1	1	2.33 [1.06]
6	Lock Set For 2" Kingpin	XA-FW-104-D	1	16.58 [7.52]
6A	Lock Set For 3-1/2" Kingpin	XA-FW-104-03	1	13.85 [6.28]
7	Spring	XA-FW-128	1	0.57 [0.26]
8	Cotter Pin 1/8" x 1"	XB-16	1	0.01 [0.005]
9	Release Handle	XA-FW-138	1	0.89 [0.40]
10	Secondary lock arm	XA-FW-137-2	1	3.20 [1.45]
11	Spring	XB-1028-2	1	0.19 [0.09]
12	Hex Head Cap Screw 1/2" - 20 x 1-3/4"	XB-2083	1	0.13 [0.06]
13	Plain Washer	XB-T-49	1	0.04 [0.02]
14	Hex Lock Nut 1/2" - 20	XB-T-69-A	1	0.04 [0.02]
15	Release Lever	XA-1005-FDS	1	1.95 [0.88]
15A	Release Lever	XA-1005-FD-3	1	
16	Release Handle	XA-1117-13	1	1.84 [0.83]
17	Plunger	XA-1104	1	3.09 [1.40]
17A	Plunger	XA-1104-1	1	
18	Compression Spring (Red)	XB-1007	1	0.32 [0.15]
19	Jam Nut 1" - 14	XB-04473	1	0.13 [0.06]
20	Socket Head Cap Screw	XB-2001	1	0.42 [0.19]
21	Lock Nut 5/8" - 11	XB-HNH-58-C	1	0.08 [0.03]
22	Adjusting Wedge	XD-3123-1	1	1.18 [0.54]
23	Compression Spring	XB-403	1	0.07 [0.03]
24	Bushing	XB-02949	1	0.01 [0.005]
25	Lube Fitting (45°)	XB-767-C	2	0.01 [0.005]
26	Lube Fitting	XB-H-38	2	0.01 [0.005]
27	Trunnion Shaft – FW0100	XA-FW-106	1	55.61 [25.22]
27A	Trunnion Shaft – FW0165	XA-0114	1	56.00 [25.40]
28	Trunnion Shaft Clamp	XA-FW-113-D	2	4.20 [1.91]
29	Shims	XB-03371	4	0.10 [0.05]
30	Hex Bolt 3/4" - 16 x 3	XB-772	2	0.45 [0.20]
31	Washer – FW0100	XB-PW-1316-112	2	0.04 [0.02]
32	Nut 3/4" - 16 – FW0100	XB-769	2	0.12 [0.05]
33	Trunnion Shaft Bracket	XA-FW-103	2	31.30 [14.20]
34	Mounting Bracket – 10" Height	XA-FW-102	2	44.70 [20.28]
34A	Mounting Bracket – 9" Height	XA-FW-102-C	2	42.49 [19.27]
35	Bushing	XA-FW-107	2	2.46 [1.12]
36	Bolt 7/8"-14 x 4" (After 8/97 Check Hole Size)	XB-08914	8	0.90 [0.41]
37	Lock nut 7/8"-14 (After 8/97 Check Hole Size)	XB-T-307	8	0.19 [0.09]
36A	Hex Head Cap Bolt 1"-8 x 4" (Prior to 8/97)	XB-FW-109	8	1.10 [0.50]
37A	Lock Nut 1"-8 (Prior to 8/97)	XB-C-41	8	0.27 [0.12]
38	Kingpin Gage	TF-0110	1	0.48 [0.22]
39	2" Kingpin Lock Tester	TF-TLN-5001	1	22.40 [10.16]
39A	3-1/2" Kingpin Lock Tester	TF-TLN-1500	1	31.10 [14.11]
40	Adjusting Block	XA-05768	1	0.44 [0.20]
42A	Safety Indicator	4100374	1	0.51 [0.23]

* Not sold individually - must be purchased in kit

REPLACEMENT TOP PLATE PART NUMBERS			
DESCRIPTION	PART NUMBER	KINGPIN LOCK	WEIGHT LBS [KG]
FW0100	XA-101-DAS	2.0"	350.00 [158.76]
FW0100	XA-101-OAS	3.5"	350.00 [158.76]
FW0165	XA-0116-1S	2.0"	471.00 [213.64]
FW0165	XA-0116S	3.5"	471.00 [213.64]


FW0100/ FW0165

FW0100/FW0165 Series Replacement Kits




SAF-HOLLAND Group


RK-65012-1
Complete Rebuild - XA-101-DA/XA-0116-1




RK-65013-1
Complete Rebuild - XA-101-DA/XA-0116-1




RK-65024
Kit, Lock 2" - XA-71-DA, XA-101-DA




RK-65024-1
Kit, Lock 3.5"



RK-65025
Kit, H.D. Secondary Lock



XA-1117-13
Handle, S/A Release





SAF-HOLLAND Group

FW0100/FW0165 Replacement Kits

FW0100/FW0165 SERIES KIT PARTS LIST				
ITEM	DESCRIPTION	PART NUMBER	QTY.	WEIGHT LBS [KG]
2	Cotter Pin 1/4" x 2"	XB-5	1	0.05 [0.02]
3	Lock Pin	XA-1016-C	1	0.92 [0.42]
4	Cotter Pin 1/4" x 2-1/2"	XB-T-60	1	0.04 [0.02]
5	Lock Pin	XA-FW-108-D-1	1	2.33 [1.06]
6	Lock Set For 2" Kingpin	XA-FW-104-D	1	16.58 [7.52]
6A	Lock Set For 3-1/2" Kingpin	XA-FW-104-03	1	13.85 [6.28]
7	Spring	XA-FW-128	1	0.57 [0.26]
8	Cotter Pin 1/8" x 1"	XB-16	1	0.01 [0.005]
9	Release Handle	XA-FW-138	1	0.89 [0.40]
10	Secondary lock arm	XA-FW-137-2	1	3.20 [1.45]
11	Spring	XB-1028-2	1	0.19 [0.09]
12	Hex Head Cap Screw 1/2" - 20 x 1-3/4"	XB-2083	1	0.13 [0.06]
13	Plain Washer	XB-T-49	1	0.04 [0.02]
14	Hex Lock Nut 1/2" - 20	XB-T-69-A	1	0.04 [0.02]
15	Release Lever	XA-1005-FDS	1	1.95 [0.88]
15A	Release Lever	XA-1005-FD-3	1	
16	Release Handle	XA-1117-13	1	1.84 [0.83]
17	Plunger	XA-1104	1	3.09 [1.40]
17A	Plunger	XA-1104-1	1	
18	Compression Spring (Red)	XB-1007	1	0.32 [0.15]
19	Jam Nut 1" - 14	XB-04473	1	0.13 [0.06]
20	Socket Head Cap Screw	XB-2001	1	0.42 [0.19]
21	Lock Nut 5/8" - 11	XB-HNH-58-C	1	0.08 [0.03]
22	Adjusting Wedge	XD-3123-1	1	1.18 [0.54]
23	Compression Spring	XB-403	1	0.07 [0.03]
24	Bushing	XB-02949	1	0.01 [0.005]
25	Lube Fitting (45°)	XB-767-C	2	0.01 [0.005]
37	Lock nut 7/8" - 14 (After 8/97 Check Hole Size)	XB-T-307	8	0.19 [0.09]
43	Never-Seez, 7.5g Tube	XB-02967	1	N/A

*Not sold individually - must be purchased in kit.


FW0100 / FW0165

FW0100/ FW0165 Mounting Dimensions




SAF-HOLLAND Group

FW0100 Stationary Mount



PART NUMBER	HEIGHT IN [MM]	A	B	WEIGHT
FW0100-DC	9.0" [229]	15°	16°	590 lbs.
FW0100-D	10.5" [267]	19°	24°	595 lbs.

FW0165 Stationary Mount



PART NUMBER	HEIGHT IN [MM]	WEIGHT
FW0165-0091-1	10.5" [267]	650.00 [294.83]





THIS PAGE INTENTIONALLY LEFT BLANK

Holland Simplex II SE Series Exploded View



SAF-HOLLAND Group




LEFT HAND RELEASE MODEL SHOWN
W/ AUTOMATIC INDICATOR

For Models With Manual Indicator



For Air Release Option




Holland Simplex II SE Series Parts List

ITEM	DESCRIPTION	PART NUMBER	QTY.	WEIGHT LBS [KG]
1	Eccentric Jaw Pin	4109922-P	1	1.93 [0.88]
3A*	Lock Jaw, Left-Hand See 4000644	XA-4109939	1	8.48 [3.85]
3B*	Lock, Left Hand, See 4000647	4109931	1	6.58 [2.98]
3AR*	Lock Jaw, Right Hand (Not Shown)	4109940	1	8.25 [3.74]
3BR*	Lock, Right Hand (Not Shown)	4109808	1	6.59 [2.99]
4	Spring, Jaw Return	1200101	1	0.10 [0.05]
9	Washer, .66" I.D. x 1.31" O.D.	XB-T-199	1	0.03 [0.01]
10	Spring, Lock	1200706	1	0.63 [0.29]
13	Pin, Spring, .19" Dia. x 1.15" Long	9900181	1	0.01 [0.005]
14	Pin, Cotter, .19" Dia. x 1.25" Long	9900170	1	0.01 [0.005]
18	HHSB, .50"-13 x 1.88" Gr 5	XB-11127	1	0.16 [0.07]
19	Plate, Cover	XA-10969	1	4.03 [1.83]
21L	Lever Bar	4100373	1	2.69 [1.22]
22	Lock Nut, .50"-20 Gr C, Cam Plates, Bracket Pins, Air Release	XB-T-69-A	2	0.04 [0.02]
23L*	Release Handle, Left-Hand with Automatic Indicator, See 4000531	4100420	1	1.46 [0.66]
23O*	Release Handle, Left-Hand for Manual Indicator, See 4000650	4100332	1	1.31 [0.59]
28	HHCS, .38"-16 x 1.50" GR 8	85617	2	0.06 [0.03]
29	Fittings, Grease	XB-H-38	4	0.01 [0.005]
34A	Pin, Bracket	5400705	2	3.25 [1.47]
35*	Air Cylinder Assembly, See 4100269	4100284	1	11.00 [4.99]
40A	Lock Indicator, Left-Hand Automatic	4100294	1	0.55 [0.25]
40M	Lock Indicator, Left-Hand Manual	4101250	1	0.66 [0.30]
42	Pin, Indicator	5400711	1	0.18 [0.08]
43	Pin, Cotter, .13" Diameter x 1.25" Long	84261	1	0.01 [0.005]
52	HHCS, .50"-20 x 1.25" Gr 5	XB-C-95	2	0.11 [0.05]
63	Shoe, Bracket	4100328	2	0.69 [0.31]
64*	Insert, .38" Bracket, See 4000528 or 4000504	4100329	2	0.51 [0.23]

REPLACEMENT TOP PLATE PART NUMBERS	
PART NUMBER	DESCRIPTION
4102720	LH Manual Release - Auto Indicator
4102727	LH Manual Release - Manual Indicator
9502720	LH Air Release - TouchLoc
11202720	Manual Release - RH









*Not sold individually - must be purchased in kit.



Holland Simplex II SE Series Rebuild Kits



SAF-HOLLAND Group



ITEM	DESCRIPTION	PART NUMBER	QTY.	WEIGHT LBS [KG]
1	Eccentric Jaw Pin	4109922-P	1	1.93 [0.88]
3A*	Lock Jaw, Left-Hand	XA-4109939	1	8.48 [3.85]
3B*	Lock, Left Hand	4109931	1	6.58 [2.98]
3AR*	Lock Jaw, Right-Hand See RK-various kit called out	4109940	1	8.25 [3.74]
4	Spring, Jaw Return	1200101	1	0.10 [0.05]
5	Pin, Clevis, .63" Diameter X 2.25" Long	5400707	1	0.22 [0.10]
9	Washer, .66" I.D. x 1.31" O.D.	XB-T-199	1	0.03 [0.01]
10	Spring, Lock	1200706	1	0.63 [0.29]
13	Pin, Spring, .19" Dia. x 1.15" Long	9900181	1	0.01 [0.005]
14	Pin, Cotter, .19" Dia. x 1.25" Long	9900170	1	0.01 [0.005]
18	HHSB, .50"-13 x 1.88" Gr 5	XB-11127	1	0.16 [0.07]
19	Plate, Cover	XA-10969	1	4.03 [1.83]
21L	Lever Bar, Left-Hand	4100373	1	2.69 [1.22]
23L*	Release Handle, Left-Hand with Automatic Indicator	4100420	1	1.46 [0.66]
23R*	Release Handle, Right-Hand with Automatic Indicator, See 4000512	4100350	1	1.42 [0.64]

ITEM	DESCRIPTION	PART NUMBER	QTY.	WEIGHT LBS [KG]
23T*	Release Handle, Left-Hand with TouchLoc	4100296	1	1.36 [0.62]
24	Washer, .41" I.D. x .81" O.D., Hardened	9900174	4	0.01 [0.005]
27	Washer, .56" I.D. x 1.38" O.D., Manual Release	XB-T-49	1	0.04 [0.02]
28	HHCS, .38"-16 x 1.50" Gr 8	85617	2	0.06 [0.03]
30	Fittings, Grease 90°	9900179	1	0.01 [0.005]
34A	Pin, Bracket	5400705	2	3.25 [1.47]
35*	Cylinder Assembly, Air	4100284	1	11.00 [4.99]
36	Pin, Cotter, .38" Diameter x 1.50" Long	9900169	2	0.08 [0.04]
40A	Lock Indicator, Left-Hand Automatic	4100294	1	0.55 [0.25]
40AR	Lock Indicator, Right-Hand Automatic	4100428	1	
40M	Lock Indicator, Left-Hand Manual	4101250	1	0.66 [0.30]
42	Pin, Indicator	5400711	1	0.18 [0.08]
43	Pin, Cotter, .13" Diameter x 1.25" Long	84261	1	0.01 [0.005]
63	Shoe, Bracket	4100328	2	0.69 [0.31]
64*	Insert, .38" Bracket	4100329	2	0.51 [0.23]
69	Lock Nut, .38"-16 Gr C	9900139	2	0.01 [0.005]

*Not sold individually - must be purchased in kit.



SAF-HOLLAND Group


THIS PAGE INTENTIONALLY LEFT BLANK

Simplex II Exploded View



SAF-HOLLAND Group


**SIMPLEX II MODEL
REPLACED BY
SIMPLEX II SE**




Left hand release version shown

**DISCONTINUED MODEL
SERVICE PARTS ONLY**
Please contact Customer Service
for part availability
888.396.6501


For Models With Manual Indicator



For Right Hand Models



For Models With TouchLoc




ITEM	DESCRIPTION	PART NUMBER	QTY.	WEIGHT LBS [KG]
1A	Eccentric Jaw Pin	4109916	1	1.87 [0.85]
1B	Eccentric Jaw Pin, Oversized	4109977	1	1.90 [0.86]
3A*	Lock Jaw, LH, See 4000501, 4000502, 4000539	XA-4109939	1	8.48 [3.85]
3AR*	Lock Jaw, RH, See 4000503, 4000523	4109940**	1	8.25 [3.74]
3B*	Lock, LH, See 4000572	4109931	1	6.58 [2.98]
3BR*	Lock, RH See 4000574	4109808	1	6.59 [2.99]
10	Spring, Lock	1200706	1	0.63 [0.29]
13	Pin, Spring, .19" Diameter x 1.15" Long	9900181	1	0.01 [0.005]
14	Pin, Cotter, .19" Diameter x 1.25" Long	9900170	1	0.01 [0.005]
18	Pin, Lever Bar	5400766	1	0.25 [0.11]
19	Plate, Cover	XA-10969	1	4.12 [1.87]
21L	Lever Bar, Straight Pull	4100712	1	2.29 [1.04]
23L*	Release Handle, LH with Automatic Indicator, See 4000531	4100342	1	1.35 [0.61]
23R*	Release Handle, RH with Automatic Indicator, See 4000512	4100350	1	1.42 [0.64]
23O*	Release Handle, LH for Manual Indicator, See 4000650	4100332	1	1.31 [0.59]
23T*	Release Handle, LH w/TouchLoc, See 4000532	4100296	1	1.36 [0.62]
24	Washer, .41" I.D. x .81" O.D., Hardened	9900174	4	0.01 [0.005]
28	HHCS, .38"-16 x 1.50" Gr 8	85617	2	0.06 [0.03]
29	Fittings, Grease	84787	4	0.01 [0.005]
30	Fittings, Grease 90°	9900179	1	0.01 [0.005]
34A	Pin, Bracket	5400705	2	3.25 [1.47]
35*	Cylinder Assembly, Air, See 4100269	4100284	1	11.00 [4.99]
36	Pin, Cotter, .38" Diameter x 1.50" Long	9900169	2	0.08 [0.04]
40A	Lock Indicator, LH Automatic	4100294	1	0.55 [0.25]
40AR	Lock Indicator, RH Automatic	4100428	1	0.66 [0.30]
40M	Lock Indicator, LH Manual	4101250	1	0.66 [0.30]
42	Pin, Indicator	5400711	1	0.18 [0.08]
43	Pin, Cotter, .13" Diameter x 1.25" Long	84261	2	0.01 [0.005]
63	Shoe, Bracket	4100328	2	0.69 [0.31]
64*	Insert, .38" Bracket, See 4000528 or 4000504	4100329	2	0.51 [0.23]
69	Lock Nut, .38"-16 Gr C	9900139	2	0.01 [0.005]
79	Fittings, Grease 65° x .38" Long	85496	1	0.01 [0.005]

* Not sold individually - must be purchased in kit.

** **NOTE:** The current jaw XA-4109939/4109940, replaces the previous design jaw 4109930/4109920.


REPLACEMENT TOP PLATE PART NUMBERS	
PART NUMBER	DESCRIPTION
4102720	LH Manual Release - Auto Indicator
4102727	LH Manual Release - Manual Indicator
9502720	LH Air Release - TouchLoc
11202720	RH Manual Release



Simplex II RH & LH Dimensional Views




SAF-HOLLAND Group




SIMPLEX II RH CAST FAB BRACKET (VIEW A)
RIGHT HAND SHOWN
LEFT HAND OPPOSITE

SIMPLEX II SE W/ CAST FAB BRACKETS			
ASSEMBLY PART NUMBER	BRACKET PART NUMBER	DIM A	ASSY WEIGHT LBS [KG]
4069215	4000105	6.44" [164]	325.00 [147.42]
4069307	4009114	7.69" [195]	332.00 [150.59]
4069276	4009297	8.69" [221]	339.00 [153.77]



SIMPLEX II RH STANDARD BRACKET HEADS (VIEW B)
RIGHT HAND SHOWN
LEFT HAND OPPOSITE




SIMPLEX II RH STANDARD BRACKET HEADS ONLY (VIEW C)
RIGHT HAND SHOWN
LEFT HAND OPPOSITE


SIMPLEX II SE W/ CAST BRACKETS				
ASSEMBLY PART NUMBER	BRACKET PART NUMBER	DIM B	DIM C	ASSY WEIGHT LBS [KG]
FLAT BASE BRACKETS (WIDE)				
4160032	4109865	25.00" [635]	36.38" [924]	307.00 [139.25]
4160033	4109011			313.00 [141.97]
4160034	4109933			319.00 [144.70]
FLAT BASE BRACKETS (WIDE)				
4160031	4109839	26.38" [267]	34.62" [879]	311.00 [141.07]

SIMPLEX II SE W/ CAST BRACKETS (HEADS ONLY)				
ASSEMBLY PART NUMBER	BRACKET PART NUMBER	DIM B	DIM C	ASSY WEIGHT LBS [KG]
4069557	4100110	26.13" [664]	31.88" [810]	280.00 [127.01]
4069074	4109976			281.00 [127.46]
4069075	4109961			288.00 [130.63]
4069076	4109960			295.00 [133.81]
4069680	4109991	25.5" [647]	32.5" [648]	297.00 [134.72]
4069078	4109982			310.00 [140.61]


4000501
Rebuild, Jaw




4000502
Rebuild, Jaw, Oversize




4000503
Kit, Jaw, RH, Pin Eccentric




4000523
Kit, Jaw, RH, Pin Eccentric, Oversize




4000539
Jaw and Return Spring Retrofit




4000540
Obsolete - Retrofit Jaw Spring Kit (RH)



4000504
Bracket Connection, .38" Pads



4000528
Bracket, .38" Pads - STD



ITEM	DESCRIPTION	PART NUMBER	QTY.	WEIGHT LBS [KG]
1A	Eccentric Jaw Pin	4109916	1	1.87 [0.85]
1B	Eccentric Jaw Pin, Oversized	4109977	1	1.90 [0.86]
3A*	Lock Jaw, Left-Hand	XA-4109939	1	8.48 [3.85]
3AR*	Lock Jaw, Right-Hand	4109940	1	8.25 [3.74]
4	Spring, Jaw Return	1200101	1	0.10 [0.05]
14	Pin, Cotter, .19" Diameter x 1.25" Long	9900170	1	0.01 [0.005]








ITEM	DESCRIPTION	PART NUMBER	QTY.	WEIGHT LBS [KG]
20	Plate, Spring Retainer, Left-Hand	4100101	1	0.31 [0.14]
20A	Plate, Spring Retainer, Right Hand	4100102	1	0.32 [0.15]
34A	Pin, Bracket	5400705	2	3.25 [1.47]
36	Pin, Cotter, .38" Diameter x 1.50" Long	9900169	2	0.08 [0.04]
63	Shoe, Bracket	4100328	2	0.69 [0.31]
64*	Insert, .38" Bracket	4100329	2	0.51 [0.23]

*Not sold individually - must be purchased in kit.

Simplex II Rebuild Kits



SAF-HOLLAND Group



ITEM	DESCRIPTION	PART NUMBER	QTY.	WEIGHT LBS [KG]
3B*	Lock, Left Hand	4109931	1	6.58 [2.98]
3BR*	Lock, Right Hand	4109808	1	6.59 [2.99]
10	Spring, Lock	1200706	1	0.63 [0.29]
13	Pin, Spring, .19" Dia. x 1.15" Long	9900181	1	0.01 [0.005]
18	Pin, Lever Bar	5400766	1	0.25 [0.11]
19	Plate, Cover	XA-10969	1	4.03 [1.83]
21L	Lever Bar, Straight Pull	4100712	1	2.29 [1.04]
23L*	Release Handle, Left-Hand with Automatic Indicator	4100342	1	1.35 [0.61]
23R*	Release Handle, Right-Hand with Automatic Indicator	4100350	1	1.42 [0.64]
23O*	Release Handle, Left-Hand for Manual Indicator	4100332	1	1.31 [0.59]

ITEM	DESCRIPTION	PART NUMBER	QTY.	WEIGHT LBS [KG]
23T*	Release Handle, Left-Hand with TouchLoc	4100296	1	1.36 [0.62]
24	Washer, .41" I.D. x .81" O.D., Hardened	9900174	4	0.01 [0.005]
28	HHCS, .38"-16 x 1.50" Gr 8	85617	2	0.06 [0.03]
30	Fittings, Grease 90°	9900179	1	0.01 [0.005]
35*	Cylinder Assembly, Air	4100284	1	11.00 [4.99]
40A	Lock Indicator, Left-Hand Automatic	4100294	1	0.55 [0.25]
40AR	Lock Indicator, Right-Hand Automatic	4100428	1	0.66 [0.30]
40M	Lock Indicator, Left-Hand Manual	4101250	1	0.66 [0.30]
42	Pin, Indicator	5400711	1	0.18 [0.08]
43	Pin, Cotter, .13" Diameter x 1.25" Long	84261	1	0.01 [0.005]
69	Lock Nut, .38"-16 Gr C	9900139	2	0.01 [0.005]

*Not sold individually - must be purchased in kit.




SAF-HOLLAND Group

THIS PAGE INTENTIONALLY LEFT BLANK

Simplex RH Exploded View – Serial Number Prefix SR



SAF-HOLLAND Group



**DISCONTINUED MODEL
SERVICE PARTS ONLY**
Please contact Customer Service
for part availability
888.396.6501



SAF-HOLLAND Group

Simplex RH Parts List







ITEM	DESCRIPTION	PART NUMBER	QTY.	WEIGHT LBS [KG]
1	Bracket Shoe	4109811	2	4.86 [2.20]
2	Jaw *	4109940	1	8.25 [3.74]
3	Lock	4109808	1	6.59 [2.99]
4	Cover Plate	XA-10969	1	4.12 [1.87]
5	Lever Bar	4100712	1	2.29 [1.04]
6	Operating Rod	4100350	1	1.42 [0.64]
7	Safety Indicator	4100428	1	
8	Lock Spring	1200706	1	0.63 [0.29]
9	Eccentric Pin	4109916	1	1.87 [0.85]
9A	Eccentric Pin, Oversize	4109977	1	1.90 [0.86]
10	Lever Bar Pin	5400766	1	0.25 [0.11]
11	Safety Indicator Pin	4100711	1	
12	Bracket Pin	5400705	2	3.25 [1.47]
13	Bracket Pad	4100358	2	1.01 [0.46]
14	Clinch Pin	9900170	1	0.01 [0.005]
15	Cotter Pin	84261	1	0.01 [0.005]
16	Clinch Pin	9900169	2	0.08 [0.04]
17	Grease Fitting (Not Shown)	84787	1	0.01 [0.005]
18	Washer	XB-T-49	1	0.04 [0.02]

Simplex RH

Simplex RH Rebuild Kits



SAF-HOLLAND Group



ITEM	DESCRIPTION	PART NUMBER	QTY.	WEIGHT LBS [KG]
1	Bracket Shoe	4109811	2	4.86 [2.20]
2	Jaw *	4109940	1	8.25 [3.74]
3	Lock	4109808	1	6.59 [2.99]
4	Plate, Cover	XA-10969	1	2.37 [1.08]
5	Lever Bar	4100712	1	2.29 [1.04]
6	Operating Rod	4100350	1	1.42 [0.64]
7	Safety Indicator Pin	4100428	1	0.18 [0.08]
8	Lock Spring	1200706	1	0.63 [0.29]
9	Eccentric Pin	4109916	1	1.87 [0.85]

*Not sold individually - must be purchased in kit.

ITEM	DESCRIPTION	PART NUMBER	QTY.	WEIGHT LBS [KG]
9A	Eccentric Pin, Oversize	4109977	1	1.90 [0.86]
10	Lever Bar Pin	5400766	1	0.25 [0.11]
11	Safety Indicator Pin	4100711	1	
12	Bracket Pins	5400705	2	3.25 [1.47]
13	Bracket Pad	4100358	2	1.01 [0.46]
14	Clinch Pin	9900170	1	0.01 [0.005]
15	Pin, Cotter, .13" Diameter x 1.25" Long	84261	1	0.01 [0.005]
16	Clinch Pin	9900169	2	0.08 [0.04]
18	Washer 0.50"	XB-T-69	1	




SAF-HOLLAND Group

THIS PAGE INTENTIONALLY LEFT BLANK

Simplex II Rotary Pull Exploded View



SAF-HOLLAND Group



**DISCONTINUED MODEL
SERVICE PARTS ONLY**
Please contact Customer Service
for part availability
888.396.6501



SAF-HOLLAND Group

Simplex II Rotary Pull Parts List







ITEM	DESCRIPTION	PART NUMBER	QTY	WEIGHT LBS [KG]
1	Bracket Pins	5400705	2	3.25 [1.47]
2	Clinch Pins for Bracket Pins	9900169	2	0.08 [0.04]
3	Bracket Shoes	4100328	2	0.69 [0.31]
4	Bracket Pads	4100329	2	0.51 [0.23]
5	Cover Plate	4100155	1	2.37 [1.08]
6	Clinch Pin for Jaw Pin	9900170	1	0.01 [0.005]
7	Jaw Pin (Standard)	4109916	1	1.87 [0.85]
7a	Jaw Pin (Oversize - Not Shown)	4109977	1	1.90 [0.86]
8	Jaw*	XA-4109939	1	6.70 [3.04]
9	Lock	4109931	1	6.58 [2.98]
10	Cotter Pin	84261	1	0.01 [0.005]
11	Lever Bar Pin	4000154	1	N/A
12	Lever Pin	4100152	1	2.25 [1.02]
13	Safety Indicator	4100150	1	0.40 [0.18]
14	Flange Nut	9900113	1	0.03 [0.01]
15	Operating Rod (2 Piece)	4100357	1	1.65 [0.75]
16	Lock Spring	1200706	1	0.63 [0.29]
17	Grease Fittings (2 Required)	84787	1	0.01 [0.005]
18	Lever Bar Retainer Plate	4100153	1	2.37 [1.08]
19	Weld Stud	4100180	1	0.05 [0.02]

Simplex II Rotary

Simplex II Rotary Pull Rebuild Kits



SAF-HOLLAND Group



ITEM	DESCRIPTION	PART NUMBER	QTY.	WEIGHT LBS [KG]
1	Bracket Pins	5400705	2	3.25 [1.47]
2	Clinch Pins for Bracket Pins	9900169	2	0.08 [0.04]
3	Bracket Shoes	4100328	2	0.69 [0.31]
4	Bracket Pads	4100329	2	0.51 [0.23]
5	Plate, Cover	4100155	1	2.37 [1.08]
6	Pin, Cotter, .19" Diameter x 1.25" Long	9900170	1	0.01 [0.005]
7*	Eccentric Jaw Pin	4109916	1	1.87 [0.85]
7A*	Eccentric Jaw Pin, Oversized	4109977	1	1.90 [0.86]
8*	Lock Jaw, Left-Hand	XA-4109939	1	8.48 [3.85]

*Not sold individually - must be purchased in kit.

ITEM	DESCRIPTION	PART NUMBER	QTY.	WEIGHT LBS [KG]
9	Lock, Left Hand	4109931	1	6.58 [2.98]
10	Pin, Cotter, .13" Diameter x 1.25" Long	84261	1	0.01 [0.005]
11	Pin, Lever Bar	4100154	1	0.25 [0.11]
12	Rotary Operating Lever Bar	4100152	1	2.25 [1.02]
13	Safety Indicator	4100150	1	0.40 [0.18]
14	Nut, Flange	9900113	1	0.03 [0.01]
15*	Operating Rod (2 Piece)	4100357	1	1.65 [0.75]
16	Spring, Lock	1200706	1	0.63 [0.29]
18	Lever Retaining Plate	4100153	1	0.30 [0.14]
19	Weld Stud	4100180	1	0.05 [0.02]




THIS PAGE INTENTIONALLY LEFT BLANK


Castloc Rotary Pull Exploded View



SAF-HOLLAND Group



**CASTLOC ROTARY PULL
MODEL REPLACED BY
SIMPLEX II SE**



**DISCONTINUED MODEL
SERVICE PARTS ONLY**
Please contact Customer Service
for part availability
888.396.6501


ITEM	DESCRIPTION	PART NUMBER	QTY.	WEIGHT LBS [KG]
1A*	Eccentric Jaw Pin	4109916	1	1.87 [0.85]
1B*	Eccentric Jaw Pin, Oversized	4109977	1	1.90 [0.86]
3A*	Lock Jaw, Left-Hand See 4000501, 4000502	XA-4109939	1	8.48 [3.85]
	Lock Jaw	4109935	1	6.70 [3.04]
3B*	Lock, Left Hand	4109931	1	6.58 [2.98]
10	Spring, Lock	1200706	1	0.63 [0.29]
14	Pin, Cotter, .19" Diameter x 1.25" Long	9900170	1	0.01 [0.005]
	Pin, Cotter, .19" Diameter x 1.25" Long (Not Shown)	9900170	1	0.01 [0.005]
18	Pin, Lever Bar	4100154	1	0.25 [0.11]
19	Plate, Cover	4100155	1	2.37 [1.08]
20	Lever Retaining Plate	4100153	1	0.30 [0.14]
21L	Rotary Operating Lever Bar	4100152	1	2.25 [1.02]
23L*	Operating Rod (2 Piece)	4100357	1	1.65 [0.75]
29	Fittings, Grease	84787	2	0.01 [0.005]
34A	Bracket Pin	4100239	2	3.95 [1.79]
36	Pin, Clinch .38" x 1.75"	9900175	2	0.11 [0.05]
42	Safety Indicator	4100150	1	0.40 [0.18]
43	Pin, Cotter, .13" Diameter x 1.25" Long	84261	2	0.01 [0.005]
69	Prevailing Torque Hex Flange Nut	9900113	1	0.03 [0.01]
87**	Bracket Shim (Not Shown)	4000263	2	0.12 [0.05]
88	Weld Stud (Not Shown)	4100180	1	0.05 [0.02]

* Not sold individually - must be purchased in kit.



** **NOTE:** Bracket Shims and kits containing shims can only be used when there is sufficient wear.

REPLACEMENT TOP PLATE PART NUMBERS

PART NUMBER	DESCRIPTION
7202700	LH Manual Release
7602700	TouchLoc Air Release



LH MANUAL RELEASE









AIR RELEASE

Castloc Rotary Pull Rebuild Kits



SAF-HOLLAND Group



ITEM	DESCRIPTION	PART NUMBER	QTY.	WEIGHT LBS [KG]
1A*	Eccentric Jaw Pin	4109916	1	1.87 [0.85]
1B*	Eccentric Jaw Pin, Oversized	4109977	1	1.90 [0.86]
3A*	Lock Jaw, Left-Hand	XA-4109939	1	8.48 [3.85]
3B*	Lock, Left Hand	4109931	1	6.58 [2.98]
10	Spring, Lock	1200706	1	0.63 [0.29]
14	Pin, Cotter, .19" Diameter x 1.25" Long	9900170	1	0.01 [0.005]
18	Pin, Lever Bar	4100154	1	0.25 [0.11]
19	Plate, Cover	4100155	1	2.37 [1.08]
20	Lever Retaining Plate	4100153	1	0.30 [0.14]

ITEM	DESCRIPTION	PART NUMBER	QTY.	WEIGHT LBS [KG]
21L	Rotary Operating Lever Bar	4100152	1	2.25 [1.02]
23L*	Operating Rod (2 Piece)	4100357	1	1.65 [0.75]
34A	Bracket Pin	4100239	2	3.95 [1.79]
36	Pin, Clinch .38" x 1.75"	9900175	2	0.11 [0.05]
42	Safety Indicator	4100150	1	0.40 [0.18]
43	Pin, Cotter, .13" Diameter x 1.25" Long	84261	1	0.01 [0.005]
69	Prevailing Torque Hex Flange Nut	9900113	1	0.03 [0.01]
87**	Bracket Shim	4000263	2	0.12 [0.05]
88	Weld Stud	4100180	1	0.05 [0.02]

*Not sold individually - must be purchased in kit.

** **NOTE:** Bracket Shims and kits containing shims can only be used when there is sufficient wear.



SAF-HOLLAND Group


THIS PAGE INTENTIONALLY LEFT BLANK

Castloc Rotary


Castloc II Straight Pull Exploded View



SAF-HOLLAND Group



**CASTLOC II STRAIGHT PULL
MODEL REPLACED BY
SIMPLEX II SE**



**DISCONTINUED MODEL
SERVICE PARTS ONLY**
Please contact Customer Service
for part availability
888.396.6501

Castloc II Straight Pull Parts List


ITEM	DESCRIPTION	PART NUMBER	QTY.	WEIGHT LBS [KG]
1A*	Eccentric Jaw Pin	4109916	1	1.87 [0.85]
1B*	Eccentric Jaw Pin, Oversized	4109977	1	1.90 [0.86]
3A*	Lock Jaw, Left-Hand See 4000501, 4000502	XA-4109939	1	8.48 [3.85]
3B*	Lock, Left Hand	4109931	1	6.58 [2.98]
10	Spring, Lock	1200706	1	0.63 [0.29]
13	Pin, Spring, .19" Dia. x 1.15" Long	9900181	1	0.01 [0.005]
14	Pin, Cotter, .19" Dia. x 1.25" Long	9900170	1	0.01 [0.005]
18A	Pin, Lever Bar	5400766	1	0.25 [0.11]
19	Plate, Cover	4100767	1	4.12 [1.87]
21L	Lever Bar, Left-Hand	4100712	1	2.29 [1.04]
23L*	Release Handle, Left-Hand with Automatic Indicator, See 4000509	4100342***	1	1.35 [0.61]
27	Plain Washer - Wide .50"	9900846***	—	0.04 [0.02]
29	Fittings, Grease	84787	1	0.01 [0.005]
34A	Bracket Pin	4100239	2	3.95 [1.79]
36	Pin, Clinch .38" x 1.75"	9900175	2	0.11 [0.05]
40M	Lock Indicator, Left-Hand Automatic	4101250	1	0.66 [0.30]
42	Pin, Indicator	5400711	1	0.18 [0.08]
43	Pin, Cotter, .13" Diameter x 1.25" Long	84261	2	0.01 [0.005]
87***	Bracket Shim (Not Shown)	4000263	2	0.12 [0.05]

* Not sold individually - must be purchased in kit.



** **NOTE:** Bracket shims and kits containing shims can only be used when there is sufficient wear.

*** **NOTE:** The operating rod 4100342 has been redesigned and uses a slotted spring pin 9900181 instead of cotter pin 84261 (Item 43) and washer 9900846 (Item 27).

REPLACEMENT TOP PLATE PART NUMBERS	
PART NUMBER	DESCRIPTION
A7202700	LH Manual Release
A7602700	TouchLoc Air Release



LH MANUAL RELEASE









AIR RELEASE

Castloc II Straight Pull Rebuild Kits



SAF-HOLLAND Group



ITEM	DESCRIPTION	PART NUMBER	QTY.	WEIGHT LBS [KG]
1A*	Eccentric Jaw Pin	4109916	1	1.87 [0.85]
1B*	Eccentric Jaw Pin, Oversized	4109977	1	1.90 [0.86]
3A*	Lock Jaw, Left-Hand	XA-4109939	1	8.48 [3.85]
3B*	Lock, Left Hand	4109931	1	6.58 [2.98]
10	Spring, Lock	1200706	1	0.63 [0.29]
13	Pin, Spring, .19" Dia. x 1.15" Long	9900181	1	0.01 [0.005]
14	Pin, Cotter, .19" Dia. x 1.25" Long	9900170	1	0.01 [0.005]
18A	Pin, Lever Bar	5400766	1	0.25 [0.11]
19	Plate, Cover	XA-10969	1	4.03 [1.83]

ITEM	DESCRIPTION	PART NUMBER	QTY.	WEIGHT LBS [KG]
21L	Lever Bar, Left-Hand	4100712	1	2.29 [1.04]
23L*	Release Handle, Left-Hand	4100342	1	1.35 [0.61]
34A	Bracket Pin	4100239	2	3.95 [1.79]
36	Pin, Clinch .38" x 1.75"	9900175	2	0.11 [0.05]
40A	Lock Indicator, Left-Hand Manual	4100294	1	0.55 [0.25]
42	Pin, Indicator	5400711	1	0.18 [0.08]
43	Pin, Cotter, .13" Diameter x 1.25" Long	84261	1	0.01 [0.005]
87**	Bracket Shim	4000263	2	0.12 [0.05]

*Not sold individually - must be purchased in kit.

** **NOTE:** Bracket shims and kits containing shims can only be used when there is sufficient wear.



SAF-HOLLAND Group


THIS PAGE INTENTIONALLY LEFT BLANK

Simplex 400C Exploded View




SAF-HOLLAND Group

**SIMPLEX 400C MODEL
REPLACED BY
SIMPLEX II SE**



**DISCONTINUED MODEL
SERVICE PARTS ONLY**
Please contact Customer Service
for part availability
888.396.6501







ITEM	DESCRIPTION	PART NUMBER	QTY.	WEIGHT LBS [KG]
2	Spring	1200091	2	0.07 [0.03]
2A	Spring, Bracket Pin	1200616	2	0.35 [0.16]
2B	Spring, Lock	1200633	1	0.09 [0.04]
4	Pin Lock ASF	5400211	2	0.63 [0.29]
4A	Pin .50 x 2.00	5400523	2	0.15 [0.07]
4B	Pin ASF	5400242	2	2.75 [1.25]
6	Lever, Operating, LH, 400 Series 5th Wheel	4109945	1	3.70 [1.68]
9	Jaw Front 400 2 PC Kingpin Block	4109793	1	2.69 [1.22]
9A	Jaw, Front, 2 Piece 400 Series 5th Wheel	4109792	1	7.30 [3.31]
9B	OBSOLETE-Jaw, Rear 400 Series 5th Wheel	4100409	1	11.50 [5.22]
18	Plate Backing ASF	4100200	1	0.31 [0.14]
21	OBSOLETE-Cam Unlocking 400 Series 5th	4101394	1	0.71 [0.32]
23	OBSOLETE-Operating Rod Assy	4100553	1	1.08 [0.49]
28	OBSOLETE-HHCS, 5/16"-24 X 2.50" LG	9900095	2	0.07 [0.03]
29	Fittings, Grease (not shown)	84787	5	0.01 [0.005]
30	OBSOLETE-Handle 400	4109944	1	3.00 [1.36]
40L	Lock LH ASF 400C	4109934	1	8.30 [3.76]
42	Safety Latch for 400 Series 5th Wheels	4109948	1	0.60 [0.27]
43	Pin, Cotter, .13" Diameter x 1.25" Long	84261	3	0.01 [0.005]
47	OBSOLETE-Buffing Block SIMPLEX 400	4100689	1	8.54 [3.87]
56	OBSOLETE-Nut, Hex Jam, 5/16"-24	9900096	2	0.01 [0.005]
57	Nut Self Locking H-D Full NC .50"-13	9900101	2	0.04 [0.02]
68	Bolt Hex 1/2"-13X 3-1/2"	9900100	2	0.22 [0.10]



Simplex 400C Conversion & Repair Kits



SAF-HOLLAND Group



ITEM	DESCRIPTION	PART NUMBER	QTY.	WEIGHT LBS [KG]
1F	Pin Jaw ASF	4100207	2	0.31 [0.14]
2	Spring	1200091	2	0.07 [0.03]
2A	Spring, Bracket Pin	1200616	2	0.35 [0.16]
2B	Spring, Lock	1200633	1	0.09 [0.04]
3	Conversion Kit LH 400-C 2-Pc Jaw (Kit 4000192, not shown)	4000184	1	13.80 [6.26]
4	Pin Lock ASF	5400211	2	0.63 [0.29]
4A	Pin, .50" x 2.00" Long	5400523	1	0.15 [0.07]
4B	Pin ASF	5400242	2	2.75 [1.25]
4C	OBSOLETE-Lock Pin Bolt (Kit 4000192, not shown)	2100218	2	0.08 [0.04]
9A	Jaw, Front, 2 Piece 400 Series 5TH Wheel	4109792	1	7.30 [3.31]
9B	OBSOLETE-Jaw, Rear 400 Series 5TH Wheel	4100409	1	11.50 [5.22]
9C	Jaw Front Bearing Block, 400 Series	4109795	1	2.50 [1.13]
18	Plate Backing ASF	4100200	1	0.31 [0.14]
21	OBSOLETE-Cam Unlocking 400 SERIES 5TH	4101394	1	0.71 [0.32]
28	OBSOLETE-HHCS, 5/16" -24 X 2.50" LG	9900095	2	0.07 [0.03]
30	OBSOLETE-Handle 400	4109944	1	3.00 [1.36]

ITEM	DESCRIPTION	PART NUMBER	QTY.	WEIGHT LBS [KG]
40L	Lock LH ASF 400C	4109934	1	8.30 [3.76]
42	Safety Latch for 400 Series 5TH Wheels	4109948	1	0.60 [0.27]
42A	Safety Pin - Rounded Retainer Snap Pin for Lock Bar Rock & Block System	4101013	1	0.14 [0.06]
43	Pin, Cotter, .13" Diameter x 1.25" Long	84261	1	0.01 [0.005]
47A	Buffing Block, Urethane	4100693	1	1.40 [0.64]
55	OBSOLETE-Washer, Helical Spring Lock 5/16"	84624	2	0.01 [0.005]
55A	OBSOLETE-Washer, .41" I.D x 1.25" O.D.	9900847	1	0.03 [0.01]
56	OBSOLETE-Nut, Hex Jam, 5/16"-24	9900096	2	0.01 [0.005]
57	Nut Self Locking H-D Full NC 1/2" - 13	9900101	2	0.04 [0.02]
63	Bolt Nut 7/16" x 2-1/4" Assembly (Kit 4000192, not shown)	2100664	2	0.15 [0.07]
68	Bolt Hex 1/2"-13 X 3-1/2"	9900100	2	0.22 [0.10]
68A	Bolt, 3/8"-16 X 1/2"	9900097	1	0.01 [0.005]
87E	Shim, .060", CONMET 400C 5TH Wheel	4101409	1	0.29 [0.13]
87F	Shim Steel 400C & CASTLOC Brackets	4100655	2	0.68 [0.31]
87G	Shim, .030", CONMET 400E 5TH Wheel	4101408	1	0.16 [0.07]
92	OBSOLETE-Lock Bar (Kit 4000571, not shown)	4101010	1	14.10 [6.40]




SAF-HOLLAND Group

THIS PAGE INTENTIONALLY LEFT BLANK


FW67/FW69 Exploded View




SAF-HOLLAND Group



**FW69 MODEL
REPLACED BY FW67**




**Prior to 9/98 - Bracket Components
(Not Included in Rebuild Kit)**



ITEM	DESCRIPTION	PART NUMBER	QTY.	WEIGHT LBS [KG]
1	Yoke	XA-07295	1	5.82 [2.64]
2	Retaining Ring, 1" Diameter	XB-07398	2	0.01 [0.005]
3A*	Lock Set, See RK-351-08332-1	XA-08332-1	1	7.69 [3.49]
4	Spring, Extension	XB-07628	1	0.08 [0.04]
9	Shaft, Yoke	XA-1706-1	1	0.83 [0.38]
10	Spring, Compression	XB-1505	1	0.61 [0.28]
11A*	Pin, Lock, See RK-07292-1	XA-07292-1	2	1.08 [0.49]
12	Spring, Torsion	XB-2149	1	0.06 [0.03]
13	Pin, Spring, .50" Diameter x 2.75" Long	XB-21-S-500-2750	1	0.02 [0.01]
15	HHCS, .50"-20 x 1.75" Gr 5 Zinc Plate, Nylock	XB-2083	1	0.13 [0.06]
16	Washer, .56" I.D. x 1.75" O.D.	XB-08559	3	0.06 [0.03]
17	Roller, .52" I.D. x 1" O.D. x .38" Long	XA-1029	1	0.06 [0.03]
18	Roller, .66" I.D. x 1" O.D. x .38" Long	XA-1507-1	1	0.05 [0.02]
19	Washer, .66" I.D. x 2.63" O.D.	XB-07431	1	
21A	Plate, Cam	XA-08988	1	2.26 [1.03]
22	Lock Nut, .50"-20 Gr C, Cam Plates, Bracket Pins, Air Release	XB-T-69-A	4	0.04 [0.02]
23L*	Release Handle, See RK-09063	XA-09041	1	1.00 [0.45]
24B	Spring, Manual Release	XB-07291	1	0.20 [0.09]
25	Washer, .53" I.D. x 1.06" O.D.	XB-PW-1732-1-116	2	0.02 [0.01]
27	Spacer, Cam	XA-09040	1	0.54 [0.24]
29	Fittings, Grease	XB-H-38	2	0.01 [0.005]
30	Handle, Secondary Lock Release	XA-3546	1	0.32 [0.15]
31	Bar, Lock	XA-3528	1	0.61 [0.28]
34A*	Pin, Bracket	XE-06356-P	2	1.98 [0.90]
35	Nut, Hex 1.13"-7 Gr. 5	XB-NR-118-C	2	0.38 [0.17]
35A	Cylinder Assembly, Air, Aluminum	XA-11702	1	3.98 [1.81]
35B	Cylinder Assembly, Air	XA-2524-R-13-1	1	4.38 [1.99]
47	HHCS, 1.13"-7 x 7" Long Gr. 5	XB-BR-118-C-7	2	2.41 [1.09]
48	Elbow, 45° Street	XB-698	1	0.06 [0.03]
55	Washer, Lock 1.13" I.D. x 1.84" O.D.	XB-E-536	2	0.12 [0.05]
89	HHCS .63"-18 X 2.00"	XB-010035	1	0.24 [0.11]
90	Nut, .38"-16 Flg Lock GR.F Zinc Pl.	XB-08987	2	0.02 [0.01]
91	SHSB .38"-16 x 1.63"	XB-08974	2	N/A

*Not sold individually - must be purchased in kit.


REPLACEMENT TOP PLATE PART NUMBERS	
PART NUMBER	DESCRIPTION
XA-351-UB-P	Air Release w/Secondary Lock




FW67/FW69 Exploded View




SAF-HOLLAND Group



Use On FW-69 Series Only





Use On FW-69 Series Only



ITEM	DESCRIPTION	PART NUMBER	QTY.	WEIGHT LBS [KG]
5	HHCS 1/2" -20 x 3/4" (Nylock)	XB-6834	4	0.08 [0.04]
5B	Mtg. Angle Sub-Assy.	XA-6755	2	88.00 [39.92]
6	Starter Valves	XB-4574	2	0.78 [0.35]
7	Compression Spring	XB-403	1	0.07 [0.03]
8	1/2"-13 Jam Nut	XB-C-59	32	0.03 [0.01]
8B	Base Sub-Assy. (FW69)	XA-6930-1	1	461.00 [209.11]
9G	1/2" Lock Washer	XB-T-45-1	32	0.02 [0.01]
9H	Shaft	XA-1311-3	2	34.30 [15.56]
9J	Shaft	XA-6798-B-3	2	3.69 [1.67]
14A	Base Sub-Assy. (FW67)	XA-6730-1	1	456.00 [206.84]
15A	3/4" Pipe Tee	XB-0144	2	0.94 [0.43]
15G	Torque Frame	XA-6718-1	1	137.00 [62.14]
18B	HHCS 5/8" -11 x 2"	XB-03553	4	0.26 [0.12]
23	1/4" Female to 3/4" Male Red. Bush.	XB-0111	1	0.17 [0.08]
24	3/4" Male Pipe Fittings	XB-6768	2	0.24 [0.11]
26B	3/4" Close Nipple	XB-0148	3	0.09 [0.04]
27A	Lower Pivot Arm Sub-Assy.	XA-6715-1-B	1	39.00 [17.69]
27B	Upper Pivot Arm	XA-6704-1-B	1	36.80 [16.69]
27C	Upper Pivot Arm	XA-6704-B	1	35.00 [15.88]
28	Lower Pivot Arm Sub-Assy.	XA-6715-2-B	1	39.00 [17.69]
29	Zerk Fittings	XB-H-38	9	0.01 [0.005]
31A	3/4" Rubber Hose 46" Long	XA-6765-1	1	0.87 [0.39]
31B	1/4" Rubber Hose 44" Long	XA-6766-1	1	0.33 [0.15]
31C	1/4" Rubber Hose 13" Long	XA-6766-13	1	0.10 [0.05]
32A	Air Bellows, Includes Bolts, Nuts and Washers (FW67)	XB-6764	1	54.00 [24.49]
32B	Air Bellows (FW69) (Requires nuts and washers)	XB-4514	4	15.00 [6.80]
34B	Lift Sub-Assy. (FW67)	XA-6742-1	1	289.00 [131.09]
34C	Lift Sub-Assy. (FW69)	XA-6942-1	1	273.00 [123.83]
36	Shaft	XA-6705-12	1	25.50 [11.57]
37	1/4" Male Pipe Fitting	XB-6769	6	0.04 [0.02]
38	Safety Valve	XB-4606	1	0.24 [0.11]
41	Hex Hd. Bolts 1/2" -13 x 4"	XB-BR-12-C-4	1	0.26 [0.12]
42	Lock Nuts 1/2" -13	XB-0103	3	0.04 [0.02]
43	Cross Plate	XA-6757	1	21.20 [9.62]

ITEM	DESCRIPTION	PART NUMBER	QTY.	WEIGHT LBS [KG]
45	3/4" Street Elbow	XB-2779-1	3	0.42 [0.19]
46	1/2" Pipe Plug (FW67 Only)	XB-6771	1	0.11 [0.05]
49	Rubber Bushings (Included with items 34B and 34C)	XB-1604-5	2	0.73 [0.33]
51	Rail Sub-Assy. (Right)	XA-6714-1-R	1	70.00 [31.75]
51B	Rail Sub-Assy. (Left)	XA-6714-1-L	1	70.00 [31.75]
53	Shaft	XA-6798-B-1	2	3.60 [1.63]
54	Shaft	XA-6705-4	1	32.80 [14.88]
56	Hex Nut 5/8" -11	XB-04067	4	0.05 [0.02]
57	Bolt Sub-Assy., Adjusting	XA-05172	1	0.28 [0.13]
59	Stop Valve	XB-4575-2	1	0.98 [0.44]
60	Bracket Sub-Assy.	XA-0195	1	1.29 [0.59]
61	HHCS 5/16" -18 x 1-1/2"	XB-C-516-C-112	2	0.04 [0.02]
63	Bracket	XA-0194	1	0.80 [0.36]
64	90° St. Elbow 1/4" Pipe Thread	XB-697	1	0.11 [0.05]
65	HHCS 5/16" -24 x 3/4"	XB-C-516-F-34	4	0.02 [0.01]
66	1/4" Rubber Hose 28" Long	XA-6766-2	1	0.21 [0.10]
67	5/16" Lock Washer	XB-116	6	0.01 [0.005]
68	Conduit Clamps	XB-01331	2	0.08 [0.04]
69	Spacer	XA-01601	2	1.12 [0.51]
70	HHCS 1/4" -28 x 2-1/2"	XB-0140	2	0.04 [0.02]
71	Air Manifold	XA-08968	1	2.08 [0.94]
72	Push Lox Ftg. 1/4" Pipe to 3/8" Hose	XB-6848	8	0.06 [0.02]
73	3/8" Hose 10" Long	XA-6847-3	1	0.10 [0.05]
74	3/8" Hose 25" Long	XA-6847-5	1	0.20 [0.09]
75	3/8" Hose 19" Long	XA-6847-4	2	0.15 [0.07]
76	90° Elbow, 1/4" Thread	XB-6752	4	0.11 [0.05]
79	1/4" Pipe Nipple 1-1/2" Long	XB-6854	4	0.04 [0.02]
80	Tag, Mov-On	XB-06300	1	N/A
81	Hex Hd. Cap Screw 1/2" -13 x 4-3/4"	XB-BHRO-12-C-434	1	0.30 [0.14]
82	Hose Guard	XB-05169	2	0.05 [0.02]
83	Plug	XB-03942	2	0.01 [0.005]
84	Plug	XB-06074	2	0.01 [0.005]




PART NUMBER	DESCRIPTION	A	MINIMUM CAB-AXLE DIM		WEIGHT LBS [KG]
		NOM. LIFT HEIGHT	96" WIDE	102" WIDE	
FW67-16B	Single Air Bag Lift	15.25" [387]	64.0" [1626]	67.0" [1702]	1986 [900.8]
FW69-12B	Four Air Bag Lift	11.62" [295]	64.0" [1626]	67.0" [1702]	2000 [907.2]



FW67/FW69 Replacement Kits




SAF-HOLLAND Group



ITEM	DESCRIPTION	PART NUMBER	QTY.	WEIGHT LBS [KG]
2	Retaining Ring, 1" Diameter	XB-07398	2	0.01 [0.005]
3A*	Lock Set	XA-08332-1	1	7.65 [3.47]
4	Spring, Extension	XB-GT-13-1	1	0.07 [0.03]
9	Shaft, Yoke	XA-1706-1	1	0.83 [0.38]
11A*	Pin, Lock	XA-07292-1	2	1.08 [0.49]
16	Washer, .56" I.D. x 1.75" O.D.	XB-08559	1	0.06 [0.03]
17	Valve with Face Plate	XB-4530-5	1	1.18 [0.53]
18	Roller, .66" I.D. x 1" O.D. x .38" Long	XA-1507-1	1	0.05 [0.02]
19	Washer, .66" I.D. x 2.63" O.D.	XB-07431	1	0.24 [0.11]
20	Washer, .50" I.D. x 2.25" O.D.	XB-1030	1	0.20 [0.09]
21A	Plate, Cam	XA-08988	1	2.26 [1.03]
22	Lock Nut, .50"-20 Gr C, Cam Plates, Bracket Pins, Air Release	XB-T-69-A	2	0.04 [0.02]
23L	Release Handle	XA-09041	1	1.00 [0.45]
24B	Spring, Manual Release	XB-07291	1	0.20 [0.09]
25	Washer, .53" I.D. x 1.06" O.D.	XB-PW-1732-1-116	3	0.02 [0.01]
26	HHCS, .63"-18 x 2" Long Gr. 8	XB-10035	1	0.25 [0.11]
27	Spacer, Cam	XA-09040	1	0.54 [0.24]

ITEM	DESCRIPTION	PART NUMBER	QTY.	WEIGHT LBS [KG]
32	Never-Seez, 7.5g Tube	XB-02967	1	N/A
38	Washer, 1.19" I.D. x 1.58" O.D.	XB-05859-1	4	0.01 [0.005]
44	HHCS, .50"-20 X 1.75" Long Gr. 8	XB-T-89-5	2	0.14 [0.06]
45	Guide, Handle	XA-09039	1	0.11 [0.05]
50	Stop, Yoke	XA-09043	1	0.05 [0.02]
82	Pin, Spring, .38" Diameter x 1.75" Long	XB-21-S-375-1750	2	0.02 [0.01]

*Not sold individually - must be purchased in kit.




ITEM	DESCRIPTION	PART NUMBER	QTY.	WEIGHT LBS [KG]
1	Yoke	XA-07295	1	5.87 [2.66]
2	Ring, Retaining	XB-07398	2	0.10 [0.04]
3A*	Lock Jaw Set	XA-08332-1	1	7.69 [3.49]
4	Spring, Extension	XB-07628	1	0.08 [0.04]
9	Shaft, Yoke	XA-1706-1	1	0.83 [0.38]
10	Spring, Compression	XB-1505	1	0.61 [0.28]
11A*	Pin, Lock	XA-07292-1	2	1.08 [0.49]
12	Spring, Torsion	XB-2149	1	0.06 [0.03]
13	Pin, Spring, .50" Diameter x 2.75" Long	XB-21-S-500-2750	1	0.02 [0.01]
14	HHCS, .50" - 20 X 1.75"	XB-T-95-5	2	
15	HHCS, .50"-20 x 1.75" Gr 5 Zinc Plate, Nylock	XB-2083	1	0.13 [0.06]
16	Washer	XB-08559	3	0.06 [0.03]
17	Roller, .52" I.D. x 1" O.D. x .38" Long	XA-1029	1	0.06 [0.03]
18	Roller, .66" I.D. x 1" O.D. x .38" Long	XA-1507-1	1	0.05 [0.02]
19	Washer, .66" I.D. x 2.25" O.D.	XB-07431	2	0.19 [0.09]
21A	Plate S/A, Cam	XA-08988	1	2.26 [1.03]

ITEM	DESCRIPTION	PART NUMBER	QTY.	WEIGHT LBS [KG]
22	Lock Nut, .50"-20 Gr C, Cam Plates, Bracket Pins, Air Release	XB-T-69-A	3	0.04 [0.02]
23L*	Release Handle, Left-Hand, See RK-09063	XA-09041	1	1.00 [0.45]
24B	Spring, Manual Release	XB-07291	1	0.20 [0.09]
25	Washer, .53" I.D. x 1.06" O.D.,	XB-PW-1732-1-116	2	0.02 [0.01]
27	Spacer, Cam	XA-09040	1	0.54 [0.24]
29	Fittings, Grease	XB-H-38	2	0.01 [0.005]
30	Handle, Secondary Lock Release	XA-3546	1	0.32 [0.15]
31	Bar, Lock	XA-3528	1	0.61 [0.28]
35A	Cylinder Assembly, Air, Aluminum	XA-11702	1	3.98 [1.81]
35B	Cylinder Assembly, Air, Stainless Steel	XA-2524-R-13-1	1	4.43 [2.01]
48	Elbow, 45° Street	XB-698	1	0.06 [0.03]
89	HHCS, .63"-18 X 2.00"	XB-010035	1	0.24 [0.11]


*Not sold individually - must be purchased in kit.

FW67/FW69 Replacement Kits


RK-06535
Kit, Air (Coiled Line)




RK-09646
Air Release Kit - Coil & Line



RK-6811
Air Fitting Kit




RK-6813
Air Tank Bracket Kit



ITEM	DESCRIPTION	PART NUMBER	QTY.	WEIGHT LBS [KG]
2	Retaining Ring, 1" Diameter	XB-07398	2	0.01 [0.005]
3A*	Lock Set, See RK-351-08332-1	XA-08332-1	1	7.65 [3.47]
4	Spring, Extension	XB-07628	1	0.08 [0.04]
11A*	Pin, Lock, See RK-07292-1	XA-07292-1	2	1.08 [0.49]
30B	Kit, Air Line (Coiled Line)	RK-06535	1	7.50 [3.40]
32	Never-Seez, 7.5g Tube	XB-02967	1	0.02 [0.01]
38	Washer, 1.19" I.D. x 1.58" O.D.	XB-05859-1	4	0.01 [0.005]
45	Tubing, .25" O.D. X 35' Nylon	XA-06565-35	1	0.56 [0.25]
46	Fitting, Male Pipe	XB-11251	1	0.03 [0.01]
48	Elbow, 90° Street, See RK-06535	XB-01996	1	0.09 [0.04]
49	Hose Assembly, Air	XB-06583	1	N/A
50	Fitting, Bulkhead, .25" NPT Female	XB-01959	1	0.18 [0.08]
51	Elbow, Male 90° Swivel	XB-06570	1	N/A
94	Nylon Cable Ties (RK-06535)	XB-01961	1	N/A
	Nylon Cable Ties (RK-09646)		5	N/A

*Not sold individually - must be purchased in kit.

THIS PAGE INTENTIONALLY LEFT BLANK




Please contact
Customer Service
for part availability
888.396.6501

ITEM	DESCRIPTION	PART NUMBER	QTY.	WEIGHT LBS [KG]
1C	Adjusting Wedge	XD-3123-1	1	1.18 [0.54]
2	Spring	XB-1028-2	1	0.19 [0.09]
3A*	Lock Set For 2" Kingpin, See RK-65024	XA-FW-104-D	1	16.58 [7.52]
3B*	Lock Set For 3-1/2" Kingpin, See RK-65024-1	XA-FW-104-03	1	13.85 [6.28]
4A	Plunger	XA-1104	1	3.09 [1.40]
5	Compression Spring (Red)	XB-1007	1	0.32 [0.15]
7	Compression Spring	XB-403	1	0.07 [0.03]
8	Jam Nut 1"-14	XB-04473	1	0.13 [0.06]
11	Adjusting Block	XA-05768	1	0.44 [0.20]
12	Lube Fitting (90°)	XB-0769	2	0.02 [0.01]
13	Bushing	XB-02949	1	0.01 [0.005]
13A	Cast Iron Bushing	XA-06110	1	6.10 [2.77]
13B	Cast Iron Bushing	XA-1596	2	3.57 [1.62]
14	Lockout S/A (FW2080-0778)	XA-0786	2	3.70 [1.68]
15	Hex Head Cap Screw 1/2"-20x1-3/4"	XB-2083	1	0.13 [0.06]
16	Lock Pin	XA-FW-108-D	1	2.37 [1.08]
16A	Pin	XA-1584-2	2	0.57 [0.26]
19	Plate, Cover (FW2080-0778)	XA-0781	2	1.49 [0.68]
19A	Washer	XA-782	1	0.89 [0.40]
21L	Release Lever	XA-1005-FDS	1	1.95 [0.88]
22	Hex Lock Nut 1/2"-20	XB-T-69-A	1	0.04 [0.02]
23L	Release Handle	XA-1117-13	1	1.84 [0.83]
26	Spring	XA-FW-128	1	0.57 [0.26]
27	Plain Washer	XB-T-49	1	0.04 [0.02]
29	Grease Zerk	XB-H-38	7	0.01 [0.005]
30	Release Handle	XA-FW-138	1	0.89 [0.40]
31	Lock Pin	XA-1016-C	1	0.92 [0.42]
33	Cotter Pin 1/4" x 2"	XB-5	1	0.05 [0.02]
33A	Cotter Pin 5/16" x 3-1/2"	XB-781-1	1	0.08 [0.04]
33B	Cotter pin 3/16" x 1-1/4"	XB-382	4	0.01 [0.005]
34*	Secondary Lock Arm, See RK-65025	XA-FW-137-2	1	3.20 [1.45]
36	Cotter Pin 1/4" x 2-1/2"	XB-T-60	1	0.04 [0.02]
37	Cotter Pin 1/8" x 1"	XB-16	1	0.01 [0.005]
39	HHCS 3/8"-16 x 1-1/2" (FW2080-0778)	XB-C-375-C-150	8	0.06 [0.03]
43	Washer, Lock 3/8" (FW2080-0778)	XB-T-61	8	0.01 [0.005]
46	Socket Head Cap Screw	XB-2001	1	0.42 [0.19]
53	Rubber Cushion	XB-70	2	2.04 [0.92]
56	Hex Slotted Nut 2-1/4"-4-1/2" Socket	XB-780-1	1	1.69 [0.77]
57	Bolt Sub-assembly	XA-1589-1	1	37.79 [17.14]
62	Lock Nut 5/8"-11	XB-HNH-58-C	1	0.08 [0.03]
73A	Bracket Only	XA-1595	2	37.50 [17.01]
73B	Bracket Sub-assembly (Includes Grease Zerks and Bushing)	XA-1595-A	2	40.90 [18.55]
82	Pin, Spring (FW2080-0778)	XB-21-S-250-1250	2	0.02 [0.01]
93	Rocker Arm Only	XA-05952	1	240.00 [108.86]
93A	Rocker Arm Sub-assembly (Includes Grease Zerks and Bushing)	XA-05952-A	1	247.35 [112.20]
94	Collar	XA-1597	2	4.25 [1.93]
94A	Collar (FW2080-0778)	XA-0784	2	4.12 [1.87]
—	**Kingpin Gage (Not Shown)	TF-0110	1	0.48 [0.22]
—	**3-1/2" Kingpin Lock Tester (Not Shown)	TF-TLN-1500	1	31.10 [14.11]
—	**2" Kingpin Lock Tester (Not Shown)	TF-TLN-5001	1	22.40 [10.16]

* Not sold individually - must be purchased in kit.

** Not included in Rebuild Kits


REPLACEMENT TOP PLATE PART NUMBERS	
PART NUMBER	DESCRIPTION
XA-2081-DA-P	LH Manual Release 2" Kingpin
XA-2081-DAU-P	Air Release 2" Kingpin
XA-2081-OA-P	LH Manual Release 3 1/2" Kingpin
XA-2081-OAU-P	Air Release 3 1/2" Kingpin




FW2080 Dimensional View



SAF-HOLLAND Group




FW2080-D, FW2080-DU, FW2080-O, FW2080-OU




FW2080-0778, FW2080-0778-1

FIFTH WHEEL ASSEMBLY NUMBER	REPLACEMENT BRACKET PART NUMBER	RELEASE TYPE	KINGPIN TYPE	OSCILLATOR LOCKOUT	WEIGHT LBS [KG]
FW2080-D	XA-1595-A	Manual	2.0" [51]	No	805.0 [365.2]
FW2080-DU		Air	2.0" [51]	No	808.0 [366.5]
FW2080-O		Manual	3.5" [89]	No	800.0 [362.9]
FW2080-OU		Air	3.5" [89]	No	803.0 [364.2]
FW2080-0778		Manual	3.5" [89]	Yes	800.0 [362.9]
FW2080-0778-1		Manual	2.0" [51]	Yes	800.0 [362.9]


RK-65024
Kit, Lock 2" (XA-71-DA, XA-101-DA)




RK-65024-1
Kit, Lock 3 1/2" (XA-71-OA, XA-101-OA)




RK-65025
Kit, H.D. Secondary Lock



RK-65012
Complete Rebuild Kit (XA-2081-DA)



RK-65013
Fifth Wheel Complete Rebuild Kit (XA-2081-OA)



ITEM	DESCRIPTION	PART NUMBER	QTY.	WEIGHT LBS [KG]
1C	Wedge, Adjusting	XD-3123-1	1	1.18 [0.54]
2	Spring	XB-1028-2	1	0.19 [0.09]
3A*	Lock Set for 2" Kingpin	XA-FW-104-D	1	16.58 [7.52]
3B*	Lock Set for 3.5" Kingpin	XA-FW-104-03	1	13.85 [6.28]
4A	Plunger	XA-1104	1	3.09 [1.40]
5	Spring, Plunger	XB-1007	1	0.32 [0.15]
7	Spring, Manual Release	XB-403	1	0.07 [0.03]
8	Nut, Jam 1" - 14	XB-04473	1	0.13 [0.06]
10	Washer, Lock, 1" I.D. x 1.7" O.D.	XB-10327	1	0.08 [0.04]
12	Lube fitting (90°)	XB-0769	1	0.02 [0.01]
13	Nylon bushing	XB-02949	1	0.01 [0.005]
15	HHCS, .50"-20 x 1.75" Gr 5 Zinc Plate, Nylock	XB-2083	1	0.13 [0.06]
16	Pin, Lock	XA-FW-108-D-15	1	2.37 [1.08]
21L	Lever, Release, Left-Hand	XA-1005-FDS	1	1.95 [0.88]


ITEM	DESCRIPTION	PART NUMBER	QTY.	WEIGHT LBS [KG]
22	Lock Nut, .50"-20 Gr C	XB-T-69-A	1	0.04 [0.02]
23L	Handle, Release	XA-1117-13	1	1.84 [0.83]
26	Spring	XA-FW-128	1	0.57 [0.26]
27	Washer, .56" I.D. x 1.38" O.D.	XB-T-49	1	0.04 [0.02]
30	Handle, Secondary Lock Release	XA-FW-138	1	0.89 [0.40]
31	Pin, Manual Secondary Lock	XA-1016-C	1	0.92 [0.42]
32	Never-Seez, 7.5g Tube	XB-02967	1	N/A
33	Pin, Cotter, .25" Diameter x 2" Long	XB-5	1	0.05 [0.02]
34*	Arm, Secondary Lock	XA-FW-137-2	1	3.20 [1.45]
37	Pin, Cotter, .13" Diameter x 1" Long	XB-16	1	0.01 [0.005]
39	Retaining Ring, 1.5" Dia.	XB-09153	1	0.01 [0.005]
46	SHCS, .63"-11 x 3.75" Long	XB-2001	1	0.42 [0.19]
62	Nut, Lock .63" - 11	XB-HNH-58-C	1	0.08 [0.03]

*Not sold individually - must be purchased in kit.

FW2800/FW2900 Exploded View




SAF-HOLLAND Group



ITEM	DESCRIPTION	PART NUMBER	QTY.	WEIGHT LBS [KG]
1	Yoke	XA-07295-THK	1	5.87 [2.66]
3*	Lock Jaw Set, See RK-63504	XA-1704-X	1	7.20 [3.27]
4	Spring, Extension	XB-GT-13-1	1	0.07 [0.03]
9	Shaft, Yoke	XA-1706-1	1	0.83 [0.38]
10	Spring, Compression	XB-1505	1	0.61 [0.28]
11A*	Pin, Lock	XA-1313	2	1.13 [0.51]
12	Spring, Torsion	XB-2149	1	0.06 [0.03]
13	Pin, Spring, .50" Diameter x 2.75" Long	XB-21-S-500-2750	1	0.02 [0.01]
15	HHCS, .50"-20 x 1.75" Gr 5 Zinc Plate, Nylock	XB-2083	2	0.13 [0.06]
16	Washer, .56" I.D. x 1.75" O.D.	XB-10267	1	0.12 [0.05]
17	Roller, .52" I.D. x 1" O.D. x .38" Long	XA-1029	1	0.06 [0.03]
18	Roller, .66" I.D. x 1" O.D. x .38" Long	XA-1507-1	1	0.05 [0.02]
19	Washer, .66" I.D. x 2.25" O.D.	XB-1030-1	2	0.19 [0.09]
21A	Plate S/A, Cam	XA-1705-11	1	1.86 [0.84]
22	Lock Nut, .50"-20 Gr C, Cam Plates, Bracket Pins, Air Release	XB-T-69-A	3	0.04 [0.02]
23A	Release Handle, Air Release	XA-1707-16	1	1.00 [0.45]
24B	Spring, Manual Release	XB-1028-1	1	0.10 [0.04]
25	Washer, .53" I.D. x 1.06" O.D.	XB-PW-1732-1-116	3	0.02 [0.01]
27	Washer, .56" I.D. x 1.38" O.D., Manual Release	XB-T-49	1	0.04 [0.02]
	Washer, .56" I.D. x 1.38" O.D., Air Release			
28	HHCS, .63"-18 x 1.75" Gr 8	XB-CX-58-F-134	1	0.21 [0.10]
30	Release Handle, Manual	XA-3544-1-A	1	0.22 [0.10]
31	Bar, Lock	XA-3528	1	0.61 [0.28]
33	Pin, Cotter, .25" Diameter x 2" Long	XB-5	2	0.05 [0.02]
35A*	Cylinder, Air (XA-2801-AX-1)	XA-11694	1	4.15 [1.88]
35B*	Cylinder, Air (XA-2801-AX-1)	XA-2524-03185-1	1	4.56 [2.07]
35C*	Cylinder, Air (XA-2801-AX)	XA-11712	1	3.91 [1.77]
35D*	Cylinder, Air (XA-2801-AX)	XA-2524-R-13-X	1	3.80 [1.72]
48	Elbow, 90° Street, See RK-06535	XB-01996	1	0.09 [0.04]

*Not sold individually - must be purchased in kit.

REPLACEMENT TOP PLATE PART NUMBERS	
PART NUMBER	DESCRIPTION
XA-2801-AX-1P	90° Street Elbow - 2" Stroke
XA-2801-03185-1P	No Fittings - 2" Stroke
XA-2801-03185-2P	No Fittings - 2" Stroke
XA-2801-03185-3P	90° Push Connect - 2" Stroke
XA-2801-03185-4P	(2) 90° Push Connect - 2" Stroke
XA-2801-03185-5P	(2) 90° Push Connect - 3.6" Stroke
XA-2801-07486-1S	90° Street Elbow - 2" Stroke With Lock Down




FW2800-X, FW2900-X, FW2800-X-87 & FW2900-X-87

Single Cylinder Elevating Fifth Wheel Parts Explosion




SAF-HOLLAND Group



ITEM	DESCRIPTION	PART NUMBER	QTY.	WEIGHT LBS [KG]
1D	Fifth Wheel Top Plate Sub-Assembly	XA-2801-AX-1	1	297.00 [134.72]
1E		XA-2801-07486-1		321.00 [145.60]
5	HHCS, 1/2-20 x 3/4"	XB-6834	1	0.08 [0.04]
5A	Clevis Sub-Assembly	XA-2811	1	13.54 [6.14]
7B	Rear Support Assembly	XA-2808-B	1	170.04 [77.13]
7C		XA-2908-B		
7D	Front Support Assembly	XA-2807-B	1	152.54 [69.19]
7E		XA-2907-B		
9A	Fifth Wheel Pivot Shaft	XA-2809	2	9.10 [4.13]
9B	Rear Pivot Shaft	XA-2895	1	28.23 [12.80]
9C	Front Pivot Shaft	XA-2894	1	28.43 [12.90]
9E	Axle Shaft	XA-2893	1	27.37 [12.41]
12B	Grease Fitting	XB-767	2	0.01 [0.005]
13E	Rollpin	XB-21-S-375-3000	1	0.02 [0.01]
14A	Bearing	XA-2774-2	1	0.42 [0.19]
14B	Vee Packing	XB-2774-4	1	0.13 [0.06]
14C	Scraper, Rod	XB-2774-3	1	0.06 [0.03]
15B	Frame Sub-Assembly	XA-2806-2	1	668.44 [303.20]
15C		XA-2906		412.83 [187.26]
15D		XA-06288		427.45 [193.89]
15E		XA-08172		490.64 [222.55]

ITEM	DESCRIPTION	PART NUMBER	QTY.	WEIGHT LBS [KG]
17A	Wheel	XA-2756-2	2	2.56 [1.16]
17B		XA-2756-3		10.54 [4.78]
29	Grease Fitting	XB-H-38	5	0.01 [0.005]
35E	Cylinder Sub-Assembly	XA-2810-1	1	199.00 [90.26]
35F		XA-2710-1		167.00 [75.75]
35G		XA-2710-87		167.00 [75.75]
35H		XA-2810-87		200.00 [90.72]
39	Hex Head Bolt, 3/8"-16 x 2 1/4"	XB-C-38-C-214	2	0.09 [0.04]
41	Hex Head Bolt, 1/2"-13 x 4"	XB-BR-12-C-4	3	0.26 [0.12]
42	Lock Nut, 1/2"-13	XB-0103	3	0.04 [0.02]
49A	Hose Assembly	XB-2936	1	1.03 [0.47]
49B	Hose Assembly	XB-2936-1	1	1.23 [0.56]
51	Bronze Bearing	XA-0861	4	0.76 [0.34]
55A	Rest Pad	XA-06245	2	0.47 [0.21]
55B	Riser Block	XA-09498	2	1.97 [0.89]
69	Lock Nut, 3/8"-16	XB-338	2	0.02 [0.01]
70A	Male Connector	XB-2928	4	0.19 [0.09]
71A	Hydraulic Pump Piping Manifold	XB-2930	1	4.00 [1.81]
73A	Mounting Angle	XA-292-14	2	95.20 [43.18]
73B		XA-292-12		80.00 [36.29]
79	45° Grease Fitting	XB-H-38-C	1	0.02 [0.01]
-	Hydraulic Cylinder Rod Bearing Rebuild Kit	RK-2774	N/A	0.55 [0.25]

FW2800-5X & FW2900-5X Twin Cylinder Elevating Fifth Wheel Parts Explosion




ITEM	DESCRIPTION	PART NUMBER	QTY.	WEIGHT LBS [KG]
1D	Fifth Wheel Top Plate Sub-Assembly	XA-2801-AX-1	1	297.00 [134.72]
5	HHCS, 1/2-20 x 3/4"	XB-6834	1	0.08 [0.04]
5A	Clevis Sub-Assembly	XA-2811	2	13.54 [6.14]
7B	Rear Support Assembly	XA-2808-B	1	170.04 [77.13]
7C	Rear Support Assembly	XA-2908-B	1	170.04 [77.13]
7F	Front Support Assembly	XA-2807-2-B	1	175.44 [79.58]
7G	Front Support Assembly	XA-2907-1-B	1	155.48 [70.52]
9A	Fifth Wheel Pivot Shaft	XA-2809	2	9.10 [4.13]
9B	Rear Pivot Shaft	XA-2895	1	28.23 [12.80]
9D	Front Pivot Shaft	XA-2894-2	1	28.32 [12.85]
9E	Axle Shaft	XA-2893	1	27.37 [12.41]
12B	Grease Fitting	XB-767	2	0.01 [0.005]
13E	Rollpin	XB-21-S-375-3000	1	0.02 [0.01]
14A	Bearing	XA-2774-2	1	0.42 [0.19]
14B	Vee Packing	XB-2774-4	1	0.13 [0.06]
14C	Scraper, Rod	XB-2774-3	1	0.06 [0.03]
15B	Frame Sub-Assembly	XA-2806-2	1	668.44 [303.20]
15F	Frame Sub-Assembly	XA-2906-1	1	603.87 [273.91]

ITEM	DESCRIPTION	PART NUMBER	QTY.	WEIGHT LBS [KG]
17A	Wheel	XA-2756-2	2	2.56 [1.16]
29	Grease Fitting	XB-H-38	10	0.01 [0.005]
35E	Cylinder Sub-Assembly	XA-2810-1	2	199.00 [90.26]
35F	Cylinder Sub-Assembly	XA-2710-1	2	167.00 [75.75]
39	Hex Head Bolt, 3/8"-16 x 2-1/4"	XB-C-38-C-214	2	0.09 [0.04]
39A	HHCS, 3/8"-16 x 2-3/4"	XB-08894	2	0.10 [0.05]
41	Hex Head Bolt, 1/2"-13 x 4"	XB-BR-12-C-4	4	0.26 [0.12]
42	Lock Nut, 1/2"-13	XB-0103	4	0.04 [0.02]
49A	Hose Assembly	XB-2936	2	1.03 [0.47]
49B	Hose Assembly	XB-2936-1	2	1.23 [0.56]
51	Bronze Bearing	XA-0861	4	0.76 [0.34]
69	Hex Head Lock Nut, 3/8"-16	XB-338	2	0.02 [0.01]
70A	Male Connector	XB-2928	8	0.19 [0.09]
71B	Hydraulic Pump Piping Manifold	XB-2930-A	1	4.00 [1.81]
73C	Mounting Angle	XA-292-10	2	88.20 [40.01]
73D	Mounting Angle	XA-292-15	2	77.90 [35.33]
-	Hydraulic Cylinder Rod Bearing Rebuild Kit	RK-2774	N/A	0.55 [0.25]

FW2800-X & FW2900-X Single Cylinder Elevating Fifth Wheel Piping Diagram Parts List



SAF-HOLLAND Group




ITEM	DESCRIPTION	PART NUMBER	QTY.	WEIGHT LBS [KG]
12C*	Oil Tank	XB-01730	1	35.00 [15.88]
23	Reducer Bushing 1"-11-1/2"/1/2"-14 NPT	XB-04478	1	0.35 [0.16]
24C	Straight Male Hose Fitting 3/4"-14 NPT, 5/8" I.D. Hose	XB-2793	1	0.43 [0.20]
24D	Straight Male Hose Fitting 1"-11-1/2" NPT x 1-1/8" I.D. Hose	XB-2794-1	1	0.85 [0.39]
24E	Straight Male Hose Fitting 1/2"-14 NPT x 1/2" I.D. Hose	XB-2791	1	0.34 [0.15]
24F	Straight Male Hose Fitting, 3/4"-14 NPT, 1/2" I.D. Hose	XB-2792	2	0.40 [0.18]
39B	Control Valve	XB-2782-1	1	15.15 [6.87]
39C	Fifth Wheel Lock Control Valve	XB-2556	1	0.36 [0.16]
46	Pipe Coupler – 1-1/4" NPT	XB-02208	1	0.69 [0.31]
46A*	Filler Cap and Breather	XB-01786	1	0.27 [0.12]
46B	90° Reducing Elbow	XB-02209	1	0.73 [0.33]
46C	Male Adapter – 1-5/8"-12 JIC, 1-1/4"-11-1/2" NPTF	XB-2790	1	0.74 [0.34]
49C	5/8" I.D. Medium Pressure Oil Hose, 5-1/2 ft. Long	XB-2785	1	2.21 [1.00]

ITEM	DESCRIPTION	PART NUMBER	QTY.	WEIGHT LBS [KG]
49D	1-1/8" I.D. Medium Pressure Oil Hose, 5-1/2" Long	XB-2786-1	1	11.67 [5.29]
49E	1/2" I.D. Medium Pressure Oil Hose	XB-2784	3	3.19 [1.44]
51C	Straight Swivel Fitting 1-5/8"-12 JIC x 1-1/8" I.D. Hose	XB-2795	1	1.19 [0.54]
51D	1-1/6"-12 JIC, 1/2" I.D. Hose, SAE 37° Flare	XB-2937	1	0.52 [0.23]
51E	1-1/6"-12 JIC, 5/8" I.D. Hose, 37° Flare (JIC) Swivel	XB-2932	1	0.47 [0.21]
51F	SAE 37° Flare (JIC) Swivel, 7/8"-14 JIC, 1/2" I.D. Hose	XB-2938	2	0.35 [0.16]
70B	90° Elbow 1-1/6"-12 JIC, 3/4"-14 NPT	XB-2934	2	0.45 [0.20]
70C	90° Elbow 7/8"-14 JIC, 1/2"-14 NPT	XB-2939	2	0.31 [0.14]
71C	Hydraulic Oil Filter	XB-2783	1	1.60 [0.73]
73E*	Mounting Brackets	XA-01909	2	1.27 [0.58]
79B	3/4" Pipe Nipple	XB-2798-1	1	0.15 [0.07]
95	Power Take-Off (Optional)	XB-2781-1	1	28.25 [12.81]
95A	Power Take-Off With Air Operated Shifter (Optional)	XB-2781-1-A	1	35.00 [15.88]
96	Hydraulic Gear Pump (Optional), See RK-2800-11-G	XB-04476	1	32.15 [14.58]

* Items 46A, 73E and 12C are available individually or as XA-01911 tank assembly.

** See page 316

FW2800-5X & FW2900-5X Twin Cylinder Elevating Fifth Wheel Piping Diagram Parts List



ITEM	DESCRIPTION	PART NUMBER	QTY.	WEIGHT LBS [KG]
12C*	Oil Tank	XB-01730	1	35.00 [15.88]
24G	Straight Male Hose Fitting, 1-1/2" NPT, 1-3/8" I.D. Hose	XB-0257	1	1.33 [0.60]
24H	Straight Male Hose Fitting, 3/4" NPT, 3/4" I.D. Hose	XB-2794-2	3	0.81 [0.37]
39B	Control Valve	XB-2782-1	1	15.15 [6.87]
39C	Fifth Wheel Lock Control Valve	XB-2556	1	0.36 [0.16]
46A*	Filler Cap and Breather	XB-01786	1	0.27 [0.12]
46D	Pipe Reducer, 1-1/2" NPT to 1-1/4" NPT	XB-01924	1	0.93 [0.42]
49F	1-3/8" I.D. Medium Pressure Oil Hose, 5-1/2" Ft.	XB-2786	1	9.44 [4.28]
49G	3/4" I.D. High Pressure Oil Hose	XB-2785-2	4	3.13 [1.42]
51G	37° Flare Fitting, 1-1/16"-12 JIC, 3/4" I.D. Hose	XB-0258-1	4	0.94 [0.43]
54A	Reducing Bushing, 1-1/4" x 3/4" NPT	XB-0181	1	0.39 [0.18]
70B	90° Elbow, 3/4"-14 NPT, 1-1/16"-12 JIC	XB-2934	2	0.45 [0.20]

* Items 46A, 73E and 12C are available individually or as XA-01911 tank assembly.

** See page 317


ITEM	DESCRIPTION	PART NUMBER	QTY.	WEIGHT LBS [KG]
70D	90° Split Flange Fitting, 1-1/4" Flange, 1-3/8" I.D. Hose	XB-04479	1	1.42 [0.64]
70E	90° Split Flange Fitting, 1-1/4" Flange, 3/4" I.D. Hose	XB-04480-1	1	1.17 [0.53]
70F	90° Elbow, 1-1/4" NPT	XB-01788	1	1.09 [0.49]
70G	90° Male Elbow, 1/2"-14 NPT, 1-1/6"-12 JIC	XB-2933	2	0.44 [0.20]
71D	Oil Filter	XB-2783-A	1	3.70 [1.68]
73E*	Mounting Brackets	XA-01909	2	1.27 [0.58]
79C	Pipe Nipple, 1-1/4" NPT x 2" Long	XB-0255	1	0.26 [0.12]
95	Power Take-Off (Optional)	XB-2781-1	1	28.25 [12.81]
95A	Power Take-Off With Air Operated Shifter (Optional)	XB-2781-1-A	1	35.00 [15.88]
96B	Hydraulic Gear Pump (Optional), See RK-2800-41-G	XB-04477	1	36.00 [16.33]

FW2800/2900


FW2800/FW2900 Dimensional Views



SAF-HOLLAND Group




FW2800-X




FW2800-X-87

DESCRIPTION	MODEL	A	LIFT CAPACITY	B		C	D	E	F	MINIMUM CAB-AXLE DIMENSION		APPROX. WEIGHT
		NOM. LIFT HEIGHT IN [MM]		LENGTH						96" WIDE	102" WIDE	
				WITH MOUNTING ANGLES	WITHOUT MOUNTING ANGLES							
Single Cylinder	FW2800-X	19.50" [495]	50,000 lbs.	103" [2616]	101.31" [2573]	34" [864]	9.75" [248]	61.5" [1562]	9.5" [241]	74.0" [1880]	77.0" [1956]	1,700 lbs.
Single Cylinder W/Lock Down	FW2800-X-87	18.13" [461]	50,000 lbs.	103" [2616]	101.31" [2573]	34" [864]	11.13" [283]	61.5" [1562]	9.31" [236]	74.0" [1880]	76.0" [1930]	1,753 lbs.



FW2900-X




FW2900-X-87

DESCRIPTION	MODEL	A	LIFT CAPACITY	B		C	D	E	F	MINIMUM CAB-AXLE DIMENSION		APPROX. WEIGHT
		NOM. LIFT HEIGHT IN [MM]		LENGTH						96" WIDE	102" WIDE	
				WITH MOUNTING ANGLES	WITHOUT MOUNTING ANGLES							
Single Cylinder	FW2900-X	14.00" [356]	50,000 lbs.	89" [2261]	86.62" [2200]	34" [864]	9.8" [249]	50.2" [1275]	5.88" [149]	70.0" [1778]	73.0" [1854]	1,675 lbs.
Single Cylinder W/Lock Down	FW2900-X-87	12.50" [318]	50,000 lbs.	89" [2261]	86.62" [2200]	34" [864]	11.13" [283]	50.25" [1276]	5.56" [141]	70.0" [1778]	73.0" [1854]	1,590 lbs.


FW2800/FW2900 Dimensional Views



SAF-HOLLAND Group



FW2800-5X



FW2900-5X

DESCRIPTION	MODEL	A	LIFT CAPACITY	B		C	D	E	F	MINIMUM CAB-AXLE DIMENSION		APPROX. WEIGHT			
		NOM. LIFT HEIGHT IN [MM]		LENGTH						HEIGHT	FRAME FRONT		SWING LENGTH	96" WIDE	102" WIDE
				WITH MOUNTING ANGLES	WITHOUT MOUNTING ANGLES										
Twin Cylinder	FW2800-5X	18.50"	100,000 lbs.	108" [2743]	106.00" [2692]	34.25" [870]	11.69" [297]	66.31" [1684]	9.88" [251]	74.0" [1880]	77.0" [1956]	2,100 lbs.			
Twin Cylinder	FW2900-5X	15.00"	100,000 lbs.	95.38" [2423]	93.38" [2372]	34.25" [870]	11.06" [281]	57.07" [1450]	6.75" [171]	71.0" [1803]	74.0" [1880]	2,050 lbs.			



SAF-HOLLAND Group

THIS PAGE INTENTIONALLY LEFT BLANK


FW2800/2900

FW2800/FW2900 Replacement Kits




SAF-HOLLAND Group


RK-65021, RK-65021-2, RK-65021-4 & RK-65021-5
Complete Rebuild Kit (XA-2801-AX & XA-2801-AX-1)




RK-65021-3
Complete Rebuild Kit (XA-2801-S0848-1)



RK-2774
Kit, Rod Bearing (XA-2710-1, XA-2810-1)








RK-63504
Lock Kit



ITEM	DESCRIPTION	PART NUMBER	QTY.	WEIGHT LBS [KG]
1	Yoke	XA-07295-THK	1	5.87 [2.66]
3*	Lock Jaw Set	XA-1704-X	1	7.20 [3.27]
4	Spring, Extension	XB-GT-13-1	1	0.07 [0.03]
6	Support, Cylinder	XA-2836	1	0.31 [0.14]
9	Shaft, Yoke	XA-1706-1	1	0.83 [0.38]
9A	Shaft, Yolk, Manual Release	XA-S0849	1	0.98 [0.45]
10	Spring, Compression	XB-1505	1	0.61 [0.28]
11A*	Pin, Lock	XA-1313	2	1.13 [0.51]
12	Spring, Torsion	XB-2149	1	0.06 [0.03]
13	Pin, Spring, .50" Diameter x 2.75" Long	XB-21-S-500-2750	1	0.02 [0.01]
15	HHCS, .50"-20 x 1.75" Gr 5 Zinc Plate, Nylock	XB-2083	2	0.13 [0.06]
16	Washer, .56" I.D. x 1.75" O.D.	XB-10267	1	0.12 [0.05]
17	Roller, .52" I.D. x 1" O.D. x .38" Long	XA-1029	1	0.06 [0.03]
18	Roller, .66" I.D. x 1" O.D. x .38" Long	XA-1507-1	1	0.05 [0.02]
18A	Roller, .66" I.D. x 1" O.D. x .38" Long - Manual Release	XA-1507	1	0.05 [0.02]
19	Washer, .66" I.D. x 2.25" O.D.	XB-1030-1	2	0.19 [0.09]
20	Spacer	XA-2836-1	1	0.11 [0.05]
21	Plate S/A, Cam	XA-1705-11	1	1.86 [0.84]
21A	Plate S/A, Cam	XA-1705	1	1.75 [0.79]
22	Lock Nut, .50"-20 Gr C, Cam Plates, Bracket Pins, Air Release	XB-T-69-A	3	0.04 [0.02]
23	Release Handle, Air Release	XA-1707-16	1	1.00 [0.45]
23A	Release Handle, Manual Release	XA-S02087	1	1.69 [0.77]

ITEM	DESCRIPTION	PART NUMBER	QTY.	WEIGHT LBS [KG]
24B	Spring, Manual Release	XB-1028-1	1	0.10 [0.04]
25	Washer, .53" I.D. x 1.06" O.D.	XB-PW-1732-1-116	3	0.02 [0.01]
27	Washer, .56" I.D. x 1.38" O.D., Manual Release Washer, .56" I.D. x 1.38" O.D., Air Release	XB-T-49	1	0.04 [0.02]
28	HHCS, .63"-18 x 1.75" Gr 8	XB-CX-58-F-134	1	0.21 [0.10]
30	Release Handle	XA-3544-1-A	1	0.22 [0.10]
30A	Release Handle, Manual Release	XA-S02089-1-A	1	0.22 [0.10]
31	Bar, Lock	XA-3528	1	0.61 [0.28]
32	Never-Seez, 7.5g Tube	XB-02967	1	N/A
33	Pin, Cotter, .25" Diameter x 2" Long	XB-5	2	0.05 [0.02]
35A*	Air Cylinder (XA-2801-AX-1)	XA-11694	1	4.15 [1.88]
35B*	Air Cylinder (XA-2801-AX-1)	XA-2524-03185-1	1	4.60 [2.09]
35C*	Air Cylinder (XA-2801-AX)	XA-11712	1	3.91 [1.77]
35D*	Air Cylinder (XA-2801-AX)	XA-2524-R-13-X	1	3.80 [1.72]
48	Elbow, 90° Street	XB-01996	1	0.09 [0.04]

*Not sold individually - must be purchased in a kit.




ITEM	DESCRIPTION	PART NUMBER	QTY.	WEIGHT LBS [KG]
3D	Flange Kit, 1-1/4"	XB-2790-3	2	0.42 [0.19]
12C	Tank, Oil 10.2 Gal	XB-01730	1	35.00 [15.88]
23	Bushing Reducer	XB-04478	1	0.35 [0.16]
24C	Fitting, Straight Male Hose	XB-2793	1	0.43 [0.20]
24D	Fitting, Straight Male Hose	XB-2794-1	1	0.85 [0.39]
24E	Fitting, Straight Male Hose	XB-2791	1	0.34 [0.15]
24F	Fitting, Straight Male Hose	XB-2792	2	0.40 [0.18]
24G	Fitting, Straight Male Hose	XB-0257	1	1.33 [0.60]
24H	Fitting, Straight Male Hose	XB-2794-2	3	0.81 [0.37]
39B	Valve, Hydraulic Control	XB-2782-1	1	15.15 [6.87]
46	1-1/4" Pipe Coupler	XB-02208	1	0.69 [0.31]
46A	Cap, Filler & Breather	XB-01786	1	0.27 [0.12]
46B	90 Deg Reducing El	XB-02209	1	0.73 [0.33]
46C	Male Pipe Adapter	XB-2790	1	0.74 [0.34]
46D	Coupling, Pipe Reducing	XB-01924	1	0.93 [0.42]
46E	Plug, 1" NPTF	XB-05501	2	0.21 [0.10]
49C	Hose, Med Pressure Hydraulic	XB-2785	1	2.21 [1.00]
49D	Hose, Med Pressure Hydraulic	XB-2786-1	1	11.67 [5.29]
49E	Hose, Med Pressure Hydraulic	XB-2784	1	3.19 [1.44]

ITEM	DESCRIPTION	PART NUMBER	QTY.	WEIGHT LBS [KG]
49F	Hose, Med Pressure Hydraulic	XB-2786	1	9.44 [4.28]
49G	Hose, High Pressure Hydraulic	XB-2785-2	1	3.13 [1.42]
51C	Fitting, SAE 37 Deg (JIC) Swivel	XB-2795	1	1.19 [0.54]
51D	Fitting, SAE 37 Deg (JIC) Swivel	XB-2937	1	0.52 [0.23]
51E	Fitting, SAE 37 Deg (JIC) Swivel	XB-2932	1	0.47 [0.21]
51F	Fitting, SAE 37 Deg (JIC) Swivel	XB-2938	2	0.35 [0.16]
51G	Fitting, 37 Degree Swivel	XB-0258-1	4	0.94 [0.43]
54A	Bushing, Pipe 1-1/4" x 3/4"	XB-0181	1	0.39 [0.18]
70B	Connector 90 Degree Male Elbow	XB-2934	2	0.45 [0.20]
70C	90 Degree Male Elbow	XB-2939	2	0.31 [0.14]
70D	Fitting, 90 Degree Split Flange	XB-04479	1	1.42 [0.64]
70E	Fitting, 90 Degree Split Flange	XB-04480-1	1	1.17 [0.53]
70F	Elbow, 90 Degree 1-1/4"	XB-01788	1	1.09 [0.49]
70G	Connector 90 Degree Male Elbow	XB-2933	2	0.44 [0.20]
73E	Bracket, Mtg.	XA-01909	2	1.27 [0.58]
79B	Nipple 3/4" Pipe X 2"	XB-2798-1	2	0.15 [0.07]
79C	Nipple, Pipe	XB-0255	1	0.26 [0.12]
96	Pump, Hydraulic Gear (Optional)	XB-04476	1	32.15 [14.58]
96B	Pump, Hydraulic Gear (Optional)	XB-04477	1	36.00 [16.33]


FW35-03344, XA-351-03505 & XA-351-UB Exploded View




SAF-HOLLAND Group




XA-351-UB Series top plates have threaded inserts welded on the inside of the pocket ear



Bracket Components
XA-351-UB Series
Only (not included)



XA-351-03505
Series Only



ITEM	DESCRIPTION	PART NUMBER	QTY.	WEIGHT LBS [KG]
1	Yoke	XA-07295	1	5.82 [2.64]
2	Retaining Ring, 1" Diameter	XB-07398	2	0.01 [0.005]
3A*	Lock Set, See RK-351-08332-1	XA-08332-1	1	7.69 [3.49]
4	Spring, Extension	XB-07628	1	0.08 [0.04]
9	Shaft, Yoke	XA-1706-1	1	0.83 [0.38]
10	Spring, Compression	XB-1505	1	0.61 [0.28]
11A*	Pin, Lock, See RK-07292-1	XA-07292-1	2	1.08 [0.49]
12	Spring, Torsion	XB-2149	1	0.06 [0.03]
13	Pin, Spring, .50" Diameter x 2.75" Long	XB-21-S-500-2750	1	0.02 [0.01]
15	HHCS, .50"-20 x 1.75" Gr 5 Zinc Plate, Nylock	XB-2083	1	0.13 [0.06]
16	Washer, .56" I.D. x 1.75" O.D.	XB-08559	2	0.06 [0.03]
17	Roller, .52" I.D. x 1" O.D. x .38" Long	XA-1029	1	0.06 [0.03]
18	Roller, .66" I.D. x 1" O.D. x .38" Long	XA-1507-1	1	0.05 [0.02]
19	Washer, .66" I.D. x 2.63" O.D.	XB-07431	1	0.24 [0.11]
20	Washer, .50" I.D. x 2.25" O.D.	XB-1030	1	0.20 [0.09]
21A	Plate, Cam	XA-08988	1	2.26 [1.03]
22	Lock Nut, .50"-20 Gr C, Cam Plates, Bracket Pins, Air Release	XB-T-69-A	3	0.04 [0.02]
23L	Release Handle	XA-09041	1	1.00 [0.45]
24B	Spring, Manual Release	XB-07291	1	0.20 [0.09]
25	Washer, .53" I.D. x 1.06" O.D.	XB-PW-1732-1-116	2	0.02 [0.01]
26	HHCS, .63"-18 x 2" Long Gr. 8	XB-10035	1	0.25 [0.11]
27	Spacer, Cam	XA-09040	1	0.54 [0.24]
29	Fittings, Grease	XB-H-38	2	0.01 [0.005]
30	Handle, Secondary Lock Release	XA-3546	1	0.32 [0.15]
31	Bar, Lock	XA-3528	1	0.61 [0.28]
32	Never-Seez, 7.5g Tube	XB-02967	1	N/A
35A	Cylinder Assembly, Air, Stainless Steel	XA-2524-R-13-1	1	4.43 [2.01]
35B	Cylinder Assembly, Air, Stainless Steel	XA-2524-R-13-4	1	4.41 [2.00]
44	HHCS, .50"-20 X 1.75" Long Gr. 8	XB-T-89-5	2	0.14 [0.06]
45	Guide, Handle	XA-09039	1	0.11 [0.05]
46	Block, Bearing Stop	XA-0268	4	0.14 [0.06]
47	HHCS, 1.13"-7 x 7" Long Gr. 5	XB-BR-118-C-7	2	2.41 [1.09]
48	Elbow, 45° Street	XB-698	1	0.06 [0.03]
49	Bushing, Rubber	XB-1604-5	2	0.73 [0.33]
50	Stop, Yoke	XA-09043	1	0.05 [0.02]
51	Bearing, Bracket	XA-03423	2	1.45 [0.66]
55	Washer, Lock 1.13" I.D. x 1.84" O.D.	XB-E-536	2	0.12 [0.05]


*Not sold individually - must be purchased in kit.

REPLACEMENT TOP PLATE PART NUMBERS

PART NUMBER	DESCRIPTION
XA-351-03505-P	Air Release W/Pins
XA-351-03505-2-P	Air Release W/Pins
XA-351-03505-3-P	Air Release W/Pins
XA-351-03505-4-P	Air Release W/Pins
XA-351-UB-P	Air Release W/Pins

AIR CYLINDER TABLE


TOP PLATE ASSEMBLY	AIR CYLINDER COMPONENTS
XA-351-03505	Items 48 and 35A
XA-351-03505-2	Items 48 and 35A
XA-351-03505-3	Item 35B, omit item 48
XA-351-03505-4	Items 48 and 35B
XA-351-UB	Items 48 and 35A







FW35-03344, XA-351-03505 & XA-351-UB Dimensional Views



SAF-HOLLAND Group



PART NUMBER	DIM "A" [mm]	DIM "B" [mm]	WEIGHT LBS [KG]
FW35-03344-10	10.0" [254]	13.0" [330]	325.00 [147.42]
FW35-03344-9	7.5" [190]	13.0" [330]	306.00 [138.80]
FW35-03344-8	8.5" [216]	11.3" [286]	308.00 [139.71]
FW35-03344-7	8.5" [216]	11.3" [286]	308.00 [139.71]
FW35-03344-6	7.5" [190]	13.0" [330]	306.00 [138.80]
FW35-03344-5	7.5" [190]	13.0" [330]	306.00 [138.80]
FW35-03344-4	7.5" [190]	13.0" [330]	306.00 [138.80]
FW35-03344-3	10.0" [254]	13.0" [330]	325.00 [147.42]
FW35-03344-2	7.5" [190]	13.0" [330]	306.00 [138.80]
FW35-03344-1	10.0" [254]	13.0" [330]	325.00 [147.42]
FW35-03344	7.5" [190]	13.0" [330]	306.00 [138.80]



ITEM	DESCRIPTION	PART NUMBER	QTY.	WEIGHT LBS [KG]
1	Yoke	XA-07295	1	5.82 [2.64]
2	Retaining Ring, 1" Diameter	XB-07398	2	0.01 [0.005]
3A*	Lock Set	XA-08332-1	1	7.69 [3.49]
4	Spring, Extension	XB-07628	1	0.08 [0.04]
9	Shaft, Yoke	XA-1706-1	1	0.83 [0.38]
10	Spring, Compression	XB-1505	1	0.61 [0.28]
11A*	Pin, Lock	XA-07292-1	2	1.08 [0.49]
12	Spring, Torsion	XB-2149	1	0.06 [0.03]
13	Pin, Spring, .50" Diameter x 2.75" Long	XB-21-S-500-2750	1	0.02 [0.01]


*Not sold individually - must be purchased in a kit.

ITEM	DESCRIPTION	PART NUMBER	QTY.	WEIGHT LBS [KG]
15	HHCS, .50"-20 x 1.75" Gr 5 Zinc Plate, Nylock	XB-2083	1	0.13 [0.06]
16	Washer, .56" I.D. x 1.75" O.D. (RK-09063)	XB-08559	1	0.06 [0.03]
	Washer, .56" I.D. x 1.75" O.D.		2	0.06 [0.03]
17	Roller, .52" I.D. x 1" O.D. x .38" Long	XA-1029	1	0.06 [0.03]
18	Roller, .66" I.D. x 1" O.D. x .38" Long	XA-1507-1	1	0.05 [0.02]
19	Washer, .66" I.D. x 2.63" O.D.	XB-07431	1	0.24 [0.11]
20	Washer, .50" I.D. x 2.25" O.D.	XB-1030	1	0.20 [0.09]
21A	Plate, Cam	XA-08988	1	2.26 [1.03]
22	Lock Nut, .50"-20 Gr C, Cam Plates, Bracket Pins, Air Release	XB-T-69-A	2	0.04 [0.02]
	Lock Nut, .50"-20 Gr C, Cam Plates, Bracket Pins, Air Release		3	0.04 [0.02]
23L	Release Handle	XA-09041	1	1.00 [0.45]
24B	Spring, Manual Release	XB-07291	1	0.20 [0.09]
25	Washer, .53" I.D. x 1.06" O.D.	XB-PW-1732-1-116	3	0.02 [0.01]
	Washer, .53" I.D. x 1.06" O.D. (RK-351-03505)		2	0.02 [0.01]
26	HHCS, .63"-18 x 2" Long Gr. 8	XB-10035	1	0.25 [0.11]
27	Spacer, Cam	XA-09040	1	0.54 [0.24]
30	Handle, Secondary Lock Release	XA-3546	1	0.32 [0.15]
31	Bar, Lock	XA-3528	1	0.61 [0.28]
32	Never-Seez, 7.5g Tube	XB-02967	1	N/A
34B	Pin, Bracket	XA-2016	2	2.00 [0.91]
35A	Cylinder Assembly, Air, Stainless Steel	XA-2524-R-13-1	1	4.43 [2.01]
44	HHCS, .50"-20 X 1.75" Long Gr. 8	XB-T-89-5	2	0.14 [0.06]
45	Guide, Handle	XA-09039	1	0.11 [0.05]
46	Block, Bearing Stop	XA-0268	4	0.14 [0.06]
48	Elbow, 45° Street	XB-698	1	0.06 [0.03]
50	Stop, Yoke	XA-09043	1	0.05 [0.02]
51	Bearing, Bracket	XA-03423	2	1.45 [0.66]
53	Bushing, Rubber	XB-0011	2	0.37 [0.17]
82	Pin, Spring, .38" Diameter x 1.75" Long	XB-21-S-375-1750	2	0.02 [0.01]

FW1560-C Exploded View



SAF-HOLLAND Group




DISCONTINUED MODEL SERVICE PARTS ONLY
Please contact Customer Service for part availability
888.396.6501

ITEM	DESCRIPTION	PART NUMBER	QTY.	WEIGHT LBS [KG]
1	Yoke	XA-07295-THK	1	5.87 [2.66]
3*	Lock Jaw Set, See RK-63504	XA-1704-X	1	7.20 [3.27]
4	Spring, Extension	XB-GT-13-1	1	0.07 [0.03]
6	HHCS, 3/8"-16 x 3-1/2"	XB-03437	3	0.11 [0.05]
7	Washer, Lock .63" I.D x 1.07" O.D.	XB-T-99	14	0.03 [0.01]
8	Nut, Hex 5/8"-11	XB-1316	10	0.10 [0.04]
9	Shaft, Yoke	XA-1706-1	1	0.83 [0.38]
10	Spring, Compression	XB-1505	1	0.61 [0.28]
11A*	Pin, Lock	XA-1313	2	1.13 [0.51]
12	Spring, Torsion	XB-2149	1	0.06 [0.03]
12B	Fitting, Lube	XB-767	2	0.01 [0.005]
13	Pin, Spring, .50" Diameter x 2.75" Long	XB-21-S-500-2750	1	0.02 [0.01]
14	Shaft, Wheel	XA-64	1	25.41 [11.53]
14R	Lock, Manual Secondary, Right-Hand	XA-3542-R	1	0.67 [0.30]
15	HHCS, .50"-20 x 1.75" Gr 5 Zinc Plate, Nylock	XB-2083	1	0.13 [0.06]
17	Roller, .52" I.D. x 1" O.D. x .38" Long	XA-1029	1	0.06 [0.03]
18	Roller, .66" I.D. x 1" O.D. x .38" Long	XA-1507-1	1	0.05 [0.02]
18B	HHCS, 5/8"-11 x 2-1/2"	XB-T-97	10	0.27 [0.12]
19	Washer, .66" I.D. x 2.25" O.D.	XB-1030-1	2	0.19 [0.09]
21B	Plate S/A, Cam	XA-1705-7A	1	2.18 [0.99]
22	Lock Nut, .50"-20 Gr C, Cam Plates, Bracket Pins, Air Release	XB-T-69-A	3	0.04 [0.02]
23L*	Release Handle, Left-Hand, See RK-1707-5	XA-1707-5	1	0.89 [0.40]
24B	Spring, Manual Release	XB-1028-1	1	0.10 [0.04]
25	Washer, .53" I.D. x 1.06" O.D.	XB-PW-1732-1-116	1	0.02 [0.01]
26	HHCS, 5/8"-18 x 1-1/2"	XB-9	4	0.21 [0.10]
27	Washer, .56" I.D. x 1.38" O.D., Manual Release Washer, .56" I.D. x 1.38" O.D., Air Release	XB-T-49	2	0.04 [0.02]
28	HHCS, .63"-18 x 1.75" Gr 8	XB-CX-58-F-134	1	0.21 [0.10]
29	Fitting, Lube	XB-H-38	2	0.01 [0.005]
33	Pin, Cotter, .25" Diameter x 2" Long	XB-5	2	0.05 [0.02]
35A*	Cylinder, Air	XA-11706	1	4.30 [1.95]
39C	Valve, Air Control	XB-2556	1	0.36 [0.16]
43A	Plate S/A, MTG	XA-H-15-C-60	1	93.00 [42.18]
44	HHCS, .50"-20 X 1.75" Long Gr. 8	XB-T-89-5	2	0.14 [0.06]
51	Bearing	XB-03429	2	0.60 [0.27]
53	Cushion, Ruber	XB-70	4	2.04 [0.92]
54	Shaft, Rocker	XA-63-1	1	17.50 [7.94]
56	Nut, Hex 5/8"-18	XB-E-540	4	0.07 [0.03]
69	Lock Nut, .38"-16 GRB	XB-338	3	0.02 [0.01]
72	Set Screw, 5/8"-11	XB-2896	1	0.08 [0.04]
93	Bed S/A, Rocker	XA-61-A	1	64.00 [39.03]
93A	Rocker Arm	XA-62	1	63.00 [28.58]
94	Collar, Axle	XA-H-72-A	2	0.42 [0.19]

*Not sold individually - must be purchased in a kit.

REPLACEMENT TOP PLATE PART NUMBERS	
PART NUMBER	DESCRIPTION
XA-1501-BA1S	RH Manual Release
XA-1501-CA1S	Air Release




FW1560-C Rebuild Kits




SAF-HOLLAND Group


RK-65005
Kit, Complete Rebuild



RK-1707-5
Kit, Release Handle




RK-63504
Lock Kit




ITEM	DESCRIPTION	PART NUMBER	QTY.	WEIGHT LBS [KG]
1	Yoke	XA-07295-THK	1	5.87 [2.66]
3*	Lock Jaw Set, See RK-63504	XA-1704-X	1	7.20 [3.27]
4	Spring, Extension	XB-GT-13-1	1	0.07 [0.03]
6	Support, Cylinder	XA-1512	1	0.54 [0.24]
9	Shaft, Yoke	XA-1706-1	1	0.83 [0.38]
10	Spring, Compression	XB-1505	1	0.61 [0.28]
11A*	Pin, Lock	XA-1313	2	1.13 [0.51]
12	Spring, Torsion	XB-2149	1	0.06 [0.03]
13	Pin, Spring, .50" Diameter x 2.75" Long	XB-21-S-500-2750	1	0.02 [0.01]
14R	Lock, Manual Secondary, Right-Hand	XA-3542-R	1	0.67 [0.30]
17	Roller, .52" I.D. x 1" O.D. x .38" Long	XA-1029	1	0.06 [0.03]
18	Roller, .66" I.D. x 1" O.D. x .38" Long	XA-1507-1	1	0.05 [0.02]
19	Washer, .66" I.D. x 2.25" O.D.	XB-1030-1	2	0.19 [0.09]
21B	Plate S/A, Cam	XA-1705-7A	1	2.18 [0.99]
22	Lock Nut, .50"-20 Gr C, Cam Plates, Bracket Pins, Air Release	XB-T-69-A	3	0.04 [0.02]
23L*	Release Handle, Left-Hand, See RK-1707-5	XA-1707-5	1	0.89 [0.40]
24B	Spring, Manual Release	XB-1028-1	1	0.10 [0.04]
25	Washer, .53" I.D. x 1.06" O.D.	XB-PW-1732-1-116	1	0.02 [0.01]
27	Washer, .56" I.D. x 1.38" O.D., Manual Release Washer, .56" I.D. x 1.38" O.D., Air Release	XB-T-49	2	0.04 [0.02]
28	HHCS, .63"-18 x 1.75" Gr 8	XB-CX-58-F-134	1	0.21 [0.10]
32	Never-Seez, 7.5g Tube	XB-02967	1	N/A
33	Pin, Cotter, .25" Diameter x 2" Long	XB-5	2	0.05 [0.02]
35*	Air Cylinder Assembly	XA-2524-R-4-1	1	4.90 [2.22]
44	HHCS, .50"-20 X 1.75" Long Gr. 8	XB-T-89-5	2	0.14 [0.06]
51A	Bracket, Lever	XA-1532	1	0.38 [0.17]


*Not sold individually - must be purchased in a kit.



FW1560-B



FW1560-BC





FW1560-C


Simplex Yard Spotter (With and Without Lockout) Exploded View



SAF-HOLLAND Group



**DISCONTINUED MODEL
SERVICE PARTS ONLY**
Please contact Customer Service
for part availability
888.396.6501




Simplex Yard Spotter (With and Without Lockout) Parts List

ITEM	DESCRIPTION	PART NUMBER	QTY.	WEIGHT LBS [KG]
1A	Eccentric Jaw Pin	4109916	1	1.87 [0.85]
3A*	Lock Jaw, Right-Hand, See Kit 4000503 or 4000523	4109940	1	8.25 [3.74]
3B*	Lock, Right-Hand, See Kit 4000574	4109808	1	6.59 [2.99]
6	Spring, Extension	4100333	1	0.76 [0.34]
10	Spring, Lock	1200706	1	0.63 [0.29]
13	Spring, Extension, Lockout	4100212	1	0.04 [0.02]
14	Pin, Cotter, .19" Diameter x 1.25" Long	9900170	1	0.01 [0.005]
18A	Pin, Lever Bar	5400766	1	0.25 [0.11]
19	Plate, Cover	XA-10969	1	4.03 [1.83]
21A	Lever Bar	4100215	1	2.38 [1.08]
21L	Lever Bar, Lockout	4100211	1	2.36 [1.07]
29	Fittings, Grease	XB-H-38	4	0.01 [0.005]
30	Handle, Lockout Cylinder	4100206	1	0.51 [0.23]
31	Pin, Clevis, .50" Diameter X 2.00" Long	9900177	1	0.12 [0.06]
33	Pin, Clevis, .49" Diameter X 1.36" Long	5400219	1	0.08 [0.04]
34A	Pin, Bracket	5400705	2	3.25 [1.47]
35*	Cylinder Assembly, Air, See 4100304	XA-11664	1	4.21 [1.91]
36	Pin, Cotter, .38" Diameter x 1.50" Long	9900169	2	0.08 [0.04]
43	Pin, Cotter, .13" Diameter x 1.25" Long	84261	3	0.01 [0.005]
63	Shoe, Bracket	4109811	2	4.86 [2.20]
64A*	Insert, .58" Bracket, See 4000529 or 4000505	4100358	2	1.01 [0.46]
70	Decal, Warning	4100193	1	N/A

*Not sold individually - must be purchased in a kit.

REPLACEMENT TOP PLATE PART NUMBERS








PART NUMBER	DESCRIPTION
4100129	Simplex Yard Spotter - No Lockout
4100219	Simplex Yard Spotter - With Lockout



Simplex Yard Spotter (With and Without Lockout) Rebuild Kits



SAF-HOLLAND Group



ITEM	DESCRIPTION	PART NUMBER	QTY.	WEIGHT LBS [KG]
1A	Eccentric Jaw Pin	4109916	1	1.87 [0.85]
1B	Eccentric Jaw Pin, Oversized	4109977	1	1.90 [0.86]
3A*	Lock Jaw, Right-Hand	4109940	1	8.25 [3.74]
3B*	Lock, Right-Hand	4109808	1	6.59 [2.99]
10	Spring, Lock	1200706	1	0.63 [0.29]
14	Pin, Cotter, .19" Diameter x 1.25" Long	9900170	1	0.01 [0.005]
18A	Pin, Lever Bar	5400766	1	0.25 [0.11]
19	Plate, Cover	XA-10969	1	4.03 [1.83]
21L	Lever Bar, Straight Pull	4100712	1	2.29 [1.04]
31	Pin, Clevis, .50" Diameter X 2.00" Long	9900177	1	0.12 [0.06]
33	Pin, Clevis, .49" Diameter X 1.36" Long	5400219	1	0.08 [0.04]


ITEM	DESCRIPTION	PART NUMBER	QTY.	WEIGHT LBS [KG]
34A	Pin, Bracket	5400705	2	3.25 [1.47]
35*	Cylinder Assembly, Air	XA-11664	1	4.21 [1.91]
36	Pin, Cotter, .38" Diameter x 1.50" Long	9900169	2	0.08 [0.04]
43	Pin, Cotter, .13" Diameter x 1.25" Long (4000574)	84261	1	0.01 [0.005]
	Pin, Cotter, .13" Diameter x 1.25" Long (4100304)		2	0.01 [0.005]
63	Shoe, Bracket	4109811	2	4.86 [2.20]
64A*	Insert, .58" Bracket	4100358	2	1.01 [0.46]
80	Seal, Air Cylinder Piston	4000224	1	0.00 [0.005]
81	Nut, Lock	4000225	1	0.00 [0.005]
82	Pin, Groove	4000226	4	0.00 [0.005]

*Not sold individually - must be purchased in a kit.

Simplex Yard Spotter (With and Without Lockout) Rebuild Kits


4000513

Kit, Complete Rebuild, Simplex Yard Spotter W/Lockout



4000500

Kit, Complete Rebuild, Simplex Yard Spotter w/o Lockout



ITEM	DESCRIPTION	PART NUMBER	QTY.	WEIGHT LBS [KG]
1A	Eccentric Jaw Pin	4109916	1	1.87 [0.85]
1B	Eccentric Jaw Pin, Oversized	4109977	1	1.90 [0.86]
3A*	Lock Jaw, Right-Hand	4109940	1	8.25 [3.74]
3B*	Lock, Right-Hand	4109808	1	6.59 [2.99]
6	Spring, Extension	4100333	1	0.76 [0.34]
10	Spring, Lock	1200706	1	0.63 [0.29]
13	Spring, Extension, Lockout	4100212	1	0.04 [0.02]
14	Pin, Cotter, .19" Diameter x 1.25" Long	9900170	1	0.01 [0.005]
18A	Pin, Lever Bar	5400766	1	0.25 [0.11]
19	Plate, Cover	XA-10969	1	4.03 [1.83]
21A	Lever Bar - Air Simplex	4100215	1	2.38 [1.08]
21L	Lever Bar, Lockout	4100211	1	2.36 [1.07]
29	Fittings, Grease	XB-H-38	4	0.01 [0.005]
30	Handle, Lockout Cylinder	4100206	1	0.51 [0.23]
31	Pin, Clevis, .50" Diameter X 2.00" Long	9900177	1	0.12 [0.06]
33	Pin, Clevis, .49" Diameter X 1.36" Long	5400219	1	0.08 [0.04]
34A	Pin, Bracket	5400705	2	3.25 [1.47]
36	Pin, Cotter, .38" Diameter x 1.50" Long	9900169	2	0.08 [0.04]
43	Pin, Cotter, .13" Diameter x 1.25" Long	84261	3	0.01 [0.005]
63	Shoe, Bracket	4109811	2	4.86 [2.20]
64A*	Insert, .58" Bracket, See 4000529 or 4000505	4100358	2	1.01 [0.46]


*Not sold individually - must be purchased in a kit.

Simplex Yard Spotter
(Without Lockout) Dimensional Views



SAF-HOLLAND Group

Simplex Yard Spotter with
Bracket Head Castings Only
Discontinued - Replacement Parts Only




4019049
Without Lockout

FW PART NUMBER	BRACKET PART NUMBER+**	BRACKET WEIGHT LB [KG]	HEIGHT IN [MM]	INSIDE BRACKET	OUTSIDE BRACKET	FW WEIGHT LB [KG]
4019541	4109976	10.48 [4.75]	5.93" [151]	26.13" [664]	31.88" [810]	322.90 [146.46]
4019059	4109960	17.13 [7.77]	8.18" [208]			336.90 [152.82]
4019049	4109982	23.86 [10.82]	9.68" [246]	25.50" [648]	32.50" [826]	352.50 [159.89]

* No longer available.
+ Only one bracket included in part number.
** See Bracket Section for more information.

Simplex Yard Spotter with Narrow Or Wide Flat Base Brackets

Discontinued - Replacement Parts Only



4019486
Without Lockout

FW PART NUMBER	BRACKET PART NUMBER+ **	BRACKET WEIGHT LB [KG]	FLAT BASE TYPE	HEIGHT IN [MM]	A	B	FW WEIGHT LB [KG]
4019486	4109839	25.44 [11.54]	Narrow	7.12" [181]	2.28" [58]	1.06" [27]	352.21 [159.76]
4019496	4109933	30.20 [13.70]	Wide	8.50" [216]	3.16" [80]	1.75" [44]	361.81 [164.11]

* No longer available.


+ Only one bracket included in part number.

** See Bracket Section for more information.

Simplex Yard Spotter (With Lockout) Dimensional Views



SAF-HOLLAND Group





FW PART NUMBER	BRACKET PART NUMBER+ **	BRACKET WEIGHT LB [KG]	HEIGHT IN [MM]	INSIDE BRACKET	OUTSIDE BRACKET	FW WEIGHT LB [KG]
4000207	4000205	25.44 [11.54]	8.06"			352.21 [159.76]
4000209	4000205	30.20 [13.70]	8.06"	26.1"	31.9"	361.81 [164.11]

THIS PAGE INTENTIONALLY LEFT BLANK

FW2870-03184 Exploded View



SAF-HOLLAND Group





DISCONTINUED MODEL SERVICE PARTS ONLY
Please contact Customer Service for part availability
888.396.6501

ITEM	DESCRIPTION	PART NUMBER	QTY.	WEIGHT LBS [KG]
1	Handle S/A Release	XA-1707-16	1	1.00 [0.45]
2	Spring	XB-1028-1	1	0.10 [0.04]
3	Cotter Pin, 1/4" x 2"	XB-5	2	0.05 [0.02]
4	Handle S/A	XA-3544-1-A	1	0.22 [0.10]
5	Yoke	XA-1703-F	1	5.88 [2.67]
6	Lock Pin	XA-1313	2	1.13 [0.51]
7	Lock Bar	XA-3528	1	0.61 [0.28]
8	Torsion Spring	XB-2149	1	0.06 [0.03]
9	Cam Roller	XA-1507-1	1	0.05 [0.02]
10	Washer	XB-1030-1	2	0.19 [0.09]
11	Roll Pin	XB-21-S-500-2750	1	0.02 [0.01]
12	Spring	XB-1505	1	0.61 [0.28]
13	Yoke Shaft	XA-1706-1	1	0.83 [0.38]
14	Lock Nut, 1/2"-20	XB-T-69-A	3	0.04 [0.02]
15	Washer, 1/2"	XB-PW-1732-1-116	3	0.02 [0.01]
16	Cam Plate S/A	XA-1705-11	1	1.86 [0.84]
17	HHCS, 5/8"-18 x 13/4"	XB-CX-58-F-134	1	0.21 [0.10]
18A	Air Cyl. S/A for XA-2801-03185-4	XA-2524-03185-4	1	4.58 [2.08]
18B	Air Cyl. S/A for XA-2801-03185-3	XA-2524-03185-4	1	4.58 [2.08]
18C	Air Cyl. S/A for XA-2801-03185-2	XA-2524-03185-1	1	4.60 [2.09]
18D	Air Cyl. S/A for XA-2801-03185-1	XA-2524-03185-1	1	4.60 [2.09]
19	HHCS, 1/2"-20 x 13/4"	XB-2083	2	0.13 [0.06]
20	Washer, 1/2"	XB-T-49	1	0.04 [0.02]
21	Roller	XA-1029	1	0.06 [0.03]
22	Extension Spring	XB-GT-13-1	1	0.07 [0.03]
23	Lock Set	XA-1704-X	1	7.20 [3.27]
24	Washer, 9/16"	XB-10267	1	0.12 [0.05]
25	Cylinder Support	XA-2836	1	0.31 [0.14]
26	Spacer	XA-2836-1	1	0.11 [0.05]
27*	Lock Nut, 1/2"-13	XB-0103	2	0.04 [0.02]
28*	Bracket S/A	XA-03189-1	2	28.35 [12.86]
29*	Lub Fitting	XB-H-38	4	0.01 [0.005]
30*	Bearing	XA-0861	4	0.76 [0.34]
31*	Bracket S/A	XA-03193-1	2	27.03 [12.26]
32*	HHCS, 1/2"-13 x 4"	XB-BR-12-C-4	2	0.26 [0.12]
33*	Pivot Shaft	XA-2809	2	9.10 [4.13]

* Not included in rebuild kit.

FW0001/FW0002 Exploded View





SAF-HOLLAND Group

FW0001/FW0002 Parts List

ITEM	DESCRIPTION	PART NUMBER	QTY.	WEIGHT LBS [KG]
2	Handle, Tee	XB-BFW0118	1	0.15 [0.07]
3	Pin, Clevis, 1/2" Dia. X 1.06" LG	XB-CLP-052-26	1	0.07 [0.03]
4	Block, Locking (Machined)	XB-BFW0170-01	1	2.84 [1.29]
5	Washer, Flat 1.063" O.D. x .531" I.D. x .095", Zinc	XB-PW-016-17	1	0.02 [0.01]
6	Screw, SHLD. 1/2" Dia. x 1/2" LG	XB-SHS-007-02	1	0.08 [0.04]
7*	Lever, Trip - Formed, See BFW0174-1	BFW0122	1	2.58 [1.17]
8	Pin, Clevis	XB-CLP-052-25	2	0.94 [0.43]
9*	Jaw, Coupling, See BFW0174	XB-BFW0172	2	5.18 [2.35]
10	Spring, Compression	XB-SPG-020-06	1	0.01 [0.005]
11	Spring, Compression	XB-SPG-202-08	1	N/A
12	Spring, Compression	XB-SPG-020-21	1	0.10 [0.05]
13	Pin, Cotter, 3/16" Dia. x 1-1/2" LG	XB-CTP-014-59	2	0.01 [0.005]
14	Pin, Cotter, 1/8" Dia. x 1-1/4" LG	XB-CTP-014-51	2	0.40 [0.18]
15	Washer, Plain .406" I.D. x .812" O.D. x .062" Thick	XB-PW-016-03	1	0.01 [0.005]
16	Pin, Clevis	BFW0173	2	0.77 [0.35]
17	Pin, Groove .375" x 2" Type E Shearproof	XB-GP-052-21	2	0.06 [0.03]
18	Plate S/A, Attaching	BFW0101	1	14.00 [6.35]
19A	Plate S/A, Swivel Mounting 3.5"	BFW0104-35	1	21.96 [9.96]
19B	Plate S/A, Swivel Mounting 4.0"	BFW0104-40	1	21.96 [9.96]
19C	Plate S/A, Swivel Mounting 4.5"	BFW0104-45	1	21.96 [9.96]
20A	Screw, Hex Cap GR-5 1-14 x 6.06" CL 2A PLN	XB-SP0050-73	1	1.61 [0.73]
20B	Screw, Hex Cap GR-5 1-14 x 6.50" CL 2A PLN	XB-SP0050-97	1	1.71 [0.78]
20C	HHCS 1-14 x 7"	XB-HHC-050-52	1	1.79 [0.81]
21	Nut, Lock 1-14	XB-SLN-012-46	1	0.32 [0.15]

*Not sold individually - must be purchased in a kit.


REPLACEMENT TOP PLATE PART NUMBERS	
PART NUMBER	DESCRIPTION
FW0001-S	All FW0001/FW0002 Models

FW0201 / FW0002


FW0001/FW0002 Dimensional Views




SAF-HOLLAND Group




FW0001-S




FW0001




FW0002-45



FW0002-40




FW0002-35




FW0002

BFW0174
Fifth Wheel Jaw Replacement & Installation Kit



BFW0174-1
Kit, Release Handle




ITEM	DESCRIPTION	PART NUMBER	QTY.	WEIGHT LBS [KG]
3	Pin, Clevis, 1/2" Dia. X 1.06" LG	XB-CLP-052-26	1	0.07 [0.03]
7*	Lever, Trip - Formed	BFW0122	1	2.58 [1.17]
8	Pin, Clevis	XB-CLP-052-25	2	0.94 [0.43]
9*	Jaw, Coupling	XB-BFW0172	2	5.18 [2.35]
12	Spring, Compression	XB-SPG-020-21	1	0.10 [0.05]
13	Pin, Cotter, 3/16" Dia. x 1-1/2" LG	XB-CTP-014-59	2	0.01 [0.005]
14	Pin, Cotter, 1/8" Dia. x 1-1/4" LG	XB-CTP-014-51	1	0.40 [0.18]
16	Pin, Clevis	BFW0173	2	0.77 [0.35]
17	Pin, Groove .375" x 2" Type E Shearproof	XB-GP-052-21	2	0.06 [0.03]

*Not sold individually - must be purchased in a kit.


FW6000 Exploded View




SAF-HOLLAND Group



FW6000-10
Base Parts




FW6000-20
Base Parts




ITEM	DESCRIPTION	PART NUMBER	QTY.	WEIGHT LBS [KG]
1	Yoke	XA-07295-THK	1	5.87 [2.66]
3*	Set, Lock Jaw, See RK-63512	XA-01613	1	7.52 [3.41]
4	Spring, Extension	XB-GT-13-1	1	0.07 [0.03]
4C	Pin, Lock	XA-1313-C	2	1.08 [0.49]
5	Lock Nut, .75"-16 Gr C	XB-HNH-34-F	1	0.14 [0.06]
5C	Bar	XA-01209	1	2.06 [0.93]
5D	HHCS, .50"-20 x 1.50"	XB-E-541	8	0.11 [0.05]
6	Washer, .81" I.D. x 1.47" O.D.	XB-PW-1316-112	1	0.04 [0.02]
7	Washer, Rubber, .75" I.D. x 1.50" O.D.	XB-1127	1	0.03 [0.01]
8	Tag, Lock Adjustment	XB-02312	1	N/A
9	Shaft, Yoke	XA-1706-3	1	1.27 [0.58]
9G	Washer, Lock, .50" I.D. x .88" O.D.	XB-T-45-1	8	0.02 [0.01]
9K	Washer, Plain 1/2"	XB-01978	8	0.04 [0.02]
10	Spring, Compression	XB-1505	1	0.61 [0.28]
10A	Spring, Compression	XB-6005	1	0.45 [0.20]
12	Spring, Torsion	XB-2149	1	0.06 [0.03]
12B	Fitting, Lube	XB-767	2	0.01 [0.005]
13	Pin, Spring, .50" Diameter x 2.75" Long	XB-21-S-500-2750	1	0.02 [0.01]
14	Bearing, Pivot	XA-6001-4	2	1.77 [0.80]
14L	Lock, Manual Secondary, Left-Hand	XA-3542-L	1	0.67 [0.30]
15	HHCS, .50"-20 x 1.75" Gr 5 Zinc Plate, Nylock	XB-2083	1	0.13 [0.06]
	FW6000-10 Only		8	
16	Nut, Lock 1/2"-20	XB-01561	8	0.05 [0.02]
17	Roller, .52" I.D. x 1" O.D. x .38" Long	XA-1029	1	0.06 [0.03]
19	Washer, .66" I.D. x 2.25" O.D.	XB-1030-1	2	0.19 [0.09]
20	Roller, .66" I.D. x 1" O.D. x .38" Long	XA-1507	1	0.05 [0.02]
21A	Plate S/A, Cam	XA-1705-9	1	2.36 [1.07]
22	Lock Nut, .50"-20 Gr C, Cam Plates, Bracket Pins, Air Release	XB-T-69-A	1	0.04 [0.02]
23	Box S/A, Adjustable MTG	XA-6510	1	136.80 [62.05]
24B	Spring, Manual Release	XB-1028-1	1	0.10 [0.04]
25	Washer, .53" I.D. x 1.06" O.D.	XB-PW-1732-1-116	1	0.02 [0.01]
27	Washer, .56" I.D. x 1.38" O.D., Manual Release	XB-T-49	3	0.04 [0.02]
28	HHCS, .63"-18 x 1.75" Gr 8	XB-CX-58-F-134	1	0.21 [0.10]
30*	Handle, Release, See RK-6003	XA-6003	1	1.23 [0.56]
33	Pin, Cotter, .25" Diameter x 2" Long	XB-5	2	0.05 [0.02]
36	Pin, Cotter, .25" Dia. X 2.5" Long (Service Only)	XB-T-60	2	0.04 [0.02]
43	Plate, Cross	XA-6001-3	1	3.85 [1.75]
43A	Plate S/A, MTG	XA-6520	1	120.56 [54.69]
55	Washer (Special) 1.50" I.D. x 2.75" O.D. x .156" Thk	XA-T-56	2	0.18 [0.08]
56	Nut, Hex Slot 1-1/2"-6	XA-T-9N-2	2	0.50 [0.23]
57	Bolt, Bracket	XA-6004	2	2.34 [1.06]
60C	Bracket S/A, See RK-11922	XA-6002	2	9.33 [4.23]



*Not sold individually - must be purchased in a kit.

REPLACEMENT TOP PLATE PART NUMBERS	
PART NUMBER	DESCRIPTION
XA-6001-A	LH Release







FW6000-10




FW6000-20




RK-6003
Kit, Release Handle




RK-11922
Bracket & Hardware Kit - FW1900



RK-11923
Hardware Kit - FW1900



RK-63512
Kit, Complete Rebuild (XA-6001-A)




ITEM	DESCRIPTION	PART NUMBER	QTY.	WEIGHT LBS [KG]
1	Yoke	XA-07295-THK	1	5.87 [2.66]
3*	Set, Lock Jaw	XA-01613	1	7.52 [3.41]
4	Spring, Extension	XB-GT-13-1	1	0.07 [0.03]
4C	Pin, Lock	XA-1313-C	2	1.08 [0.49]
5	Lock Nut, .75" -16 Gr C	XB-HNH-34-F	1	0.14 [0.06]
6	Washer, .81" I.D. x 1.47" O.D.	XB-PW-1316-112	1	0.04 [0.02]
7	Washer, Rubber, .75" I.D. x 1.50" O.D.	XB-1127	1	0.03 [0.01]
8	Tag, Lock Adjustment	XB-02312	1	N/A
9	Shaft, Yoke	XA-1706-3	1	1.27 [0.58]
10	Spring, Compression	XB-1505	1	0.61 [0.28]
12	Spring, Torsion	XB-2149	1	0.06 [0.03]
12B	Fitting, Lube	XB-767	2	0.01 [0.005]
13	Pin, Spring, .50" Diameter x 2.75" Long	XB-21-S-500-2750	1	0.02 [0.01]
14	Bearing, Pivot	XA-6001-4	2	1.77 [0.80]
14L	Lock, Manual Secondary, Left-Hand	XA-3542-L	1	0.67 [0.30]
15	HHCS, .50"-20 x 1.75" Gr 5 Zinc Plate, Nylock	XB-2083	1	0.13 [0.06]
17	Roller, .52" I.D. x 1" O.D. x .38" Long	XA-1029	1	0.06 [0.03]
19	Washer, .66" I.D. x 2.25" O.D.	XB-1030-1	2	0.19 [0.09]
20	Roller, .66" I.D. x 1" O.D. x .38" Long	XA-1507	1	0.05 [0.02]
21A	Plate S/A, Cam	XA-1705-9	1	2.36 [1.07]
22	Lock Nut, .50"-20 Gr C, Cam Plates, Bracket Pins, Air Release	XB-T-69-A	1	0.04 [0.02]
24B	Spring, Manual Release	XB-1028-1	1	0.10 [0.04]
25	Washer, .53" I.D. x 1.06" O.D.	XB-PW-1732-1-116	1	0.02 [0.01]
27	Washer, .56" I.D. x 1.38" O.D., Manual Release	XB-T-49	3	0.04 [0.02]
28	HHCS, .63"-18 x 1.75" Gr 8	XB-CX-58-F-134	1	0.21 [0.10]
29	Lube Fitting	XB-H-38	2	0.01 [0.005]
30*	Handle, Release	XA-6003	1	1.23 [0.56]
30B	Kit, Release Handle	RK-6003	1	1.34 [0.61]
32	Never-Seez	XB-02967	1	NA
33	Pin, Cotter, .25" Diameter x 2" Long	XB-5	2	0.05 [0.02]
36	Pin, Cotter, .25" Dia. X 2.5" Long (Service Only)	XB-T-60	2	0.04 [0.02]
55	Washer (Special) 1.50" I.D. x 2.75" O.D. x .156" Thk	XA-T-56	2	0.18 [0.08]
56	Nut, Hex Slot 1-1/2"-6	XA-T-9N-2	2	0.50 [0.23]
57	Bolt, Bracket	XA-6004	2	2.34 [1.06]
60C	Bracket S/A	XA-6002	2	9.33 [4.23]

*Not sold individually - must be purchased in a kit.


FW1900 Exploded View




SAF-HOLLAND Group



FW1900-20 Additional Components




Lock, Manual Secondary LH Release



ITEM	DESCRIPTION	PART NUMBER	QTY.	WEIGHT LBS [KG]
1	Yoke	XA-07295-THK	1	5.87 [2.66]
3*	Lock Jaw Set, See RK-63507	XA-01613	1	7.52 [3.41]
4	Spring, Extension	XB-GT-13-1	1	0.07 [0.03]
4C	Pin, Lock	XA-1313-C	2	1.08 [0.49]
5	Lock Nut, .75"-16 Gr C	XB-HNH-34-F	1	0.14 [0.06]
5C	Bar	XA-01209	1	2.06 [0.93]
5D	HHCS, .50"-20 x 1.50" Gr 5, FW-1900-20 Only	XB-E-541	8	0.11 [0.05]
6	Washer, .81" I.D. x 1.47" O.D.	XB-PW-1316-112	1	0.04 [0.02]
7	Washer, Rubber, .75" I.D. x 1.50" O.D.	XB-1127	1	0.03 [0.01]
8	Tag, Lock Adjustment	XB-02312	1	N/A
9	Shaft, Yoke	XA-1706-3	1	1.27 [0.58]
9G	Washer, Lock, .50" I.D. x .88" O.D.	XB-T-45-1	8	0.02 [0.01]
9K	Washer, Plain 1/2", FW-1900-20 Only	XB-01978	8	0.04 [0.02]
10	Spring, Compression	XB-1505	1	0.61 [0.28]
12	Spring, Torsion	XB-2149	1	0.06 [0.03]
12A	Spring, Torsion	XB-1044	1	0.10 [0.05]
12B	Fitting, Lube	XB-767	2	0.01 [0.005]
13	Pin, Spring, .50" Diameter x 2.75" Long	XB-21-S-500-2750	1	0.02 [0.01]
14	Bearing, Pivot	XA-6001-4	2	1.77 [0.80]
14L	Lock, Manual Secondary, Left-Hand	XA-3542-L	1	0.67 [0.30]
14R	Lock, Manual Secondary, Right-Hand	XA-3542-R	1	0.67 [0.30]
15	HHCS, .50"-20 x 1.75" Gr 5 Zinc Plate, Nylock	XB-2083	1	0.13 [0.06]
16	Pin, .50" Diameter x 4.50" Long	XA-1055	1	0.24 [0.11]
17	Roller, .52" I.D. x 1" O.D. x .38" Long	XA-1029	1	0.06 [0.03]
19	Washer, .66" I.D. x 2.25" O.D.	XB-1030-1	2	0.19 [0.09]
20	Roller, .66" I.D. x 1" O.D. x .38" Long	XA-1507	1	0.05 [0.02]
21A	Cam Plate, Air Release	XA-1705	1	0.80 [0.36]
22	Lock Nut, .50"-20 Gr C, Cam Plates, Bracket Pins, Air Release	XB-T-69-A	1	0.04 [0.02]
24B	Spring, Manual Release	XB-1028-1	1	0.10 [0.04]
25	Washer, .53" I.D. x 1.06" O.D.	XB-PW-1732-1-116	1	0.02 [0.01]
26*	Lock Guard	XA-3514	1	0.89 [0.40]
27	Washer, .56" I.D. x 1.38" O.D.	XB-T-49	3	0.04 [0.02]
28	HHCS, .63"-18 x 1.75" Gr 8	XB-CX-58-F-134	1	0.21 [0.10]
30*	Handle, Release, See RK-1707-2	XA-1707-2	1	1.66 [0.75]
33	Pin, Cotter, .25" Diameter x 2" Long	XB-5	2	0.05 [0.02]
36	Pin, Cotter, .25" Dia. X 2.5" Long (Service Only)	XB-T-60	2	0.04 [0.02]
37	Pin, Cotter, .13" Diameter x 2" Long	XB-16	2	0.01 [0.005]
43	Plate, Cross	XA-6001-3	1	3.85 [1.75]
43A	Plate S/A, Mtg, FW1900-20 Only	XA-6520-A	1	118.91 [56.94]
55	Washer (Special) 1.50" I.D. x 2.75" O.D. x .156" Thk	XA-T-56	2	0.18 [0.08]
56	Nut, Hex Slot 1-1/2"-6	XA-T-9N-2	2	0.50 [0.23]
57	Bolt, Bracket	XA-6004	2	2.34 [1.06]
60C	Bracket S/A, See RK-11922	XA-6002	2	9.33 [4.23]

*Not sold individually - must be purchased in a kit.


REPLACEMENT TOP PLATE PART NUMBERS	
PART NUMBER	DESCRIPTION
XA-1901-A-P	RH Release
XA-1901-A-LH-P	LH Release



FW1900-20 Dimensional Views




SAF-HOLLAND Group




FW1900-20

FW PART NUMBER	REPLACEMENT TOP PLATE NUMBER	REPLACEMENT BRACKET PART NUMBER	REPLACEMENT BASE PLATE PART NUMBER	WEIGHT LBS [KG]
FW1900-20	XA-1901-A-P	RK-11922	RK-11927	248.0 [112.5]

FW1900 & FW1900-LH Dimensional Views



FW1900




FW1900-LH


FW PART NUMBER	REPLACEMENT TOP PLATE NUMBER	REPLACEMENT BRACKET PART NUMBER	WEIGHT LBS [KG]
FW1900	XA-1901-A-P	RK-11922	128.0 [58.1]
FW1900-LH	XA-1901-A-LH-P	RK-11922	128.0 [58.1]

FW1900 Replacement Kits


**RK-1707-2
Kit, Handle**




**RK-11922
Bracket & Hardware Kit - FW1900**



**RK-11923
Hardware Kit - FW1900**




**RK-11927
Mounting Plate Kit**



ITEM	DESCRIPTION	PART NUMBER	QTY.	WEIGHT LBS [KG]
5D	HHCS, .50"-20 X 1.50" GR 5	XB-E-541	8	0.11 [0.05]
9G	Washer, Lock, .50" I.D. X .88" O.D.	XB-T-45-1	8	0.02 [0.01]
9K	Washer, Plain 1/2"	XB-01978	8	0.04 [0.02]
11A*	Plate S/A, MTG	XA-1313	2	1.13 [0.51]
12B	Fitting, Lube	XB-767	2	0.01 [0.005]
14	Bearing, Pivot	XA-6001-4	2	1.77 [0.80]
24B	Spring, Manual Release	XB-1028-1	1	0.10 [0.04]
25	Washer, .53" I.D. x 1.06" O.D.	XB-PW-1732-1-116	1	0.02 [0.01]
27	Washer, .56" I.D. x 1.38" O.D.	XB-T-49	1	0.04 [0.02]
30*	Handle, Release	XA-1707-2	1	1.66 [0.75]
36	Pin, Cotter, .25" Dia. X 2.5" Long (Service Only)	XB-T-60	2	0.04 [0.02]
43A	Plate S/A, MTG	XA-6520-A	1	118.91 [53.94]
55	Washer (Special) 1.50" I.D. x 2.75" O.D. x .156" Thk	XA-T-56	2	0.18 [0.08]
56	Nut, Hex Slot 1-1/2"-6	XA-T-9N-2	2	0.50 [0.23]
57	Bolt, Bracket	XA-6004	2	2.34 [1.06]
60C	Bracket S/A	XA-6002	2	9.33 [4.23]

*Not sold individually - must be purchased in a kit.



ITEM	DESCRIPTION	PART NUMBER	QTY.	WEIGHT LBS [KG]
1	Yoke	XA-07295-THK	1	5.87 [2.66]
3*	Lock Jaw Set	XA-01613	1	7.52 [3.41]
4	Spring, Extension	XB-GT-13-1	1	0.07 [0.03]
4C	Pin, Lock	XA-1313-C	2	1.08 [0.49]
5	Lock Nut, .75"-16 Gr C	XB-HNH-34-F	1	0.14 [0.06]
6	Washer, .81" I.D. x 1.47" O.D.	XB-PW-1316-112	1	0.04 [0.02]
7	Washer, Rubber, .75" I.D. x 1.50" O.D.	XB-1127	1	0.03 [0.01]
8	Tag, Lock Adjustment	XB-02312	1	N/A
9	Shaft, Yoke	XA-1706-3	1	1.27 [0.58]
10	Spring, Compression	XB-1505	1	0.61 [0.28]
12	Spring, Torsion	XB-2149	1	0.06 [0.03]
12A	Spring, Torsion	XB-1044	1	0.10 [0.05]
13	Pin, Spring, .50" Diameter x 2.75" Long	XB-21-S-500-2750	1	0.02 [0.01]
14R	Lock, Manual Secondary, Right-Hand	XA-3542-R	1	0.67 [0.30]
15	HHCS, .50"-20 x 1.75" Gr 5 Zinc Plate, Nylock	XB-2083	1	0.13 [0.06]





ITEM	DESCRIPTION	PART NUMBER	QTY.	WEIGHT LBS [KG]
16	Pin, .50" Diameter x 4.50" Long	XA-1055	1	0.24 [0.11]
17	Roller, .52" I.D. x 1" O.D. x .38" Long	XA-1029	1	0.06 [0.03]
19	Washer, .66" I.D. x 2.25" O.D.	XB-1030-1	2	0.19 [0.09]
20	Roller, .66" I.D. x 1" O.D. x .38" Long	XA-1507	1	0.05 [0.02]
21A	Cam Plate, Air Release	XA-1705	1	0.80 [0.36]
22	Lock Nut, .50"-20 Gr C, Cam Plates, Bracket Pins, Air Release	XB-T-69-A	1	0.04 [0.02]
26*	Lock Guard	XA-3514	1	0.89 [0.40]
28	HHCS, .63"-18 x 1.75" Gr 8	XB-CX-58-F-134	1	0.21 [0.10]
29	Fittings, Grease	XB-H-38	2	0.01 [0.005]
30B	Kit, Handle	RK-1707-2	1	1.77 [0.80]
32	Never-Seez, 7.5g Tube	XB-02967	1	N/A
33	Pin, Cotter, .25" Diameter x 2" Long	XB-5	2	0.05 [0.02]
37	Pin, Cotter, .13" Diameter x 1" Long	XB-16	2	0.01 [0.005]

*Not sold individually - must be purchased in a kit.


FW1226 With Right or Left Hand Release Exploded View



SAF-HOLLAND Group




FW1226-0087 Option



FW1226-0087-LH Option

NOTE: See Page 370 for Parts List

FW1226 With Front or Left Hand Release Exploded View



**DISCONTINUED MODEL
SERVICE PARTS ONLY**
Please contact Customer Service for
part availability
888.396.6501

NOTE: See Page 370 for Parts List


FW1226 With Right, Front or Left Hand Release Parts List



SAF-HOLLAND Group

ITEM	DESCRIPTION	PART NUMBER	QTY.	WEIGHT LBS [KG]
1C	Wedge, Adjusting	XD-3123-1	1	1.18 [0.54]
3*	Set, Lock, See RK-62004	XA-1102	1	8.52 [3.86]
4A	Plunger, Locking	XA-1119	1	3.75 [1.70]
4C	Plunger	XA-1104	1	3.09 [1.40]
5	Spring, Plunger	XB-1007	1	0.32 [0.15]
6	SHCS, .63"-11 x 4.00" Long	XB-09407	1	0.40 [0.18]
7	Spring, Manual Release	XB-403	1	0.07 [0.03]
8	Spring, Lock	XB-1006	1	0.21 [0.10]
9	Nut, Lock, .63"-11	XB-09174	1	0.15 [0.07]
12	Lube Fitting (90°)	XB-0769	1	0.02 [0.01]
12A	Spring, Torsion	XB-1044	1	0.10 [0.05]
12B	Fitting, Lube	XB-03684	2	0.02 [0.01]
13	Nylon Bushing	XB-02949	1	0.01 [0.005]
15	HHCS, .50"-20 x 1.75" Gr 5 Zinc Plate, Nylock	XB-2083	1	0.13 [0.06]
16	Pin, .50" Diameter x 4.50" Long	XA-1055	1	0.24 [0.11]
16A	Pin, .50" Dia. x 4.12"	XA-06379	1	0.22 [0.10]
17	Roller, .52" I.D. x 1" O.D. x .38" Long	XA-1029	2	0.06 [0.03]
18	HHCS, .50"-20 x 2.00"	XB-1031	1	0.10 [0.05]
20	Washer, .50" I.D. x 2.25" O.D. (Right Hand Release)	XB-1030	3	0.20 [0.09]
	Washer, .50" I.D. x 2.25" O.D. (Left Hand Release)		1	0.20 [0.09]
20D	Washer, .50" I.D. x 2.63" O.D.	XB-02846	2	0.28 [0.13]
21	Release Lever	XA-1005-FH	1	1.98 [0.90]
21L	Cam Plate, Left-Hand	XA-1118-2-L	1	2.60 [1.18]
21R	Cam Plate, Right-Hand	XA-1118-1	1	2.09 [0.95]
22	Lock Nut, .50"-20 Gr C, Cam Plates, Bracket Pins	XB-T-69-A	1	0.04 [0.02]
23L	Handle S/A, Release	XA-1117-UP	1	3.12 [1.42]
24	Washer, .53" I.D. x 1.06" O.D., Hardened	XB-06378	2	0.02 [0.01]
24L	Spring, Left Hand Manual Release	XB-03531	1	0.26 [0.12]
24R	Spring, Right Hand Manual Release	XB-1028	1	0.26 [0.12]
26*	Lock Guard, See RK-05328	XA-1621	1	0.53 [0.24]
26A	Guard S/A, Lock, See RK-05327	XA-02039	1	0.74 [0.34]
27	Washer, .56" I.D. x 1.38" O.D.	XB-T-49	1	0.04 [0.02]
30	Handle, Release	XA-0093	1	2.00 [0.91]
30L	Handle, Release	XA-07732	1	N/A
31	Pin, Manual Secondary Lock	XA-1016-C	1	0.92 [0.42]
37	Pin, Cotter, .13" Diameter x 1" Long	XB-16	2	0.01 [0.005]
40	Pin, Cotter, .13" Diameter x 1" Long	XB-06377	3	0.01 [0.005]
41	Screw, Set, .38"-16 x .75" Long	XB-15	1	0.03 [0.01]
53	Bushing	XA-278	1	0.27 [0.12]
54	Bushing	XA-279	1	0.37 [0.17]
82	Pin, Spring, .25" Diameter x 1.88" Long	XB-21-S-250-1875	1	0.02 [0.01]

*Not sold individually - must be purchased in a kit.






SAF-HOLLAND Group


THIS PAGE INTENTIONALLY LEFT BLANK

FW1226


RK-62005
Kit, Complete Rebuild




RK-62005-1
Kit, Complete Rebuild




RK-62008
Kit, Complete Rebuild




RK-1226-0087-LH
Kit, Complete Rebuild




RK-05328
Kit, Lockguard



RK-62004
Kit, Lock



RK-05327
Kit, Lockguard



ITEM	DESCRIPTION	PART NUMBER	QTY.	WEIGHT LBS [KG]
1C	Wedge, Adjusting	XD-3123-1	1	1.18 [0.54]
3*	Set, Lock, See RK-62004	XA-1102	1	8.52 [3.86]
4A	Plunger, Locking	XA-1119	1	3.75 [1.70]
4C	Plunger	XA-1104	1	3.09 [1.40]
5	Spring, Plunger	XB-1007	1	0.32 [0.15]
6	SHCS, .63"-11 x 4.00" Long	XB-09407	1	0.40 [0.18]
7	Spring, Manual Release	XB-403	1	0.07 [0.03]
8	Spring, Lock	XB-1006	1	0.21 [0.10]
9	Nut, Lock, .63"-11	XB-09174	1	0.15 [0.07]
11	Pin, Lock	XA-1016	1	0.94 [0.43]
12	Lube Fitting (90°)	XB-0769	1	0.02 [0.01]
12A	Spring, Torsion	XB-1044	1	0.10 [0.05]
12B	Fitting, Lube	XB-03684	2	0.02 [0.01]
13	Nylon Bushing	XB-02949	1	0.01 [0.005]
14	Bracket, Lockguard	XA-3601-31	1	0.35 [0.16]
15	HHCS, .50"-20 x 1.75" Gr 5 Zinc Plate, Nylock	XB-2083	1	0.13 [0.06]
16	Pin, .50" Diameter x 4.50" Long	XA-1055	1	0.24 [0.11]
16A	Pin, .50" Dia. x 4.12"	XA-06379	1	0.22 [0.10]
17	Roller, .52" I.D. x 1" O.D. x .38" Long	XA-1029	2	0.06 [0.03]
18	HHCS, .50"-20 x 2.00"	XB-1031	1	0.10 [0.05]
20	Washer, .50" I.D. x 2.25" O.D. (RK-1226-0087-LH)	XB-1030	1	0.20 [0.09]
	Washer, .50" I.D. x 2.25" O.D. (RK-62005-1, RK-62008)		3	0.20 [0.09]
20D	Washer, .50" I.D. x 2.63" O.D.	XB-02846	2	0.28 [0.13]
21	Release Lever	XA-1005-FH	1	1.98 [0.90]
21L	Cam Plate, Left-Hand	XA-1118-2-L	1	2.60 [1.18]
21R	Cam Plate, Right-Hand	XA-1118-1	1	2.09 [0.95]
22	Lock Nut, .50"-20 Gr C, Cam Plates, Bracket Pins, Air Release	XB-T-69-A	1	0.04 [0.02]
23L	Handle S/A, Release	XA-1117-UP	1	3.12 [1.42]
24	Washer, .53" I.D. x 1.06" O.D., Hardened	XB-06378	2	0.02 [0.01]
24L	Spring, Left Hand Manual Release	XB-03531	1	0.26 [0.12]
24R	Spring, Right Hand Manual Release	XB-1028	1	0.26 [0.12]
26*	Lock Guard, See RK-05328	XA-1621	1	0.53 [0.24]
26A*	Guard S/A, Lock, See RK-05327	XA-02039	1	0.74 [0.34]
27	Washer, .56" I.D. x 1.38" O.D., Manual Release	XB-T-49	1	0.04 [0.02]
30	Handle, Release	XA-0093	1	2.00 [0.91]
30L	Handle, Release	XA-07732	1	N/A
31	Pin, Manual Secondary Lock	XA-1016-C	1	0.92 [0.42]
32	Never-Seez, 7.5g Tube	XB-02967	1	N/A
33	Pin, Cotter, .25" Diameter x 2" Long	XB-5	1	0.05 [0.02]
37	Pin, Cotter, .13" Diameter x 1" Long (RK-62008)	XB-16	1	0.01 [0.005]
	Pin, Cotter, .13" Diameter x 1" Long (RK-62005, RK-05328)		2	0.01 [0.005]
40	Pin, Cotter, .13" Diameter x 1" Long	XB-06377	3	0.01 [0.005]
41	Screw, Set, .38"-16 x .75" Long	XB-15	1	0.03 [0.01]
53	Bushing	XA-278	1	0.27 [0.12]
54	Bushing	XA-279	1	0.37 [0.17]
82	Pin, Spring, .25" Diameter x 1.88" Long	XB-21-S-250-1875	1	0.02 [0.01]

*Not sold individually - must be purchased in a kit.

Holland Fifth Wheel Kit 'Quick List'



SAF-HOLLAND Group

PRODUCT	TOP PLATE	COMPLETE REBUILD KIT	LOCK GUARD	JAW KIT	HANDLE KIT	BUSHING/PIN KIT	AIR CYLINDER
FW35	XA-351-A-L-P (LH)	RK-351-A-L (LH)	-	RK-351-07296	RK-08415-1	RK-10605 (ILS) RK-06973-1 (Traditional)	XA-2524-R
	XA-351-A-P (RH)	RK-351-A (RH)					
FW35-7401 (No-tilt)	XA-351-A-06-L-P	RK-351-A-L	-	-	RK-08415-1		XA-2524-R
FW33 Low Lube	XA-331-A-L-P (LH)	RK-351-A-L (LH)	RK-351-07296	RK-08415-1			
	XA-331-A-P (RH)	RK-351-A (RH)					
FW31 No Lube	XA-311-A-L-P (LH)	RK-311-A-L (LH)	RK-311-LK	RK-311-10344			
	XA-311-A-P (RH)	RK-311-A (RH)					
FWAL No Lube	XA-AL-A-L-P (LH)	RK-AL-A-L (LH)	RK-AL-11078	RK-10495-AL-P			
FWS1	XA-S1-A-L-P	RK-FWS-A-L	RK-4109939	-			
FW8	XA-201-A-L-P (LH)	RK-201-A3-L (LH)	-	-	-		XA-2524-R
	XA-201-A-P (RH)	RK-201-A3 (RH)					
FW17	XA-17-A-L-P	RK-17-A-L	-	RK-171-11078	RK-171-11079		XA-2524-R
FW16 Low Lube	XA-16-A-L-P	RK-161-A	-	RK-161-11078	RK-161-11493		
	XA-16-A-P						
FW3500 (Stationary)	XA-3501-A-LH (LH)	RK-63501 (LH)	RK-05329	RK-63503	RK-1707-M (LH)	RK-04413	-
	XA-3501-A-RH (RH)	RK-63500 (RH)			RK-1707-6 (RH)		
FW2535 (Sliding)	XA-3501-A-LH (LH)	RK-63501 (LH)	RK-05329	RK-63503	RK-1707-M (LH)	RK-04413	XA-2524-R
	XA-3501-A-RH (RH)	RK-63500 (RH)			RK-1707-6 (RH)		
FW2000 (Stationary)	XA-2009-A-LH (LH)	RK-62001 (LH)	RK-05328	RK-62004	RK-1117-1-L (LH)	RK-04413	-
	XA-2009-A-RH (RH)	RK-62000 (RH)			RK-1117-1 (RH)		
FW2500 (Sliding)	XA-2009-A-LH (LH)	RK-62001 (LH)	RK-05328	RK-62004	RK-1117-1-L (LH)	RK-04413	XA-2524-R
	XA-2009-A-RH (RH)	RK-62000 (RH)			RK-1117-1 (RH)		
FW2555 (Sliding)	XA-71-DAS	RK-65014	-	RK-65024	-	-	-
FW2570 (Heavy Duty Sliding)	XA-71-DAS	RK-65014	-	RK-65024	-	-	-
FW6700-16B (Air Elevating)	XA-3501-UB	RK-63502	-	RK-63504	-	-	-
FW67-16B (Air Elevating)	XA-351-UB-P	RK-351-UB	-	-	-	-	-
FW35-03344 (Yard Spotter)	XA-351-03505S	RK-351-03505	-	-	-	-	XA-2524-R-13-1
FW35-03344-1 (Yard Spotter)	XA-351-03505S	RK-351-03505	-	-	-	-	XA-2524-R-13-1
FW2870-03184 (Yard Spotter)	XA-2801-03185-1	-	-	RK-03185-1	-	-	XA-2524-R-4-1
FW1560 (Side Oscillating)	XA-1501-CA1S	RK-65005	-	-	-	-	-
FW0100-D (Heavy Duty (2" KP*))	XA-101-DAS	RK-65012	-	RK-65024	-	-	-
FW0100-0 (Heavy Duty (3.5" KP*))	XA-101-OAS	RK-65013	-	RK-65024-1	-	-	-
FW0070 (Heavy Duty (2" KP*))	XA-71-DAS	RK-65014	-	RK-65024	-	-	-
FW0070 (Heavy Duty (3.5" KP*))	XA-71-OAS	RK-65015	-	RK-65024-1	-	-	-
FW2800-X (Hydraulic Lift)	XA-2801-AX-1S	RK-65021	-	-	-	-	-
FW2900-X (Hydraulic Lift)	XA-2801-AX-1S	RK-65021	-	-	-	-	-
FW1580	-	XA-1581-A-1	RK-65006	-	-	-	-
FW2870-03184	-	XA-2801-03185-1S	RK-03185-1	-	-	-	XA-2524-R-4-1

(LH) Left Hand Release.
(RH) Right Hand Release
KP* Kingpin

The above chart does not represent all models or all available kits. Please refer to the detailed parts information for your specific model for additional information.

DISCONTINUED MODEL SERVICE PARTS ONLY

Please contact
Customer Service
for part availability
888.396.6501



SAF-HOLLAND Group

Holland Simplex Kits

CURRENT SIMPLEX FIFTH WHEELS & SLIDERS								
ITEM NO.	FIFTH WHEEL MODEL	SIMPLEX SE	SIMPLEX SE TOUCHLOC	SIMPLEX II SE	SIMPLEX II SE TOUCHLOC	SIMPLEX II SE RH* (RIGHT-HAND)	SIMPLEX II RH (RIGHT-HAND)	SIMPLEX YARD TRACTOR (SPOTTER)
1	Fifth Wheel Sub-Assembly	10402727	10602720	4102727	9502720	11202720	11202700	4100129
		10402720		4102720				4100219
2	Serial Number Prefix-	S1LS-	S1LT-	S2LS-	S2LT-	S2RS-	SR-	SA-
3	Replaced by Simplex Model	NA	NA	NA	NA	NA	II SE RH	NA
KIT NAMES AND NUMBERS								
4	Handle Kit (Handle Part Number)	4000507	4000531	4000507	4000531	4000646	4000512	NA
		(4100382)	(4100420)	(4100382)	(4100420)	(4100448)	(4100441)	
5	Alternate Handle Kit (45° Chamfer)	4000531	-	4000531	-	-	-	-
	(Handle Part Number)	(4100420)	NA	(4100420)	NA	NA	NA	NA
6	Jaw w/ Standard Pin	4000644	4000644	4000644	4000644	4000645	4000503	4000503
7	Jaw w/ Oversized Pin	NA	NA	NA	NA	NA	4000523	4000523
8	Jaw & Return Spring Retrofit	NA	NA	NA	NA	NA	4000540	NA
9	Kingpin Gauge (Jaw Adjustment Tool)	4000171	4000171	4000171	4000171	4000171	4000171	4000171
10	Lock	4000647	4000647	4000647	4000647	4000648	4000574	4000574
11	** Standard Pad: 0.38" Thickness	4000504	4000504	4000504	4000504	4000504	4000504	NA
12	** Large Pad: 0.42" Thickness	4000588	4000588	4000588	4000588	4000588	4000588	NA
13	** Small Pad: 0.33" Thickness	4000641	4000641	4000641	4000641	4000641	4000641	NA
14	** Simplex RH Pad: 0.58" Thickness	NA	NA	NA	NA	NA	NA	4000 505
15	** Castloc & Castloc II	NA	NA	NA	NA	NA	NA	NA
16	** 400C	NA	NA	NA	NA	NA	NA	NA
17	Pad, Standard: 0.38" Thickness	4000528	4000528	4000528	4000528	4000528	4000528	-
18	Pad, Large: 0.42" Thickness	4000587	4000587	4000587	4000587	4000587	4000587	NA
19	Pad, Small: 0.33" Thickness	4000640	4000640	4000640	4000640	4000640	4000640	NA
20	Pad, Simplex RH: 0.58" Thickness	NA	NA	NA	NA	NA	NA	4000529
21	TouchLoc Air Cylinder	NA	4000273	NA	4000273	NA	NA	4100304
22	Shims, Poly (Castloc Series)	NA	NA	NA	NA	NA	NA	NA
23	Shims, Steel - Weld to Bracket	NA	NA	NA	NA	NA	NA	NA
BULK KITS - INDIVIDUAL PARTS (QUANTITY/KIT)								
24	Handle (5)	B4100382	NA	B4100382	NA	NA	B4100441	NA
25	Indicator (5) (10 for 400C)	B4101250	NA	B4101250	NA	B4100428	B4100428	NA
26	Handle (45° Chamfer) (5)	B4100420	B4100420	B4100420	B4100420	NA	NA	NA
27	Indicator (45° Chamfer) (5)	B4100294	B4100294	B4100294	B4100294	NA	NA	NA
28	Lock Spring (5)	B1200706	B1200706	B1200706	B1200706	B1200706	B1200706	B1200706
29	Jaw Return Spring (10)	B1200101	B1200101	B1200101	B1200101	B1200101	NA	NA
30	Poly Shoes (10)	B4100328	B4100328	B4100328	B4100328	B4100328	B4100328	NA
31	Steel Shoes (10)	NA	NA	NA	NA	NA	NA	B4109811
32	Pads, Standard, .38" (20)	B4100329	B4100329	B4100329	B4100329	B4100329	B4100329	NA
33	Pads, Large, .42" (20)	B4100376	B4100376	B4100376	B4100376	B4100376	B4100376	NA
34	Pads, Small, .33" (20)	B4100339	B4100339	B4100339	B4100339	B4100339	B4100339	NA
35	Pads, Simplex RH, .58" (20)	NA	NA	NA	NA	NA	NA	B4100358
36	Poly Shims (20)	NA	NA	NA	NA	NA	NA	NA
37	Steel Shims (20) - Weld to Bracket	-	NA	NA	NA	NA	NA	B4100655
	SLIDER MODEL	SE, TAPERLOC SE, TAPERLOC XL	TAPERLOC (4" INCREMENT)	INBOARD INTEGRAL	DISCONTINUED MODEL SERVICE PARTS ONLY Please contact Customer Service for part availability 888.396.6501			
38	Serial Number Prefix-	TL2-	TL-	IBS-				
KIT NAMES AND NUMBERS								
39	Air Cylinder	4300228	4300162	4300610				
40	Bolt-on Removable Stops	4300227***	4300209	4300226***				
41	Slide Bracket Air 6.81"	4300298	4300165	4300596***				
42	Slide Bracket Air 7.75"	4300299	4300166	4300597***				
43	Slide Bracket Air 8.75"	4300300	4300167	4300598***				
44	Slide Bracket Air 9.75"	NA	4300172	NA				
45	Slide Bracket Manual 6.81"	NA	4300204	NA				
46	Slide Bracket Manual 7.75"	NA	4300205	NA				
47	Slide Bracket Manual 8.75"	NA	4300206	NA				
48	Slide Bracket Manual 9.75"	NA	4300173	NA				

** , Bracket connection; *** , Check for availability; NA, not applicable.

DISCONTINUED MODEL SERVICE PARTS ONLY

Please contact
Customer Service
for part availability
888.396.6501

Kits for Discontinued Simplex Fifth Wheels



SAF-HOLLAND Group

SIMPLEX DISCONTINUED FIFTH WHEELS										
ITEM NO.	FIFTH WHEEL MODEL	SIMPLEX LITE	SIMPLEX LITE TOUCHLOC	SIMPLEX LITE ROTARY	SIMPLEX LITE ROTARY TOUCHLOC	SIMPLEX II & SIMPLEX III	SIMPLEX IIR & SIMPLEX II & SIMPLEX III TOUCHLOC	SIMPLEX IIR & SIMPLEX IIR ROTARY	SIMPLEX IIR ROTARY TOUCHLOC	SIMPLEX RH (RIGHT-HAND)
1	Fifth Wheel Sub-Assembly	10402700	10602700	10802700	11002700	4102700	9502700	7102700	7502700	4102764
		10402707				4102707				4101414
										4101424
2	Serial Number Prefix	SLS-, LSLS-	SLS-, LSLS-	SLR	SLR-	SL-, LSL-, SRY-	SL-, LSL-, SRY-	SRL-, SRYL-	SRL-, SRYL-	SR-
3	Replaced by Simplex Model	SE	SE TouchLoc	SE	SE TouchLoc	II SE	II SE TouchLoc	II SE	II SE TouchLoc	II SE RH
KIT NAMES AND NUMBERS										
4	Handle Kit	4000507	4000531	4000508	4000508	4000650	4000532	4000510	4000510	4000511
	(Handle Part Number)	(4100382)	(4100420)	(4100386)	(4100386)	(4100332)	(4100296)	(4100357)	(4100357)	(4100350)
5	Alternate Handle Kit (45 chamfer)	400531	-	-	-	4000509	-	-	-	-
	(Handle Part Number)	(4100420)	NA	NA	NA	(4100342)	NA	NA	NA	NA
6	Jaw w/ Standard Pin	4000501	4000501	4000501	4000501	4000501	4000501	4000501	4000501	4000503
7	Jaw w/ Oversize Pin	4000502	4000502	4000502	4000502	4000502	4000502	4000502	4000502	4000523
8	Jaw & Return Spring Retrofit	4000539	4000539	4000539	4000539	4000539	4000539	4000539	4000539	4000540
9	Kingpin Gauge (Jaw Adj. Tool)	4000171	4000171	4000171	4000171	4000171	4000171	4000171	4000171	4000171
10	Lock	4000570	4000570	4000578	4000578	4000572	4000572	4000576	4000576	4000574
11	* Standard pad: 0.38" thickness	4000504	4000504	4000504	4000504	4000504	4000504	4000504	4000504	NA
12	* Large pad: 0.42" thickness	4000588	4000588	4000588	4000588	4000588	4000588	4000588	4000588	NA
13	* Small Pad: 0.33" thickness	4000641	4000641	4000641	4000641	4000641	4000641	4000641	4000641	NA
14	* Simplex RH Pad: 0.58" thickness	NA	NA	NA	NA	NA	NA	NA	NA	4000505
15	* Castloc & Castloc II	NA	NA	NA	NA	NA	NA	NA	NA	NA
16	**400C	NA	NA	NA	NA	NA	NA	NA	NA	NA
17	Pad, Standard: 0.38" thickness)	4000528	4000528	4000528	4000528	4000528	4000528	4000528	4000528	NA
18	Pad, Large: 0.42" thickness	4000587	4000587	4000587	4000587	4000587	4000587	4000587	4000587	NA
19	Pad, Small: 0.33" thickness	4000640	4000640	4000640	4000640	4000640	4000640	4000640	NA	-
20	Pad, Simplex RH: 0.58" thickness	NA	NA	NA	NA	NA	NA	NA	NA	4000529
21	TouchLoc Air Cylinder	NA	4000273	NA	4000272	NA	4100269	NA	-	NA
22	Shims, Poly (Castloc Series)	NA	NA	NA	NA	NA	NA	NA	NA	NA
23	Shims, Steel - weld to bracket	NA	NA	NA	NA	NA	NA	NA	NA	NA
BULK KITS - INDIVIDUAL PARTS (QUANTITY/KIT)										
24	Handle (5)	B4100382	NA	B4100386	B4100386	B4100332	NA	B4100357	B4100357	B4100350
25	Indicator (5) (10 for 400C)	B4101250	NA	B4100374	B4100374	B4101250	NA	B4100150	B4100150	B4100428
26	Handle (45° Chamfer) (5)	-	B4100420	B4100420	NA	NA	B4100342	B4100296	NA	NA
27	Indicator (45° Chamfer) (5)	-	B4100294	B4100294	NA	NA	B4100294	B4100294	NA	NA
28	Lock Spring (5)	B1200706	B1200706	B1200706	B1200706	B1200706	B1200706	B1200706	B1200706	B1200706
29	Jaw Return Spring (10)	NA	NA	NA	NA	NA	NA	NA	NA	NA
30	Poly Shoes (10)	B4100328	B4100328	B4100328	B4100328	B4100328	B4100328	B4100328	B4100328	NA
31	Steel Shoes (10)	NA	NA	NA	NA	NA	NA	NA	NA	B4109811
32	Pads, Standard, .38" (20)	B4100329	B4100329	B4100329	B4100329	B4100329	B4100329	B4100329	B4100329	NA
33	Pads, Large, .42" (20)	B4100376	B4100376	B4100376	B4100376	B4100376	B4100376	B4100376	B4100376	NA
34	Pads, Small, .33" (20)	B4100339	B4100339	B4100339	B4100339	B4100339	B4100339	B4100339	B4100339	NA
35	Pads, Simplex RH, .58" (20)	NA	NA	NA	NA	NA	NA	NA	NA	B4100358
36	Poly Shims (20)	NA	NA	NA	NA	NA	NA	NA	NA	NA
37	Steel Shims (20) - weld to bracket	NA	NA	NA	NA	NA	NA	NA	NA	NA

continued on next page



SAF-HOLLAND Group

Kits for Discontinued Simplex Fifth Wheels con't.

CASTLOC & 400C DISCONTINUED FIFTH WHEELS						
ITEM NO.	FIFTH WHEEL MODEL	CASTLOC II & CASTLOC III	CASTLOC II & CASTLOC III TOUCHLOC	CASTLOC ROTARY	CASTLOC ROTARY TOUCHLOC	400C
1	Fifth Wheel Sub-Assembly	A7202700 7202700A	A7602700 7602700A	7202700	7602700	4102846
2	Serial Number Prefix-	CA-, CR-, CV-	CA-, CR-, CV-	CL-	CL-	AL-
3	Replaced by Simplex Model	II SE	II SE TouchLoc	II SE	II SE TouchLoc	II SE
KIT NAMES AND NUMBERS						
4	Handle Kit (Handle Part Number)	4000650 (4100332)	4000532 (4100296)	4000510 (4100357)	4000510 (4100357)	4000632 (4109944)
5	Alternate Handle Kit (45° Chamfer) (Handle Part Number)	NA	NA	NA	NA	NA
6	Jaw w/ Standard Pin	4000501	4000501	4000501	4000501	4000178
7	Jaw w/ Oversized Pin	4000502	4000502	4000502	4000502	NA
8	Jaw & Return Spring Retrofit	4000539	4000539	4000539	4000539	NA
9	Kingpin Gauge (Jaw Adjustment Tool)	4000171	4000171	4000171	4000171	NA
10	Lock	4000572	4000572	4000576	4000576	NA
11	* Standard Pad: 0.38" Thickness	NA	NA	NA	NA	NA
12	* Large Pad: 0.42" Thickness	NA	NA	NA	NA	NA
13	* Small Pad: 0.33" Thickness	NA	NA	NA	NA	NA
14	* Simplex RH Pad: 0.58" Thickness	NA	NA	NA	NA	NA
15	* Castloc & Castloc II	4000506	4000506	4000506	4000506	NA
16	**400C	NA	NA	NA	NA	4000195
17	Pad, Standard: 0.38" Thickness	NA	NA	NA	NA	-
18	Pad, Large: 0.42" Thickness	NA	NA	NA	NA	NA
19	Pad, Small: 0.33" Thickness	NA	NA	NA	NA	NA
20	Pad, Simplex RH: 0.58" Thickness	NA	NA	NA	NA	NA
21	TouchLoc Air Cylinder	NA	4100269	NA	4100258	NA
22	Shims, Poly (Castloc Series)	4000530	4000530	4000530	4000530	NA
23	Shims, Steel - Weld to Bracket	4000630	4000630	4000630	4000630	4000630
BULK KITS - INDIVIDUAL PARTS (QUANTITY/KIT)						
24	Handle (5)	B4100332	B4100296	B4100357	B4100357	NA
25	Indicator (5) (10 for 400C)	B4101250	B4100294	B4100150	B4100150	B4109948
26	Handle (45° Chamfer) (5)	NA	NA	NA	NA	NA
27	Indicator (45° Chamfer) (5)	NA	NA	NA	NA	NA
28	Lock Spring (5)	B1200706	B1200706	B1200706	B1200706	NA
29	Jaw Return Spring (10)	NA	NA	NA	NA	NA
30	Poly Shoes (10)	NA	NA	NA	NA	NA
31	Steel Shoes (10)	NA	NA	NA	NA	NA
32	Pads, Standard, .38" (20)	NA	NA	NA	NA	NA
33	Pads, Large, .42" (20)	NA	NA	NA	NA	NA
34	Pads, Small, .33" (20)	NA	NA	NA	NA	NA
35	Pads, Simplex RH, .58" (20)	NA	NA	NA	NA	NA
36	Poly Shims (20)	B4000263	B4000263	B4000263	B4000263	NA
37	Steel Shims (20) - Weld to Bracket	B4100655	B4100655	B4100655	B4100655	B4100655


Fifth Wheel Replacement Air Cylinders




SAF-HOLLAND Group

DISCONTINUED MODEL SERVICE PARTS ONLY
Please contact Customer Service for part availability
888.396.6501


XA-2524-R-12




XA-2524-R1




XA-2524-R




XA-2524-R-2




XA-2524-R-13-2




XA-2524-R-13-1




XA-2524-R-13-3




XA-2524-R-13-X




XA-2760-R-1




XA-2524-R-4-3




XA-2524-R-4-2




XA-2524-R-4-1




XA-2524-R-15-L




XA-2524-R-15-R




XA-2524-R-16-L



XA-2524-07237



XA-2524-07237-1




Additional Air Cylinders may be available. Contact SAF-HOLLAND Customer Service for more information.

HOLLAND PART NO.	HOLE-TO-HOLE DIM.				STROKE REF	AIR INLET	USED ON
	EXTENDED		RETRACTED				
	MAX	MIN	MAX	MIN			
XA-2524-R-13-2	9.649" [245]	9.464" [240]	7.613" [193]	7.473" [190]	2.02" [51]	Blind End	FW1500, FW3500
XA-2524-R-13-3	9.649" [245]	9.464" [240]	7.613" [193]	7.473" [190]	2.02" [51]	Blind End	FW1500, FW3500
XA-2524-R-12	38.742" [984]	38.556" [979]	22.680" [576]	22.496" [571]	16.06" [408]	Both Ends	TF-675
XA-2524-R	19.650" [499]	19.171" [487]	12.750" [324]	12.506" [318]	6.77" [172]	Blind End	Sliding 5th Wheels
XA-2524-R-2	18.560" [471]	18.171" [462]	12.750" [324]	12.506" [318]	5.74" [146]	Rod End	FW0070, FW0100, & FW2080
XA-2524-R-4-3	14.108" [358]	13.863" [352]	10.452" [265]	10.252" [260]	3.64" [92]	Blind End	XA-2801-03185-4
XA-2524-R-4-2	14.108" [358]	13.863" [352]	10.452" [265]	10.252" [260]	3.64" [92]	Blind End	XA-2801-03185-3
XA-2524-R-4-1	14.108" [358]	13.863" [352]	10.452" [265]	10.252" [260]	3.64" [92]	Blind End	FW1560 Series
XA-2524-R-13-X	11.690" [297]	11.280" [287]	9.570" [243]	9.385" [238]	1.99" [51]	Blind End	FW2800 Series, FW2900
XA-2760-R-1	10.840" [275]	10.361" [263]	8.720" [221]	8.476" [215]	1.99" [51]	Blind End	FW1580
XA-2524-R-13-1	9.649" [245]	9.464" [240]	7.613" [193]	7.473" [190]	2.02" [51]	Blind End	FW1500, FW3500
XA-2524-R-16-L	13.95" [354] REF		9.05" [230] REF		4.89" [124]	Blind End	OPT. CODE 80
XA-2524-R-15-R	13.95" [354] REF		9.05" [230] REF		4.89" [124]	Blind End	XA-3501-06533
XA-2524-R-15-L	13.95" [354] REF		9.05" [230] REF		4.89" [124]	Blind End	XA-3501-06533
XA-2524-07237-1	15.782" [401]	15.598" [396]	10.625" [270]	10.468" [266]	5.13" [130]	Both Ends	FW503 (Obsolete)
XA-2524-07237	15.782" [401]	15.598" [396]	10.625" [270]	10.468" [266]	5.13" [130]kher	Both Ends	FW503 (Obsolete)
XA-2524-R1	19.650" [499]	19.171" [487]	12.750" [324]	12.506" [318]	6.77" [172]	Blind End	Warranty

DISCONTINUED MODEL SERVICE PARTS ONLY
Please contact Customer Service for part availability
888.396.6501


Illustrations shown at 90% of actual size



XB-1604-5

FW2000
FW3500
FW3600


OLD STYLE
Mfg. prior to May, 1982



XB-1604-9

FW0070


OLD STYLE
Mfg. prior to May, 1982



XB-0011

FW2000 KOMPENSATOR
FW3500 KOMPENSATOR
FW3600 KOMPENSATOR
FW3501-UB


CURRENT



XB-0011-1

FW2000
FW3500
FW3600


Mfg. May, 1982 - June, 1987



XB-0011-2


FW2000
FW3500
FW3600

CURRENT




XB-1604-9

FW0070 KOMPENSATOR
Mfg. Prior to May 1982



XB-0012-1

FW0070
Mfg. May, 1982 - Oct. 1987



XB-0012-3

FW0070
CURRENT




QUICK & EASY PARTS ONLINE 

SEARCH

Parts Knowledge at the Tip of Your Finger



When it comes to parts, become your customers' go-to source with quick and accurate information just a click away.



Contact us at 800.876.3929 to learn more

SAF 


Holland

NEWAY


BRACKETS AND SLIDE BASES



Cast Bracket




If replacing Bushings, order XB-10605 (Qty 4)




Fabricated Bracket

No longer available, replaced by cast version



If replacing Bushings, order XB-0011-2 (Qty 2)



Note: The Stationary Fabricated Bracket was replaced by the Cast Stationary Bracket. See Chart on next page for Cross Reference.



Foot Mount with Plate

Mounting Base Y= Foot Mount	Mounting Height	Angles	L= Left R= Right	Options 00= Stationary
Example: FW35Y600XL00				


** AVAILABLE TOP PLATES

FW35	FW16
FW3500	FWAL
FW31	FW83
FW33	FW2000
FW17	FWS1


FW PART NUMBER (CAST BRACKET)◇	FW PART NUMBER (FABRICATED BRACKET)*◇	HEIGHT	BRACKET REPLACEMENT KIT ◇	BRACKET KIT WEIGHT LBS [KG]
FW**Y600XL__	FW**-7804XL__	2.88"	RK-Y600	71.00 [32.21]
FW**Y700XL__	FW**-7803XL__	3.88"	RK-Y700	76.00 [34.47]
FW**Y800XL__	FW**-7802XL__	4.88"	RK-Y800	81.00 [36.74]
FW**Y900XL__	FW**-7801XL__	5.88"	RK-Y900	86.00 [39.01]



Height is measured from Face of Top Plate to Frame Rail



If replacing Bushings, order XB-0011-2 (Qty 2)





Note: The Stationary Fabricated Bracket was replaced by the Cast Stationary Bracket. See Chart on next page for Cross Reference.

FW	**	Z	*	00	X	*	**
Mounting Base Z=Integrated Plate		Mounting Height	Angles	L= Left R= Right	Options 00= Stationary		
Example: FW35Z600XL00							

****AVAILABLE TOP PLATES**

FW35	FW16
FW3500	FWAL
FW31	FW83
FW33	FW2000
FW17	FWS1




Height is measured from Face of Top Plate to Frame Rail

FW PART NUMBER◇	LEGACY FW PART NUMBER *◇	HEIGHT	BRACKET REPLACEMENT KIT◇	BRACKET KIT WEIGHT LBS [KG]
FW**Z600XL__	FW**-7886XL__	2.88"	RK-Z600	87.00 [39.46]
FW**Z700XL__	FW**-7885XL__	3.88"	RK-Z700	94.00 [42.64]
FW**Z800XL__	FW**-7884XL__	4.88"	RK-Z800	101.00 [45.81]
FW**Z900XL__	FW**-7883XL__	5.88"	RK-Z900	98.00 [44.45]



◇ For right-hand release fifth wheels, change "L" to "R" in part number.

* No Longer Available

Cast Bracket




If replacing Bushings, order XB-10605 (Qty 4)





Fabricated Bracket


No longer available, replaced by cast version



If replacing Bushings, order XB-0011-2 (Qty 2)





Note: The Stationary Fabricated Bracket was replaced by the Cast Stationary Bracket. See Chart on next page for Cross Reference.



**AVAILABLE TOP PLATES

FW35	FW16
FW3500	FWAL
FW31	FW83
FW33	FW2000
FW17	FWS1



Height is measured from Face of Top Plate to Frame Rail

REF. FW PART NUMBER (CAST BRACKET)◇	REF. FW PART NUMBER (FABRICATED BRACKET)*◇	HEIGHT	BRACKET REPLACEMENT KIT◇	BRACKET KIT WEIGHT LBS [KG]
FW**X600XL__	FW**-7824XL__	2.50"	RK-X600	41.00 [18.60]
FW**X700XL__	FW**-7823XL__	3.50"	RK-X700	47.00 [21.32]
FW**X800XL__	FW**-7822XL__	4.50"	RK-X800	52.00 [23.59]
FW**X900XL__	FW**-7821XL__	5.50"	RK-X900	57.00 [25.85]

◇ For right-hand release fifth wheels, change "L" to "R" in part number.


* No Longer Available

Brackets with 4.0" Vertical Leg Angle





SAF-HOLLAND Group

Cast Bracket




If replacing Bushings, order XB-10605 (Qty 4)





Fabricated Bracket

No Longer Available, Replaced by Cast Version.



If replacing Bushings, order XB-0011-2 (Qty 2)



FRAME CODE FOR "W" BRACKETS			A	
FRAME CODE	FRAME WIDTH	ANGLE SIZE	CAST	FABRICATED
A	33.25"	.38" x 4" X 4"	-0.38"	4.12"
B	33.38"		-0.31"	4.19"
C	33.50"		-0.25"	4.25"
D	33.62"		-0.19"	4.31"
E	33.75"		-0.13"	4.38"
F	33.88"		-0.06"	4.44"
G	34.00"		0.00"	4.50"

FRAME CODE FOR "W" BRACKETS			A	
FRAME CODE	FRAME WIDTH	ANGLE SIZE	CAST	FABRICATED
H	34.12"	.38" x 4" X 6"	0.06"	4.56"
J	34.25"		0.13"	4.62"
K	34.38"		0.19"	4.69"
L	34.50"		0.25"	4.75"

Note: The Stationary Fabricated Bracket was replaced by the Cast Stationary Bracket. See Chart on next page for Cross Reference.



SAF-HOLLAND Group



Brackets with 4.0" Vertical Leg Angle

FW ** W * 00 G * * *

Mounting Base W= 4" Vertical Leg Angle	Mounting Height	Angles	L= Left R= Right	Options 00= Stationary
Example: FW35W600GL00				

** AVAILABLE TOP PLATES

FW35	FWAL
FW31	FW8
FW33	FW83
FW17	FW2000
FW16	FWS1



Height is measured from Face of Top Plate to Frame Rail

FW PART NUMBER (CAST BRACKET)◇	FW PART NUMBER (FABRICATED BRACKET)*◇	HEIGHT	BRACKET REPLACEMENT KIT◇	BRACKET KIT WEIGHT LBS [KG]
FW**W600GL__	FW**-7814GL__	2.88"	RK-W600-G	99.00 [44.91]
FW**W700GL__	FW**-7813GL__	3.88"	RK-W700-G	104.00 [47.17]
FW**W800GL__	FW**-7812GL__	4.88"	RK-W800-G	109.00 [49.44]
FW**W900GL__	FW**-7811GL__	5.88"	RK-W900-G	115.00 [52.16]

◇ For right-hand release fifth wheels, change "L" to "R" in part number.

* No Longer Available


Standard Capacity
Stationary

Brackets with 5.0" Vertical Leg Angle





SAF-HOLLAND Group

Cast Bracket




If replacing Bushings, order XB-10605 (Qty 4)





Fabricated Bracket

No Longer Available, Replaced by Cast Version.



If replacing Bushings, order XB-0011-2 (Qty 2)




FRAME CODE FOR "V" BRACKETS			A
FRAME CODE	FRAME WIDTH	ANGLE SIZE	CAST
A	33.25"	.38" x 5" X 5"	-0.38"
B	33.38"		-0.31"
C	33.50"		-0.25"
D	33.62"		-0.19"
E	33.75"		-0.13"
F	33.88"		-0.06"
G	34.00"		0.00"
H	34.12"		0.06"
J	34.25"		0.13"
K	34.38"		0.19"
L	34.50"		0.25"

FRAME CODE FOR "V" BRACKETS			A
FRAME CODE	FRAME WIDTH	ANGLE SIZE	CAST
M	34.62"	.38" x 5" X 5"	0.31"
N	34.75"		0.38"
P	34.88"		0.44"
Q	35.00"		0.50"
R	35.12"		0.56"
S	35.25"		0.62"
T	35.38"		0.69"
U	35.50"		0.75"
V	35.62"		0.81"
W	35.75"		0.88"





SAF-HOLLAND Group

Brackets with 5.0" Vertical Leg Angle



** AVAILABLE TOP PLATES

FW35	FWAL
FW31	FW8
FW33	FW83
FW17	FW2000
FW16	FW51



Standard Capacity
Stationary

FW PART NUMBER (CAST BRACKET)◇	FW PART NUMBER (FABRICATED BRACKET)*◇	HEIGHT	BRACKET REPLACEMENT KIT◇	BRACKET KIT WEIGHT LBS [KG]
FW**V600GL__	FW**-7814GL__	2.88"	RK-V600-G	114.00 [51.71]
FW**V700GL__	FW**-7813GL__	3.88"	RK-V700-G	121.00 [54.88]
FW**V800GL__	FW**-7812GL__	4.88"	RK-V800-G	125.00 [56.70]
FW**V900GL__	FW**-7811GL__	5.88"	RK-V900-G	131.00 [59.42]





◇ For right-hand release fifth wheels, change "L" to "R" in part number.

* No Longer Available

Simplex Drop-Over Angle



SAF-HOLLAND Group







BRACKET PART NUMBER*	HEIGHT	A	REF. FRAME WIDTH
4101534	6.00" [152]	2.53"	34.00"
4101536	6.31" [160]		
4101538	7.56" [192]		
4101539	8.56" [217]		
4101540	9.06" [230]		
4101630	10.06" [256]	2.28"	33.50"
4101734	6.00" [152]		
4101736	6.31" [160]		
4101738	7.56" [192]		
4101739	8.56" [217]		
4101740	9.06" [230]	2.16"	33.25"
4101830	10.06" [256]		
4101634	6.00" [152]		
4101636	6.31" [160]		
4101638	7.56" [192]		
4101639	8.56" [217]		
4101640	9.06" [230]		
4101730	10.06" [256]		

Discontinued - Replacement Parts Only

*No longer available

Simplex Bracket Head Castings Only

Standard Capacity
Stationary




FW PART NUMBER	FW WEIGHT LB [KG]	BRACKET PART NUMBER+ **	BRACKET HEIGHT IN [MM]	INSIDE BRACKET	OUTSIDE BRACKET	BRACKET WEIGHT LB [KG]
4019541	322.90 [146.46]	4109976	5.93" [151]	26.13" [664]	31.88" [810]	10.48 [4.75]
4019059	336.90 [152.82]	4109960	8.18" [208]			17.13 [7.77]
4019049	352.50 [159.89]	4109982	9.68" [246]	25.50" [648]	32.50" [826]	23.86 [10.82]

Discontinued - Replacement Parts Only

Simplex Bolt-On Flat Base Brackets





SAF-HOLLAND Group



NARROW







WIDE



BRACKET TYPE	* BRACKET PART NO.	HEIGHT	A	B	C	D	E	BRACKET WEIGHT LBS [KG]
Narrow Flat Base	4109839	3.25"	5.63"	1.69"	6.38"	1.06"	0.75"	25.00 [11.34]
Wide Flat Base	4109865	2.38"	4.75"	3.09"	8.43"	1.76"	0.59"	24.00 [10.89]
Wide Flat Base	4109011	3.25"	5.63"	2.27"				27.00 [12.25]
Wide Flat Base	4109933	4.62"	7.06"	2.27"				30.00 [13.61]

* No longer available








BRACKET NUMBER	HEIGHT	A	BRACKET WEIGHT LBS [KG]
4000105	2.56"	4.94"	33.00 [14.97]
4009114	3.81"	6.19"	37.00 [16.78]
4009297	4.81"	7.19"	40.00 [18.14]

Simplex Flat Mounting Plates



SAF-HOLLAND Group



MOUNTING PLATES WITHOUT TILT STOPS

FW BRACKET PART NO.	HEIGHT	BRACKET WEIGHT LBS [KG]
4009866	2.13"	92.00 [41.73]
4009867	2.44"	93.00 [42.18]
4009868	3.69"	100.00 [45.36]
4009822	4.69"	106.00 [48.08]
4009869	5.19"	110.00 [49.90]
4009823	6.19"	119.00 [53.98]

MOUNTING PLATES WITH TILT STOPS

FW BRACKET PART NO.	HEIGHT	BRACKET WEIGHT LBS [KG]
4009747	2.13"	93.00 [42.18]
4009723	2.44"	94.00 [42.64]
4009821	3.69"	101.00 [45.81]

NOTE: No longer available





SAF-HOLLAND Group

THIS PAGE INTENTIONALLY LEFT BLANK

Stationary No-Tilt Outboard & Inboard for Angle



SAF-HOLLAND Group



If replacing Bushings, order XB-0011-2 (Qty 2)

NOTE: No-tilt assembly not included in bracket part number. See Chart on next page for replacement tube and bracket part numbers.



Stationary No-Tilt Outboard & Inboard for Angle

FW	**	N	*	00	X	*	**
Mounting Base N= No-Tilt		Mounting Height	Angles	L= Left R= Right	Options 00= Stationary		
Example: FW35N800YL00 (Outboard) FW35N800ZL00 (Inboard)							

** AVAILABLE TOP PLATES

FW35	FW8
FW33	FW2000
FW3500 *	

Note: Not all are available in full assemblies



Height is measured from Face of Top Plate to Frame Rail

Standard Capacity
Stationary

INBOARD/ OUTBOARD	ILS PART # ◇	LEGACY PART # ◇	REPLACEMENT BRACKETS	HEIGHT IN [MM]	BRACKET WEIGHT LBS [KG]	NO-TILT TUBE
Outboard	FW**N800YL00	FW**-8984XL06	XA-8984	5.06" [129]	199.00 [90.26]	XA-0313-2 (QTY 2)
	FW**N900YL00	FW**-8983XL06	XA-8983	6.06" [154]	195.00 [88.45]	
Inboard	FW**N800ZL00	FW**-8922XL06	XA-8922	5.06" [129]	162.00 [73.48]	

* No longer available.


** For No-Tilt with Manual Secondary Lock, change "06" to "34" in part number (not available on FW8).

◇ For right-hand release fifth wheels, change "L" to "R" in part number.

Stationary No-Tilt Inboard with Angle



SAF-HOLLAND Group



If replacing Bushings, order XB-0011-2 (Qty 2)


Stationary No-Tilt Inboard with Angle

FW	**	N	*	00	A	*	06
Mounting Base N= No-Tilt		Mounting Height		Frame Width	L= Left R= Right		Options
Example: FW35N800AL06							

** AVAILABLE TOP PLATES

FW35	FW8
FW33	FW2000
FW3500 *	

Note: Not all are available in full assemblies



Height is measured from Face of Top Plate to Frame Rail

ILS PART NUMBER ◇	LEGACY PART NUMBER ◇	REPLACEMENT BRACKETS	MOUNTING ANGLE SIZE	BRACKET WEIGHT LBS [KG]	NO-TILT TUBE
FW**N800AL06	FW**-8922AL06	XA-8922-A	4 x 4 x .31"	218.00 [98.88]	XA-0313-2
FW**N800AL34	FW**-8922AL34	XA-8922-A	4 x 4 x .38"	218.00 [98.88]	
FW**N800AL51	FW**-8922AL51	XA-8922-A-51	4 x 6 x .38"		
FW**N800AL57	FW**-8922AL57	XA-8922-A-57	3.5 x 4 x .31"		
FW**N800AL63	FW**-8922AL63	XA-8922-A-21	5 x 5 x .38"		
FW**N800AL65	FW**-8922AL65	XA-8922-A-65	4 x 4 x .31"		

* No longer available.

** For Alternate Frame Width, see Frame Width Chart.

◇ For right-hand release fifth wheels, change "L" to "R" in part number.


FRAME WIDTH CHART			
FRAME CODE	FRAME WIDTH	FRAME CODE	FRAME WIDTH
A	33.25" [844.6]	G	34.00" [863.6]
B	33.38" [847.9]	H	34.12 [866.7]
C	33.50" [850.9]	J	34.25 [870.0]
D	33.62" [854.0]	K	34.38 [873.3]
E	33.75" [857.3]	L	34.50 [876.3]
F	33.88" [860.6]		

Standard Capacity
No-Tilt Stationary

ILS Outboard Exploded View




SAF-HOLLAND Group



ILS OUTBOARD SERIES PARTS LIST				
ITEM	DESCRIPTION	PART NUMBER	QTY.	WEIGHT LBS [KG]
1	Slide Base	SEE FW CHART	1	N/A
2A*	Bracket, Sliding LH 7"	XD-10689-IL	1	N/A
2B*	Bracket, Sliding RH 7"	XD-10689-IR	1	N/A
2C*	Bracket, Sliding LH 8"	XD-10689-2L	1	27.20 [12.34]
2D*	Bracket, Sliding RH 8"	XD-10689-2R	1	27.20 [12.34]
2E*	Bracket, Sliding LH 9"	XD-10689-3L	1	29.20 [13.24]
2F*	Bracket, Sliding RH 9"	XD-10689-3R	1	29.20 [13.24]
3	Block, Stop	XA-10711-1	2	4.56 [2.07]
4	Plunger, Rack	XA-10604-1	2	2.69 [1.22]
5	HHCS, M16 x 2.0 x 60mm	XB-HCS-M16-60-Z	6	0.29 [0.13]
6	Plate, Slide Bracket	XA-10606-1	1	20.30 [9.21]

ILS OUTBOARD SERIES PARTS LIST				
ITEM	DESCRIPTION	PART NUMBER	QTY.	WEIGHT LBS [KG]
7	Washer, Lock, M16 Type B	XB-LW-M16-Z	6	0.02 [0.01]
8	Bracket, Air Line	XB-11297	1	0.08 [0.04]
9	Screw, Cutting, .38"-16 x .63"	XB-10814	2	0.04 [0.02]
10	Union, Quick Connect Bulkhead, .25"	XB-11298	2	0.09 [0.04]
11	Washer, Locking, .60" I.D. x .99" O.D.	XB-11296	2	0.01 [0.005]
12	Clip, Air Line Stand-Off Clip	XA-10736	1	0.16 [0.07]
13	Cylinder Assembly, Air	XA-10700	1	4.49 [2.04]
14	Tubing, .25" O.D. X 14.25" Nylon	XB-10809	1	0.02 [0.01]
15	HHCS, .50"-20 x 1.75" Gr 5	XB-2083	2	0.13 [0.06]
16	Nut, Lock, .50"-20 UNF 2B	XB-758	2	0.04 [0.02]
78	Cushion, Rubber, ILS	XB-10605	4	0.39 [0.18]

*Not sold individually - must be purchased in kit.


**** AVAILABLE TOP PLATES**

FW35	FWAL
FW31	FW8
FW33	FW83
FW17	FWS1
FW16	



Height is measured from Face of Top Plate to Frame Rail

REFERENCE FW BASE PART NUMBER	SLIDE BASE AND BRACKET PART NUMBER	SLIDE BASE AND BRACKET WEIGHT LBS [KG]	SLIDE TRAVEL	SLIDE BASE LENGTH	DIM "B"	"A" # OF HOLES	SLIDE BASE PART NUMBER ITEM NO. 1	SLIDE BASE WEIGHT LBS [KG]	SLIDE BRACKET WEIGHT LBS [KG]
FW**A712XL__	XA-A712	190.00 [86.18]	12"	31"	3.93"	16	XA-A12	97.00 [44.00]	62.10 [28.17]
FW**A724XL__	XA-A724	223.00 [101.15]	24"	43"		22	XA-A24	130.00 [58.97]	
FW**A736XL__	XA-A736	257.00 [116.57]	36"	55"		28	XA-A36	163.00 [73.94]	
FW**A748XL__	XA-A748	290.00 [131.54]	48"	67"		34	XA-A48	197.00 [89.36]	
FW**A812XL__	XA-A812	194.00 [88.00]	12"	31"	4.93"	16	XA-A12	97.00 [44.00]	65.30 [29.62]
FW**A824XL__	XA-A824	228.00 [103.42]	24"	43"		22	XA-A24	130.00 [58.97]	
FW**A836XL__	XA-A836	262.00 [118.84]	36"	55"		28	XA-A36	163.00 [73.94]	
FW**A848XL__	XA-A848	295.00 [133.81]	48"	67"		34	XA-A48	197.00 [89.36]	
FW**A912XL__	XA-A912	199.00 [90.26]	12"	31"	5.93"	16	XA-A12	97.00 [44.00]	71.00 [32.21]
FW**A924XL__	XA-A924	232.00 [105.23]	24"	43"		22	XA-A24	130.00 [58.97]	
FW**A936XL__	XA-A936	266.00 [120.66]	36"	55"		28	XA-A36	163.00 [73.94]	
FW**A948XL__	XA-A948	299.00 [135.62]	48"	67"		34	XA-A48	197.00 [89.36]	


** Fifth wheel model number.

__ See option code per fifth wheel assembly.

ILS Inboard for Angle Exploded View



SAF-HOLLAND Group



ILS INBOARD SERIES PARTS LIST				
ITEM	DESCRIPTION	PART NUMBER	QTY.	WEIGHT LBS [KG]
1	Slide Base	SEE FW CHART	1	N/A
2A*	Bracket, Sliding LH 7"	XD-10689-IL	1	N/A
2B*	Bracket, Sliding RH 7"	XD-10689-IR	1	N/A
2C*	Bracket, Sliding LH 8"	XD-10689-2L	1	27.20 [12.34]
2D*	Bracket, Sliding RH 8"	XD-10689-2R	1	27.20 [12.34]
2E*	Bracket, Sliding LH 9"	XD-10689-3L	1	29.20 [13.24]
2F*	Bracket, Sliding RH 9"	XD-10689-3R	1	29.20 [13.24]
3	Block, Stop	XA-10711-1	2	4.56 [2.07]
4	Plunger, Rack	XA-10604-1	2	2.69 [1.22]
5	HHCS, M16 x 2.0 x 60mm	XB-HCS-M16-60-Z	6	0.29 [0.13]
6	Plate, Slide Bracket	XA-10606-1	1	20.30 [9.21]

ILS INBOARD SERIES PARTS LIST				
ITEM	DESCRIPTION	PART NUMBER	QTY.	WEIGHT LBS [KG]
7	Washer, Lock, M16 Type B	XB-LW-M16-Z	6	0.02 [0.01]
8	Bracket, Air Line	XB-11297	1	0.08 [0.04]
9	Screw, Cutting, .38"-16 x .63"	XB-10814	2	0.04 [0.02]
10	Union, Quick Connect Bulkhead, .25"	XB-11298	2	0.09 [0.04]
11	Washer, Locking, .60" I.D. x .99" O.D.	XB-11296	2	0.01 [0.005]
12	Clip, Air Line Stand-Off Clip	XA-10736	1	0.16 [0.07]
13	Cylinder Assembly, Air	XA-10700	1	4.49 [2.04]
14	Tubing, .25" O.D. X 14.25" Nylon	XB-10809	1	0.02 [0.01]
15	HHCS, .50"-20 x 1.75" Gr 5	XB-2083	2	0.13 [0.06]
16	Nut, Lock, .50"-20 UNF 2B	XB-758	2	0.04 [0.02]
78	Cushion, Rubber, ILS	XB-10605	4	0.39 [0.18]



* Not sold individually - must be purchased in kit

ILS Inboard for Angle Parts List

FW	**	*	*	**	X	*	**
Mounting Base Inboard	Mounting Height	Travel	L= Left R= Right	Options			
Example: FW35A712XL00							

** AVAILABLE TOP PLATES

FW35	FWAL
FW31	FW8
FW33	FW83
FW17	FWS1
FW16	



Height is measured from Face of Top Plate to Frame Rail

REFERENCE FW BASE PART NO.	SLIDE BASE AND BRACKET PART NO.	SLIDE BASE AND BRACKET WEIGHT LBS [KG]	SLIDE TRAVEL	SLIDE BASE LENGTH	DIM "A"	SLIDE BASE PART NO. ITEM NO. 1	SLIDE BASE WEIGHT LBS [KG]	SLIDE BRACKET WEIGHT LBS [KG]	APPROX. FW HEIGHT
FW**B712XL__	XA-B712X	173.00 [78.47]	12"	31"	3.93"	XA-B12X	80.00 [36.29]	62.10 [28.17]	7.00"
FW**B724XL__	XA-B724X	201.00 [91.17]	24"	43"		XA-B24X	108.00 [48.99]		
FW**B736XL__	XA-B736X	229.00 [103.87]	36"	55"		XA-B36X	136.00 [61.69]		
FW**B748XL__	XA-B748X	257.00 [116.57]	48"	67"		XA-B48X	164.00 [74.39]		
FW**B812XL__	XA-B812X	178.00 [80.74]	12"	31"	4.93"	XA-B12X	80.00 [36.29]	65.30 [29.62]	8.00"
FW**B824XL__	XA-B824X	206.00 [93.44]	24"	43"		XA-B24X	108.00 [48.99]		
FW**B836XL__	XA-B836X	234.00 [106.14]	36"	55"		XA-B36X	136.00 [61.69]		
FW**B848XL__	XA-B848X	262.00 [118.84]	48"	67"		XA-B48X	164.00 [74.39]		
FW**B912XL__	XA-B912X	182.00 [82.55]	12"	31"	5.93"	XA-B12X	80.00 [36.29]	71.00 [32.21]	9.00"
FW**B924XL__	XA-B924X	210.00 [95.25]	24"	43"		XA-B24X	108.00 [48.99]		
FW**B936XL__	XA-B936X	238.00 [107.95]	36"	55"		XA-B36X	136.00 [61.69]		
FW**B948XL__	XA-B948X	266.00 [120.66]	48"	67"		XA-B48X	164.00 [74.39]		

** Fifth wheel model number.


__ See option code per fifth wheel assembly.

Standard Capacity
Sliders

ILS Inboard with Angle Exploded View



SAF-HOLLAND Group



Angle size see frame width code sheet.

ILS INBOARD SERIES PARTS LIST

ITEM	DESCRIPTION	PART NUMBER	QTY.	WEIGHT LBS [KG]
1	Slide Base	SEE FW CHART	1	N/A
2A*	Bracket, Sliding LH 7"	XD-10689-IL	1	N/A
2B*	Bracket, Sliding RH 7"	XD-10689-IR	1	N/A
2C*	Bracket, Sliding LH 8"	XD-10689-2L	1	27.20 [12.34]
2D*	Bracket, Sliding RH 8"	XD-10689-2R	1	27.20 [12.34]
2E*	Bracket, Sliding LH 9"	XD-10689-3L	1	29.20 [13.24]
2F*	Bracket, Sliding RH 9"	XD-10689-3R	1	29.20 [13.24]
3	Block, Stop	XA-10711-1	2	4.56 [2.07]
4	Plunger, Rack	XA-10604-1	2	2.69 [1.22]
5	HHCS, M16 x 2.0 x 60mm	XB-HCS-M16-60-Z	6	0.29 [0.13]
6	Plate, Slide Bracket	XA-10606-1	1	0.29 [0.13]

ILS INBOARD SERIES PARTS LIST



ITEM	DESCRIPTION	PART NUMBER	QTY.	WEIGHT LBS [KG]
7	Washer, Lock, M16 Type B	XB-LW-M16-Z	6	0.02 [0.01]
8	Bracket, Air Line	XB-11297	1	0.08 [0.04]
9	Screw, Cutting, .38"-16 x .63"	XB-10814	2	0.04 [0.02]
10	Union, Quick Connect Bulkhead, .25"	XB-11298	2	0.09 [0.04]
11	Washer, Locking, .60" I.D. x .99" O.D.	XB-11296	2	0.01 [0.005]
12	Clip, Air Line Stand-Off Clip	XA-10736	1	0.16 [0.07]
13	Cylinder Assembly, Air	XA-10700	1	4.49 [2.04]
14	Tubing, .25" O.D. X 14.25" Nylon	XB-10809	1	0.02 [0.01]
15	HHCS, .50"-20 x 1.75" Gr 5	XB-2083	2	0.13 [0.06]
16	Nut, Lock, .50"-20 UNF 2B	XB-758	2	0.04 [0.02]
78	Cushion, Rubber, ILS	XB-10605	4	0.39 [0.18]

* Not sold individually - must be purchased in kit

							
Mounting Bracket Style See Bracket Option Chart	Mounting Height	Travel	Frame Width See Frame Width Chart	L= Left R= Right	Options See FW Section		
Example: FW35B712GL00							

** AVAILABLE TOP PLATES

FW35	FWAL
FW31	FW8
FW33	FW83
FW17	FW51
FW16	



Height is measured from Face of Top Plate to Frame Rail

REFERENCE FW BASE PART NO.	SLIDE BASE AND BRACKET PART NO.	SLIDE BASE AND BRACKET WEIGHT LBS [KG]	SLIDE TRAVEL	SLIDE BASE LENGTH	HEIGHT	SLIDE BASE PART NO. ITEM NO. 1	SLIDE BASE WEIGHT LBS [KG]	SLIDE BRACKET WEIGHT LBS [KG]	APPROX. FW HEIGHT
FW**B712GL__	XA-B712G	225.00 [102.06]	12"	31"	4.3"	XA-B12G	132.00 [59.87]	62.10 [28.17]	7.00"
FW**B724GL__	XA-B724G	271.00 [122.92]	24"	43"		XA-B24G	178.00 [80.74]		
FW**B736GL__	XA-B736G	318.00 [144.24]	36"	55"		XA-B36G	224.00 [101.60]		
FW**B748GL__	XA-B748G	363.00 [164.65]	48"	67"		XA-B48G	270.00 [122.47]		
FW**B812GL__	XA-B812G	230.00 [104.33]	12"	31"	5.3"	XA-B12G	132.00 [59.87]	65.30 [29.62]	8.00"
FW**B824GL__	XA-B824G	276.00 [125.19]	24"	43"		XA-B24G	178.00 [80.74]		
FW**B836GL__	XA-B836G	322.00 [146.06]	36"	55"		XA-B36G	224.00 [101.60]		
FW**B848GL__	XA-B848G	368.00 [166.92]	48"	67"		XA-B48G	270.00 [122.47]		
FW**B912GL__	XA-B912G	234.00 [106.14]	12"	31"	6.3"	XA-B12G	132.00 [59.87]	71.00 [32.21]	9.00"
FW**B924GL__	XA-B924G	280.00 [127.01]	24"	43"		XA-B24G	178.00 [80.74]		
FW**B936GL__	XA-B936G	326.00 [147.87]	36"	55"		XA-B36G	224.00 [101.60]		
FW**B948GL__	XA-B948G	372.00 [168.74]	48"	67"		XA-B48G	270.00 [122.47]		






** Fifth wheel model number.

__ See option code per fifth wheel assembly.

FRAME WIDTH CODE SHEET		
FRAME WIDTH CODE LETTER	FRAME WIDTH	ANGLE SIZE
A	33.25"	.38"x 3"x 4"
B	33.38"	.38"x 3"x 4"
C	33.50"	.38"x 3"x 4"
D	33.62"	.38"x 3.5"x 4"
E	33.75"	.38"x 3.5"x 4"
F	33.88"	.38"x 3.5"x 4"
G †	34.00"	.38"x 3.5"x 4"
H	34.12"	.38"x 3.5"x 4"

FRAME WIDTH CODE SHEET		
FRAME WIDTH CODE LETTER	FRAME WIDTH	ANGLE SIZE
J	34.25"	.38"x 3.5"x 4"
K	34.38"	.38"x 3.5"x 4"
L	34.50"	.38"x 4"x 4"
M	34.62"	.38"x 4"x 4"
N	34.75"	.38"x 4"x 4"
P	34.88"	.38"x 4"x 4"
Q	35.00"	.38"x 4"x 4"

† Standard frame width code.



♦ FW Height must be 9" high to use kit or can also order RK-10689-3 to change to a 9" FW height

REPAIR KIT BOM				
ITEM	DESCRIPTION	PART NUMBER	QTY.	WEIGHT LBS [KG]
2A*	Bracket, Sliding LH 7"	XD-10689-IL	1	N/A
2B*	Bracket, Sliding RH 7"	XD-10689-IR	1	N/A
2C*	Bracket, Sliding LH 8"	XD-10689-2L	1	27.20 [12.34]
2D*	Bracket, Sliding RH 8"	XD-10689-2R	1	27.20 [12.34]
2E*	Bracket, Sliding LH 9"	XD-10689-3L	1	29.20 [13.24]
2F*	Bracket, Sliding RH 9"	XD-10689-3R	1	29.20 [13.24]
3	Block, Stop	XA-10711-1	2	4.56 [2.07]
4	Plunger, Rack	XA-10604-1	2	2.69 [1.22]
5	HHCS, M16 x 2.0 x 60mm (RK-NT-ILS-S)	XB-HCS-M16-60-Z	8	0.29 [0.13]
	HHCS, M16 x 2.0 x 60mm (RK-10689-1, -2, -3)	XB-HCS-M16-60-Z	6	0.29 [0.13]
6	Plate, Sliding Bracket	XA-10606-1	1	20.30 [9.21]
7	Washer, Lock M16 (RK-NT-ILS-S)	XB-LW-M16-Z	8	0.02 [0.01]
	Washer, Lock M16 (RK-10689-1, -2, -3)	XB-LW-M16-Z	6	0.02 [0.01]
8	Bracket	XB-11297	1	0.08 [0.04]
9	Screw, Thread Cutting, 3/8"- 16 x 5/8"	XB-10814	2	0.04 [0.02]
10	Air Fitting, 1/4" Quick Connect	XB-11298	1	0.09 [0.04]
11	Washer, Locking	XB-11296	1	0.01 [0.005]

REPAIR KIT BOM				
ITEM	DESCRIPTION	PART NUMBER	QTY.	WEIGHT LBS [KG]
15	HHCS, 1/2" - 20 x 1-3/4"	XB-2083	2	0.13 [0.06]
16	Nut, 0.5" - 20 (RK-11409)	XB-758	2	0.04 [0.02]
	Nut, Lock, 1/2" - 20 GR C (RK-10606-1)	XB-T-69-A	2	0.04 [0.02]
17*	Tie Bar Shoulders	XA-11032	4	3.38 [1.53]
18	Bolt, 0.5" - 20 x 2.25" GR8	XB-11486	2	0.02 [0.01]
19	Stop, Slide – Adjustable	XA-11409-P	2	6.32 [2.87]
20	Shaft S/A, Handle	XA-1934-1	1	13.90 [6.30]
21	No Tilt Bracket, RH 9"	XA-11627-R	1	9.86 [4.47]
22	No Tilt Bracket, LH 9"	XA-11627-L	1	9.86 [4.47]
23	Plate, No Tilt Sliding - Painted	XA-11628-P	1	23.30 [10.57]
24	Block, Stop	XA-11479	2	6.64 [3.01]
25	Washer, Spring Lock M12	XB-LW-M12-Z	2	0.01 [0.005]
26	HHHC, M12 x 1.75 x 40 10.9 Zinc Pltd w/ Patc	XB-HCS-M12-40-Z	2	0.05 [0.02]
27	Label (Not Shown)	XL-RK-NT-ILS-S	1	N/A
28	Literature (Not Shown)	XL-FW20040RM-en-US	1	N/A
78	Cushion, Rubber, ILS	XB-10605	4	0.39 [0.18]
84	Wire Lock Pin 1/4" and Lanyard	XB-11157-1	1	0.10 [0.05]

* Not sold individually - must be purchased in kit




THIS PAGE INTENTIONALLY LEFT BLANK

Traditional Outboard Exploded View



SAF-HOLLAND Group




TRADITIONAL OUTBOARD SERIES PARTS LIST

ITEM	DESCRIPTION	PART NUMBER	QTY	WEIGHT LBS [KG]
3	Lever, Left-Hand	XA-0708-A	1	3.10 [1.41]
4	Lever, Right-Hand	XA-0709-A	1	3.10 [1.41]
5	Bar, Tie	XA-0712	1	1.80 [0.82]
6	HHCS .38"-16 x 1.25", Plated	XB-C-375-C-125	2	0.04 [0.02]
7	SBHCS, .50" - 13 x 1.25"	XB-03730-1	1	0.10 [0.05]
8	Shoe Assembly	XA-0372-A	2	3.10 [1.41]
9	Stop, Spring	XA-01586	2	0.34 [0.15]
10	Spring	XB-2502	2	1.03 [0.47]
11	Retainer, Spring	XA-2501	2	0.24 [0.11]
12	Pin, .50" Diameter x 1.12"	XA-2503	2	0.06 [0.03]

TRADITIONAL OUTBOARD SERIES PARTS LIST



ITEM	DESCRIPTION	PART NUMBER	QTY	WEIGHT LBS [KG]
13	Bushing, .50" I.D. x .68" O.D. x .44"	XA-03082	1	0.02 [0.01]
14	Lever Assembly, Release	XA-03748	1	7.30 [3.31]
15	HHCS, .50"-20 x 1.75" Gr 5	XB-2083	2	0.13 [0.06]
16	Plate Assembly, Pivot	XA-02748-1	1	1.50 [0.68]
17	Hook Assembly, Release	XA-0756	1	1.40 [0.64]
22	Lock Nut, .50"-20 Gr C	XB-T-69-A	2	0.04 [0.02]
35	Cylinder Assembly, Air	XA-2524-R	1	5.34 [2.42]
53	Cushion, Rubber	XB-0011-2	2	0.60 [0.27]
69	Lock Nut, .38"-16 Gr B	XB-338	2	0.02 [0.01]

Traditional Outboard Air Release Parts List



** AVAILABLE TOP PLATES

FW35	FW8
FW31	FW83
FW33	FW51
FW17	FW2000
FWAL	



Height is measured from Face of Top Plate to Frame Rail




REF. FW PART NUMBER	REPLACED BY FW BASE PART NUMBER	SLIDE BASE AND BRACKET ASS'Y	SLIDE BASE AND BRACKET ASS'Y WEIGHT LBS [KG]	SLIDE TRAVEL	SLIDE BASE LENGTH	"A" # of HOLES	HEIGHT	SLIDE BASE PART NO. ITEM NO. 1	SLIDE BASE WEIGHT LBS [KG]	SLIDE BRACKET TYPE	SLIDE BRACKET PART NO. ITEM NO.2	SLIDE BRACKET WEIGHT LBS [KG]
FW**-8003T1L	FW**A712XL	—	—	10.7"	42.2"	16	3.9"	XA-07871-1L	145.00 [65.77]	AIR	XA-7003	125.00 [56.70]
FW**-8003T2L	FW**A724XL	—	—	16.8"	50.2"	18		XA-07871-2L	145.00 [65.77]			
FW**-8003T3L	FW**A724XL	—	—	24.5"	55.2"	20		XA-07871-3L	168.00 [76.20]			
FW**-8003T4L	FW**A736XL	—	—	41.3"	74.2"	26		XA-07871-4L	187.00 [84.82]			
FW**-8002T1L	FW**A812XL	—	—	12.2"	34.2"	12	4.9"	XA-07871-1	248.00 [112.49]		XA-7002	107.00 [48.53]
FW**-8002T2L	FW**A824XL	—	—	18.4"	42.2"	16		XA-07871-2	113.00 [51.26]			
FW**-8002T3L	FW**A824XL	—	—	24.5"	46.2"	16		XA-07871-3	140.00 [63.50]			
FW**-8002T4L	FW**A836XL	—	—	36.7"	58.2"	20		XA-07871-4	153.00 [69.40]			
FW**-8002T5L	FW**A848XL	—	—	48.9"	70.2"	24		XA-07871-5	193.00 [87.54]			
FW**-8001T1L	FW**A912XL	—	—	12.2"	32.0"	12	5.9"	XA-07871-1	233.00 [105.69]		XA-7001	113.00 [51.26]
FW**-8001T2L	FW**A924XL	—	—	18.0"	42.2"	16		XA-07871-2	113.00 [51.26]			
FW**-8001T3L	FW**A924XL	—	—	24.5"	46.2"	16		XA-07871-3	140.00 [63.50]			
FW**-8001T4L	FW**A936XL	—	—	36.7"	58.2"	20		XA-07871-4	153.00 [69.40]			
FW**-8001T5L	FW**A948XL	—	—	48.9"	70.2"	24		XA-07871-5	193.00 [87.54]			
FW**-8301T1L	—	XA-8311-T1	228.00 [103.42]	10.7"	42.2"	16	5.4"	XA-07871-1L	233.00 [105.69]		XA-7311	125.00 [56.70]
FW**-8301T2L	—	XA-8311-T2	242.00 [109.77]	16.8"	50.2"	18		XA-07871-2L	145.00 [65.77]			
FW**-8301T3L	—	XA-8311-T3	271.00 [122.92]	24.5"	55.2"	20		XA-07871-3L	168.00 [76.20]			
FW**-8301T4L	—	XA-8311-T4	306.00 [138.80]	41.3"	74.2"	26		XA-07871-4L	187.00 [84.82]			
FW**-8009T2L	—	XA-8301-T1	271.00 [122.92]	13.8"	42.2"	16	7.4"	XA-07871-2	248.00 [112.49]		XA-7019	142.00 [64.41]
FW**-8009T3L	—	XA-8301-T2	302.00 [136.98]	19.9"	46.2"	16		XA-07871-3	140.00 [63.50]			
FW**-8009T4L	—	XA-8301-T3	335.00 [151.95]	32.1"	58.2"	20		XA-07871-4	153.00 [69.40]			
FW**-8009T5L	—	XA-8301-T4	375.00 [170.10]	44.4"	70.2"	24		XA-07871-5	193.00 [87.54]			

Standard Capacity
Sliders

Traditional Outboard Manual Release Part List



SAF-HOLLAND Group



Height is measured from Face of Top Plate to Frame Rail

** AVAILABLE TOP PLATES

FW35	FW8
FW31	FW83
FW33	FW51
FW17	FW2000
FWAL	

REF. FW PART NUMBER	REPLACED BY FW BASE PART NUMBER	SLIDE BASE AND BRACKET ASS'Y	SLIDE BASE AND BRACKET ASS'Y WEIGHT LBS [KG]	SLIDE TRAVEL	SLIDE BASE LENGTH	"A" # of HOLES	HEIGHT	SLIDE BASE PART NO. ITEM NO. 1	SLIDE BASE WEIGHT LBS [KG]	SLIDE BRACKET TYPE	SLIDE BRACKET PART NO. ITEM NO.2	SLIDE BRACKET WEIGHT LBS [KG]
FW**-8013T1L	FW**A712XL	—	—	10.7"	42.2"	16	3.9"	XA-07871-1L	233.00 [105.69]	MANUAL	XA-7013	116.00 [52.62]
FW**-8013T2L	FW**A724XL	—	—	16.8"	50.2"	18		XA-07871-2L	168.00 [76.20]			
FW**-8013T3L	FW**A724XL	—	—	24.5"	55.2"	20		XA-07871-3L	187.00 [84.82]			
FW**-8013T4L	FW**A736XL	—	—	41.3"	74.2"	26		XA-07871-4L	248.00 [112.49]			
FW**-8012T1L	FW**A812XL	—	—	12.2"	32.0"	12	4.9"	XA-07871-1	113.00 [51.26]		XA-7012	106.00 [48.08]
FW**-8012T2L	FW**A824XL	—	—	18.4"	42.2"	16		XA-07871-2	140.00 [63.50]			
FW**-8012T3L	FW**A824XL	—	—	24.5"	46.2"	16		XA-07871-3	153.00 [69.40]			
FW**-8012T4L	FW**A836XL	—	—	36.7"	58.2"	20		XA-07871-4	193.00 [87.54]			
FW**-8012T5L	FW**A848XL	—	—	48.9"	70.2"	24	5.9"	XA-07871-5	233.00 [105.69]		XA-7011	111.00 [50.35]
FW**-8011T1L	FW**A912XL	—	—	12.2"	32.0"	12		XA-07871-1	113.00 [51.26]			
FW**-8011T2L	FW**A924XL	—	—	18.0"	42.2"	16		XA-07871-2	140.00 [63.50]			
FW**-8011T3L	FW**A924XL	—	—	24.5"	46.2"	16		XA-07871-3	153.00 [69.40]			
FW**-8011T4L	FW**A936XL	—	—	36.7"	58.2"	20	5.40"	XA-07871-4	193.00 [87.54]		XA-7301	134.00 [60.78]
FW**-8011T5L	FW**A948XL	—	—	48.9"	70.2"	24		XA-07871-5	233.00 [105.69]			
FW**-8311T1L	—	XA-8311-T1	272.00 [123.38]	10.7"	42.2"	16		XA-07871-1L	145.00 [65.77]			
FW**-8311T2L	—	XA-8311-T2	297.00 [134.72]	16.8"	50.2"	18		XA-07871-2L	168.00 [76.20]			
FW**-8311T3L	—	XA-8311-T3	323.00 [146.51]	24.5"	55.2"	20	7.40"	XA-07871-3L	187.00 [84.82]		XA-7009	145.00 [65.77]
FW**-8311T4L	—	XA-8311-T4	363.00 [164.65]	41.3"	74.2"	26		XA-07871-4L	248.00 [112.49]			
FW**-8019T2L	—	XA-8019-T2	264.00 [119.75]	13.8"	42.2"	16		XA-07871-2	140.00 [63.50]			
FW**-8019T3L	—	XA-8019-T3	295.00 [133.81]	19.9"	46.2"	16		XA-07871-3	153.00 [69.40]			
FW**-8019T4L	—	XA-8019-T4	328.00 [148.78]	32.1"	58.2"	20	7.40"	XA-07871-4	193.00 [87.54]			
FW**-8019T5L	—	XA-8019-T5	368.00 [166.92]	44.4"	70.2"	24		XA-07871-5	233.00 [105.69]			

** Fifth wheel model number.

— See option code per fifth wheel assembly.




THIS PAGE INTENTIONALLY LEFT BLANK

Traditional Inboard for Angle Exploded View



SAF-HOLLAND Group





TRADITIONAL INBOARD SERIES PARTS LIST

ITEM	DESCRIPTION	PART NUMBER	QTY	WEIGHT LBS [KG]
3	Lever, Left-Hand	XA-0708-A	1	3.10 [1.41]
4	Lever, Right-Hand	XA-0709-A	1	3.10 [1.41]
5	Bar, Tie	XA-0712	1	1.80 [0.82]
6	HHCS .38"-16 x 1.25", Plated	XB-C-375-C-125	2	0.04 [0.02]
7	SBHCS, .50" - 13 x 1.25"	XB-03730-1	1	0.10 [0.05]
8	Shoe Assembly	XA-0372-A	2	3.10 [1.41]
9	Stop, Spring	XA-01586	2	0.34 [0.15]
10	Spring	XB-2502	2	1.03 [0.47]
11	Retainer, Spring	XA-2501	2	0.24 [0.11]
12	Pin, .50" Diameter x 1.12"	XA-2503	2	0.06 [0.03]

TRADITIONAL INBOARD SERIES PARTS LIST

ITEM	DESCRIPTION	PART NUMBER	QTY	WEIGHT LBS [KG]
13	Bushing, .50" I.D. x .68" O.D. x .44"	XA-03082	1	0.02 [0.01]
14	Lever Assembly, Release	XA-03748	1	7.30 [3.31]
15	HHCS, .50"-20 x 1.75" Gr 5	XB-2083	2	0.13 [0.06]
16	Plate Assembly, Pivot	XA-02748-1	1	1.50 [0.68]
17	Hook Assembly, Release	XA-0756	1	1.40 [0.64]
22	Lock Nut, .50"-20 Gr C	XB-T-69-A	2	0.04 [0.02]
35	Cylinder Assembly, Air	XA-2524-R	1	5.34 [2.42]
53	Cushion, Rubber	XB-0011-2	2	0.60 [0.27]
69	Lock Nut, .38"-16 Gr B	XB-338	2	0.02 [0.01]

Traditional Inboard for Angle Air Release Parts List



Height is measured from Face of Top Plate to Frame Rail

**AVAILABLE TOP PLATES

FW35	FW8
FW31	FW83
FW33	FW51
FW17	FW2000
FWAL	

REF. FW PART NO.	REPLACED BY FW BASE PART NUMBER	SLIDE BASE AND BRACKET ASS'Y	SLIDE BASE AND BRACKET ASS'Y WEIGHT LBS [KG]	SLIDE TRAVEL	SLIDE BASE LENGTH	HEIGHT	SLIDE BASE PART NO. ITEM NO. 1	SLIDE BASE WEIGHT LBS [KG]	SLIDE BRACKET TYPE	SLIDE BRACKET PART NO. ITEM NO.2	SLIDE BRACKET WEIGHT LBS [KG]
FW**-7003X1L	FW**B712XL	—	—	10.7"	38.9"	3.9"	XA-0751-1	104.00 [47.17]	AIR	XA-7003	125.00 [56.70]
FW**-7003X2L	FW**B724XL	—	—	16.8"	45.0"		XA-0751-2	120.00 [54.43]			
FW**-7003X3L	FW**B724XL	—	—	24.5"	52.6"		XA-0751-3A	138.00 [62.60]			
FW**-7003X4L	FW**B736XL	—	—	41.3"	69.5"		XA-0751-4	169.00 [76.66]			
FW**-7003X5L	FW**B748XL	—	—	53.6"	82.0"		XA-0751-5	210.00 [95.25]			
FW**-7003X6L	—	XA-7003-X6	373.00 [169.19]	65.8"	94.0"		XA-0751-6	285.00 [129.27]			
FW**-7002X1L	FW**B812XL	—	—	12.2"	32.8"	4.9"	XA-0750-1	127.00 [57.61]		XA-7002	107.00 [48.53]
FW**-7002X2L	FW**B824XL	—	—	18.4"	38.9"		XA-0750-2	155.00 [70.31]			
FW**-7002X3L	FW**B824XL	—	—	24.5"	45.0"		XA-0750-3	180.00 [81.65]			
FW**-7002X4L	FW**B836XL	—	—	36.7"	57.2"		XA-0750-4	233.00 [105.69]			
FW**-7002X5L	FW**B848XL	—	—	48.9"	69.5"		XA-0750-5	286.00 [129.73]			
FW**-7002X6L	—	XA-7002-X6	503.00 [228.16]	61.2"	82.0"		XA-0750-6	344.00 [156.04]			
FW**-7002X7L	—	XA-7002-X7	523.00 [237.23]	73.4"	94.0"	5.9"	XA-0750-7	396.00 [179.62]		XA-7001	113.00 [51.26]
FW**-7001X1L	FW**B912XL	—	—	12.2"	32.8"		XA-0750-1	127.00 [57.61]			
FW**-7001X2L	FW**B924XL	—	—	18.4"	38.9"		XA-0750-2	155.00 [70.31]			
FW**-7001X3L	FW**B924XL	—	—	24.5"	45.0"		XA-0750-3	180.00 [81.65]			
FW**-7001X4L	FW**B936XL	—	—	36.7"	57.2"		XA-0750-4	233.00 [105.69]			
FW**-7001X5L	FW**B948XL	—	—	48.9"	69.5"		XA-0750-5	286.00 [129.73]			
FW**-7001X6L	—	XA-7001-X6	500.00 [226.80]	61.2"	82.0"	8.2"	XA-0750-6	344.00 [156.04]		XA-7301	134.00 [60.78]
FW**-7301X1L	—	XA-7301-X1	246.00 [111.58]	10.7"	38.9"		XA-0751-1	104.00 [47.17]			
FW**-7301X2L	—	XA-7301-X2	264.00 [119.75]	16.8"	45.0"		XA-0751-2	120.00 [54.43]			
FW**-7301X3L	—	XA-7301-X3	294.00 [133.36]	24.5"	52.6"		XA-0751-3A	138.00 [62.60]			
FW**-7301X4L	—	XA-7301-X4	318.00 [144.24]	41.3"	69.5"		XA-0751-4	169.00 [76.66]			
FW**-7301X5L	—	XA-7301-X5	358.00 [162.39]	53.6"	82.0"		XA-0751-5	210.00 [95.25]			
FW**-7301X6L	—	XA-7301-X6	378.00 [171.46]	65.8"	94.0"	10.2"	XA-0751-6	285.00 [129.27]		XA-7009	145.00 [65.77]
FW**-7009X2L	—	XA-7009-X2	307.00 [139.25]	13.8"	38.9"		XA-0750-2	155.00 [70.31]			
FW**-7009X3L	—	XA-7009-X3	321.00 [145.60]	19.9"	45.0"		XA-0750-3	180.00 [81.65]			
FW**-7009X4L	—	XA-7009-X4	373.00 [169.19]	32.1"	57.2"		XA-0750-4	233.00 [105.69]			
FW**-7009X5L	—	XA-7009-X5	428.00 [194.14]	44.4"	69.5"		XA-0750-5	286.00 [129.73]			
FW**-7009X6L	—	XA-7009-X6	478.00 [216.82]	56.6"	82.0"		XA-0750-6	344.00 [156.04]			

Standard Capacity
Sliders

** Fifth wheel model number.

— See option code per fifth wheel assembly.



Traditional Inboard for Angle Manual Release Parts List



SAF-HOLLAND Group



Slide Bracket 7*** = Inboard	X= No Angle	Slide Travel	L= Left R= Right	Options See FW Section
Example: FW35-7013X1L00				



Height is measured from Face of Top Plate to Frame Rail

**AVAILABLE TOP PLATES

FW35	FW8
FW31	FW83
FW33	FWS1
FW17	FW2000
FWAL	

REF. FW PART NO.	REPLACED BY FW BASE PART NUMBER	SLIDE BASE AND BRACKET ASS'Y	SLIDE BASE AND BRACKET ASS'Y WEIGHT LBS [KG]	SLIDE TRAVEL	SLIDE BASE LENGTH	HEIGHT	SLIDE BASE PART NO. ITEM NO. 1	SLIDE BASE WEIGHT LBS [KG]	SLIDE BRACKET TYPE	SLIDE BRACKET PART NO. ITEM NO.2	SLIDE BRACKET WEIGHT LBS [KG]
FW**-7013X1L	FW**B712XL	-	-	10.7"	38.9"	3.9"	XA-0751-1	104.00 [47.17]	MANUAL	XA-7013	116.00 [52.62]
FW**-7013X2L	FW**B724XL	-	-	16.8"	45.0"		XA-0751-2	120.00 [54.43]			
FW**-7013X3L	FW**B724XL	-	-	24.5"	52.6"		XA-0751-3A	138.00 [62.60]			
FW**-7013X4L	FW**B736XL	-	-	41.3"	69.5"		XA-0751-4	169.00 [76.66]			
FW**-7013X5L	FW**B748XL	-	-	53.6"	82.0"		XA-0751-5	210.00 [95.25]			
FW**-7013X6L	-	XA-7013-X6	435.00 [197.31]	65.8"	94.0"		XA-0751-6	285.00 [129.27]			
FW**-7012X1L	FW**B812XL	-	-	12.2"	32.8"	4.9"	XA-0750-1	127.00 [57.61]		XA-7012	106.00 [48.08]
FW**-7012X2L	FW**B824XL	-	-	18.4"	38.9"		XA-0750-2	155.00 [70.31]			
FW**-7012X3L	FW**B824XL	-	-	24.5"	45.0"		XA-0750-3	180.00 [81.65]			
FW**-7012X4L	FW**B836XL	-	-	36.7"	57.2"		XA-0750-4	233.00 [105.69]			
FW**-7012X5L	FW**B848XL	-	-	48.9"	69.5"		XA-0750-5	286.00 [129.73]			
FW**-7012X6L	-	XA-7012-X6	455.00 [206.38]	61.2"	82.0"		XA-0750-6	344.00 [156.04]			
FW**-7011X1L	FW**B912XL	-	-	12.2"	32.8"	5.9"	XA-0750-1	127.00 [57.61]		XA-7011	111.00 [50.35]
FW**-7011X2L	FW**B924XL	-	-	18.4"	38.9"		XA-0750-2	155.00 [70.31]			
FW**-7011X3L	FW**B924XL	-	-	24.5"	45.0"		XA-0750-3	180.00 [81.65]			
FW**-7011X4L	FW**B936XL	-	-	36.7"	57.2"		XA-0750-4	233.00 [105.69]			
FW**-7011X5L	FW**B948XL	-	-	48.9"	69.5"		XA-0750-5	286.00 [129.73]			
FW**-7011X6L	-	XA-7011-X6	505.00 [229.06]	61.2"	82.0"		XA-0750-6	344.00 [156.04]			
FW**-7311X1L	-	XA-7311-X1	245.00 [111.13]	10.7"	38.9"	8.2"	XA-0751-1	104.00 [47.17]		XA-7311	125.00 [56.70]
FW**-7311X2L	-	XA-7311-X2	363.00 [164.65]	16.8"	45.0"		XA-0751-2	120.00 [54.43]			
FW**-7311X3L	-	XA-7311-X3	343.00 [155.58]	24.5"	52.6"		XA-0751-3A	138.00 [62.60]			
FW**-7311X4L	-	XA-7311-X4	322.00 [146.06]	41.3"	69.5"		XA-0751-4	169.00 [76.66]			
FW**-7311X5L	-	XA-7311-X5	362.00 [164.20]	53.6"	82.0"		XA-0751-5	210.00 [95.25]			
FW**-7311X6L	-	XA-7311-X6	382.00 [173.27]	65.8"	94.0"		XA-0751-6	285.00 [129.27]			
FW**-7019X2L	-	-	-	13.8"	38.9"	10.2"	XA-0750-2	155.00 [70.31]		XA-7019	142.00 [64.41]
FW**-7019X3L	-	-	-	19.9"	45.0"		XA-0750-3	180.00 [81.65]			
FW**-7019X4L	-	-	-	32.1"	57.2"		XA-0750-4	233.00 [105.69]			
FW**-7019X5L	-	-	-	44.4"	69.5"		XA-0750-5	286.00 [129.73]			
FW**-7019X6L	-	-	-	56.6"	82.0"		XA-0750-6	344.00 [156.04]			




THIS PAGE INTENTIONALLY LEFT BLANK

Traditional Inboard with Angle Exploded View



SAF-HOLLAND Group



TRADITIONAL INBOARD SERIES PARTS LIST

ITEM	DESCRIPTION	PART NUMBER	QTY	WEIGHT LBS [KG]
3	Lever, Left-Hand	XA-0708-A	1	3.10 [1.41]
4	Lever, Right-Hand	XA-0709-A	1	3.10 [1.41]
5	Bar, Tie	XA-0712	1	1.80 [0.82]
6	HHCS .38"-16 x 1.25", Plated	XB-C-375-C-125	2	0.04 [0.02]
7	SBHCS, .50" - 13 x 1.25"	XB-03730-1	1	0.10 [0.05]
8	Shoe Assembly	XA-0372-A	2	3.10 [1.41]
9	Stop, Spring	XA-01586	2	0.34 [0.15]
10	Spring	XB-2502	2	1.03 [0.47]
11	Retainer, Spring	XA-2501	2	0.24 [0.11]
12	Pin, .50" Diameter x 1.12"	XA-2503	2	0.06 [0.03]


TRADITIONAL INBOARD SERIES PARTS LIST

ITEM	DESCRIPTION	PART NUMBER	QTY	WEIGHT LBS [KG]
13	Bushing, .50" I.D. x .68" O.D. x .44"	XA-03082	1	0.02 [0.01]
14	Lever Assembly, Release	XA-03748	1	7.30 [3.31]
15	HHCS, .50"-20 x 1.75" Gr 5	XB-2083	2	0.13 [0.06]
16	Plate Assembly, Pivot	XA-02748-1	1	1.50 [0.68]
17	Hook Assembly, Release	XA-0756	1	1.40 [0.64]
22	Lock Nut, .50"-20 Gr C	XB-T-69-A	2	0.04 [0.02]
35	Cylinder Assembly, Air	XA-2524-R	1	5.34 [2.42]
53	Cushion, Rubber	XB-0011-2	2	0.60 [0.27]
69	Lock Nut, .38"-16 Gr B	XB-338	2	0.02 [0.01]

Traditional Inboard with Angle Air Release Parts List

FW ** - **** X * *

Slide Bracket 7*** = Inboard	Frame Width (See chart)	Slide Travel	L= Left R= Right	Options (See Code Chart)
Example: FW35-7003G1L00				



** AVAILABLE TOP PLATES

FW35	FW8
FW31	FW83
FW33	FWS1
FW17	FW2000
FWAL	



Height is measured from Face of Top Plate to Frame Rail

REF. FW PART NO.	REPLACED BY FW BASE PART NUMBER	SLIDE BASE AND BRACKET ASS'Y	SLIDE BASE AND BRACKET ASS'Y WEIGHT LBS [KG]	SLIDE TRAVEL	SLIDE BASE LENGTH	HEIGHT	SLIDE BASE PART NO. ITEM NO. 1	SLIDE BASE WEIGHT LBS [KG]	SLIDE BRACKET TYPE	SLIDE BRACKET PART NO. ITEM NO.2	SLIDE BRACKET WEIGHT LBS [KG]
FW**-7003G1L	FW**B712XL	-	-	10.7"	38.9"	4.2"	XA-0753-G1-	172.00 [78.02]	AIR	XA-7003	125.00 [56.70]
FW**-7003G2L	FW**B724XL	-	-	16.8"	45.0"		XA-0753-G2-	196.00 [88.90]			
FW**-7003G3L	FW**B724XL	-	-	24.5"	52.6"		XA-0753-G3A-	229.00 [103.87]			
FW**-7003G4L	FW**B736XL	-	-	41.3"	69.5"		XA-0753-G4-	287.00 [130.18]			
FW**-7003G5L	FW**B748XL	-	-	53.6"	82.0"		XA-0753-G5-	368.00 [166.92]			
FW**-7003G6L	-	XA-7003-G6-	553.00 [250.84]	65.8"	94.0"	5.2"x	XA-0753-G6-	443.00 [200.94]		XA-7002	107.00 [48.53]
FW**-7002G1L	FW**B812XL	-	-	12.2"	32.8"		XA-0752-G1-	185.00 [83.91]			
FW**-7002G2L	FW**B824XL	-	-	18.4"	38.9"		XA-0752-G2-	234.00 [106.14]			
FW**-7002G3L	FW**B824XL	-	-	24.5"	45.0"		XA-0752-G3-	256.00 [116.12]			
FW**-7002G4L	FW**B836XL	-	-	36.7"	57.2"		XA-0752-G4-	328.00 [148.78]			
FW**-7002G5L	FW**B848XL	-	-	48.9"	69.5"	6.2"	XA-0752-G5-	403.00 [182.80]		XA-7001	113.00 [51.26]
FW**-7002G6L	-	XA-7002-G6-	584.00 [264.90]	61.2"	82.0"		XA-0752-G6-	474.00 [215.00]			
FW**-7001G1L	FW**B912XL	-	-	12.2"	32.8"		XA-0752-G1-	185.00 [83.91]			
FW**-7001G2L	FW**B924XL	-	-	18.4"	38.9"		XA-0752-G2-	234.00 [106.14]			
FW**-7001G3L	FW**B924XL	-	-	24.5"	45.0"		XA-0752-G3-	256.00 [116.12]			
FW**-7001G4L	FW**B936XL	-	-	36.7"	57.2"	5.8"	XA-0752-G4-	328.00 [148.78]		XA-7301	134.00 [60.78]
FW**-7001G5L	FW**B948XL	-	-	48.9"	69.5"		XA-0752-G5-	403.00 [182.80]			
FW**-7001G6L	-	XA-7001-G6-	586.00 [265.81]	61.2"	82.0"		XA-0752-G6-	474.00 [215.00]			
FW**-7301G1L	-	XA-7301-G1-	301.00 [136.53]	10.7"	38.9"		XA-0753-G1-	174.00 [78.93]			
FW**-7301G2L	-	XA-7301-G2-	337.00 [152.86]	16.8"	45.0"		XA-0753-G2-	198.00 [89.81]			
FW**-7301G3L	-	XA-7301-G3-	402.00 [182.34]	24.5"	52.6"	7.7"	XA-0753-G3-	249.00 [112.94]		XA-7009	145.00 [65.77]
FW**-7301G4L	-	XA-7301-G4-	444.00 [201.40]	41.3"	69.5"		XA-0753-G4-	289.00 [131.09]			
FW**-7301G5L	-	XA-7301-G5-	499.00 [226.34]	53.6"	82.0"		XA-0753-G5-	370.00 [167.83]			
FW**-7301G6L	-	XA-7301-G6-	515.00 [233.60]	65.8"	94.0"		XA-0753-G6-	445.00 [201.85]			
FW**-7009G2L	-	XA-7009-G2-	377.00 [171.00]	13.8"	38.9"		XA-0752-G2-	234.00 [106.14]			
FW**-7009G3L	-	XA-7009-G3-	399.00 [180.98]	19.9"	45.0"	7.7"	XA-0752-G3-	256.00 [116.12]			
FW**-7009G4L	-	XA-7009-G4-	471.00 [213.64]	32.1"	57.2"		XA-0752-G4-	328.00 [148.78]			
FW**-7009G5L	-	XA-7009-G5-	546.00 [247.66]	44.4"	69.5"		XA-0752-G5-	403.00 [182.80]			
FW**-7009G6L	-	XA-7009-G6-	617.00 [279.87]	56.6"	82.0"		XA-0752-G6-	474.00 [215.00]			
FW**-7009G7L	-	XA-7009-G7-	656.00 [297.56]	68.8"	94.0"		XA-0752-G7-	560.00 [254.01]			




** Fifth wheel model number.

See option code per fifth wheel assembly.

Traditional Inboard with Angle Manual Release Parts List



SAF-HOLLAND Group



Height is measured from Face of Top Plate to Frame Rail


**AVAILABLE TOP PLATES

FW35	FW8
FW31	FW83
FW33	FWS1
FW17	FW2000
FWAL	

REF. FW PART NO.	REPLACED BY FW BASE PART NUMBER	SLIDE BASE AND BRACKET ASS'Y	SLIDE BASE AND BRACKET ASS'Y WEIGHT LBS [KG]	SLIDE TRAVEL	SLIDE BASE LENGTH	HEIGHT	SLIDE BASE PART NO. ITEM NO. 1	SLIDE BASE WEIGHT LBS [KG]	SLIDE BRACKET TYPE	SLIDE BRACKET PART NO. ITEM NO.2	SLIDE BRACKET WEIGHT LBS [KG]
FW**-7013G1L	FW**B712XL	-	-	10.7"	38.9"	4.2"	XA-0753-G1-	172.00 [78.02]	MANUAL	XA-7013	116.00 [52.62]
FW**-7013G2L	FW**B724XL	-	-	16.8"	45.0"		XA-0753-G2-	196.00 [88.90]			
FW**-7013G3L	FW**B724XL	-	-	24.5"	52.6"		XA-0753-G3A-	229.00 [103.87]			
FW**-7013G4L	FW**B736XL	-	-	41.3"	69.5"		XA-0753-G4-	287.00 [130.18]			
FW**-7013G5L	FW**B748XL	-	-	53.6"	82.0"		XA-0753-G5-	368.00 [166.92]			
FW**-7013G6L	-	XA-7013-G6-	520.00 [235.87]	65.8"	94.0"	5.2"	XA-0753-G6-	443.00 [200.94]		XA-7012	106.00 [48.08]
FW**-7012G1L	FW**B812XL	-	-	12.2"	32.8"		XA-0752-G1-	185.00 [83.91]			
FW**-7012G2L	FW**B824XL	-	-	18.4"	38.9"		XA-0752-G2-	234.00 [106.14]			
FW**-7012G3L	FW**B824XL	-	-	24.5"	45.0"		XA-0752-G3-	256.00 [116.12]			
FW**-7012G4L	FW**B836XL	-	-	36.7"	57.2"		XA-0752-G4-	328.00 [148.78]			
FW**-7012G5L	FW**B848XL	-	-	48.9"	69.5"	6.2"	XA-0752-G5-	403.00 [182.80]	MANUAL	XA-7011	111.00 [50.35]
FW**-7012G6L	-	XA-7012-G6-	592.00 [268.53]	61.2"	82.0"		XA-0752-G6-	474.00 [215.00]			
FW**-7011G1L	FW**B912XL	-	-	12.2"	32.8"		XA-0752-G1-	185.00 [83.91]			
FW**-7011G2L	FW**B924XL	-	-	18.4"	38.9"		XA-0752-G2-	234.00 [106.14]			
FW**-7011G3L	FW**B924XL	-	-	24.5"	45.0"		XA-0752-G3-	256.00 [116.12]			
FW**-7011G4L	FW**B936XL	-	-	36.7"	57.2"	5.8"	XA-0752-G4-	328.00 [148.78]		XA-7311	125.00 [56.70]
FW**-7011G5L	FW**B948XL	-	-	48.9"	69.5"		XA-0752-G5-	403.00 [182.80]			
FW**-7011G6L	-	XA-7011-G6-	599.00 [271.70]	61.2"	82.0"		XA-0752-G6-	474.00 [215.00]			
FW**-7311G1L	-	XA-7311-G1-	305.00 [138.35]	10.7"	38.9"		XA-0753-G1-	174.00 [78.93]			
FW**-7311G2L	-	XA-7311-G2-	347.00 [157.40]	16.8"	45.0"		XA-0753-G2-	198.00 [89.81]			
FW**-7311G3L	-	XA-7311-G3-	410.00 [185.97]	24.5"	52.6"	7.7"	XA-0753-G3-	249.00 [112.94]	MANUAL	XA-7019	142.00 [64.41]
FW**-7311G4L	-	XA-7311-G4-	443.00 [200.94]	41.3"	69.5"		XA-0753-G4-	289.00 [131.09]			
FW**-7311G5L	-	XA-7311-G5-	498.00 [225.89]	53.6"	82.0"		XA-0753-G5-	370.00 [167.83]			
FW**-7311G6L	-	XA-7311-G6-	518.00 [234.96]	65.8"	94.0"		XA-0753-G6-	445.00 [201.85]			
FW**-7019G2L	-	-	-	13.8"	38.9"		XA-0752-G2-	236.00 [107.05]			
FW**-7019G3L	-	-	-	19.9"	45.0"	7.7"	XA-0752-G3-	258.00 [117.03]			
FW**-7019G4L	-	-	-	32.1"	57.2"		XA-0752-G4-	330.00 [149.69]			
FW**-7019G5L	-	-	-	44.4"	69.5"		XA-0752-G5-	405.00 [183.70]			
FW**-7019G6L	-	-	-	56.6"	82.0"		XA-0752-G6-	476.00 [215.91]			
FW**-7019G7L	-	-	-	68.8"	94.0"		XA-0752-G7-	560.00 [254.01]			

FRAME WIDTH CODE CHART					
FRAME CODE	FRAME WIDTH	ANGLE SIZE	FRAME CODE	FRAME WIDTH	ANGLE SIZE
A	33.25"	.38" x 4" x 4"	K	34.38"	.38" x 4" x 4"
B	33.38"	.38" x 4" x 4"	L	34.50"	.38" x 4" x 4"
C	33.50"	.38" x 4" x 4"	M	34.62"	.38" x 5" x 5"
D	33.62"	.38" x 4" x 4"	N	34.75"	.38" x 5" x 5"
E	33.75"	.38" x 4" x 4"	P	34.88"	.38" x 5" x 5"
F	33.88"	.38" x 4" x 4"	Q	35.00"	.38" x 5" x 5"
G+	34.00"	.38" x 4" x 4"	R	35.12"	.38" x 5" x 5"
H	34.12"	.38" x 4" x 4"	S	35.25"	.38" x 5" x 5"
J	34.25"	.38" x 4" x 4"			

OPTION CODE CHART	
OPTION CODE ()	MOUNTING ANGLE SIZE
Blank/00	See Frame Width Chart
21	.38" x 5" x 5"
51	.38" x 4" x 6"
57	.31" x 3.5" x 4"
65	.31" x 4" x 4"



SIMPLEX TAPERLOC SERIES PARTS LIST


ITEM	DESCRIPTION	PART NUMBER	QTY.	WEIGHT LBS [KG]
3	Spring	1200035	2	0.43 [0.20]
4	Pin, Lock	4300007	2	2.84 [1.29]
5	Rod, Operating Linkage	4300822	2	0.97 [0.44]
6	Lever, Operating Linkage	4300818	1	1.86 [0.84]
7	Pin, Clinch	9900172	1	0.03 [0.01]
8	Washer, .81" I.D. x 2" O.D.	22316	1	0.12 [0.05]
10	Fitting, 90° Air	2100011	1	0.07 [0.03]
11	Washer, .81" I.D. x 1.5" O.D.	9901263	1	0.06 [0.03]
12	Pin, Cotter, .19" Diameter x 1.25" Long	9900170	1	0.01 [0.005]

** - Accepts .25" O.D. Plastic Tubing


SIMPLEX TAPERLOC SERIES PARTS LIST

ITEM	DESCRIPTION	PART NUMBER	QTY.	WEIGHT LBS [KG]
15	Rod, Manual Operating	4300012	1	1.68 [0.76]
16	Stop, Left-Hand Front, See 4300209	4300043	1	1.64 [0.74]
17	Stop, Right-Hand Front, See 4300209	4300042	1	1.64 [0.74]
18	Plate	4300044	2	0.45 [0.20]
19	HHCS, .50"-13 x 3.75"	9900145	2	0.25 [0.11]
20	Nut, .50"-13, Flange Lock Grade 2	9900146	2	0.29 [0.13]
33	Pin, Clevis, .49" Diameter x 1.36" Long	5400219	1	0.08 [0.04]
35*	**Air Cylinder, See 4300162	4300145	1	2.12 [0.96]
43	Pin, Cotter, .13" Diameter x 1.25" Long	84261	1	0.01 [0.005]

SLIDE BASE AND BRACKET ASS'Y	SLIDE BASE AND BRACKET ASS'Y WEIGHT LBS [KG]	SLIDE TRAVEL	SLIDE BASE LENGTH	A # of Holes	B	C	D	HEIGHT	SLIDE BASE PART NO. ITEM NO. 1	SLIDE BASE WEIGHT LBS [KG]	SLIDE BRACKET TYPE	SLIDE BRACKET PART NO. ITEM NO.2	SLIDE BRACKET WEIGHT LBS [KG]
4302101	237.00 [107.50]	12"	40"	12	8"	4"	8"	6.81"	4300147	98.60 [44.72]	AIR	4300165	144.30 [65.45]
4302106	245.00 [111.13]	16"	44"	12	4"	8"			4300190	107.30 [48.67]			
4302102	260.00 [117.93]	24"	52"	16	8"	4"			4300009	123.30 [55.93]			
4302103	281.00 [127.46]	36"	64"	20	8"	4"			4300039	147.90 [67.09]			
4302104	312.00 [141.52]	49"	76"	24	8"	4"	10"	7.75"	4300046	181.70 [82.42]		4300166	148.10 [67.18]
4302111	244.00 [110.68]	12"	40"	12	8"	4"			4300147	98.60 [44.72]			
4302116	252.00 [114.31]	16"	44"	12	4"	8"			4300190	107.30 [48.67]			
4302112	267.20 [121.20]	24"	52"	16	8"	4"			4300009	123.30 [55.93]			
4302113	288.00 [130.63]	36"	64"	20	8"	4"			4300039	147.90 [67.09]			
4302114	319.00 [144.70]	49"	76"	24	8"	4"	10"	8.75"	4300046	181.70 [82.42]		4300167	139.30 [63.19]
4302121	248.00 [112.49]	12"	40"	12	8"	4"			4300147	98.60 [44.72]			
4302126	256.00 [116.12]	16"	44"	12	4"	8"			4300190	107.30 [48.67]			
4302122	271.00 [122.92]	24"	52"	16	8"	4"			4300009	123.30 [55.93]			
4302123	292.00 [132.45]	36"	64"	20	8"	4"	10"	9.75"	4300039	147.90 [67.09]		4300172	151.90 [68.90]
4302124	323.00 [146.51]	49"	76"	24	8"	4"			4300046	181.70 [82.42]			
4302055	264.20 [119.84]	12"	40"	12	8"	4"			4300147	98.60 [44.72]			
4302057	272.00 [123.38]	16"	44"	12	4"	8"			4300190	107.30 [48.67]			
4302058	278.00 [126.10]	24"	52"	16	8"	4"	8"	6.81"	4300009	123.30 [55.93]	MANUAL	4300204	146.10 [66.27]
4302059	308.00 [139.71]	36"	64"	20	8"	4"			4300039	147.90 [67.09]			
4302060	339.00 [153.77]	49"	76"	24	8"	4"			4300046	181.70 [82.42]			
4302031	240.40 [109.04]	12"	40"	12	8"	4"			4300147	98.60 [44.72]		4300205	149.90 [67.99]
4302036	248.10 [112.54]	16"	44"	12	4"	8"	10"	7.75"	4300190	107.30 [48.67]			
4302032	263.70 [119.61]	24"	52"	16	8"	4"			4300009	123.30 [55.93]			
4302033	284.10 [128.87]	36"	64"	20	8"	4"			4300039	147.90 [67.09]			
4302034	315.30 [143.02]	49"	76"	24	8"	4"	10"	8.75"	4300046	181.70 [82.42]		4300206	153.70 [69.72]
4302041	246.00 [111.58]	12"	40"	12	8"	4"			4300147	98.60 [44.72]			
4302046	253.70 [115.08]	16"	44"	12	4"	8"			4300190	107.30 [48.67]			
4302042	278.30 [126.23]	24"	52"	16	8"	4"			4300009	123.30 [55.93]			
4302043	289.70 [131.41]	36"	64"	20	8"	4"	10"	9.75"	4300039	147.90 [67.09]		4300173	166.70 [75.61]
4302044	320.90 [145.56]	49"	76"	24	8"	4"			4300046	181.70 [82.42]			
4302051	250.00 [113.40]	12"	40"	12	8"	4"			4300147	98.60 [44.72]			
4302056	257.70 [116.89]	16"	44"	12	4"	8"			4300190	107.30 [48.67]			
4302052	262.90 [119.25]	24"	52"	16	8"	4"	10"	9.75"	4300009	123.30 [55.93]			
4302053	293.70 [133.22]	36"	64"	20	8"	4"			4300039	147.90 [67.09]			
4302054	324.90 [147.37]	49"	76"	24	8"	4"			4300046	181.70 [82.42]			
4302055	264.20 [119.84]	12"	40"	12	8"	4"	10"	9.75"	4300147	98.60 [44.72]			
4302057	271.90 [123.33]	16"	44"	12	4"	8"			4300190	107.30 [48.67]			
4302058	277.90 [126.05]	24"	52"	16	8"	4"			4300009	123.30 [55.93]			
4302059	307.90 [139.66]	36"	64"	20	8"	4"			4300039	147.90 [67.09]			
4302060	339.10 [153.81]	49"	76"	24	8"	4"			4300046	181.70 [82.42]			



NOTE: For air operated with cab control, you will also need part number: 4300088, and 4300811.



REPAIR KIT BOM				
ITEM	DESCRIPTION	PART NUMBER	QTY.	WEIGHT LBS [KG]
9	Washer, .81" I.D. x 1.47" O.D.	XB-10316	1	0.05 [0.02]
12	Pin, Cotter, .19" Diameter x 1.25" Long	9900170	1	0.01 [0.005]
16	Stop, Left-Hand Front, See 4300209	4300043	1	1.64 [0.74]
17	Stop, Right-Hand Front, See 4300209	4300042	1	1.64 [0.74]
18	Plate	4300044	2	0.45 [0.20]
19	HHCS, .50"-13 x 3.75"	9900145	2	0.25 [0.11]
20	Nut, .50"-13, Flange Lock Grade 2	9900146	2	0.29 [0.13]
33	Pin, Clevis, .49" Diameter x 1.36" Long	5400219	1	0.08 [0.04]
35*	**Air Cylinder	4300145	1	2.12 [0.96]
43	Pin, Cotter, .13" Diameter x 1.25" Long	84261	1	0.01 [0.005]
70	Fitting, 90° Push Connect	XB-09031	1	0.01 [0.005]
71	Air Valve	4300811	1	0.50 [0.23]
72	Dash Plate	4300088	1	0.03 [0.01]


** - Accepts .25" O.D. Plastic Tubing

SIMPLEX TAPERLOC XL SERIES PARTS LIST

ITEM	DESCRIPTION	PART NUMBER	QTY.	WEIGHT LBS [KG]
4	Pin, Lock	4300214	2	3.87 [1.76]
13	Pin, Clevis .50" X 1" Long	4300274	2	0.07 [0.03]
16	Stop, Removable, See Kit 4300227	4300223	2	1.98 [0.90]
18	Plate	4300044	2	0.45 [0.20]
19	HHCS, .50"-13 X 3.75" Long	9900145	2	0.25 [0.11]
20	Nut, .50"-13, Flange Lock Grade 2	9900146	2	0.29 [0.13]
35	Air Cylinder Ass'y	4300228	1	3.80 [1.72]
43	Pin, Cotter, .13" Diameter x 1.25" Long	84261	2	0.01 [0.005]
70	Fitting, 90° Push-Connect	XB-09031	1	0.01 [0.005]
79	Fittings, Grease 65° x .38" Long	85496	4	0.01 [0.005]

SLIDE BASE AND BRACKET ASS'Y	SLIDE BASE AND BRACKET ASS'Y WEIGHT LBS [KG]	SLIDE TRAVEL	SLIDE BASE LENGTH	A # of Holes	B	HEIGHT	SLIDE BASE PART NUMBER ITEM NO. 1	SLIDE BASE WEIGHT LBS [KG]	SLIDE BRACKET PART NUMBER ITEM NO.2	SLIDE BRACKET WEIGHT LBS [KG]
4300238	190.00 [86.18]	12"	36"	12	8"	6.81"	4300280	99.00 [44.91]	4300298	85.60 [38.83]
4300239	197.00 [89.36]	16"	40"	16	4"		4300281	106.00 [48.08]		
4300240	214.00 [97.07]	24"	48"	16	8"		4300282	122.00 [55.34]		
4300241	238.00 [107.95]	36"	60"	20	8"		4300283	146.00 [66.22]		
4300242	271.00 [122.92]	48"	72"	24	8"		4300284	170.00 [77.11]		
4300243	201.00 [91.17]	12"	36"	12	8"	7.75"	4300280	99.00 [44.91]	4300299	96.80 [43.91]
4300244	208.00 [94.35]	16"	40"	16	4"		4300281	106.00 [48.08]		
4300245	225.00 [102.06]	24"	48"	16	8"		4300282	122.00 [55.34]		
4300246	249.00 [112.94]	36"	60"	20	8"		4300283	146.00 [66.22]		
4300247	283.00 [128.37]	48"	72"	24	8"		4300284	170.00 [77.11]		
4300248	217.00 [98.43]	12"	36"	12	8"	8.75"	4300280	99.00 [44.91]	4300300	113.00 [51.26]
4300249	242.00 [109.77]	16"	40"	16	4"		4300281	106.00 [48.08]		
4300250	241.00 [109.32]	24"	48"	16	8"		4300282	122.00 [55.34]		
4300251	266.00 [120.66]	36"	60"	20	8"		4300283	146.00 [66.22]		
4300252	299.00 [135.62]	48"	72"	24	8"		4300284	170.00 [77.11]		

Standard Capacity
Sliders

4300227
Removable Stop


REPAIR KIT BOM



ITEM	DESCRIPTION	PART NUMBER	QTY.	WEIGHT LBS [KG]
16	Stop, Removable	4300223	2	1.98 [0.90]
18	Plate	4300044	2	0.45 [0.20]
19	HHCS, .50"-13 X 3.75" Long	9900145	2	0.25 [0.11]
20	Nut, .50"-13, Flange Lock Grade 2	9900146	2	0.29 [0.13]

Traditional Outboard No-Tilt



SAF-HOLLAND Group

Slide bar stops XA-2513 included in item number 1



TRADITIONAL OUTBOARD NO-TILT SERIES PARTS LIST				
ITEM	DESCRIPTION	PART NUMBER	QTY.	WEIGHT LBS [KG]
7	SBHCS, .50\" - 13 X 1.25\" Long	XB-03730-1	1	0.10 [0.05]
8	Shoe Assembly	XA-0372-A	2	3.10 [1.41]
9	Stop, Spring	XA-01586	2	0.34 [0.15]
10	Spring	XB-2502	2	1.03 [0.47]
11	Retainer, Spring	XA-2501	2	0.24 [0.11]
12	Pin, .50\" Diameter X 1.12\" Long	XA-2503	2	0.06 [0.03]
13	Bushing, .50\" I.D. x .68\" O.D. x .44\" Long	XA-03082	1	0.02 [0.01]

TRADITIONAL OUTBOARD NO-TILT SERIES PARTS LIST				
ITEM	DESCRIPTION	PART NUMBER	QTY.	WEIGHT LBS [KG]
14	Lever Assembly, Release	XA-03748	1	7.30 [3.31]
15	HHCS, .50\"-20 x 1.75\" Gr 5	XB-2083	2	0.13 [0.06]
16	Plate Assembly, Pivot	XA-02748-1	1	1.50 [0.68]
17	Hook Assembly, Release	XA-0756	1	1.40 [0.64]
22	Lock Nut, .50\"-20 Gr C	XB-T-69-A	2	0.04 [0.02]
35	Cylinder Assembly, Air	XA-2524-R	1	5.34 [2.42]
53	Cushion, Rubber	XB-0011-2	2	0.60 [0.27]


FW ** - 84 ** T * * *

Slide Bracket Height	T= Out- board	Slide Travel	L= Left R= Right	Options See FW Section
Example: FW35-8401T2L06				

** AVAILABLE TOP PLATES

FW35	FW8
FW31	FW83
FW33	FWS1
FW17	FW2000
FWAL	

Note: Not all are available in full assemblies



Height is measured from Face of Top Plate to Frame Rail

REF. FW PART NUMBER	REPLACED BY FW BASE PART NUMBER	REPLACEMENT SLIDE BASE AND BRACKET	REPLACEMENT SLIDE BASE AND BRACKET WEIGHT LBS [KG]	SLIDE TRAVEL	SLIDE BASE LENGTH	HEIGHT	SLIDE BASE PART NO. ITEM NO. 1	SLIDE BASE WEIGHT LBS [KG]	SLIDE BRACKET TYPE	SLIDE BRACKET PART NO. ITEM NO.2	SLIDE BRACKET WEIGHT LBS [KG]
FW**-8401T2L__	FW35N906YL00	XA-8401-T2	269.00 [122.02]	14"	42.2"	5.6"	XA-07871-2	140.00 [63.50]	AIR	XA-7401	124.00 [56.25]
FW**-8401T3L__	FW35N918YL00	XA-8401-T3	280.00 [127.01]	20"	46.2"		XA-07871-3	153.00 [69.40]			
FW**-8401T4L__	FW35N930YL00	XA-8401-T4	328.00 [148.78]	32"	58.2"		XA-07871-4	193.00 [87.54]			
FW**-8401T5L__	FW36N942YL00	XA-8401-T5	365.00 [165.56]	44"	70.2"		XA-07871-5	233.00 [105.69]			
FW**-8409T2L__	-	XA-8409-T2	274.00 [124.28]	14"	42.2"	7.1"	XA-07871-2	140.00 [63.50]	AIR	XA-7409	154.00 [69.85]
FW**-8409T3L__	-	XA-8409-T3	305.00 [138.35]	20"	46.2"		XA-07871-3	153.00 [69.40]			
FW**-8409T4L__	-	XA-8409-T4	338.00 [153.31]	32"	58.2"		XA-07871-4	193.00 [87.54]			
FW**-8409T5L__	-	XA-8409-T5	378.00 [171.46]	44"	70.2"		XA-07871-5	233.00 [105.69]			
FW**-8411T2L__	-	XA-8411-T2	282.00 [127.91]	14"	42.2"	5.6"	XA-07871-2	140.00 [63.50]	MANUAL	XA-7411	124.00 [56.25]
FW**-8411T3L__	-	XA-8411-T3	302.00 [136.98]	20"	46.2"		XA-07871-3	153.00 [69.40]			
FW**-8411T4L__	-	XA-8411-T4	338.00 [153.31]	32"	58.2"		XA-07871-4	193.00 [87.54]			
FW**-8411T5L__	-	XA-8411-T5	375.00 [170.10]	44"	70.2"		XA-07871-5	233.00 [105.69]			
FW**-8419T2L__	-	XA-8419-T2	281.00 [127.46]	14"	42.2"	7.1"	XA-07871-2	140.00 [63.50]	MANUAL	XA-7419	153.00 [69.40]
FW**-8419T3L__	-	XA-8419-T3	312.00 [141.52]	20"	46.2"		XA-07871-3	153.00 [69.40]			
FW**-8419T4L__	-	XA-8419-T4	345.00 [156.49]	32"	58.2"		XA-07871-4	193.00 [87.54]			
FW**-8419T5L__	-	XA-8419-T5	386.00 [175.09]	44"	70.2"		XA-07871-5	233.00 [105.69]			

** Fifth wheel model number.

__ See option code per fifthwheel assembly.




NOTE: No-tilt components not available with bracket. See no-tilt in accessories section for components and kits.

Traditional Inboard No-Tilt for Angle



SAF-HOLLAND Group

Slide bar stops XA-2513 included in item number 1



TRADITIONAL OUTBOARD NO-TILT SERIES PARTS LIST

ITEM	DESCRIPTION	PART NUMBER	QTY.	WEIGHT LBS [KG]
7	SBHCS, .50" - 13 X 1.25" Long	XB-03730-1	1	0.10 [0.05]
8	Shoe Assembly	XA-0372-A	2	3.10 [1.41]
9	Stop, Spring	XA-01586	2	0.34 [0.15]
10	Spring	XB-2502	2	1.03 [0.47]
11	Retainer, Spring	XA-2501	2	0.24 [0.11]
12	Pin, .50" Diameter X 1.12" Long	XA-2503	2	0.06 [0.03]
13	Bushing, .50" I.D. x .68" O.D. x .44" Long	XA-03082	1	0.02 [0.01]

TRADITIONAL OUTBOARD NO-TILT SERIES PARTS LIST

ITEM	DESCRIPTION	PART NUMBER	QTY.	WEIGHT LBS [KG]
14	Lever Assembly, Release	XA-03748	1	7.30 [3.31]
15	HHCS, .50"-20 x 1.75" Gr 5	XB-2083	2	0.13 [0.06]
16	Plate Assembly, Pivot	XA-02748-1	1	1.50 [0.68]
17	Hook Assembly, Release	XA-0756	1	1.40 [0.64]
22	Lock Nut, .50"-20 Gr C	XB-T-69-A	2	0.04 [0.02]
35	Cylinder Assembly, Air	XA-2524-R	1	5.34 [2.42]
53	Cushion, Rubber	XB-0011-2	2	0.60 [0.27]

Traditional Inboard No-Tilt for Angle


FW ** - 74 ** X * * *

Slide Bracket Height	X= Inboard No Angle	Slide Travel	L= Left R= Right	Options See FW Section
Example: FW35-7401X2L06				

** AVAILABLE TOP PLATES

FW35	FW8
FW31	FW83
FW33	FWS1
FW17	FW2000
FWAL	

Note: Not all are available in full assemblies



Height is measured from Face of Top Plate to Frame Rail

REF. FW PART NO.	REPLACED BY FW BASE PART NUMBER	REPLACEMENT SLIDE BASE AND BRACKET	REPLACEMENT SLIDE BASE AND BRACKET WEIGHT	SLIDE TRAVEL	SLIDE BASE LENGTH	HEIGHT	SLIDE BASE PART NO. ITEM NO. 1	SLIDE BASE WEIGHT LBS [KG]	SLIDE BRACKET TYPE	SLIDE BRACKET PART NO. ITEM NO.2	SLIDE BRACKET WEIGHT LBS [KG]
FW**-7401X2L__	FW**N906WL00	XA-7401-X2	277.00 [125.65]	14"	38.9"	5.6"	XA-0750-2	155.00 [70.31]	AIR	XA-7401	124.00 [56.25]
FW**-7401X3L__	FW**N918WL00	XA-7401-X3	307.00 [139.25]	20"	45.0"		XA-0750-3	180.00 [81.65]			
FW**-7401X4L__	FW**N930WL00	XA-7401-X4	362.00 [164.20]	32"	57.2"		XA-0750-4	233.00 [105.69]			
FW**-7401X5L__	FW**N942WL00	XA-7401-X5	417.00 [189.15]	44"	69.5"		XA-0750-5	286.00 [129.73]			
FW**-7401X6L__	-	XA-7401-X6	437.00 [198.22]	57"	82.0"		XA-0750-6	344.00 [156.04]			
FW**-7409X2L__	-	XA-7409-X2	310.00 [140.61]	14"	38.9"	7.1"	XA-0750-2	155.00 [70.31]		XA-7409	154.00 [69.85]
FW**-7409X3L__	-	XA-7409-X3	332.00 [150.59]	20"	45.0"		XA-0750-3	180.00 [81.65]			
FW**-7409X4L__	-	XA-7409-X4	384.00 [174.18]	32"	57.2"		XA-0750-4	233.00 [105.69]			
FW**-7409X5L__	-	XA-7409-X5	439.00 [199.13]	44"	69.5"		XA-0750-5	286.00 [129.73]			
FW**-7409X6L__	-	XA-7409-X6	489.00 [221.81]	57"	82.0"		XA-0750-6	344.00 [156.04]			
FW**-7411X2L__	-	XA-7411-X2	282.00 [127.91]	14"	38.9"	5.6"	XA-0750-2	155.00 [70.31]	MAN- UAL	XA-7411	124.00 [56.25]
FW**-7411X3L__	-	XA-7411-X3	317.00 [143.79]	20"	45.0"		XA-0750-3	180.00 [81.65]			
FW**-7411X4L__	-	XA-7411-X4	372.00 [168.74]	32"	57.2"		XA-0750-4	233.00 [105.69]			
FW**-7411X5L__	-	XA-7411-X5	427.00 [193.68]	44"	69.5"		XA-0750-5	286.00 [129.73]			
FW**-7411X6L__	-	XA-7411-X6	517.00 [234.51]	57"	82.0"		XA-0750-6	344.00 [156.04]			
FW**-7419X2L__	-	XA-7419-X2	317.00 [143.79]	14"	38.9"	7.1"	XA-0750-2	155.00 [70.31]		XA-7419	153.00 [69.40]
FW**-7419X3L__	-	XA-7419-X3	339.00 [153.77]	20"	45.0"		XA-0750-3	180.00 [81.65]			
FW**-7419X4L__	-	XA-7419-X4	391.00 [177.35]	32"	57.2"		XA-0750-4	233.00 [105.69]			
FW**-7419X5L__	-	XA-7419-X5	446.00 [202.30]	44"	69.5"		XA-0750-5	286.00 [129.73]			
FW**-7419X6L__	-	XA-7419-X6	496.00 [224.98]	57"	82.0"		XA-0750-6	344.00 [156.04]			

** Fifth wheel model number.

__ See option code per fifthwheel assembly.

NOTE: No-tilt components not available with bracket. See no-tilt in accessories section for components and kits.


Standard Capacity
No-Tilt Sliders

Traditional Inboard No-Tilt with Angle



SAF-HOLLAND Group

Slide bar stops XA-2513 included in item number 1





TRADITIONAL INBOARD NO-TILT SERIES PARTS LIST

ITEM	DESCRIPTION	PART NUMBER	QTY.	WEIGHT LBS [KG]
7	SBHCS, .50" - 13 X 1.25" Long	XB-03730-1	1	0.10 [0.05]
8	Shoe Assembly	XA-0372-A	2	3.10 [1.41]
9	Stop, Spring	XA-01586	2	0.34 [0.15]
10	Spring	XB-2502	2	1.03 [0.47]
11	Retainer, Spring	XA-2501	2	0.24 [0.11]
12	Pin, .50" Diameter X 1.12" Long	XA-2503	2	0.06 [0.03]
13	Bushing, .50" I.D. x .68" O.D. x .44" Long	XA-03082	1	0.02 [0.01]
14	Lever Assembly, Release	XA-03748	1	7.30 [3.31]
15	HHCS, .50" -20 x 1.75" Gr 5	XB-2083	2	0.13 [0.06]
16	Plate Assembly, Pivot	XA-02748-1	1	1.50 [0.68]
17	Hook Assembly, Release	XA-0756	1	1.40 [0.64]
22	Lock Nut, .50" -20 Gr C	XB-T-69-A	2	0.04 [0.02]
35	Cylinder Assembly, Air	XA-2524-R	1	5.34 [2.42]
53	Cushion, Rubber	XB-0011-2	2	0.60 [0.27]

Traditional Inboard No-Tilt with Angle

FW ** - 74 ** * * * *

Slide Bracket Height	Frame Width (See Chart)	Slide Travel	L= Left R= Right	Options (See Chart)
Example: FW35-7401G2L06				



Height is measured from Face of Top Plate to Frame Rail

** AVAILABLE TOP PLATES

FW35	FW8
FW31	FW83
FW33	FWS1
FW17	FW2000
FWAL	

Note: Not all are available in full assemblies

REF. FW PART NO.	REPLACEMENT SLIDE BASE AND BRACKET	REPLACEMENT SLIDE BASE AND BRACKET WEIGHT	SLIDE TRAVEL	SLIDE BASE LENGTH	HEIGHT	SLIDE BASE PART NO. ITEM NO. 1	SLIDE BASE WEIGHT	SLIDE BRACKET TYPE	SLIDE BRACKET PART NO. ITEM NO.2	SLIDE BRACKET WEIGHT LBS [KG]
FW**-7401G2L__	XA-7401-G2__	342.00 [155.13]	14"	38.9"	5.9"	XA-0752-G2	234.00 [106.14]	AIR	XA-7401	124.00 [56.25]
FW**-7401G3L__	XA-7401-G3__	434.00 [196.86]	20"	45.0"		XA-0752-G3	256.00 [116.12]			
FW**-7401G4L__	XA-7401-G4__	441.00 [200.03]	32"	57.2"		XA-0752-G4	328.00 [148.78]			
FW**-7401G5L__	XA-7401-G5__	517.00 [234.51]	44"	69.5"		XA-0752-G5	312.00 [141.52]			
FW**-7401G6L__	XA-7401-G6__	547.00 [248.12]	57"	82.0"		XA-0752-G6	509.00 [230.88]			
FW**-7401G7L__	XA-7401-G7__	587.00 [266.26]	69"	94.0"	7.05"	XA-0752-G7	558.00 [253.10]		XA-7409	154.00 [69.85]
FW**-7409G2L__	XA-7409-G2__	389.00 [176.45]	14"	38.9"		XA-0752-G2	234.00 [106.14]			
FW**-7409G3L__	XA-7409-G3__	410.00 [185.97]	20"	45.0"		XA-0752-G3	256.00 [116.12]			
FW**-7409G4L__	XA-7409-G4__	482.00 [218.63]	32"	57.2"		XA-0752-G4	328.00 [148.78]			
FW**-7409G5L__	XA-7409-G5__	557.00 [252.65]	44"	69.5"		XA-0752-G5	312.00 [141.52]			
FW**-7409G6L__	XA-7409-G6__	628.00 [284.86]	57"	82.0"	5.55"	XA-0752-G6	509.00 [230.88]	MANUAL	XA-7411	124.00 [56.25]
FW**-7409G7L__	XA-7409-G7__	656.00 [297.56]	69"	94.0"		XA-0752-G7	558.00 [253.10]			
FW**-7411G2L__	XA-7411-G2__	347.00 [157.40]	14"	38.9"		XA-0752-G2	234.00 [106.14]			
FW**-7411G3L__	XA-7411-G3__	377.00 [171.00]	20"	45.0"		XA-0752-G3	256.00 [116.12]			
FW**-7411G4L__	XA-7411-G4__	447.00 [202.76]	32"	57.2"		XA-0752-G4	328.00 [148.78]			
FW**-7411G5L__	XA-7411-G5__	522.00 [236.78]	44"	69.5"	7.05"	XA-0752-G5	312.00 [141.52]		XA-7419	153.00 [69.40]
FW**-7411G6L__	XA-7411-G6__	546.00 [247.66]	57"	82.0"		XA-0752-G6	509.00 [230.88]			
FW**-7411G7L__	XA-7411-G7__	566.00 [256.73]	69"	94.0"		XA-0752-G7	558.00 [253.10]			
FW**-7419G2L__	XA-7419-G2__	395.00 [179.17]	14"	38.9"		XA-0752-G2	234.00 [106.14]			
FW**-7419G3L__	XA-7419-G3__	417.00 [189.15]	20"	45.0"		XA-0752-G3	256.00 [116.12]			
FW**-7419G4L__	XA-7419-G4__	489.00 [221.81]	32"	57.2"	7.05"	XA-0752-G4	328.00 [148.78]			
FW**-7419G5L__	XA-7419-G5__	564.00 [255.83]	44"	69.5"		XA-0752-G5	312.00 [141.52]			
FW**-7419G6L__	XA-7419-G6__	635.00 [288.03]	57"	82.0"		XA-0752-G6	509.00 [230.88]			
FW**-7419G7L__	XA-7419-G7__	658.00 [298.46]	69"	94.0"		XA-0752-G7	558.00 [253.10]			

** Fifth wheel model number.

__ See option code per fifthwheel assembly.

NOTE: No-tilt components not available with bracket. See no-tilt in accessories section for components and kits.

Traditional Inboard No-Tilt with Angle



SAF-HOLLAND Group

FRAME WIDTH CODE CHART		
FRAME CODE	FRAME WIDTH	ANGLE SIZE
A	33.25"	.38" X 4" X 4"
B	33.38"	.38" X 4" X 4"
C	33.5"	.38" X 4" X 4"
D	33.62"	.38" X 4" X 4"
E	33.75"	.38" X 4" X 4"
F	33.88"	.38" X 4" X 4"
G†	34.00"	.38" X 4" X 4"
H	34.12"	.38" X 4" X 4"
J	34.25"	.38" X 4" X 4"
L	34.50"	.38" X 4" X 4"
M	34.62"	.38" X 5" X 5"
N	34.75"	.38" X 5" X 5"
P	34.88"	.38" X 5" X 5"

† Standard frame width code

Frame code letter "X" indicates that the slider is not supplied with mounting angles. See option codes for other options such as angle size.

OPTION CODE CHART	
OPTION CODE (_)	MOUNTING ANGLE SIZE
Blank/00	See Frame Width Chart
21	.38" X 5" X 5"
51	.38" X 4" X 6"
57	.31" X 3.5" X 4"
65	.31" X 4" X 4"
70	.50" x 5" x 5" Angle






THIS PAGE INTENTIONALLY LEFT BLANK

Kompensator Outboard Plate Mount



SAF-HOLLAND Group




KOMPENSATOR SERIES PARTS LIST				
ITEM	DESCRIPTION	PART NUMBER	QTY.	WEIGHT LBS [KG]
3	Fitting, Grease	XB-H-38-F	2	0.02 [0.01]
4	Cushion	XB-0009	2	1.41 [0.64]
5	Washer, 1.31" I.D. x 4" O.D.	XA-1284-2	2	1.19 [0.54]
6	Spring	XB-01923	2	2.51 [1.14]
15	Nut, Jam, .50"-13	XB-C-59	4	0.03 [0.01]
17	Cover, Dust, Left-Hand	XA-0128-L	1	0.70 [0.32]
18	Cover, Dust, Right-Hand	XA-0128-R	1	0.70 [0.32]
19	Bar, Tie	XA-39	1	7.95 [3.61]

KOMPENSATOR SERIES PARTS LIST				
ITEM	DESCRIPTION	PART NUMBER	QTY.	WEIGHT LBS [KG]
21	Shoe Assembly (Includes item #3)	XA-0024	2	30.30 [13.74]
22	Shim	XA-0014	2	0.08 [0.04]
23	Plate , Bearing, Right-Hand	XA-01997	1	1.25 [0.57]
24	Plate , Bearing, Left-Hand	XA-01998	1	2.75 [1.25]
29	Fittings, Grease	XB-H-38	4	0.01 [0.00]
39	Fittings, Grease 90°	XB-H-38-A	4	0.03 [0.01]
53	Cushion, Rubber	XB-0011	2	0.37 [0.17]


FW	* *	-	772 *	X	*	* *
			Komensator Outboard Plate Mount Height	L= Left R= Right	Options (See Chart)	
Example: FW35-7726XL00						

** AVAILABLE TOP PLATES	
FW35	FW8
FW31	FW83
FW33	FWS1
FW17	FW2000
FWAL	



Height is measured from Face of Top Plate to Frame Rail

REF. FW PART NUMBER	BRACKET PART NUMBER	HEIGHT	B	BRACKET WEIGHT LBS [KG]
FW**-7726XL__	XA-40-7726	10"	3"	400.00 [181.44]
FW**-7727XL__	XA-40-7727	9"	2"	411.00 [186.43]
FW**-7729XL__	XA-40-7729	7"	--- †	352.00 [159.66]






RK-01370 LOCK OUT PARTS LIST				
ITEM	DESCRIPTION	PART NUMBER	QTY.	WEIGHT LBS [KG]
25	Pin, "L" Assembly	XA-01429	2	0.92 [0.42]
26	Lockout Stop	XA-01427	2	3.67 [1.66]
27	Pin, Shackle, .75 Diameter x 2.50" Long	XB-847	2	0.36 [0.16]
28	Pin, Cotter, .19" Diameter x 1.25" Long	XB-382	2	0.01 [0.00]

† Kompensator frame is mounted directly to plate and extends 1.17" below bottom of plate.

** Fifth wheel model number.

__ See option code per fifthwheel assembly.

Kompensator Inboard Plate Mount



Kompensator Inboard Plate Mount

KOMPENSATOR SERIES PARTS LIST				
ITEM	DESCRIPTION	PART NUMBER	QTY.	WEIGHT LBS [KG]
3	Fitting, Grease	XB-H-38-F	2	0.02 [0.01]
4	Cushion	XB-0009	2	1.41 [0.64]
5	Washer, 1.31" I.D. x 4" O.D.	XA-1284-2	2	1.19 [0.54]
6	Spring	XB-01923	2	2.51 [1.14]
15	Nut, Jam, .50"-13	XB-C-59	4	0.03 [0.01]
17	Cover, Dust, Left-Hand	XA-0128-L	1	0.70 [0.32]
18	Cover, Dust, Right-Hand	XA-0128-R	1	0.70 [0.32]
19	Bar, Tie	XA-39	1	7.95 [3.61]

KOMPENSATOR SERIES PARTS LIST				
ITEM	DESCRIPTION	PART NUMBER	QTY.	WEIGHT LBS [KG]
20	Washer, Lock, .50" I.D. x .88" O.D.	XB-T-45-1	4	0.02 [0.01]
21	Shoe Assembly (Includes item #3)	XA-0024	2	30.30 [13.74]
22	Shim	XA-0014	2	0.08 [0.04]
23	Plate, Bearing, Right-Hand	XA-01997	1	1.25 [0.57]
24	Plate, Bearing, Left-Hand	XA-01998	1	2.75 [1.25]
29	Fittings, Grease	XB-H-38	4	0.01 [0.00]
39	Fittings, Grease 90°	XB-H-38-A	4	0.03 [0.01]
53	Cushion, Rubber	XB-0011	2	0.37 [0.17]

FW	**	-772*	X	*	**
Komensator Inboard Plate Mount Height			L= Left R= Right	Options (See Chart)	
Example: FW35-7721XL00					



** AVAILABLE TOP PLATES	
FW35	FW8
FW31	FW83
FW33	FWS1
FW17	FW2000
FWAL	

REF. FW PART NO.	BRACKET PART NO.	HEIGHT	B	BRACKET WEIGHT LBS [KG]
FW*-7721XL__	XA-40-7721	10"	3"	414.00 [187.79]
FW*-7722XL__	XA-40-7722	9"	2"	403.00 [182.80]
FW*-7723XL__	XA-40-7723	7"	--- †	338.00 [153.31]


† Kompensator frame is mounted directly to plate and extends 1.17" below bottom of plate.

** Fifth wheel model number.

__ See option code per fifthwheel assembly.





Height is measured from Face of Top Plate to Frame Rail




RK-01370 LOCK OUT PARTS LIST				
ITEM	DESCRIPTION	PART NUMBER	QTY.	WEIGHT LBS [KG]
25	Pin, "L" Assembly	XA-01429	2	0.92 [0.42]
26	Lockout Stop	XA-01427	2	3.67 [1.66]
27	Pin, Shackle, .75 Diameter x 2.50" Long	XB-847	2	0.36 [0.16]
28	Pin, Cotter, .19" Diameter x 1.25" Long	XB-382	2	0.01 [0.005]

Kompensator Inboard for Angle



KOMPENSATOR SERIES PARTS LIST				
ITEM	DESCRIPTION	PART NUMBER	QTY.	WEIGHT LBS [KG]
3	Fitting, Grease	XB-H-38-F	2	0.02 [0.01]
4	Cushion	XB-0009	2	1.41 [0.64]
5	Washer, 1.31" I.D. x 4" O.D.	XA-1284-2	2	1.19 [0.54]
6	Spring	XB-01923	2	2.51 [1.14]
15	Nut, Jam, .50"-13	XB-C-59	4	0.03 [0.01]
17	Cover, Dust, Left-Hand	XA-0128-L	1	0.70 [0.32]
18	Cover, Dust, Right-Hand	XA-0128-R	1	0.70 [0.32]
19	Bar, Tie	XA-39	1	7.95 [3.61]

KOMPENSATOR SERIES PARTS LIST				
ITEM	DESCRIPTION	PART NUMBER	QTY.	WEIGHT LBS [KG]
20	Washer, Lock, .50" I.D. x .88" O.D.	XB-T-45-1	4	0.02 [0.01]
21	Shoe Assembly (Includes item #3)	XA-0024	2	30.30 [13.74]
22	Shim	XA-0014	2	0.08 [0.04]
23	Plate, Bearing, Right-Hand	XA-01997	1	1.25 [0.57]
24	Plate, Bearing, Left-Hand	XA-01998	1	2.75 [1.25]
29	Fittings, Grease	XB-H-38	4	0.01 [0.005]
39	Fittings, Grease 90°	XB-H-38-A	4	0.03 [0.01]
53	Cushion, Rubber	XB-0011	2	0.37 [0.17]




** AVAILABLE TOP PLATES	
FW35	FW8
FW31	FW83
FW33	FWS1
FW17	FW2000
FWAL	

REF. FW PART NUMBER	BRACKET PART NUMBER	HEIGHT	B	BRACKET WEIGHT LBS [KG]
FW**-7701XL__	XA-40-7701	9"	3"	295.00 [133.81]
FW**-7702XL__	XA-40-7702	8"	2"	284.00 [128.82]
FW**-7703XL__	XA-40-7703	6"	--- †	240.00 [108.86]


† Kompensator frame is mounted directly to plate and extends 1.54" below bottom of plate.

** Fifth wheel model number.

__ See option code per fifthwheel assembly.



Height is measured from Face of Top Plate to Frame Rail




RK-01370 LOCK OUT PARTS LIST				
ITEM	DESCRIPTION	PART NO.	QTY.	WEIGHT LBS [KG]
25	Pin, "L" Assembly	XA-01429	2	0.92 [0.42]
26	Lockout Stop	XA-01427	2	3.67 [1.66]
27	Pin, Shackle, .75 Diameter x 2.50" Long	XB-847	2	0.36 [0.16]
28	Pin, Cotter, .19" Diameter x 1.25" Long	XB-382	2	0.01 [0.005]

Kompensator Inboard with Angle




SAF-HOLLAND Group



See option codes for angle size.

KOMPENSATOR SERIES PARTS LIST				
ITEM	DESCRIPTION	PART NUMBER	QTY.	WEIGHT LBS [KG]
3	Fitting, Grease	XB-H-38-F	2	0.02 [0.01]
4	Cushion	XB-0009	2	1.41 [0.64]
5	Washer, 1.31" I.D. x 4" O.D.	XA-1284-2	2	1.19 [0.54]
6	Spring	XB-01923	2	2.51 [1.14]
15	Nut, Jam, .50"-13	XB-C-59	4	0.03 [0.01]
17	Cover, Dust, Left-Hand	XA-0128-L	1	0.70 [0.32]
18	Cover, Dust, Right-Hand	XA-0128-R	1	0.70 [0.32]
19	Bar, Tie	XA-39	1	7.95 [3.61]


KOMPENSATOR SERIES PARTS LIST				
ITEM	DESCRIPTION	PART NUMBER	QTY.	WEIGHT LBS [KG]
20	Washer, Lock, .50" I.D. x .88" O.D.	XB-T-45-1	4	0.02 [0.01]
21	Shoe Assembly (Includes item #3)	XA-0024	2	30.30 [13.74]
22	Shim	XA-0014	2	0.08 [0.04]
23	Plate, Bearing, Right-Hand	XA-01997	1	1.25 [0.57]
24	Plate, Bearing, Left-Hand	XA-01998	1	2.75 [1.25]
29	Fittings, Grease	XB-H-38	4	0.01 [0.00]
39	Fittings, Grease 90°	XB-H-38-A	4	0.03 [0.01]
53	Cushion, Rubber	XB-0011	2	0.37 [0.17]



** AVAILABLE TOP PLATES

FW35	FW8
FW31	FW83
FW33	FWS1
FW17	FW2000
FWAL	

REF. FW PART NUMBER	BRACKET PART NO.	HEIGHT	B	BRACKET WEIGHT LBS [KG]
FW**-7711GL__	XA-40-7711-G	10.0"	3.0"	375.00 [170.10]
FW**-7712GL__	XA-40-7712-G	9.0"	2.0"	360.00 [163.29]
FW**-7713GL__	XA-40-7713-G	7.0"	--- †	316.00 [143.34]



Height is measured from Face of Top Plate to Frame Rail

FRAME WIDTH CODE CHART			
FRAME WIDTH CODE LETTER	FRAME WIDTH	FRAME WIDTH CODE LETTER	FRAME WIDTH
A	33.25"	G†	34.00"
B	33.38"	H	34.12"
C	33.50"	J	34.25"
D	33.62"	K	34.38"
E	33.75"	L	34.50"
F	33.88"	M	34.62"
N	34.75"		

† Kompensator fram bracket extends 1.54" below mounting pads.


** Fifth wheel model number.

__ See option code per fifthwheel assembly.

OPTION CODE CHART	
OPTION CODE (**)	MOUNTING ANGLE SIZE
Blank	Standard with .38" x 4" x 4" Angle
19	Komp Lockouts with .38" x 4" x 4" Angle
21	.38" x 5" x 5" Angle
51	.38" x 4" x 6" Angle
53	.38" x 4" x 4" Angle, Centered
70	.50" x 5" x 5" Angle



† Standard

Frame code letter "X" indicates that the slider is not supplied with mounting angles. See option codes for other options such as angle size.



RK-01370 LOCK OUT PARTS LIST				
ITEM	DESCRIPTION	PART NUMBER	QTY.	WEIGHT LBS [KG]
25	Pin, "L" Assembly	XA-01429	2	0.92 [0.42]
26	Lockout Stop	XA-01427	2	3.67 [1.66]
27	Pin, Shackle, .75 Diameter x 2.50" Long	XB-847	2	0.36 [0.16]
28	Pin, Cotter, .19" Diameter x 1.25" Long	XB-382	2	N/A

Kompensator Inboard for Angle



Kompensator Inboard for Angle Parts List

KOMPENSATOR SERIES PARTS LIST				
ITEM	DESCRIPTION	PART NUMBER	QTY.	WEIGHT LBS [KG]
3	Fitting, Grease	XB-H-38-F	2	0.02 [0.01]
4	Cushion	XB-0009	2	1.41 [0.64]
5	Washer, 1.31" I.D. x 4" O.D.	XA-1284-2	2	1.19 [0.54]
6	Spring	XB-01923	2	2.51 [1.14]
8	Shoe Assembly	XA-0372-A	2	3.10 [1.41]
9	Stop, Spring	XA-01586	2	0.34 [0.15]
10	Spring	XB-2502	2	1.03 [0.47]
11	Retainer, Spring	XA-2501	2	0.24 [0.11]
12	Pin, .50" Diameter x 1.12" Long	XA-2503	2	0.06 [0.03]
13	Bushing, .50" I.D. x .68" O.D. x .44" Long	XA-03082	1	0.02 [0.01]
14	Lever Assembly, Release	XA-03748	1	7.30 [3.31]
15	Nut, Jam, .50"-13	XB-C-59	4	0.03 [0.01]

KOMPENSATOR SERIES PARTS LIST				
ITEM	DESCRIPTION	PART NUMBER	QTY.	WEIGHT LBS [KG]
16	Plate Assembly, Pivot	XA-02748-1	1	1.50 [0.68]
17	Cover, Dust, Left-Hand	XA-0128-L	1	0.70 [0.32]
18	Cover, Dust, Right-Hand	XA-0128-R	1	0.70 [0.32]
19	Bar, Tie	XA-39	1	7.95 [3.61]
20	Washer, Lock, .50" I.D. x .88" O.D.	XB-T-45-1	4	0.02 [0.01]
21	Shoe Assembly (Includes item #3)	XA-0024	2	30.30 [13.74]
22	Shim	XA-0014	2	0.08 [0.04]
23	Plate, Bearing, Right-Hand	XA-01997	1	1.25 [0.57]
24	Plate, Bearing, Left-Hand	XA-01998	1	2.75 [1.25]
29	Fittings, Grease	XB-H-38	4	0.01 [0.00]
35	Cylinder Assembly, Air	XA-2524-R	1	5.34 [2.42]
39	Fittings, Grease 90°	XB-H-38-A	4	0.03 [0.01]
53	Cushion, Rubber	XB-0011	2	0.37 [0.17]

FW

* *

- 7 2 * *

X


*

*

* *

Kompensator Inboard with Angle Height	Slide Travel	L= Left R= Right	Options (See Chart)
---	-----------------	---------------------	------------------------

Example: **FW35-7201X1L00**




Height is measured from Face of Top Plate to Frame Rail

** AVAILABLE TOP PLATES	
FW35	FW8
FW31	FW83
FW33	FWS1
FW17	FW2000
FWAL	




REF. FW PART NO.	SLIDE TRAVEL	SLIDE BASE LENGTH	SLIDE BRACKET PART NO.	SLIDE BRACKET WEIGHT	SLIDE BASE PART NO.	SLIDE BASE WEIGHT LBS [KG]
FW**-7201X1L__	10.7"	38.9"	XA-7201	307.00 [139.25]	XA-0284-1	217.00 [98.43]
FW**-7201X2L__	16.8"	45.0"			XA-0284-2	236.00 [107.05]
FW**-7201X3L__	24.5"	52.6"			XA-0284-3A	293.00 [132.90]
FW**-7201X4L__	41.3"	69.5"			XA-0284-4	378.00 [171.46]
FW**-7201X5L__	53.6"	82.0"			XA-0284-5	451.00 [204.57]
FW**-7201X6L__	65.8"	94.0"			XA-0284-6	517.00 [234.51]

** Fifth wheel model number.
__ See option code per fifthwheel assembly.




RK-01370 LOCK OUT PARTS LIST				
ITEM	DESCRIPTION	PART NUMBER	QTY.	WEIGHT LBS [KG]
25	Pin, "L" Assembly	XA-01429	2	
26	Lockout Stop	XA-01427	2	
27	Pin, Shackle, .75 Diameter x 2.50" Long	XB-847	2	
28	Pin, Cotter, .19" Diameter x 1.25" Long	XB-382	2	

Kompensator Inboard with Angle Exploded View



See option codes for angle size.

KOMPENSATOR SERIES PARTS LIST				
ITEM	DESCRIPTION	PART NUMBER	QTY.	WEIGHT LBS [KG]
3	Fitting, Grease	XB-H-38-F	2	0.02 [0.01]
4	Cushion	XB-0009	2	1.41 [0.64]
5	Washer, 1.31" I.D. x 4" O.D.	XA-1284-2	2	1.19 [0.54]
6	Spring	XB-01923	2	2.51 [1.14]
8	Shoe Assembly	XA-0372-A	2	3.10 [1.41]
9	Stop, Spring	XA-01586	2	0.34 [0.15]
10	Spring	XB-2502	2	1.03 [0.47]
11	Retainer, Spring	XA-2501	2	0.24 [0.11]
12	Pin, .50" Diameter x 1.12" Long	XA-2503	2	0.06 [0.03]
13	Bushing, .50" I.D. x .68" O.D. x .44" Long	XA-03082	1	0.02 [0.01]
14	Lever Assembly, Release	XA-03748	1	7.30 [3.31]
15	Nut, Jam, .50"-13	XB-C-59	4	0.03 [0.01]
16	Plate Assembly, Pivot	XA-02748-1	1	1.50 [0.68]
17	Cover, Dust, Left-Hand	XA-0128-L	1	0.70 [0.32]
18	Cover, Dust, Right-Hand	XA-0128-R	1	0.70 [0.32]
19	Bar, Tie	XA-39	1	7.95 [3.61]
20	Washer, Lock, .50" I.D. x .88" O.D.	XB-T-45-1	4	0.02 [0.01]
21	Shoe Assembly (Includes item #3)	XA-0024	2	30.30 [13.74]
22	Shim	XA-0014	2	0.08 [0.04]
23	Plate, Bearing, Right-Hand	XA-01997	1	1.25 [0.57]
24	Plate, Bearing, Left-Hand	XA-01998	1	2.75 [1.25]
29	Fittings, Grease	XB-H-38	4	0.01 [0.00]
35	Cylinder Assembly, Air	XA-2524-R	1	5.34 [2.42]
39	Fittings, Grease 90°	XB-H-38-A	4	0.03 [0.01]
53	Cushion, Rubber	XB-0011	2	0.37 [0.17]




RK-01370 LOCK OUT PARTS LIST				
ITEM	DESCRIPTION	PART NUMBER	QTY.	WEIGHT LBS [KG]
25	Pin, "L" Assembly	XA-01429	2	
26	Lockout Stop	XA-01427	2	
27	Pin, Shackle, .75 Diameter x 2.50" Long	XB-847	2	
28	Pin, Cotter, .19" Diameter x 1.25" Long	XB-382	2	

Kompensator Inboard with Angle





SAF-HOLLAND Group



**** AVAILABLE TOP PLATES**

FW35	FW8
FW31	FW83
FW33	FWS1
FW17	FW2000
FWAL	



Height is measured from Face of Top Plate to Frame Rail

REF. FW PART NUMBER	SLIDE TRAVEL	SLIDE BASE LENGTH	SLIDE BRACKET PART NUMBER	SLIDE BRACKET WEIGHT	SLIDE BASE PART NUMBER	SLIDE BASE WEIGHT LBS [KG]
FW**-7201G1L__	10.7"	38.9"	XA-7201	307.00 [139.25]	XA-09790-1	308.00 [139.71]
FW**-7201G2L__	16.8"	45.0"			XA-09790-2	345.00 [156.49]
FW**-7201G3L__	24.5"	52.6"			XA-09790-3	415.00 [188.24]
FW**-7201G4L__	41.3"	69.5"			XA-09790-4	476.00 [215.91]
FW**-7201G5L__	53.6"	82.0"			XA-09790-5	620.00 [281.23]
FW**-7201G6L__	65.8"	94.0"			XA-09790-6	720.00 [326.59]

** Fifth wheel model number.

__ See option code per fifthwheel assembly.

FRAME WIDTH CODE CHART			
FRAME WIDTH CODE LETTER	FRAME WIDTH	FRAME WIDTH CODE LETTER	FRAME WIDTH
A	33.25"	G†	34.00"
B	33.38"	H	34.12"
C	33.50"	J	34.25"
D	33.62"	K	34.38"
E	33.75"	L	34.50"
F	33.88"		

† Standard,
Frame code letter "X" indicates that the slider is not supplied with mounting angles. See option codes for other options such as angle size.

OPTION CODE CHART	
OPTION CODE (**)	MOUNTING ANGLE SIZE
Blank	.50" X 4" X 4"
70	.50" X 5" X 5"
74	.50" X 4" X 6"



THIS PAGE INTENTIONALLY LEFT BLANK




QUICK & EASY PARTS ONLINE 

SEARCH

Parts Knowledge at the Tip of Your Finger



When it comes to parts, become your customers' go-to source with quick and accurate information just a click away.



SAF 

Holland

NEWAY

Contact us at 800.876.3929 to learn more


SAF-Holland
ORIGINAL PARTS

ACCESSORIES




Air Release

FW35 & FW33




PART NUMBER	WEIGHT LBS [KG]
XA-07766-1	1.90 [0.86]

FW31 (E-Coat)



PART NUMBER	WEIGHT LBS [KG]
XA-10452	1.93 [0.88]


FW17



PART NUMBER	WEIGHT LBS [KG]
XA-11384	3.25 [1.47]


Air Release

FW8 & FW83




PART NUMBER	WEIGHT LBS [KG]
XA-10161	2.81 [1.27]

FWS1 & FWS2



PART NUMBER	WEIGHT LBS [KG]
XA-11112	1.80 [0.82]


FW2800/FW2900 & FW2870-03184



PART NUMBER	WEIGHT LBS [KG]
XA-1707-16	1.00 [0.45]


Air Release

FW35-03344, FW67 & FW69



PART NUMBER	WEIGHT LBS [KG]
XA-09041	1.00 [0.45]


FW1560-C



PART NUMBER	WEIGHT LBS [KG]
XA-1707-5	0.89 [0.40]


LH/RH Manual Release

FW35 & FW33



PART NUMBER	WEIGHT LBS [KG]
XA-07151-1	2.01 [0.91]



FW35 & FW31 (E-Coat)



PART NUMBER	WEIGHT LBS [KG]
XA-10344	2.00 [0.91]


LH/RH Manual Release

FW16



PART NUMBER	WEIGHT LBS [KG]
XA-11618-P	2.64 [1.20]


FW16 (Replacement)



PART NUMBER	WEIGHT LBS [KG]
XA-11618-RP-P	2.62 [1.19]

LH Manual Release


FW0070



PART NUMBER	WEIGHT LBS [KG]
XA-03715	2.37 [1.08]


Replacement Handles

FW17



PART NUMBER	WEIGHT LBS [KG]
XA-10495	2.75 [1.25]


FWAL



PART NUMBER	WEIGHT LBS [KG]
XA-10495-AL-P	2.51 [1.14]


LH Manual Release

FW8 & FW83 GEN III




PART NUMBER	WEIGHT LBS [KG]
XA-09484	2.82 [1.28]

FW8 GEN II



PART NUMBER	WEIGHT LBS [KG]
XA-09409	2.92 [1.32]


FWS1 & FWS2




PART NUMBER	WEIGHT LBS [KG]
XA-10990	1.75 [0.79]

LH Manual Release


FW2000



FW0070





FW3500




LH Manual Release

FW0100/FW0165 & FW2080




PART NUMBER	WEIGHT LBS [KG]
XA-1117-13	1.84 [0.83]

Simplex II/Castloc II Straight Pull



PART NUMBER	WEIGHT LBS [KG]
4100342	1.35 [0.61]


Simplex II Rotary Pull, Castloc II Rotary Pull



PART NUMBER	WEIGHT LBS [KG]
4100357	1.65 [0.75]


LH Manual Release

FW1226




PART NUMBER	WEIGHT LBS [KG]
XA-07732	N/A

Simplex SE, Simplex Lite Straight Pull, Simplex Lite Rotary & Simplex II SE (Auto Indicator)



PART NUMBER	WEIGHT LBS [KG]
4100420	1.46 [0.66]


Simplex Lite Rotary (Auto Indicator)



PART NUMBER	WEIGHT LBS [KG]
4100386	1.70 [0.77]


LH Manual Release

FW8 & FW83 (Long Handle)



PART NUMBER	WEIGHT LBS [KG]
XA-09487	3.15 [1.43]


Simplex SE, Simplex Lite Straight Pull, Simplex Lite Rotary & Simplex II SE (Manual Indicator)



PART NUMBER	WEIGHT LBS [KG]
4100382	1.43 [0.65]


LH Manual Release, Replacement

FW17 (For M Casting)



PART NUMBER	WEIGHT LBS [KG]
XA-10495-RP-M-P	2.61 [1.18]


FW17



PART NUMBER	WEIGHT LBS [KG]
XA-10495-RP	2.72 [1.23]

Front/LH Manual Release


FW1226



PART NUMBER	WEIGHT LBS [KG]
XA-1117-UP	3.12 [1.42]


RH Manual Release

FW3500




PART NUMBER	WEIGHT LBS [KG]
XA-1707-6	1.94 [0.88]

FW8 & FW83



PART NUMBER	WEIGHT LBS [KG]
XA-09632	2.32 [1.05]


FW2000



PART NUMBER	WEIGHT LBS [KG]
XA-1117-1	1.67 [0.76]

RH Manual Release


Simplex II SE




PART NUMBER	WEIGHT LBS [KG]
4100448	1.44 [0.65]




Simplex II



PART NUMBER	WEIGHT LBS [KG]
4100441	1.35 [0.61]



Simplex RH




PART NUMBER	WEIGHT LBS [KG]
4100350	1.42 [0.64]




RH Manual Release

FW2800/FW2900



PART NUMBER	WEIGHT LBS [KG]
XA-3544-1-A	0.22 [0.10]


FW1226



PART NUMBER	WEIGHT LBS [KG]
XA-0093	2.00 [0.91]


Manual Release

FW0001/FW0002




PART NUMBER	WEIGHT LBS [KG]
BFW0122	2.58 [1.17]

FW6000



PART NUMBER	WEIGHT LBS [KG]
XA-6003	1.23 [0.56]


FW1900




PART NUMBER	WEIGHT LBS [KG]
XA-1707-2	1.66 [0.75]

Secondary Lock

FW8 & FW83




FW2000 & FW8




Secondary Lock

FW0070




PART NUMBER	WEIGHT LBS [KG]
XA-FW-78	0.89 [0.40]

FW0100/FW0165 & FW2080



PART NUMBER	WEIGHT LBS [KG]
XA-FW-138	0.89 [0.40]


FW35-03344 & FW67



PART NUMBER	WEIGHT LBS [KG]
XA-3546	0.32 [0.16]


Secondary Lock

FW35, FW3500, FW33



PART NUMBER	WEIGHT LBS [KG]
XA-3542-M	0.25 [0.11]


FW31 (E-Coat)



PART NUMBER	WEIGHT LBS [KG]
XA-10459	0.25 [0.11]

Retrofit Drop Release


FW35, FW31 & FW33



PART NUMBER	WEIGHT LBS [KG]
XA-08415-1	2.00 [0.91]

LH Drop Release


FW31



PART NUMBER	WEIGHT LBS [KG]
XA-10513	2.12 [0.96]

Convertor Dolly



FW35



PART NUMBER	WEIGHT LBS [KG]
XA-09962	2.12 [0.96]

Air Cylinder Lockout

Simplex Yard Spotter





PART NUMBER	WEIGHT LBS [KG]
4100206	0.51 [0.23]



THIS PAGE INTENTIONALLY LEFT BLANK



Bracket Pins

FW35, FW31, FW33, FW17, FW16, FWAL, FW8, FW83, FWS1 & FWS2




PART NUMBER	WEIGHT LBS [KG]
XE-06356-P	2.00 [0.91]

FW3500, FW2000 & FW35



PART NUMBER	WEIGHT LBS [KG]
XA-2016	2.00 [0.91]


Simplex SE, Simplex Lite Straight, Simplex Lite Rotary Simplex II SE, Simplex II SE RH, Simplex II, Simplex II RH, Simplex RH, Simplex II Rotary & Simplex Yard Spotter



PART NUMBER	WEIGHT LBS [KG]
5400705	3.25 [1.47]


Bracket Pins

FW0070 (After 11/86)



PART NUMBER	WEIGHT LBS [KG]
XE-02759	4.06 [1.84]


Castloc Rotary & Castloc II Straight



PART NUMBER	WEIGHT LBS [KG]
4100239	3.95 [1.79]

Bracket Pins


Simplex 400C



PART NUMBER	WEIGHT LBS [KG]
54300242	2.75 [1.25]

Pivot Shafts



FW2800/FW2900 & FW2870-03184



PART NUMBER	WEIGHT LBS [KG]
XA-2809	9.10 [4.13]



Trunnion Shafts

FW0100



PART NUMBER	WEIGHT LBS [KG]
XA-FW-106	55.61 [25.22]




FW0165



PART NUMBER	WEIGHT LBS [KG]
XA-0114	56.08 [25.44]


Bracket Bolts

FW67/69 & FW35-03344




PART NUMBER	WEIGHT LBS [KG]
XB-BR-118-C-7	2.41 [1.09]

FW6000 & FW1900



PART NUMBER	WEIGHT LBS [KG]
XA-6004	2.34 [1.06]


FW0070 (Prior to 11/86)




PART NUMBER	WEIGHT LBS [KG]
XA-2632	4.00 [1.81]

Lock Pins

FW35, FW33, FW67/FW69 & FW35-03344




FW3500, FW2800/FW2900, FW1560-C & FW2870-03184




Lock Pins

FW17 & FW16



PART NUMBER	WEIGHT LBS [KG]
XA-06344-P	1.43 [0.65]



FWAL



PART NUMBER	WEIGHT LBS [KG]
XA-06344-AL	1.45 [0.66]



Lock Pins

FW8, FW83 & FW17





PART NUMBER	WEIGHT LBS [KG]
XA-06344	1.44 [0.65]

FW2000



PART NUMBER	WEIGHT LBS [KG]
XA-1016	0.94 [0.43]


FW6000 & FW1900




PART NUMBER	WEIGHT LBS [KG]
XA-1313-C	1.08 [0.49]

Lock Pins W/Grease Fittings


FW35



FW3500




FW0100/FW0165




Lock Pins W/Grease Fittings

FW2080 & FW0070




PART NUMBER	WEIGHT LBS [KG]
XA-FW-108-D-15	2.37 [1.08]

FW0070 & FW2080



PART NUMBER	WEIGHT LBS [KG]
XA-FW-108-D	2.37 [1.08]



FW0070, FW0100/FW0165, FW2080 & FW1226 (Secondary Lock)



PART NUMBER	WEIGHT LBS [KG]
XA-1016-C	0.92 [0.42]

Lock Pin – Lubricated


FW31



PART NUMBER	WEIGHT LBS [KG]
XA-10256	1.07 [0.49]

Clevis Pin


FW0001/FW0002



PART NUMBER	WEIGHT LBS [KG]
XB-CLP-052-25	0.94 [0.43]


Adjusting Pin

FW17 & FW16



PART NUMBER	WEIGHT LBS [KG]
XA-10364-3-P	1.56 [0.71]



FWAL



PART NUMBER	WEIGHT LBS [KG]
XA-10364-3-AL-P	1.58 [0.72]


Eccentric Jaw Pin

FWS1 & FWS2



PART NUMBER	WEIGHT LBS [KG]
XA-10971	1.87 [0.85]


Simplex SE, Simplex II SE & Simplex II SE RH




PART NUMBER	WEIGHT LBS [KG]
4109922-P	1.93 [0.88]

ECCENTRIC JAW PIN

Simplex Lite Straight, Simplex Lite Rotary, Simplex II, Simplex II RH, Simplex RH, Castloc Rotary, Castloc II Straight & Simplex Yard



Simplex Lite Straight, Simplex Lite Rotary, Simplex II, Simplex II RH, Castloc Rotary, Castloc II Straight & Simplex Yard (Oversized)





THIS PAGE INTENTIONALLY LEFT BLANK

PART NUMBER	PAGE NO.
22316	2-42
84261	1-241, 1-242, 1-243, 1-244, 1-255, 1-256, 1-257, 1-258, 1-269, 1-270, 1-271, 1-281, 1-282, 1-293, 1-294, 1-317, 1-318, 1-321, 1-324, 1-327, 1-328, 1-331, 1-332, 1-335, 1-336, 1-339, 1-340, 1-343, 1-344, 1-379, 1-380, 1-381, 2-42, 2-43, 2-45
84624	1-344
84787	1-269, 1-281, 1-293, 1-321, 1-327, 1-331, 1-335, 1-339, 1-343
85496	1-281, 1-293, 1-321, 2-45
85617	1-317, 1-318, 1-321, 1-324
400531	1-410
1200035	2-42
1200091	1-343, 1-344
1200101	1-241, 241, 1-243, 1-244, 1-255, 1-256, 1-257, 1-258, 1-269, 1-270, 1-271, 1-294, 1-317, 1-318, 1-323
1200616	1-343, 1-344
1200633	1-343, 1-344
1200706	1-241, 1-243, 1-244, 1-255, 1-257, 1-258, 1-269, 1-270, 1-271, 1-281, 1-282, 1-293, 1-294, 1-317, 1-318, 1-321, 1-324, 1-327, 1-328, 1-331, 1-332, 1-335, 1-336, 1-339, 1-340, 1-379, 1-380, 1-381
2100011	2-42
2100218	1-344
2100664	1-344
4000105	1-274, 1-286, 1-298, 1-322, 2-15
4000154	1-331
4000171	1-409, 1-410, 1-411
4000178	1-411
4000184	1-344
4000195	1-411
4000205	1-384
4000224	1-380
4000225	1-380

PART NUMBER	PAGE NO.
4000226	1-380
4000250	1-281, 1-282, 1-293, 1-294
4000263	1-335, 1-336, 1-339, 1-340
4000272	1-410
4000273	1-409, 1-410
4000501	1-410, 1-411
4000502	1-410, 1-411
4000503	1-409, 1-410
4000504	1-409, 1-410
4000505	1-409, 1-410
4000506	1-411
4000507	1-409, 1-410
4000508	1-410
4000509	1-410
4000510	1-410, 1-411
4000511	1-410
4000512	1-409
4000523	1-409, 1-410
4000528	1-409, 1-410
4000529	1-409, 1-410
4000530	1-411
4000531	1-409, 1-410
4000532	1-410, 1-411
4000539	1-410, 1-411
4000540	1-409, 1-410
4000570	1-410
4000572	1-410, 1-411
4000574	1-409, 1-410
4000576	1-410, 1-411
4000578	1-410
4000587	1-409, 1-410
4000588	1-409, 1-410
4000630	1-411
4000632	1-411
4000640	1-409, 1-410
4000641	1-409, 1-410
4000644	1-409
4000645	1-409
4000646	1-409
4000647	1-409
4000648	1-409

PART NUMBER	PAGE NO.
4000650	1-410, 1-411
4009114	1-274, 1-286, 1-298, 1-322, 2-15
4009297	1-274, 1-286, 1-298, 1-322, 2-15
4009723	1-275, 1-299
4009747	1-275, 1-299
4009821	1-275, 1-299
4009822	1-275, 1-299, 2-16
4009823	1-275, 1-299, 2-16
4009866	1-275, 1-299, 2-16
4009867	1-275, 1-299, 2-16
4009868	1-275, 1-299, 2-16
4009869	1-275, 1-299, 2-16
4100101	1-282, 1-294, 1-323
4100102	1-323
4100110	1-272, 1-284, 1-322
4100129	1-409
4100150	1-331, 1-332, 1-335, 1-336
4100152	1-331, 1-332, 1-335, 1-336
4100153	1-331, 1-332, 1-335, 1-336
4100154	1-332, 1-335, 1-336
4100155	1-281, 1-282, 1-293, 1-294, 1-331, 1-332, 1-335, 1-336
4100180	1-331, 1-332, 1-335, 1-336
4100193	1-379
4100200	1-343, 1-344
4100206	1-379, 1-381, 3-24
4100207	1-344
4100211	1-379, 1-381
4100212	1-379, 1-381
4100215	1-379, 1-381
4100219	1-409
4100239	1-335, 1-336, 1-339, 1-340, 3-27
4100258	1-411
4100269	1-410, 1-411
4100284	1-317, 1-318, 1-321, 1-324
4100294	1-269, 1-270, 1-271, 1-281, 1-282, 1-317, 1-318, 1-321, 1-324, 1-340

Part Number Index



SAF-HOLLAND Group

PART NUMBER	PAGE NO.
4100296	1-318, 1-321, 1-324, 1-410, 1-411
4100304	1-409
4100328	1-269, 1-270, 1-271, 1-281, 1-283, 1-293, 1-294, 1-317, 1-318, 1-321, 1-323, 1-331, 1-332
4100329	1-269, 1-270, 1-271, 1-281, 1-283, 1-293, 1-294, 1-317, 1-318, 1-321, 1-323, 1-331, 1-332
4100332	1-317, 1-321, 1-324, 1-410, 1-411,
4100333	1-379, 1-381
4100339	1-269
4100342	1-321, 1-324, 1-339, 1-340, 1-410, 3-12
4100350	1-318, 1-321, 1-324, 1-327, 1-328, 1-410, 3-17
4100357	1-331, 1-332, 1-335, 1-336, 1-410, 1-411, 3-12
4100358	1-327, 1-328, 1-379, 1-380, 1-381
4100372	1-293, 1-294
4100373	1-241, 1-243, 1-244, 1-255, 1-257, 1-258, 1-269, 1-270, 1-271, 1-281, 1-282, 1-317, 1-318,
4100374	1-293, 1-294, 1-311
4100376	1-269
4100382	1-269, 1-270, 1-281, 1-282, 1-409, 1-410, 3-14
4100386	1-293, 1294, 1-410, 3-13
4100402	1-293, 1-294
4100409	1-343, 1-344
4100420	1-269, 1-270, 1-271, 1-281, 1-282, 1-317, 1-318, 1-409, 1-410, 3-13
4100421	1-293, 1-294
4100428	1-318, 1-321, 1-324, 1-327, 1-328
4100441	1-409, 3-17
4100448	1-409, 3-17
4100553	1-343

PART NUMBER	PAGE NO.
4100655	1-344
4100689	1-343
4100693	1-344
4100711	1-327, 1-328
4100712	1-321, 1-324, 1-327, 1-328, 1-339, 1-340, 1-380
4100767	1-339
4101010	1-344
4101013	1-344
4101250	1-269, 1-270, 1-281, 1-282, 1-317, 1-318, 1-321, 1-324, 1-339
4101394	1-343, 1-344
4101408	1-344
4101409	1-344
4101414	1-410
4101424	1-410
4101534	1-276, 1-288, 1-300, 2-12
4101536	1-276, 1-288, 1-300, 2-12
4101538	1-276, 1-288, 1-300, 2-12
4101539	1-276, 1-288, 1-300, 2-12
4101540	1-276, 1-288, 1-300, 2-12
4101630	1-276, 1-288, 1-300, 2-12
4101634	1-276, 1-288, 1-300, 2-12
4101636	1-276, 1-288, 1-300, 2-12
4101638	1-276, 1-288, 1-300, 2-12
4101639	1-276, 1-288, 1-300, 2-12
4101640	1-276, 1-288, 1-300, 2-12
4101730	1-276, 1-288, 1-300, 2-12
4101734	1-276, 1-288, 1-300, 2-12
4101736	1-276, 1-288, 1-300, 2-12
4101738	1-276, 1-288, 1-300, 2-12
4101739	1-276, 1-288, 1-300, 2-12

PART NUMBER	PAGE NO.
4101740	1-276, 1-288, 1-300, 2-12
4101830	1-276, 1-288, 1-300, 2-12
4102700	1-410
4102707	1-410
4102720	1-409
4102727	1-409
4102764	1-410
4102846	1-411
4109011	1-273, 1-285, 2-14
4109792	1-343, 1-344
4109793	1-343
4109795	1-344
4109808	1-317, 1-321, 1-324, 1-327, 1-328, 1-379, 1-380, 1-381
4109811	1-327, 1-328, 1-379, 1-380, 1-381
4109839	1-273, 1-285, 1-297, 1-383, 2-14
4109865	1-273, 1-285, 2-14
4109916	1-281, 1-282, 1-293, 1-294, 1-321, 1-323, 1-327, 1-328, 1-331, 1-332, 1-335, 1-336, 1-339, 1-340, 1-379, 1-380, 1-381, 3-38
4109931	1-241, 1-243, 1-244, 1-255, 1-257, 1-258, 1-269, 1-270, 2-271, 1-282, 1-293, 1-294, 1-317, 1-318, 1-321, 1-324, 1-331, 1-332, 1-335, 1-336, 1-339, 1-340
4109933	1-273, 1-285, 1-297, 1-383, 2-14
4109934	1-343, 1-344
4109935	1-335
4109940	1-317, 1-318, 1-321, 1-323, 1-327, 1-328, 1-379, 1-380, 1-381
4109944	1-343, 1-344, 1-411
4109945	1-343
4109948	1-343, 1-344
4109960	1-272, 1-284, 1-296, 1-322, 1-382, 2-13
4109961	1-272, 1-284, 1-322
4109976	1-272, 1-284, 1-296, 1-322, 1-382, 2-13

PART NUMBER	PAGE NO.
4109977	1-282, 1-294, 1-321, 1-323, 1-327, 1-328, 1-331, 1-332, 1-335, 1-336, 1-339, 1-340, 1-380, 1-381, 3-38
4109982	1-272, 1-284, 1-296, 1-322, 1-382, 2-13
4109991	1-272, 1-284, 1-322
4300007	2-42
4300009	2-43
4300012	2-42
4300039	2-43
4300042	2-42, 2-43
4300043	2-42, 2-43
4300044	2-42, 2-43, 2-45
4300046	2-42, 2-43
4300088	2-43
4300145	2-42, 2-43
4300147	2-43
4300162	1-409
4300165	1-279, 1-291, 1-303, 1-409, 2-43
4300166	1-279, 1-291, 1-303, 1-409, 2-43
4300167	1-279, 1-291, 1-303, 1-409, 2-43
4300172	1-279, 1-291, 1-303, 1-409, 2-43
4300173	1-279, 1-291, 1-303, 1-409, 2-43
4300175	1-291, 1-303
4300176	1-291, 1-303
4300177	1-291, 1-303
4300178	1-291, 1-303
4300196	1-291, 1-303
4300204	1-279, 1-291, 1-303, 1-409, 2-43
4300205	1-279, 1-291, 1-303, 1-409, 2-43
4300206	1-279, 1-291, 1-303, 1-409, 2-43
4300209	1-409
4300214	2-45
4300223	2-45
4300226	1-409
4300227	1-409
4300228	1-409, 2-45

PART NUMBER	PAGE NO.
4300238	2-45
4300239	2-45
4300240	2-45
4300241	2-45
4300242	2-45
4300243	2-45
4300244	2-45
4300245	2-45
4300246	2-45
4300247	2-45
4300248	2-45
4300249	2-45
4300250	2-45
4300251	2-45
4300252	2-45
4300274	2-45
4300280	1-277, 2-45
4300281	1-277, 2-45
4300282	1-277, 2-45
4300283	1-277, 2-45
4300284	1-277, 2-45
4300298	1-277, 1-409
4300299	1-277, 1-409
4300300	1-277, 1-409
4300596	1-409
4300597	1-409
4300598	1-409
4300610	1-409
4300811	2-43
4300818	2-42
4300822	2-42
4302031	2-43
4302032	2-43
4302033	2-43
4302034	2-43
4302036	2-43
4302041	2-43
4302042	2-43
4302043	2-43
4302044	2-43
4302046	2-43
4302051	2-43
4302052	2-43
4302053	2-43

PART NUMBER	PAGE NO.
4302054	2-43
4302055	2-43
4302055	2-43
4302056	2-43
4302057	2-43
4302058	2-43
4302059	2-43
4302060	2-43
4302101	2-43
4302102	2-43
4302103	2-43
4302104	2-43
4302106	2-43
4302111	2-43
4302112	2-43
4302113	2-43
4302114	2-43
4302116	2-43
4302121	2-43
4302122	2-43
4302123	2-43
4302124	2-43
4302126	2-43
5400211	1-343, 1-344
5400219	1-379, 1-380, 1-381
5400242	1-343, 1-344
5400523	1-343, 1-344
5400705	1-269, 1-270, 1-281, 1-283, 1-293, 1-294, 1-317, 1-318, 1-321, 1-323, 1-327, 1-328, 1-331, 1-332, 1-379, 1-380, 1-381, 3-26
5400707	1-270, 1-271, 1-318
5400711	1-269, 1-270, 1-271, 1-281, 1-282, 1-317, 1-318, 1-321, 1-324, 1-339, 1-340
5400766	1-321, 1-324, 1-327, 1-328, 1-339, 1-340, 1-379, 1-380, 1-381
7102700	1-410, 1-411
7502700	1-410
7602700	1-411
9502700	1-410
9502720	1-409
9900095	1-343, 1-344

Part Number Index



SAF-HOLLAND Group

PART NUMBER	PAGE NO.
9900096	1-343, 1-344
9900097	1-344
9900100	1-343, 1-344
9900101	1-343, 1-344
9900113	1-331, 1-332, 1-335, 1-336
9900139	1-293, 1-294, 1-318, 1-321, 1-324
9900145	2-42, 2-43, 2-45
9900146	2-42, 2-43, 2-45
9900169	1-269, 1-270, 1-271, 1-281, 1-283, 1-293, 1-294, 1-318, 1-321, 1-323, 1-327, 1-328, 1-331, 1-332, 1-379, 1-380, 1-381
9900170	1-117, 1-118, 1-120, 1-241, 1-242, 1-243, 1-244, 1-255, 1-256, 1-257, 1-258, 1-269, 1-270, 1-271, 1-281, 1-282, 1-293, 1-294, 1-317, 1-318, 1-321, 1-323, 1-327, 1-328, 1-331, 1-332, 1-335, 1-336, 1-339, 1-340, 1-379, 1-380, 1-381, 2-42, 2-43
9900172	2-42
9900174	1-269, 1-270, 1-271, 1-281, 1-282, 1-293, 1-294, 1-318, 1-321, 1-324
9900175	1-335, 1-336, 1-339, 1-340
9900177	1-379, 1-380, 1-381
9900179	1-318, 1-321, 1-324
9900181	1-241, 1-242, 1-243, 1-255, 1-256, 1-257, 1-269, 1-270, 1-271, 1-281, 1-282, 1-317, 1-318, 1-321, 1-324, 1-339, 1-340
9900182	1-269, 1-270, 1-271, 1-281, 1-282, 1-293, 1-294
9900183	1-293, 1-294
9900184	1-281
9900846	1-339
9900847	1-344

PART NUMBER	PAGE NO.
9901263	2-42
10402700	1-410
10402707	1-410
10402720	1-409
10402727	1-409
10469618	1-287
10469633	1-287
10469666	1-287
10469667	1-287
10469668	1-287
10469686	1-287
10469687	1-287
10469688	1-287
10469689	1-287
10602700	1-410
10602720	1-409
10802700	1-410
11002700	1-410
11202700	1-409
11202720	1-409
54300242	3-27
662130114	1-136
4109922-P	1-269, 1-270, 1-271, 1-317, 1-318, 3-37
7202700A	1-411
7602700A	1-411
A7202700	1-411
A7602700	1-411
B1200101	1-409
B1200706	1-409, 1-410, 1-411
B4000263	1-411
B4100150	1-410, 1-411
B4100294	1-409, 1-410, 1-411
B4100296	1-410, 1-411
B4100328	1-409, 1-410
B4100329	1-409, 1-410
B4100332	1-410, 1-411
B4100339	1-410, 1-411
B4100342	1-410
B4100350	1-410

PART NUMBER	PAGE NO.
B4100357	1-410, 1-411
B4100358	1-409, 1-410
B4100374	1-410
B4100376	1-409, 1-410
B4100382	1-409, 1-410
B4100386	1-410
B4100420	1-409, 1-410
B4100428	1-409, 1-410
B4100441	1-409
B4100655	1-409, 1-411
B4101250	1-409, 1-410, 1-411
B4109811	1-409, 1-410
B4109948	1-411
BFW0101	1-389
BFW0104-35	1-389
XA-0756	1-389
XA-07732	1-389
XA-07732	1-389, 1-391, 3-19
XA-07732	1-389, 1-391
XA-07732	1-314
XA-07732	1-314
XA-07732	1-314
XA-07732	1-408
XA-07732	1-408
XA-07732	1-408
RK-05329	1-408
RK-06535	1-352
RK-06973-1	1-408
RK-08415-1	1-408
RK-10495-AL-P	1-408
RK-10605	1-408
RK-10689-1	1-22, 1-23, 1-34, 1-80, 1-81, 1-89, 1-104, 1-105, 1-113, 1-126, 1-127, 1-131, 1-142, 1-143, 1-145, 1-154, 1-155, 1-158, 1-173, 1-175, 1-185, 1-206, 1-207, 1-213, 1-249, 1-250, 1-252, 1-263, 1-264, 1-266
RK-10689-2	1-22, 1-23, 1-34, 1-80, 1-81, 1-89, 1-104, 1-105, 1-113, 1-126, 1-127, 1-131, 1-142, 1-143, 1-145, 1-154, 1-155, 1-158, 1-173, 1-175, 1-185, 1-206, 1-207, 1-213, 1-249, 1-250, 1-252, 1-263, 1-264, 1-266

PART NUMBER	PAGE NO.
RK-10689-3	1-22, 1-23, 1-34, 1-80, 1-81, 1-89, 1-104, 1-105, 1-113, 1-126, 1-127, 1-131, 1-142, 1-143, 1-145, 1-154, 1-155, 1-158, 1-173, 1-175, 1-185, 1-206, 1-207, 1-213, 1-249, 1-250, 1-252, 1-263, 1-264, 1-266
RK-1117-1	1-408
RK-1117-1-L	1-408
RK-11922	1-398, 1-399
RK-11927	1-398
RK-161-11078	1-408
RK-161-11493	1-408
RK-161-A	1-408
RK-1707-2	1-401
RK-1707-6	1-408
RK-1707-M	1-408
RK-171-11078	1-408
RK-171-11079	1-408
RK-17-A-L	1-408
RK-201-A3	1-408
RK-201-A3-L	1-408
RK-2774	1-360, 1-361
RK-311-10344	1-408
RK-311-A	1-408
RK-311-A-L	1-408
RK-311-LK	1-408
RK-351-03505	1-408
RK-351-07296	1-408
RK-351-A	1-408
RK-351-A-L	1-408
RK-351-UB	1-408
RK-4109939	1-408
RK-6003	1-395
RK-62000	1-408
RK-62001	1-408
RK-62004	1-408
RK-63500	1-408
RK-63501	1-408
RK-63502	1-408
RK-63503	1-408
RK-63504	1-408
RK-65005	1-408
RK-65006	1-408

PART NUMBER	PAGE NO.
RK-65012	1-408
RK-65013	1-408
RK-65014	1-408
RK-65015	1-408
RK-65021	1-408
RK-65024	1-408
RK-65024-1	1-408
RK-AL-11078	1-408
RK-AL-A-L	1-408
RK-FWS-A-L	1-408
RK-V600-G	2-11
RK-V700-G	2-11
RK-V800-G	2-11
RK-V900-G	2-11
RK-W600-G	1-32, 1-60, 1-88, 1-112, 1-130, 1-144, 1-157, 1-184, 1-212, 1-232, 1-251, 1-265, 2-9
RK-W700-G	1-32, 1-60, 1-88, 1-112, 1-130, 1-144, 1-157, 1-184, 1-212, 1-232, 1-251, 1-265, 2-9
RK-W800-G	1-32, 1-60, 1-88, 1-112, 1-130, 1-144, 1-157, 1-184, 1-212, 1-232, 1-251, 1-265, 2-9
RK-W900-G	1-32, 1-60, 1-88, 1-112, 1-130, 1-144, 1-157, 1-184, 1-212, 1-232, 1-251, 1-265, 2-9
RK-X600	1-21, 1-49, 1-79, 1-103, 1-125, 1-141, 1-153, 1-174, 1-205, 1-222, 1-248, 1-262, 2-7
RK-X700	1-21, 1-49, 1-79, 1-103, 1-125, 1-141, 1-153, 1-174, 1-205, 1-222, 1-248, 1-262, 2-7
RK-X800	1-21, 1-49, 1-79, 1-103, 1-125, 1-141, 1-153, 1-174, 1-205, 1-222, 1-248, 1-262, 2-7
RK-X900	1-21, 1-49, 1-79, 1-103, 1-125, 1-141, 1-153, 1-174, 1-205, 1-222, 1-248, 1-262, 2-7
RK-Y600	1-20, 1-48, 1-78, 1-102, 1-124, 1-140, 1-152, 1-172, 1-204, 1-221, 1-247, 1-261, 2-3
RK-Y700	1-20, 1-48, 1-78, 1-102, 1-124, 1-140, 1-152, 1-172, 1-204, 1-221, 1-247, 1-261, 2-3

PART NUMBER	PAGE NO.
RK-Y800	1-20, 1-48, 1-78, 1-102, 1-124, 1-140, 1-152, 1-172, 1-204, 1-221, 1-247, 1-261, 2-3
RK-Y900	1-20, 1-48, 1-78, 1-102, 1-124, 1-140, 1-152, 1-172, 1-204, 1-221, 1-247, 1-261, 2-3
RK-Z600	1-20, 1-48, 1-78, 1-102, 1-124, 1-140, 1-152, 1-172, 1-204, 1-221, 1-247, 1-261, 2-5
RK-Z700	1-20, 1-48, 1-78, 1-102, 1-124, 1-140, 1-152, 1-172, 1-204, 1-221, 1-247, 1-261, 2-5
RK-Z800	1-20, 1-48, 1-78, 1-102, 1-124, 1-140, 1-152, 1-172, 1-204, 1-221, 1-247, 1-261, 2-5
RK-Z900	1-20, 1-48, 1-78, 1-102, 1-124, 1-140, 1-152, 1-172, 1-204, 1-221, 1-247, 1-261, 2-5
TF-0110	1-311, 1-355
TF-TLN-1500	1-311, 1-355
TF-TLN-5001	1-311, 1-355
XA-0014	2-55, 2-57, 2-59, 2-60, 2-63, 2-65
XA-0024	2-55, 2-57, 2-59, 2-60, 2-63, 2-65
XA-0093	1-404, 1-407, 3-18
XA-0114	1-311, 3-28
XA-0115	1-311
XA-0115-1	1-311
XA-01209	1-393, 1-397
XA-01241	1-45, 1-46
XA-01242	1-45, 1-46
XA-0128-L	2-55, 2-57, 2-59, 2-60, 2-63, 2-65
XA-0128-R	2-55, 2-57, 2-59, 2-60, 2-63, 2-65
XA-01427	2-55, 2-57, 2-59, 2-60, 2-63, 2-65
XA-01429	2-55, 2-57, 2-59, 2-60, 2-63, 2-65
XA-01586	2-30, 2-34, 2-38, 2-46, 2-48, 2-50, 2-63, 2-65
XA-01601	1-349
XA-01613	1-393, 1-395, 1-397, 1-401
XA-0194	1-349

Part Number Index



SAF-HOLLAND Group

PART NUMBER	PAGE NO.
XA-0195	1-349
XA-01997	2-55, 2-57, 2-59, 2-60, 2-63, 2-65
XA-01998	2-55, 2-57, 2-59, 2-60, 2-63, 2-65
XA-02039	1-404, 1-407
XA-02136-G1	1-39, 1-67, 1-239
XA-02136-G2	1-39, 1-67, 1-239
XA-02136-G3A	1-39, 1-67, 1-239
XA-02136-G4	1-39, 1-67, 1-239
XA-02136-G5	1-39, 1-67, 1-239
XA-02136-G6	1-39, 1-67, 1-239
XA-0268	1-371, 1-373
XA-02748-1	2-30, 2-34, 2-38, 2-46, 2-48, 2-50, 2-63, 2-65
XA-0284-1	1-31, 1-59, 1-87, 1-111, 1-183, 1-231, 2-63
XA-0284-2	1-31, 1-59, 1-87, 1-111, 1-183, 1-231, 2-63
XA-0284-3A	1-31, 1-59, 1-87, 1-111, 1-183, 1-231, 2-63
XA-0284-4	1-31, 1-59, 1-87, 1-111, 1-183, 1-231, 2-63
XA-0284-5	1-31, 1-59, 1-87, 1-111, 1-183, 1-231, 2-63
XA-0284-6	1-31, 1-59, 1-87, 1-111, 1-183, 1-231, 2-63
XA-03082	2-30, 2-34, 2-38, 2-46, 2-48, 2-50, 2-63, 2-65
XA-03124-3	1-135, 1-137
XA-0313-2	2-19, 2-21
XA-03189-1	1-387
XA-03193-1	1-387
XA-03423	1-371, 1-373
XA-03711	1-305
XA-03715	1-305, 1-307, 3-9
XA-0372-A	2-30, 2-34, 2-38, 2-46, 2-48, 2-50, 2-63, 2-65
XA-03748	2-30, 2-34, 2-38, 2-46, 2-48, 2-50, 2-63, 2-65
XA-05172	1-349
XA-05768	1-311, 1-355
XA-05768-1	1-305
XA-05952	1-355
XA-05952-A	1-355
XA-06110	1-355
XA-06245	1-360
XA-06288	1-360

PART NUMBER	PAGE NO.
XA-06344	1-161, 1-163, 1-164, 1-165, 1-166, 1-167, 1-168, 1-169, 1-193, 1-195, 1-196, 1-197, 1-198, 1-199, 1-200, 1-201, 3-32
XA-06344-AL	1-147, 1-148, 1-150, 3-31
XA-06344-P	1-117, 1-118, 1-120, 1-135, 1-136, 1-137, 3-31
XA-06345	1-161, 1-165, 1-166, 1-193, 1-197, 1-198, 3-20
XA-06349	1-161, 1-165, 1-166, 1-193, 1-197, 1-198
XA-06354	1-12, 1-72, 1-96
XA-06379	1-404, 1-407
XA-06565-2	1-135, 1-137
XA-06565-35	1-12, 1-72, 1-96, 1-352
XA-0708-A	2-30, 2-34, 2-38
XA-0709-A	2-30, 2-34, 2-38
XA-0712	2-30, 2-34, 2-38
XA-07150-L	1-13
XA-07150-L-P	1-9, 1-14, 1-16, 1-17, 1-93, 1-97, 1-98
XA-07150-R	1-13
XA-07150-R-P	1-9, 1-14, 1-16, 1-93, 1-97, 1-98
XA-07151-1	1-9, 1-11, 1-13, 1-14, 1-16, 1-93, 1-95, 1-97, 1-98, 3-7
XA-07292-1	1-9, 1-10, 1-13, 1-14, 1-15, 1-16, 1-17, 1-93, 1-94, 1-97, 1-98, 1-99, 1-347, 1-350, 1-351, 1-352, 1-371, 1-373, 3-30
XA-07292-82	1-10, 3-33
XA-07295	1-10, 1-13, 1-15, 1-347, 1-351, 1-371, 1-373
XA-07295-P	1-9, 1-14, 1-16, 1-17, 1-93, 1-94, 1-97, 1-98, 1-99
XA-07295-THK	1-41, 1-43, 1-44, 1-45, 1-46, 1-359, 1-368, 1-375, 1-376, 1-393, 1-395, 1-397, 1-401
XA-07296	1-10, 1-13, 1-15
XA-07296-P	1-9, 1-14, 1-16, 1-17, 1-93, 1-94, 1-97, 1-98, 1-99

PART NUMBER	PAGE NO.
XA-0750-1	1-26, 1-27, 1-54, 1-55, 1-84, 1-85, 1-108, 1-109, 1-178, 1-179, 1-210, 1-211, 1-226, 1-227, 2-35, 2-36
XA-0750-2	1-26, 1-27, 1-54, 1-55, 1-84, 1-85, 1-108, 1-109, 1-178, 1-179, 1-210, 1-211, 1-226, 1-227, 2-35, 2-36
XA-0750-3	1-26, 1-27, 1-54, 1-55, 1-84, 1-85, 1-108, 1-109, 1-178, 1-179, 1-210, 1-211, 1-226, 1-227, 2-35, 2-36
XA-0750-4	1-26, 1-27, 1-54, 1-55, 1-84, 1-85, 1-108, 1-109, 1-178, 1-179, 1-210, 1-211, 1-226, 1-227, 2-35, 2-36
XA-0750-5	1-26, 1-27, 1-54, 1-55, 1-84, 1-85, 1-108, 1-109, 1-178, 1-179, 1-210, 1-211, 1-226, 1-227, 2-35, 2-36
XA-0750-6	1-26, 1-27, 1-54, 1-55, 1-84, 1-85, 1-108, 1-109, 1-178, 1-179, 1-210, 1-211, 1-226, 1-227, 2-35, 2-36
XA-0750-7	1-26, 1-54, 1-84, 1-108, 1-178, 1-226, 2-35
XA-0751-1	1-26, 1-27, 1-54, 1-55, 1-84, 1-85, 1-108, 1-109, 1-129, 1-178, 1-179, 1-210, 1-211, 1-226, 1-227, 2-35, 2-36
XA-0751-2	1-26, 1-27, 1-29, 1-54, 1-55, 1-57, 1-84, 1-85, 1-108, 1-109, 1-129, 1-178, 1-179, 1-181, 1-210, 1-211, 1-226, 1-227, 2-35, 2-36
XA-0751-3	1-29, 1-57, 1-181, 1-229
XA-0751-3A	1-26, 1-27, 1-54, 1-55, 1-84, 1-85, 1-108, 1-109, 1-129, 1-178, 1-179, 1-210, 1-211, 1-226, 1-227, 2-35, 2-36
XA-0751-4	1-26, 1-27, 1-29, 1-54, 1-55, 1-57, 1-84, 1-85, 1-108, 1-109, 1-129, 1-178, 1-179, 1-181,

PART NUMBER	PAGE NO.
XA-0751-4	1-210, 1-211, 1-226, 1-227, 1-229, 2-35, 2-36
XA-0751-5	1-26, 1-27, 1-29, 1-54, 1-55, 1-57, 1-84, 1-85, 1-108, 1-109, 1-178, 1-179, 1-181, 1-210, 1-211, 1-226, 1-227, 1-229, 2-35, 2-36
XA-0751-6	1-26, 1-27, 1-29, 1-54, 1-55, 1-57, 1-84, 1-85, 1-108, 1-109, 1-178, 1-179, 1-181, 1-210, 1-211, 1-226, 1-227, 1-229, 2-35, 2-36
XA-0752-G1-__	2-39, 2-40
XA-0752-G2	2-51
XA-0752-G2-__	1-35, 1-37, 1-62, 1-65, 1-91, 1-115, 1-186, 1-187, 1-189, 1-234, 1-237, 2-39, 2-40
XA-0752-G3	2-51
XA-0752-G3-__	1-35, 1-37, 1-62, 1-65, 1-91, 1-115, 1-186, 1-187, 1-189, 1-234, 1-237, 2-39, 2-40
XA-0752-G4	2-51
XA-0752-G4-__	1-35, 1-37, 1-62, 1-65, 1-91, 1-115, 1-186, 1-187, 1-189, 1-234, 1-237, 2-39, 2-40
XA-0752-G5	2-51
XA-0752-G5-__	1-35, 1-37, 1-62, 1-65, 1-91, 1-115, 1-186, 1-187, 1-189, 1-234, 1-237, 2-39, 2-40
XA-0752-G6	2-51
XA-0752-G6-__	1-35, 1-37, 1-62, 1-65, 1-91, 1-115, 1-186, 1-187, 1-189, 1-234, 1-237, 2-39, 2-40
XA-0752-G7	2-51
XA-0752-G7-__	1-37, 1-65, 1-91, 1-115, 1-189, 1-237, 2-39, 2-40
XA-0753-G1-__	1-36, 1-37, 1-64, 1-65, 1-90, 1-91, 1-114, 1-115, 1-188, 1-189, 1-236, 1-237, 2-39, 2-40
XA-0753-G2-__	1-36, 1-37, 1-64, 1-65, 1-90, 1-91, 1-114, 1-115, 1-188, 1-189, 1-236, 1-237, 2-39, 2-40

PART NUMBER	PAGE NO.
XA-0753-G3-__	1-36, 1-37, 1-64, 1-65, 1-90, 1-91, 1-114, 1-115, 1-188, 1-189, 1-236, 1-237, 2-39, 2-40
XA-0753-G3A-__	2-39, 2-40
XA-0753-G4-__	1-36, 1-37, 1-64, 1-65, 1-90, 1-91, 1-114, 1-115, 1-188, 1-189, 1-236, 1-237, 2-39, 2-40
XA-0753-G5-__	1-36, 1-37, 1-64, 1-65, 1-90, 1-91, 1-114, 1-115, 1-188, 1-189, 1-236, 1-237, 2-39, 2-40
XA-0753-G6-__	1-36, 1-37, 1-64, 1-65, 1-90, 1-91, 1-114, 1-115, 1-188, 1-189, 1-236, 1-237, 2-39, 2-40
XA-0756	2-30, 2-34, 2-38, 2-46, 2-48, 2-50
XA-07732	1-404, 1-407, 3-13
XA-07766-1	1-9, 1-11, 1-15, 1-93, 1-95, 1-96, 1-99, 3-4
XA-07766-1-P	1-12
XA-0781	1-355
XA-0784	1-355
XA-0786	1-355
XA-07871-1	1-24, 1-25, 1-52, 1-53, 1-82, 1-83, 1-106, 1-107, 1-128, 1-176, 1-177, 1-208, 1-209, 1-224, 1-225, 2-31, 2-32
XA-07871-1L	1-24, 1-25, 1-52, 1-53, 1-82, 1-83, 1-106, 1-107, 1-128, 1-176, 1-177, 1-208, 1-209, 1-224, 1-225, 2-31, 2-32
XA-07871-1L	2-31, 2-32
XA-07871-2	1-24, 1-25, 1-28, 1-52, 1-53, 1-56, 1-82, 1-83, 1-106, 1-107, 1-128, 1-156, 1-176, 1-177, 1-180, 1-208, 1-209, 1-224, 1-225, 1-228, 2-31, 2-32, 2-47
XA-07871-2L	1-24, 1-25, 1-52, 1-53, 1-82, 1-83, 1-106, 1-107, 1-128, 1-176, 1-177, 1-208, 1-209, 1-224, 1-225, 2-31, 2-32
XA-07871-3	1-24, 1-25, 1-28, 1-52, 1-53, 1-56, 1-82, 1-83, 1-106, 1-107, 1-128, 1-156, 1-176, 1-177, 1-180, 1-208, 1-209, 1-224, 1-225, 1-228, 2-31, 2-32, 2-47

PART NUMBER	PAGE NO.
XA-07871-3L	1-24, 1-25, 1-52, 1-53, 1-82, 1-83, 1-106, 1-107, 1-128, 1-176, 1-177, 1-208, 1-209, 1-224, 1-225, 2-31, 2-32
XA-07871-4	1-24, 1-25, 1-28, 1-52, 1-53, 1-56, 1-82, 1-83, 1-106, 1-107, 1-128, 1-156, 1-176, 1-177, 1-180, 1-208, 1-209, 1-224, 1-225, 1-228, 2-31, 2-32, 2-47
XA-07871-4L	1-24, 1-25, 1-52, 1-53, 1-82, 1-83, 1-106, 1-107, 1-128, 1-176, 1-177, 1-208, 1-209, 1-224, 1-225, 2-31, 2-32
XA-07871-5	1-24, 1-25, 1-28, 1-52, 1-53, 1-56, 1-82, 1-83, 1-106, 1-107, 1-128, 1-156, 1-176, 1-177, 1-180, 1-208, 1-209, 1-224, 1-225, 1-228, 2-31, 2-32, 2-47
XA-08125-L	1-69, 1-71, 1-93, 1-95, 1-147, 1-148
XA-08125-R	1-69, 1-71, 1-93, 1-95, 1-147, 1-148
XA-08162	1-161, 1-163, 1-164, 1-165, 1-166, 1-167, 1-168, 1-169, 1-193, 1-195, 1-196, 1-197, 1-198, 1-199, 1-200, 1-201, 1-33, 1-61
XA-08172	1-360
XA-08332-1	1-347, 1-350, 1-351, 1-352, 1-371, 1-373
XA-08408-A	1-233
XA-08408-A-65	1-33, 1-61, 1-233
XA-08408-B	1-33, 1-61, 1-233
XA-08408-B-65	1-33, 1-61, 1-233
XA-08408-C	1-33, 1-61, 1-233
XA-08408-C-65	1-33, 1-61, 1-233
XA-08408-D	1-33, 1-61, 1-233
XA-08408-D-65	1-33, 1-61, 1-233
XA-08408-E	1-33, 1-61, 1-233
XA-08408-E-65	1-33, 1-61, 1-233
XA-08408-F	1-33, 1-61, 1-233

Part Number Index



SAF-HOLLAND Group

PART NUMBER	PAGE NO.
XA-08408-F-65	1-33, 1-61, 1-233
XA-08408-G	1-33, 1-61, 1-233
XA-08408-G-65	1-33, 1-61, 1-233
XA-08408-H	1-33, 1-61, 1-233
XA-08408-H-65	1-33, 1-61, 1-233
XA-08408-J	1-33, 1-61, 1-233
XA-08408-J-65	1-33, 1-61, 1-233
XA-08408-K	1-33, 1-61, 1-233
XA-08408-K-65	1-33, 1-61, 1-233
XA-08408-L	1-33, 1-61, 1-233
XA-08408-L-65	1-33, 1-61, 1-233
XA-08415-1	1-11, 3-23
XA-0861	1-360, 1-360, 1-387
XA-08968	1-349
XA-08988	1-347, 1-350, 1-351, 1-371, 1-373
XA-09039	1-350, 1-371, 1-373
XA-09040	1-347, 1-350, 1-351, 1-371, 1-373
XA-09041	1-347, 1-350, 1-351, 1-371, 1-373, 3-6
XA-09043	1-350, 1-371, 1-373
XA-09181	1-93, 1-94
XA-09409	1-162, 3-10
XA-09416	1-161, 1-163, 1-164, 1-165, 1-166, 1-167, 1-168, 1-169, 1-193, 1-195, 1-196, 1-197, 1-198, 1-199, 1-200, 1-201
XA-09484	1-161, 1-162, 1-163, 1-165, 1-167, 1-193, 1-194, 1-195, 1-197, 1-199, 3-10
XA-09487	1-162, 1-169, 1-194, 1-201, 3-14
XA-09498	1-360
XA-09514	1-161, 1-163, 1-165, 1-167, 1-169, 1-193, 1-195, 1-197, 1-199, 1-201
XA-09558	1-161, 1-163, 1-165, 1-167, 1-169, 1-193, 1-195, 1-197, 1-199, 1-201
XA-09558-1	1-117, 1-120
XA-09580	1-161, 1-164, 1-166, 1-168, 1-193, 1-196, 1-198, 1-200

PART NUMBER	PAGE NO.
XA-09590	1-161, 1-162, 1-163, 1-164, 1-165, 1-166, 1-167, 1-168, 1-169, 1-193, 1-194, 1-195, 1-196, 1-197, 1-198, 1-199, 1-200, 1-201
XA-09632	1-161, 1-162, 1-164, 1-166, 1-168, 1-193, 1-194, 1-196, 1-198, 1-200, 3-16
XA-09790-1	2-66
XA-09790-2	2-66
XA-09790-3	2-66
XA-09790-4	2-66
XA-09790-5	2-66
XA-09790-6	2-66
XA-09790-G1	1-191
XA-09790-G2	1-191
XA-09790-G3A	1-191
XA-09790-G4	1-191
XA-09790-G5	1-191
XA-09790-G6	1-191
XA-09962	1-11, 1-17, 3-24
XA-09963	1-11, 1-17, 1-71, 1-75
XA-10016	1-193, 1-194
XA-10022	1-193, 1-194
XA-1005-FD-3	1-311, 1-313
XA-1005-FDS	1-311, 1-313, 1-355, 1-357
XA-1005-FH	1-305, 1-307, 1-404, 1-407
XA-10149	1-161, 1-193
XA-1016	1-215, 1-216, 1-217, 1-218, 1-407, 3-32
XA-10161	1-161, 1-193, 3-5
XA-10164	1-161, 1-193
XA-1016-C	1-161, 1-165, 1-166, 1-193, 1-197, 1-198, 1-305, 1-307, 1-311, 1-313, 1-355, 1-357, 1-404, 1-407, 3-34
XA-10194	1-193, 1-194
XA-101-D	1-311
XA-101-O	1-311
XA-10256	1-69, 1-70, 1-73, 1-74, 1-75, 3-35
XA-10257	1-69, 1-70, 1-73, 1-74, 1-75
XA-10258	1-69, 1-73, 1-75

PART NUMBER	PAGE NO.
XA-10265	1-69, 1-70, 1-72, 1-73, 1-75
XA-1029	1-9, 1-10, 1-12, 1-13, 1-14, 1-15, 1-16, 1-17, 1-41, 1-43, 1-44, 1-45, 1-46, 1-93, 1-94, 1-96, 1-97, 1-98, 1-99, 1-215, 1-217, 1-218
XA-1029	1-347, 1-351, 1-359, 1-368, 1-371, 1-373, 1-375, 1-376, 1-387, 1-393, 1-395, 1-397, 1-401, 1-404, 1-407
XA-10343	1-69, 1-70, 1-72, 1-73, 1-75
XA-10344	1-69, 1-71, 1-73, 3-7
XA-10364-3-AL-P	1-147, 1-148, 1-150, 3-36
XA-10364-3-P	1-117, 1-118, 1-120, 1-135, 1-136, 1-137, 3-36
XA-10450	1-69, 1-73
XA-10452	1-69, 1-71, 1-72, 1-75, 3-4
XA-10453	1-69, 1-72, 1-75
XA-10459	1-69, 3-22
XA-10474	1-162, 1-163, 1-164, 1-165, 1-166, 1-167, 1-168, 1-169, 1-194, 1-195, 1-196, 1-197, 1-198, 1-199, 1-200, 1-201
XA-10483	1-117, 1-120
XA-10483-A17	1-117, 1-120
XA-10483-AL	1-147, 1-150
XA-10483-ALA	1-147, 1-150
XA-10485-1	1-117, 1-120, 1-135, 1-137, 1-147, 1-150
XA-10486	1-117, 1-118, 1-120, 1-137
XA-10486-A	1-135, 1-136
XA-10486-E-P	1-147
XA-10487-AR-P	1-117, 1-118, 1-120, 1-147, 1-148, 1-150
XA-10487-P	1-117, 1-118, 1-120, 1-135, 1-136, 1-137, 1-147, 1-148, 1-150
XA-10495	1-117, 1-120, 3-9
XA-10495-AL-P	1-147, 1-148, 1-150, 3-9
XA-10495-RP	1-119, 3-15
XA-10495-RP-M-P	1-119, 3-15

PART NUMBER	PAGE NO.
XA-10513	1-71, 1-75, 3-23
XA-1055	1-41, 1-42, 1-43, 1-44, 1-45, 1-46, 1-215, 1-216, 1-217, 1-218, 1-397, 1-401, 1-404, 1-407
XA-10604-1	2-22, 2-24, 2-26, 2-28
XA-10606-1	2-22, 2-24, 2-26, 2-28
XA-10700	2-22, 2-24, 2-26
XA-10706-AP	1-135, 1-136, 1-137
XA-10706-P	1-147, 1-149, 1-150
XA-10711-1	2-22, 2-24, 2-26, 2-28
XA-10736	2-22, 2-24, 2-26
XA-10810	1-135, 1-137, 1-147, 1-149, 1-150
XA-10810-1	1-117, 1-118, 1-119, 1-120, 1-147, 1-150
XA-10853	1-75
XA-10853-SP	1-69, 1-70, 1-73, 1-74
XA-10969	1-241, 1-243, 1-244, 1-255, 1-257, 1-258, 1-269, 1-270, 1-271, 1-317, 1-318, 1-321, 1-324, 1-327, 1-328, 1-340, 1-379, 1-380, 1-381
XA-10971	1-241, 1-242, 1-243, 1-244, 1-255, 1-256, 1-257, 1-258, 3-37
XA-10990	1-241, 1-242, 1-243, 1-244, 1-255, 1-256, 1-257, 1-258, 3-10
XA-10999	1-241, 1-242, 1-243, 1-255, 1-256, 1-257
XA-10999-A17	1-117, 1-118, 1-120
XA-10999-AL	1-147, 1-149
XA-1102	1-216, 1-404, 1-407
XA-1102-A	1-215, 1-217, 1-218
XA-11032	2-28
XA-11038	1-147
XA-11039-P	1-147
XA-1103-B	1-215, 1-217, 1-218
XA-1104	1-305, 1-307, 1-311, 1-313, 1-355, 1-357, 1-404, 1-407
XA-1104-1	1-311, 1-313
XA-11112	1-241, 1-242, 1-243, 1-255, 1-256, 1-257, 3-5
XA-11113-P	1-241, 1-242, 1-243, 1-255, 1-256, 1-257

PART NUMBER	PAGE NO.
XA-1117-1	1-215, 1-216, 1-217, 3-16
XA-1117-13	1-311, 1-313, 1-355, 1-357, 3-12
XA-1117-1-L	1-215, 1-216, 1-217, 1-218, 3-11
XA-1117-H	1-305, 1-307, 3-11
XA-1117-UP	1-404, 1-407, 3-15
XA-1118-1	1-215, 1-217, 1-404, 1-407
XA-1118-2-L	1-215, 1-217, 1-218, 1-404, 1-407
XA-1119	1-215, 1-217, 1-218, 1-404, 1-407
XA-11211	1-9, 1-12, 1-96
XA-11292	1-9
XA-11384	1-117, 1-119, 1-120, 3-4
XA-11384-3	1-117, 1-119, 1-120
XA-11384-ALA	1-147, 1-149, 1-150
XA-11409-P	2-28
XA-11458	1-135, 1-137
XA-11479	2-28
XA-11618-P	1-135, 1-137, 3-8
XA-11618-RP-P	1-136, 3-8
XA-11627-L	2-28
XA-11627-R	2-28
XA-11628-P	2-28
XA-11660	1-269, 1-270, 1-271, 1-281, 1-282
XA-11664	1-379, 1-380
XA-11693-P	1-147, 1-148, 1-150
XA-11694	1-359, 1-368
XA-11702	1-347, 1-351
XA-11706	1-375
XA-11712	1-359, 1-368
XA-11713	1-12
XA-11798	1-149
XA-11992	1-15, 1-41, 1-44, 1-46, 1-69, 1-93
XA-11992-L	1-9, 1-13, 1-14, 1-15, 1-16, 1-17, 1-41, 1-43, 1-45, 1-69, 1-73, 1-75, 1-93, 1-97, 1-98, 1-99
XA-11992-R	1-9, 1-13, 1-14, 1-16, 1-41, 1-43, 1-45, 1-69, 1-73, 1-93, 1-97, 1-98
XA-11994	1-74
XA-1284-2	2-55, 2-57, 2-59, 2-60, 2-63, 2-65

PART NUMBER	PAGE NO.
XA-1311-3	1-349
XA-1313	1-41, 1-42, 1-43, 1-44, 1-45, 1-46, 1-359, 1-368, 1-375, 1-376, 1-387, 1-400, 3-30
XA-1313-15	1-42, 3-33
XA-1313-C	1-393, 1-395, 1-397, 1-401, 3-32
XA-1507	1-9, 1-10, 1-12, 1-13, 1-14, 1-15, 1-16, 1-17, 1-41, 1-43, 1-44, 1-45, 1-46, 1-93, 1-94, 1-96, 1-97, 1-98, 1-99, 1-368, 1-393, 1-395, 1-397, 1-401
XA-1507-1	1-347, 1-350, 1-351, 1-359, 1-368, 1-371, 1-373, 1-375, 1-376, 1-387
XA-1512	1-376
XA-1532	1-376
XA-1581-A-1	1-408
XA-1584-2	1-355
XA-1589-1	1-355
XA-1595	1-355
XA-1595-A	1-355, 1-356
XA-1596	1-355
XA-1597	1-355
XA-1621	1-215, 1-216, 1-217, 1-218, 1-404, 1-407
XA-1668	1-215, 1-218
XA-1674	1-215, 1-218, 3-20
XA-1703-F	1-41, 1-43, 1-387
XA-1704	1-41, 1-42, 1-43, 1-44, 1-45, 1-46
XA-1704-X	1-359, 1-368, 1-375, 1-376, 1-387
XA-1705	1-15, 1-41, 1-43, 1-44, 1-45, 1-46, 1-368, 1-397
XA-1705-11	1-359, 1-368, 1-387
XA-1705-7A	1-375, 1-376
XA-1705-9	1-393, 1-395
XA-1705-P	1-9, 1-12, 1-93, 1-96, 1-99
XA-1706	1-9, 1-10, 1-12, 1-13, 1-14, 1-15, 1-16, 1-17, 1-41, 1-43, 1-44, 1-45, 1-46, 1-69, 1-70, 1-73, 1-74, 1-75, 1-93, 1-94, 1-96, 1-97, 1-98, 1-99

Part Number Index



SAF-HOLLAND Group

PART NUMBER	PAGE NO.
XA-1706-1	1-347, 1-350, 1-351, 1-359, 1-368, 1-371, 1-373, 1-375, 1-376, 1-387
XA-1706-3	1-393, 1-395, 1-397, 1-401
XA-1707-16	1-359, 1-368, 1-387, 3-5
XA-1707-2	1-397, 1-400, 3-19
XA-1707-5	1-375, 1-376, 3-6
XA-1707-6	1-41, 1-42, 1-43, 1-44, 1-45, 1-46, 3-16
XA-1707-M	1-41, 1-42, 1-43, 1-44, 1-45, 1-46, 3-11
XA-1901-A-LH-P	1-399
XA-1901-A-P	1-398, 1-399
XA-1934-1	2-28
XA-2016	1-11, 1-41, 1-42, 1-373, 3-26
XA-2016-P	1-215, 1-216
XA-2501	2-30, 2-34, 2-38, 2-46, 2-48, 2-50, 2-63, 2-65
XA-2503	2-30, 2-34, 2-38, 2-46, 2-48, 2-50, 2-63, 2-65
XA-2524-03185-1	1-359, 1-368
XA-2524-03185-4	1-387
XA-2524-07237	1-412
XA-2524-07237-1	1-412
XA-2524-17	1-161, 1-193
XA-2524-R	1-408, 2-30, 2-34, 2-38, 2-46, 2-48, 2-50, 2-63, 2-65
XA-2524-R1	1-412
XA-2524-R-12	1-412
XA-2524-R-13-1	1-347, 1-351, 1-373, 1-408, 1-412
XA-2524-R-13-2	1-412
XA-2524-R-13-3	1-412
XA-2524-R-13-4	1-371
XA-2524-R-13-X	1-359, 1-368, 1-412
XA-2524-R-15-L	1-412
XA-2524-R-15-R	1-412
XA-2524-R-16-L	1-9, 1-10, 1-12, 1-15, 1-69, 1-72, 1-75, 1-93, 1-94, 1-96, 1-99, 1-412
XA-2524-R-2	1-412
XA-2524-R-4-1	1-376, 1-408, 1-412
XA-2524-R-4-2	1-412

PART NUMBER	PAGE NO.
XA-2524-R-4-3	1-412
XA-2632	1-305, 3-29
XA-2710-1	1-360, 1-361
XA-2710-87	1-360
XA-2756-2	1-360, 1-361
XA-2756-3	1-360
XA-2760-R-1	1-412
XA-2774-2	1-360, 1-361
XA-278	1-404, 1-407
XA-279	1-404, 1-407
XA-2801-03185-15	1-408
XA-2801-07486-1	1-360
XA-2801-AX-1	1-360, 1-361
XA-2806-2	1-360, 1-361
XA-2807-2-B	1-361
XA-2807-B	1-360, 1-361
XA-2809	1-360, 1-361, 1-387, 3-28
XA-2810-1	1-360, 1-361
XA-2810-87	1-360
XA-2811	1-360, 1-361
XA-2836	1-368, 1-387
XA-2836-1	1-368, 1-387
XA-2893	1-360, 1-361
XA-2894	1-360
XA-2894-2	1-361
XA-2895	1-360, 1-361
XA-2906	1-360
XA-2906-1	1-361
XA-2907-1-B	1-361
XA-2907-B	1-360
XA-2908-B	1-360, 1-361
XA-292-10	1-361
XA-292-12	1-360
XA-292-14	1-360
XA-292-15	1-361
XA-3514	1-41, 1-42, 1-43, 1-44, 1-45, 1-46, 1-397, 1-401
XA-3528	1-347, 1-351, 1-359, 1-368, 1-371, 1-373, 1-387
XA-3542-L	1-393, 1-395, 1-397
XA-3542-M	1-9, 1-41, 1-44, 1-46, 1-93, 3-22

PART NUMBER	PAGE NO.
XA-3542-M-P	1-14, 1-15, 1-98
XA-3542-R	1-375, 1-376, 1-397, 1-401
XA-3544-1-A	1-359, 1-368, 1-387, 3-18
XA-3546	1-347, 1-351, 1-371, 1-373, 3-21
XA-3601-31	1-407
XA-39	2-55, 2-57, 2-59, 2-60, 2-63, 2-65
XA-40-7701	1-31, 1-59, 1-87, 1-111, 1-183, 1-231, 2-59
XA-40-7702	1-31, 1-59, 1-87, 1-111, 1-183, 1-231, 2-59
XA-40-7703	1-31, 1-59, 1-87, 1-111, 1-183, 1-231, 2-59
XA-40-7711-G	1-38, 1-66, 1-190, 1-238, 1-190, 1-238, 2-61
XA-40-7712-G	1-38, 1-66, 1-190, 1-238, 2-61
XA-40-7713-G	1-38, 1-66, 1-190, 1-238, 2-61
XA-40-7721	1-182, 2-57
XA-40-7722	1-30, 1-58, 1-86, 1-110, 1-182, 1-230, 2-57
XA-40-7723	1-30, 1-58, 1-86, 1-110, 1-182, 1-230, 2-57
XA-40-7724	1-30, 1-58, 1-86, 1-110, 1-230
XA-40-7726	1-30, 1-58, 1-86, 1-110, 1-182, 1-230, 2-55
XA-40-7727	1-30, 1-58, 1-86, 1-110, 1-182, 1-230, 2-55
XA-40-7729	1-30, 1-58, 1-86, 1-110, 1-182, 1-230, 2-55
XA-4109931	1-281
XA-4109939	1-241, 1-242, 1-243, 1-244, 1-255, 1-256, 1-257, 1-258, 1-269, 1-270, 1-271, 1-281, 1-282, 1-293, 1-294, 1-317, 1-318, 1-321, 1-323, 1-331, 1-332, 1-335, 1-336, 1-339, 1-340
XA-6001-3	1-393, 1-397
XA-6001-4	1-393, 1-395, 1-397, 1-400
XA-6002	1-393, 1-395, 1-397, 1-400
XA-6003	1-393, 1-395, 3-19

PART NUMBER	PAGE NO.
XA-6004	1-393, 1-395, 1-397, 1-400, 3-29
XA-61-A	1-375
XA-62	1-375
XA-63-1	1-375
XA-64	1-375
XA-6510	1-393
XA-6520	1-393
XA-6520-A	1-397, 1-400
XA-6704-1-B	1-349
XA-6704-B	1-349
XA-6705-12	1-349
XA-6705-4	1-349
XA-6714-1-L	1-349
XA-6714-1-R	1-349
XA-6715-1-B	1-349
XA-6718-1	1-349
XA-6730-1	1-349
XA-6742-1	1-349
XA-6755	1-349
XA-6757	1-349
XB-767	283
XA-6765-1	1-349
XA-6766-1	1-349
XA-6766-13	1-349
XA-6766-2	1-349
XA-6798-B-1	1-349
XA-6798-B-3	1-349
XA-6847-3	1-349
XA-6847-4	1-349
XA-6847-5	1-349
XA-6930-1	1-349
XA-6942-1	1-349
XA-7001	1-25, 1-27, 1-37, 1-53, 1-55, 1-65, 1-83, 1-85, 1-91, 1-109, 1-115, 1-128, 1-177, 1-179, 1-189, 1-208, 1-211, 1-225, 1-227, 1-237, 2-31, 2-35, 2-39
XA-7001-G6-__	2-39
XA-7001-X6	1-27, 1-55, 1-85, 1-109, 1-179, 1-211, 2-35
XA-7002	1-24, 1-26, 1-36, 1-37, 1-52, 1-54, 1-64, 1-82, 1-84, 1-90, 1-106, 1-108, 1-114, 1-107, 1-115, 1-118, 1-132, 1-156, 1-176, 1-178,

PART NUMBER	PAGE NO.
XA-7002	1-188, 1-189, 1-208, 1-210, 1-224, 1-226, 1-236, 1-237, 2-31, 2-35, 2-39
XA-7002-G6-__	2-39
XA-7002-X6	1-26, 1-54, 1-84, 1-108, 1-178, 1-210, 2-35
XA-7002-X7	1-26, 1-54, 1-84, 1-108, 1-178, 2-35
XA-7003	1-24, 1-26, 1-36, 1-52, 1-54, 1-64, 1-82, 1-84, 1-90, 1-106, 1-108, 1-114, 1-176, 1-188, 1-224, 1-226, 1-236, 2-31, 2-35, 2-39
XA-7003-1	1-128, 1-129, 1-178, 1-208, 1-210
XA-7003-G6-__	2-39
XA-7003-X6	1-26, 1-54, 1-84, 1-108, 1-178, 1-210, 2-35
XA-7009	1-25, 1-27, 1-37, 1-53, 1-55, 1-65, 1-83, 1-85, 1-91, 1-107, 1-109, 1-115, 1-128, 1-156, 1-177, 1-179, 1-189, 1-225, 1-227, 1-237, 2-32, 2-35, 2-39
XA-7009-G2-__	2-39
XA-7009-G3-__	2-39
XA-7009-G4-__	2-39
XA-7009-G5-__	2-39
XA-7009-G6-__	2-39
XA-7009-G7-__	2-39
XA-7009-X2	1-27, 1-55, 1-85, 1-109, 1-179, 2-35
XA-7009-X3	1-27, 1-55, 1-85, 1-109, 1-179, 2-35
XA-7009-X4	1-27, 1-55, 1-85, 1-109, 1-179, 2-35
XA-7009-X5	1-27, 1-55, 1-85, 1-109, 1-179, 2-35
XA-7009-X6	1-27, 1-55, 1-85, 1-109, 1-179, 2-35
XA-7011	1-25, 1-27, 1-37, 1-53, 1-55, 1-65, 1-83, 1-85, 1-91, 1-107, 1-109, 1-115, 1-177, 1-179, 1-189, 1-211, 1-225, 1-227, 1-237, 2-32, 2-36, 2-40
XA-7011-G6-__	2-40
XA-7011-X6	1-27, 1-55, 1-85, 1-109, 1-179, 1-211, 2-36

PART NUMBER	PAGE NO.
XA-7012	1-25, 1-27, 1-37, 1-53, 1-55, 1-65, 1-83, 1-85, 1-91, 1-107, 1-109, 1-115, 1-177, 1-179, 1-189, 1-209, 1-211, 1-225, 1-227, 1-237, 2-32, 2-36, 2-40
XA-7012-G6-__	2-40
XA-7012-X6	1-27, 1-55, 1-85, 1-109, 1-179, 1-211, 2-36
XA-7013	1-25, 1-27, 1-37, 1-53, 1-55, 1-65, 1-83, 1-85, 1-91, 1-107, 1-109, 1-115, 1-128, 1-177, 1-179, 1-189, 1-225, 1-227, 1-237, 2-32, 2-36, 2-40
XA-7013-1	1-211
XA-7013-G6-__	2-40
XA-7013-X6	1-27, 1-55, 1-85, 1-109, 1-179, 1-211, 2-36
XA-7019	1-25, 1-27, 1-37, 1-53, 1-55, 1-65, 1-83, 1-85, 1-91, 1-107, 1-109, 1-115, 1-177, 1-179, 1-189, 1-225, 1-227, 1-237, 2-31, 2-36, 2-40
XA-71-03706	1-305
XA-71-DAP	1-305
XA-71-OAP	1-305
XA-7201	1-31, 1-39, 1-59, 1-67, 1-87, 1-111, 1-183, 1-191, 1-231, 1-239, 2-63, 2-66
XA-7301	1-25, 1-27, 1-37, 1-53, 1-55, 1-65, 1-83, 1-85, 1-91, 1-107, 1-109, 1-115, 1-189, 1-225, 1-227, 1-237, 2-32, 2-35, 2-39
XA-7301-1	1-177, 1-179, 1-209, 1-211
XA-7301-G1-__	2-39
XA-7301-G2-__	2-39
XA-7301-G3-__	2-39
XA-7301-G4-__	2-39
XA-7301-G5-__	2-39
XA-7301-G6-__	2-39
XA-7301-X1	1-27, 1-55, 1-85, 1-109, 1-179, 1-211, 2-35
XA-7301-X2	1-27, 1-55, 1-85, 1-109, 1-179, 1-211, 2-35
XA-7301-X3	1-27, 1-55, 1-85, 1-109, 1-179, 1-211, 2-35

Part Number Index



SAF-HOLLAND Group

PART NUMBER	PAGE NO.
XA-7301-X4	1-27, 1-55, 1-85, 1-109, 1-179, 1-211, 2-35
XA-7301-X5	1-27, 1-55, 1-85, 1-109, 1-179, 1-211, 2-35
XA-7301-X6	1-27, 1-55, 1-85, 1-109, 1-179, 1-211, 2-35
XA-7311	1-25, 1-27, 1-37, 1-53, 1-55, 1-65, 1-83, 1-85, 1-91, 1-107, 1-109, 1-115, 1-177, 1-179, 1-189, 1-211, 1-225, 1-227, 1-237, 2-31, 2-36, 2-40
XA-7311-G1-__	2-40
XA-7311-G2-__	2-40
XA-7311-G3-__	2-40
XA-7311-G4-__	2-40
XA-7311-G5-__	2-40
XA-7311-G6-__	2-40
XA-7311-X1	1-27, 1-55, 1-85, 1-109, 1-179, 1-211, 2-36
XA-7311-X2	1-27, 1-55, 1-85, 1-109, 1-179, 1-211, 2-36
XA-7311-X3	1-27, 1-55, 1-85, 1-109, 1-179, 1-211, 2-36
XA-7311-X4	1-27, 1-55, 1-85, 1-109, 1-179, 1-211, 2-36
XA-7311-X5	1-27, 1-55, 1-85, 1-109, 1-179, 1-211, 2-36
XA-7311-X6	1-27, 1-55, 1-85, 1-109, 1-179, 1-211, 2-36
XA-7401	1-28, 1-29, 1-35, 1-56, 1-57, 1-62, 1-180, 1-181, 1-186, 1-228, 1-229, 1-234, 2-47, 2-49, 2-51
XA-7401-G2-__	2-51
XA-7401-G2-__	1-35, 1-62, 1-186, 1-234
XA-7401-G3-__	2-51
XA-7401-G3-__	1-35, 1-62, 1-186, 1-234
XA-7401-G4-__	2-51
XA-7401-G4-__	1-35, 1-62, 1-186, 1-234
XA-7401-G5-__	2-51
XA-7401-G5-__	1-35, 1-62, 1-186, 1-234
XA-7401-G6-__	2-51
XA-7401-G6-__	1-35, 1-62, 1-186, 1-234
XA-7401-G7-__	2-51
XA-7401-X2	2-49
XA-7401-X2-11	1-29, 1-181
XA-7401-X3	2-49

PART NUMBER	PAGE NO.
XA-7401-X3-11	1-29, 1-181
XA-7401-X4	2-49
XA-7401-X4-11	1-29, 1-181
XA-7401-X5	2-49
XA-7401-X5-11	1-29, 1-181
XA-7401-X6	2-49
XA-7401-X6-11	1-29, 1-181
XA-7409	1-28, 1-29, 1-35, 1-56, 1-57, 1-62, 1-180, 1-181, 1-186, 1-228, 1-229, 1-234, 2-47, 2-49, 2-51
XA-7409-G2-__	2-51
XA-7409-G2-__	1-35, 1-62, 1-186, 1-234
XA-7409-G3-__	2-51
XA-7409-G3-__	1-35, 1-62, 1-186, 1-234
XA-7409-G4-__	2-51
XA-7409-G4-__	1-35, 1-62, 1-186, 1-234
XA-7409-G5-__	2-51
XA-7409-G5-__	1-35, 1-62, 1-186, 1-234
XA-7409-G6-__	2-51
XA-7409-G6-__	1-35, 1-62, 1-186, 1-234
XA-7409-G7-__	2-51
XA-7409-X2	2-49
XA-7409-X2-11	1-29, 1-181
XA-7409-X3	2-49
XA-7409-X3-11	1-29, 1-181
XA-7409-X4	2-49
XA-7409-X4-11	1-29, 1-181
XA-7409-X5	2-49
XA-7409-X5-11	1-29, 1-181
XA-7409-X6	2-49
XA-7409-X6-11	1-29, 1-181
XA-7411	1-28, 1-29, 1-35, 1-56, 1-57, 1-62, 1-180, 1-181, 1-187, 1-228, 1-229, 1-234, 2-47, 2-49, 2-51
XA-7411-G2-__	2-51
XA-7411-G2-__	1-35, 1-62, 1-187, 1-234
XA-7411-G3-__	2-51
XA-7411-G3-__	1-35, 1-62, 1-187, 1-234

PART NUMBER	PAGE NO.
XA-7411-G4-__	1-35, 1-62, 1-187, 1-234
XA-7411-G5-__	2-51
XA-7411-G5-__	1-35, 1-62, 1-187, 1-234
XA-7411-G6-__	2-51
XA-7411-G6-__	1-35, 1-62, 1-187, 1-234
XA-7411-G7-__	2-51
XA-7411-X2	2-49
XA-7411-X2-11	1-29, 1-181
XA-7411-X3	2-49
XA-7411-X3-11	1-29, 1-181
XA-7411-X4	2-49
XA-7411-X4-11	1-29, 1-181
XA-7411-X5	2-49
XA-7411-X5-11	1-29, 1-181
XA-7411-X6	2-49
XA-7411-X6-11	1-29, 1-181
XA-7419	1-28, 1-29, 1-35, 1-56, 1-57, 1-62, 1-180, 1-181, 1-187, 1-228, 1-229, 1-234, 2-47, 2-49, 2-51
XA-7419-G2-__	2-51
XA-7419-G2-__	1-35, 1-62, 1-187, 1-234
XA-7419-G3-__	2-51
XA-7419-G3-__	1-35, 1-62, 1-187, 1-234
XA-7419-G4-__	2-51
XA-7419-G4-__	1-35, 1-62, 1-187, 1-234
XA-7419-G5-__	2-51
XA-7419-G5-__	1-35, 1-62, 1-187, 1-234
XA-7419-G6-__	2-51
XA-7419-G6-__	1-35, 1-62, 1-187, 1-234
XA-7419-G7-__	2-51
XA-7419-X2	2-49
XA-7419-X2-11	1-29, 1-181
XA-7419-X3	2-49
XA-7419-X3-11	1-29, 1-181
XA-7419-X4	2-49
XA-7419-X4-11	1-29, 1-181
XA-7419-X5	2-49
XA-7419-X5-11	1-29, 1-181
XA-7419-X6	2-49
XA-7419-X6-11	1-29, 1-181
XA-7551-G	1-32, 1-60, 1-88, 1-112, 1-184, 1-232
XA-7552-G	1-32, 1-60, 1-88, 1-112, 1-130, 1-184, 1-232

PART NUMBER	PAGE NO.
XA-7553-G	1-32, 1-60, 1-88, 1-112, 1-130, 1-184, 1-232
XA-7601	1-308
XA-7602	1-308
XA-7603	1-308
XA-7611-G	1-309
XA-7612-G	1-309
XA-7613-G	1-309
XA-7614-G	1-309
XA-7621	1-309
XA-7622	1-309
XA-7623	1-309
XA-7683	1-308
XA-7684	1-308
XA-7685	1-308
XA-782	1-355
XA-8002-T3	1-156
XA-8019-T2	1-25, 1-83, 1-107, 1-177, 2-32
XA-8019-T3	1-25, 1-83, 1-107, 1-177, 2-32
XA-8019-T4	1-25, 1-83, 1-107, 1-177, 2-32
XA-8019-T5	1-25, 1-83, 1-107, 1-177, 2-32
XA-8301-T1	1-25, 1-83, 1-107, 1-128, 1-156, 1-177, 2-31
XA-8301-T2	1-25, 1-83, 1-107, 1-128, 1-156, 1-177, 2-31
XA-8301-T3	1-25, 1-83, 1-107, 1-128, 1-156, 1-177, 2-31
XA-8301-T4	1-25, 1-83, 1-107, 1-177, 2-31
XA-8311-T1	1-25, 1-83, 1-107, 1-177, 1-209, 2-31, 2-32
XA-8311-T2	1-25, 1-83, 1-107, 1-177, 1-209, 2-31, 2-32
XA-8311-T3	1-25, 1-83, 1-107, 1-177, 1-209, 2-31, 2-32
XA-8311-T4	1-25, 1-83, 1-107, 1-177, 1-209, 2-31, 2-32
XA-8401-T2	1-28, 1-56, 1-180, 1-228, 2-47
XA-8401-T3	1-28, 1-56, 1-180, 1-228, 2-47

PART NUMBER	PAGE NO.
XA-8401-T4	1-28, 1-56, 1-180, 1-228, 2-47
XA-8401-T5	1-28, 1-56, 1-180, 1-228, 2-47
XA-8409-T2	1-28, 1-56, 1-180, 1-228, 2-47
XA-8409-T3	1-28, 1-56, 1-180, 1-228, 2-47
XA-8409-T4	1-28, 1-56, 1-180, 1-228, 2-47
XA-8409-T5	1-28, 1-56, 1-180, 1-228, 2-47
XA-8411-T2	1-28, 1-56, 1-180, 1-228, 2-47
XA-8411-T3	1-28, 1-56, 1-180, 1-228, 2-47
XA-8411-T4	1-28, 1-56, 1-180, 1-228, 2-47
XA-8411-T5	1-28, 1-56, 1-180, 1-228, 2-47
XA-8419-T2	1-28, 1-56, 1-180, 1-228, 2-47
XA-8419-T3	1-28, 1-56, 1-180, 1-228, 2-47
XA-8419-T4	1-28, 1-56, 1-180, 1-228, 2-47
XA-8419-T5	1-28, 1-56, 1-180, 1-228, 2-47
XA-8922	1-21, 1-50, 1-174, 1-223, 2-19
XA-8922-A	2-21
XA-8922-A-21	2-21
XA-8922-A-51	2-21
XA-8922-A-57	2-21
XA-8922-A-65	2-21
XA-8983	1-21, 1-49, 1-174, 1-222, 2-19
XA-8984	1-21, 1-49, 1-174, 1-222, 2-19
XA-A12	1-22, 1-80, 1-104, 1-126, 1-142, 1-154, 1-173, 1-206, 1-249, 1-263, 2-23
XA-A24	1-22, 1-80, 1-104, 1-126, 1-142, 1-154, 1-173, 1-206, 1-249, 1-263, 2-23
XA-A36	1-22, 1-80, 1-104, 1-126, 1-142, 1-154, 1-173, 1-206, 1-249, 1-263, 2-23

PART NUMBER	PAGE NO.
XA-A36	1-22, 1-80, 1-104, 1-126, 1-142, 1-154, 1-173, 1-206, 1-249, 1-263, 2-23
XA-A48	1-22, 1-80, 1-104, 1-126, 1-142, 1-154, 1-173, 1-206, 1-249, 1-263, 2-23
XA-A712	1-22, 1-80, 1-104, 1-126, 1-142, 1-154, 1-173, 1-206, 1-249, 1-263, 2-23
XA-A724	1-22, 1-80, 1-104, 1-126, 1-142, 1-154, 1-173, 1-206, 1-249, 1-263, 2-23
XA-A736	1-22, 1-80, 1-104, 1-126, 1-142, 1-154, 1-173, 1-206, 1-249, 1-263, 2-23
XA-A748	1-22, 1-80, 1-104, 1-126, 1-142, 1-154, 1-173, 1-206, 1-249, 1-263, 2-23
XA-A812	1-22, 1-80, 1-104, 1-126, 1-142, 1-154, 1-173, 1-206, 1-249, 1-263, 2-23
XA-A824	1-22, 1-80, 1-104, 1-126, 1-142, 1-154, 1-173, 1-206, 1-249, 1-263, 2-23
XA-A836	1-22, 1-80, 1-104, 1-126, 1-142, 1-154, 1-173, 1-206, 1-249, 1-263, 2-23
XA-A848	1-22, 1-80, 1-104, 1-126, 1-142, 1-154, 1-173, 1-206, 1-249, 1-263, 2-23
XA-A912	1-22, 1-80, 1-104, 1-126, 1-142, 1-154, 1-173, 1-206, 1-249, 1-263, 2-23
XA-7201	1-31, 1-39, 1-59, 1-67, 1-87, 1-111, 1-183, 1-191, 1-231, 1-239, 2-63, 2-66
XA-A924	1-22, 1-80, 1-104, 1-126, 1-142, 1-154, 1-173, 1-206, 1-249, 1-263, 2-23
XA-A936	1-22, 1-80, 1-104, 1-126, 1-142, 1-154, 1-173, 1-206, 1-249, 1-263, 2-23

Part Number Index



SAF-HOLLAND Group

PART NUMBER	PAGE NO.
XA-A948	1-22, 1-80, 1-104, 1-126, 1-142, 1-154, 1-173, 1-206, 1-249, 1-263, 2-23
XA-AL-11384-P	1-147, 1-149, 1-150
XA-B12	1-23, 1-81, 1-105, 1-127, 1-143, 1-155, 1-250, 1-264
XA-B12G	1-34, 1-89, 1-113, 1-131, 1-145, 1-158, 1-185, 1-213, 1-252, 1-266, 2-27
XA-B12X	1-175, 1-207, 2-25
XA-B24	1-23, 1-81, 1-105, 1-127, 1-143, 1-155, 1-250, 1-264
XA-B24G	1-34, 1-89, 1-113, 1-131, 1-145, 1-158, 1-185, 1-213, 1-252, 1-266, 2-27
XA-B24X	1-175, 1-207, 2-25
XA-B36	1-23, 1-81, 1-105, 1-127, 1-143, 1-155, 1-250, 1-264
XA-B36G	1-34, 1-89, 1-113, 1-131, 1-145, 1-158, 1-185, 1-213, 1-252, 1-266, 2-27
XA-B36X	1-175, 1-207, 2-25
XA-B48	1-23, 1-81, 1-105, 1-127, 1-143, 1-155, 1-250, 1-264
XA-B48G	1-34, 1-89, 1-113, 1-131, 1-145, 1-158, 1-185, 1-213, 1-252, 1-266, 2-27
XA-B48X	1-175, 1-207, 2-25
XA-B712	1-23, 1-81, 1-105, 1-127, 1-143, 1-155, 1-250, 1-264
XA-B712G	1-34, 1-89, 1-113, 1-131, 1-145, 1-158, 1-185, 1-213, 1-252, 1-266, 2-27
XA-B712X	2-25
XA-B724G	1-34, 1-89, 1-113, 1-252, 1-266, 2-27
XA-B724X	1-175, 1-207, 2-25
XA-B736	1-23, 1-81, 1-105, 1-127, 1-143, 1-155, 1-250, 1-264
XA-B736G	1-34, 1-89, 1-113, 1-131, 1-145, 1-158, 1-185, 1-213, 1-252, 1-266, 2-27

PART NUMBER	PAGE NO.
XA-B736X	1-175, 1-207, 2-25
XA-B748	1-23, 1-81, 1-105, 1-127, 1-143, 1-155, 1-250, 1-264
XA-B748G	1-34, 1-89, 1-113, 1-131, 1-145, 1-158, 1-185, 1-213, 1-252, 1-266, 2-27
XA-B748X	1-175, 1-207, 2-25
XA-B812	1-23, 1-81, 1-105, 1-127, 1-143, 1-155, 1-250, 1-264
XA-B812G	1-34, 1-89, 1-113, 1-131, 1-145, 1-158, 1-185, 1-213, 1-252, 1-266, 2-27
XA-B812X	1-175, 1-207, 2-25
XA-B824	1-23, 1-81, 1-105, 1-127, 1-143, 1-155, 1-250, 1-264
XA-B824G	1-34, 1-89, 1-113, 1-131, 1-145, 1-158, 1-185, 1-213, 1-252, 1-266, 2-27
XA-B824X	1-175, 1-207, 2-25
XA-B836	1-23, 1-81, 1-105, 1-127, 1-143, 1-155, 1-250, 1-264
XA-B836G	1-34, 1-89, 1-113, 1-131, 1-145, 1-158, 1-185, 1-213, 1-252, 1-266, 2-27
XA-B836X	1-175, 1-207, 2-25
XA-B848	1-23, 1-81, 1-105, 1-127, 1-143, 1-155, 1-250, 1-264
XA-B848G	1-34, 1-89, 1-113, 1-131, 1-145, 1-158, 1-185, 1-213, 1-252, 1-266, 2-27
XA-B848X	1-175, 1-207, 2-25
XA-B912	1-23, 1-81, 1-105, 1-127, 1-143, 1-155, 1-250, 1-264
XA-B912G	1-34, 1-89, 1-113, 1-131, 1-145, 1-158, 1-185, 1-213, 1-252, 1-266, 2-27
XA-B912X	1-175, 1-207, 2-25
XA-B924	1-23, 1-81, 1-105, 1-127, 1-143, 1-155, 1-250, 1-264
XA-B924G	1-34, 1-89, 1-113, 1-131, 1-145, 1-158, 1-185, 1-213, 1-252, 1-266, 2-27

PART NUMBER	PAGE NO.
XA-B924G	1-185, 1-213, 1-252, 1-266, 2-27
XA-B924X	1-175, 1-207, 2-25
XA-B936	1-23, 1-81, 1-105, 1-127, 1-143, 1-155, 1-250, 1-264
XA-B936G	1-34, 1-89, 1-113, 1-131, 1-145, 1-158, 1-185, 1-213, 1-252, 1-266, 2-27
XA-B936X	1-175, 1-207, 2-25
XA-B948	1-23, 1-81, 1-105, 1-127, 1-143, 1-155, 1-250, 1-264
XA-B948G	1-34, 1-89, 1-113, 1-131, 1-145, 1-158, 1-185, 1-213, 1-252, 1-266, 2-27
XA-B948X	1-175, 1-207, 2-25
XA-FW-102	1-311
XA-FW-102-C	1-311
XA-FW-103	1-311
XA-FW-104-03	1-305, 1-311, 1-313, 1-355, 1-357
XA-FW-104-D	1-305, 1-307, 1-311, 1-313, 1-355, 1-357
XA-FW-106	1-311, 3-28
XA-FW-107	1-311
XA-FW-108-D	1-305, 1-355, 3-34
XA-FW-108-D-1	1-311, 1-313, 3-33
XA-FW-108-D-15	1-305, 1-307, 1-357, 3-34
XA-FW-113-D	1-311
XA-FW-128	1-305, 1-307, 1-311, 1-313, 1-355, 1-357
XA-FW-137-2	1-305, 1-307, 1-311, 1-313, 1-355, 1-357
XA-FW-138	1-311, 1-313, 1-355, 1-357, 3-21
XA-FW-78	1-305, 1-307, 3-21
XA-H-15-C-60	1-375
XA-H-72-A	1-375
XA-S02087	1-368
XA-S02089-1-A	1-368
XA-S0849	1-368
XA-T-56	1-393, 1-395, 1-397, 1-400
XA-T-9N-2	1-393, 1-395, 1-397, 1-400
XB-0009	2-55, 2-57, 2-59, 2-60, 2-63, 2-65

PART NUMBER	PAGE NO.
XB-0011	1-373, 1-413, 2-55, 2-57, 2-59, 2-60, 2-63, 2-65
XB-0011-1	1-413
XB-0011-2	1-11, 1-42, 1-71, 1-95, 1-119, 1-136, 1-149, 1-162, 1-194, 1-216, 1-242, 1-256, 1-413, 2-30, 2-34, 2-38, 2-46, 2-48, 2-50
XB-0012-1	1-305, 1-413
XB-0012-3	1-305, 1-413
XB-010035	1-347, 1-351
XB-0103	1-349, 1-360, 1-361, 1-387
XB-0111	1-349
XB-01331	1-349
XB-0140	1-349
XB-0144	1-349
XB-0148	1-349
XB-01561	1-393
XB-01611	1-161, 1-193
XB-01730	1-362, 1-363, 1-369
XB-01786	1-362, 1-363, 1-369
XB-01788	1-363, 1-369
XB-0181	1-363, 1-369
XB-01923	2-55, 2-57, 2-59, 2-60, 2-63, 2-65
XB-01924	1-363, 1-369
XB-01959	1-12, 1-72, 1-96, 1-352
XB-01961	1-12, 1-72, 1-96, 1-162, 1-163, 1-164, 1-165, 1-166, 1-167, 1-168, 1-169, 1-194, 1-195, 1-196, 1-197, 1-198, 1-199, 1-200, 1-201, 1-352
XB-01978	1-393, 1-397, 1-400
XB-01996	1-12, 1-72, 1-96, 1-352, 1-359, 1-368
XB-02208	1-362, 1-369
XB-02209	1-362, 1-369
XB-02312	1-9, 1-10, 1-13, 1-14, 1-15, 1-16, 1-17, 1-41, 1-43, 1-44, 1-45, 1-46, 1-69, 1-70, 1-73, 1-74, 1-75, 1-93, 1-94, 1-97, 1-98, 1-99, 1-393, 1-395, 1-397, 1-401
XB-0255	1-363, 1-369
XB-0257	1-363, 1-369

PART NUMBER	PAGE NO.
XB-0258-1	1-363, 1-369
XB-02724-1	1-117, 1-118, 1-120, 1-147, 1-150
XB-02724-M	1-135, 1-136, 1-137, 1-147, 1-149, 1-150
XB-02846	1-215, 1-217, 1-218, 1-404, 1-407
XB-02949	1-305, 1-307, 1-311, 1-313, 1-355, 1-357, 1-404, 1-407
XB-02967	1-9, 1-10, 1-13, 1-14, 1-15, 1-16, 1-17, 1-42, 1-43, 1-44, 1-45, 1-46, 1-70, 1-73, 1-75, 1-94, 1-97, 1-98, 1-99, 1-118, 1-120, 1-136, 1-137, 1-147, 1-148, 1-150, 1-163, 1-164, 1-165, 1-166, 1-167, 1-168, 1-169, 1-195, 1-196, 1-197, 1-198, 1-199, 1-200, 1-201, 1-216, 1-217, 1-218, 1-244, 1-257, 1-258, 1-307, 1-313, 1-350, 1-352, 1-357, 1-368, 1-371, 1-373, 1-376, 1-395, 1-401, 1-407
XB-03124-BFU	1-135, 1-137
XB-03371	1-311
XB-03429	1-375
XB-03437	1-375
XB-03531	1-215, 1-216, 1-217, 1-218, 1-404, 1-407
XB-03553	1-147, 1-349
XB-03684	1-404, 1-407
XB-03730-1	2-30, 2-34, 2-38, 2-46, 2-48, 2-50
XB-03942	1-349
XB-04067	1-349
XB-04473	1-305, 1-307, 1-311, 1-313, 1-355, 1-357
XB-04476	1-362, 1-369
XB-04477	1-363, 1-369
XB-04478	1-362, 1-369
XB-04479	1-363, 1-369
XB-04480-1	1-363, 1-369
XB-05169	1-349
XB-05501	1-369
XB-05635	1-93, 1-94
XB-05843-1-P	1-117, 1-120, 1-147, 1-150

PART NUMBER	PAGE NO.
XB-05855	1-147, 1-150
XB-05855-1	1-117, 1-118, 1-120, 1-135, 1-137, 1-147, 1-148, 1-150
XB-05859-1	1-9, 1-10, 1-69, 1-70, 1-73, 1-75, 1-93, 1-94, 1-350, 1-352
XB-05859-2	1-117, 1-118, 1-120, 1-147, 1-148, 1-150, 1-161, 1-163, 1-164, 1-165, 1-166, 1-167, 1-168, 1-169, 1-193, 1-195, 1-196, 1-197, 1-198, 1-199, 1-200, 1-201
XB-06074	1-349
XB-06180	1-117, 1-119, 1-120, 1-147, 1-149, 1-150
XB-06300	1-349
XB-06329-1	1-161, 1-163, 1-164, 1-165, 1-166, 1-167, 1-168, 1-169, 1-193, 1-195, 1-196, 1-197, 1-198, 1-199, 1-200, 1-201
XB-06330	1-161, 1-163, 1-164, 1-165, 1-166, 1-167, 1-168, 1-169, 1-193, 1-195, 1-196, 1-197, 1-198, 1-199, 1-200, 1-201
XB-06336	1-9, 1-10, 1-11, 1-12, 1-15, 1-69, 1-72, 1-75, 1-93, 1-94, 1-95, 1-96, 1-99, 1-161, 1-162, 1-163, 1-164, 1-165, 1-166, 1-167, 1-168, 1-169, 1-193, 1-194, 1-195, 1-196, 1-197, 1-198, 1-199, 1-200, 1-201
XB-06377	1-161, 1-165, 1-166, 1-193, 1-197, 1-198, 1-404, 1-407
XB-06378	1-117, 1-118, 1-119, 1-120, 1-147, 1-149, 1-150, 1-404, 1-407
XB-06570	1-12, 1-72, 1-96, 1-352
XB-06583	1-12, 1-72, 1-96, 1-352
XB-06936	1-163, 1-164, 1-165, 1-166, 1-167, 1-168, 1-169, 1-195, 1-196, 1-197, 1-198, 1-199, 1-200, 1-201

Part Number Index



SAF-HOLLAND Group

PART NUMBER	PAGE NO.
XB-06936	1-163, 1-164, 1-165, 1-166, 1-167, 1-168, 1-169, 1-195, 1-196, 1-197, 1-198, 1-199, 1-200, 1-201
XB-07291	1-9, 1-11, 1-13, 1-14, 1-16, 1-17, 1-69, 1-71, 1-73, 1-75, 1-93, 1-95, 1-97, 1-98, 1-347, 1-350, 1-351, 1-371, 1-373
XB-07398	1-9, 1-10, 1-13, 1-14, 1-15, 1-16, 1-17, 1-42, 1-69, 1-70, 1-73, 1-74, 1-75, 1-93, 1-94, 1-97, 1-98, 1-99, 1-347, 1-350, 1-351, 1-352, 1-371, 1-373
XB-07431	1-9, 1-10, 1-13, 1-14, 1-15, 1-16, 1-17, 1-93, 1-94, 1-97, 1-98, 1-99, 1-347, 1-350, 1-351, 1-371, 1-373
XB-07508	1-9, 1-11, 1-12, 1-13, 1-14, 1-15, 1-16, 1-17, 1-69, 1-71, 1-72, 1-73, 1-75, 1-93, 1-95, 1-96, 1-97, 1-98, 1-99
XB-07610	1-9, 1-13, 1-14, 1-15, 1-16, 1-17, 1-69, 1-73, 1-75, 1-93, 1-97, 1-98, 1-99
XB-07628	1-9, 1-10, 1-13, 1-14, 1-15, 1-16, 1-17, 1-69, 1-70, 1-73, 1-74, 1-75, 1-93, 1-94, 1-97, 1-98, 1-99, 1-347, 1-351, 1-352, 1-371, 1-373
XB-0769	1-305, 1-307, 1-355, 1-357, 1-404, 1-407
XB-07974	1-9, 1-11, 1-15, 1-69, 1-72, 1-75, 1-93, 1-95, 1-96, 1-99
XB-07974-P	1-12
XB-08002	1-305
XB-08558	1-161, 1-163, 1-164, 1-165, 1-166, 1-167, 1-168, 1-169, 1-193, 1-195, 1-196, 1-197, 1-198, 1-199, 1-200, 1-201
XB-08559	1-9, 1-10, 1-13, 1-15, 1-17, 1-93, 1-94, 1-97, 1-98, 1-347, 1-350, 1-351, 1-371, 1-373
XB-08559-P	1-14, 1-16

PART NUMBER	PAGE NO.
XB-08764	1-161, 1-163, 1-164, 1-165, 1-166, 1-167, 1-168, 1-169, 1-193, 1-195, 1-196, 1-197, 1-198, 1-199, 1-200, 1-201
XB-08894	1-361
XB-08905	1-147, 1-148, 1-150
XB-08914	1-311
XB-08931	1-69, 1-71, 1-93, 1-94, 1-95, 1-147, 1-148, 1-194
XB-08974	1-347
XB-08987	1-347
XB-09031	1-135, 1-137, 2-43, 2-45
XB-09153	1-307, 1-357
XB-09155	1-9, 1-10, 1-12, 1-15, 1-69, 1-72, 1-75, 1-93, 1-94, 1-96, 1-99
XB-09174	1-215, 1-217, 1-218, 1-404, 1-407
XB-09183	1-93, 1-94, 1-193, 1-194
XB-09184-1	1-93, 1-94, 1-193, 1-194
XB-09185	1-93, 1-94
XB-09407	1-215, 1-217, 1-218, 1-305, 1-307, 1-404, 1-407
XB-09408	1-161, 1-162, 1-163, 1-165, 1-167, 1-169, 1-193, 1-194, 1-195, 1-197, 1-199, 1-201
XB-09422	1-11, 1-71, 1-95, 1-119, 1-136, 1-148, 1-194, 1-242, 1-256
XB-09495	1-161, 1-163, 1-164, 1-165, 1-166, 1-167, 1-168, 1-169, 1-193, 1-195, 1-196, 1-197, 1-198, 1-199, 1-200, 1-201
XB-09517-1	1-161, 1-163, 1-165, 1-167, 1-169, 1-193, 1-195, 1-197, 1-199, 1-201
XB-09581	1-161, 1-162, 1-164, 1-166, 1-168, 1-193, 1-194, 1-196, 1-198, 1-200
XB-09629	1-161, 1-162, 1-164, 1-166, 1-168, 1-193, 1-194, 1-196, 1-198, 1-200

PART NUMBER	PAGE NO.
XB-10035	1-350, 1-371, 1-373
XB-1006	1-215, 1-217, 1-218, 1-404, 1-407
XB-1007	1-215, 1-217, 1-218, 1-305, 1-307, 1-311, 1-313, 1-355, 1-357, 1-404, 1-407
XB-10259	1-69, 1-70, 1-73, 1-75
XB-10267	1-359, 1-368, 1-387
XB-1028	1-215, 1-216, 1-217, 1-404, 1-407
XB-1028-1	1-41, 1-42, 1-43, 1-44, 1-45, 1-46, 1-161, 1-165, 1-166, 1-193, 1-197, 1-198, 1-359, 1-368, 1-3751-376, 1-387, 1-393, 1-395, 1-397, 1-400
XB-1028-2	1-305, 1-307, 1-311, 1-313, 1-355, 1-357
XB-10294	1-69, 1-70, 1-73, 1-74, 1-75, 1-117, 1-118, 1-120, 1-135, 1-137, 1-147, 1-150
XB-1030	1-215, 1-217, 1-218, 1-350, 1-371, 1-373, 1-404, 1-407
XB-1030-1	1-41, 1-43, 1-44, 1-45, 1-46, 1-359, 1-368, 1-375, 1-376, 1-387, 1-393, 1-395, 1-397, 1-401
XB-1031	1-215, 1-217, 1-218, 1-404, 1-407
XB-10316	2-43
XB-10327	1-307, 1-357
XB-10424	1-117, 1-120
XA-FW-108-D	1-305, 1-355, 3-34
XA-FW-108-D-1	1-311, 1-313, 3-33
XB-10424-AL	1-150
XB-1044	1-41, 1-42, 1-43, 1-44, 1-45, 1-46, 1-215, 1-216, 1-217, 1-218, 1-397, 1-401, 1-404, 1-407
XB-10456	1-69, 1-75
XB-10489-P	1-117, 1-119, 1-120, 1-135, 1-136, 1-137, 1-147, 1-148, 1-150
XB-10490-P	1-117, 1-119, 1-120, 1-135, 1-136, 1-137, 1-147, 1-148, 1-149, 1-150
XB-10563	1-117, 1-120

PART NUMBER	PAGE NO.
XB-10563	1-117, 1-120
XB-10563-1-P	1-147, 1-150
XB-10605	1-11, 1-95, 1-119, 1-136, 1-149, 1-242, 1-256, 2-22, 2-24, 2-26, 2-28
XB-10614	1-117, 1-120
XB-10755	1-117, 1-119, 1-147, 1-149, 1-150
XB-10809	2-22, 2-24, 2-26
XB-10814	2-22, 2-24, 2-26, 2-28
XB-10996	1-241, 1-242, 1-243, 1-244, 1-255, 1-256, 1-257, 1-258
XB-11025	1-241, 1-244, 1-255, 1-258
XB-11026	1-120
XB-1108	1-161, 1-163, 1-165, 1-167, 1-169, 1-193, 1-195, 1-197, 1-199, 1-201
XB-11089	1-241, 1-242, 1-243, 1-255, 1-256, 1-257
XB-11091	1-241, 1-242, 1-243, 1-244, 1-255, 1-256, 1-257, 1-258
XB-11127	1-241, 1-242, 1-243, 1-244, 1-255, 1-256, 1-257, 1-258, 1-269, 1-270, 1-271, 1-317, 1-318
XB-11157-1	2-28
XB-11251	1-12, 1-72, 1-96, 1-352
XB-1127	1-9, 1-10, 1-13, 1-14, 1-15, 1-16, 1-17, 1-41, 1-43, 1-44, 1-45, 1-46, 1-69, 1-70, 1-73, 1-74, 1-75, 1-93, 1-94, 1-97, 1-98, 1-99, 1-393, 1-395, 1-397, 1-401
XB-11296	2-22, 2-24, 2-26, 2-28
XB-11297	2-22, 2-24, 2-26, 2-28
XB-11298	2-22, 2-24, 2-26, 2-28
XB-11486	2-28
XB-116	1-349
XB-1204	1-161, 1-165, 1-166, 1-193, 1-197, 1-198
XB-1316	1-375
XB-15	1-215, 1-217, 1-218, 1-404, 1-407

PART NUMBER	PAGE NO.
XB-1505	1-9, 1-10, 1-13, 1-14, 1-15, 1-16, 1-17, 1-41, 1-43, 1-44, 1-45, 1-46, 1-69, 1-70, 1-73, 1-74, 1-75, 1-93, 1-94, 1-97, 1-98, 1-99, 1-347, 1-351, 1-359, 1-368, 1-371, 1-373, 1-375, 1-376, 1-387, 1-393, 1-395, 1-397, 1-401
XB-16	1-41, 1-42, 1-43, 1-44, 1-45, 1-46, 1-119, 1-136, 1-215, 1-216, 1-217, 1-218, 1-305, 1-307, 1-311, 1-313, 1-355, 1-357, 1-397, 1-401, 1-404, 1-407
XB-1604-5	1-349, 1-371, 1-413
XB-1604-9	1-305, 1-413
XB-161-10740	1-136
XB-2001	1-311, 1-313, 1-355, 1-357
XB-2083	1-9, 1-10, 1-11, 1-12, 1-13, 1-14, 1-15, 1-16, 1-17, 1-41, 1-43, 1-44, 1-45, 1-46, 1-69, 1-70, 1-71, 1-72, 1-73, 1-74, 1-75, 1-93, 1-94, 1-96, 1-97, 1-98, 1-99, 1-117, 1-118, 1-119, 1-120, 1-147, 1-150, 1-215, 1-217, 1-218, 1-305, 1-307, 1-311, 1-313, 1-347, 1-351, 1-355, 1-357, 1-359, 1-368, 1-371, 1-373, 1-375, 1-387, 1-393, 1-395, 1-397, 1-401, 1-404, 1-407
XB-2083	2-22, 2-24, 2-26, 2-28, 2-30, 2-34, 2-38, 2-46, 2-48, 2-50
XB-2149	1-9, 1-13, 1-14, 1-15, 1-16, 1-17, 1-41, 1-43, 1-44, 1-45, 1-46, 1-69, 1-73, 1-74, 1-75, 1-93, 1-97, 1-98, 1-99, 1-347, 1-351, 1-359, 1-368, 1-371, 1-373, 1-375, 1-376, 1-387, 1-393, 1-395, 1-397, 1-401
XB-21-S-250-1250	1-355
XB-21-S-250-1875	1-45, 1-46, 1-404, 1-407
XB-21-S-375-1750	1-41, 1-42, 1-215, 1-216, 1-305, 1-350, 1-373

PART NUMBER	PAGE NO.
XB-21-S-375-1750Z	1-11
XB-21-S-375-3000	1-360, 1-361
XB-21-S-500-2750	1-13, 1-15, 1-41, 1-43, 1-44, 1-45, 1-46, 1-161, 1-163, 1-164, 1-165, 1-166, 1-167, 1-168, 1-169, 1-193, 1-195, 1-196, 1-197, 1-198, 1-199, 1-200, 1-201, 1-347, 1-351, 1-359, 1-368, 1-371, 1-373, 1-375, 1-376, 1-387, 1-393, 1-395, 1-397, 1-401
XB-21-S-500-2750-P	1-9, 1-16, 1-17, 1-69, 1-73, 1-74, 1-75, 1-93, 1-97, 1-99
XB-2502	2-30, 2-34, 2-38, 2-46, 2-48, 2-50, 2-63, 2-65
XB-2556	1-362, 1-363, 1-375
XB-2774-3	1-360, 1-361
XB-2774-4	1-360, 1-361
XB-2779-1	1-349
XB-2781-1	1-362, 1-363
XB-2781-1-A	1-362, 1-363
XB-2782-1	1-362, 1-363
XB-2783	1-362
XB-06583	1-12, 1-72, 1-96, 1-352
XB-2783-A	1-363
XB-2784	1-362, 1-369
XB-2785	1-362, 1-369
XB-2785-2	1-363, 1-369
XB-2786	1-363, 1-369
XB-2786-1	1-362, 1-369
XB-2790	1-362, 1-369
XB-2790-3	1-369
XB-2791	1-362, 1-369
XB-2792	1-362, 1-369
XB-2794-1	1-362, 1-369
XB-2794-2	1-363, 1-369
XB-2795	1-362, 1-369
XB-2798-1	1-362, 1-369
XB-2896	1-375
XB-2928	1-360, 1-361
XB-2930	1-360
XB-2930-A	1-361
XB-2932	1-362, 1-369

Part Number Index



SAF-HOLLAND Group

PART NUMBER	PAGE NO.
XB-2933	1-363, 1-369
XB-2934	1-362, 1-363, 1-369
XB-2936	1-360, 1-361
XB-2936-1	1-360, 1-361
XB-2937	1-362, 1-369
XB-2938	1-362, 1-369
XB-2939	1-362, 1-369
XB-338	1-161, 1-193, 1-360, 1-361, 1-375, 2-30, 2-34, 2-38
XB-382	1-355, 2-55, 2-57, 2-59, 2-61, 2-63, 2-65
XB-403	1-215, 1-217, 1-218, 1-305, 1-307, 1-311, 1-313, 1-349, 1-355, 1-357, 1-404, 1-407
XB-4514	1-349
XB-4530-5	1-350
XB-4574	1-349
XB-4575-2	1-349
XB-5	1-41, 1-42, 1-43, 1-44, 1-135, 1-136, 1-137, 1-161, 1-163, 1-164, 1-165, 1-166, 1-167, 1-168, 1-169, 1-193, 1-195, 1-196, 1-197, 1-198, 1-199, 1-200, 1-201, 1-215, 1-216, 1-217, 1-218, 1-305, 1-307, 1-311, 1-313, 1-355, 1-357, 1-359, 1-368, 1-375, 1-376, 1-387, 1-393, 1-395, 1-397, 1-401, 1-407
XB-6005	1-393
XB-60144	1-149
XB-6752	1-349
XB-6764	1-349
XB-6768	1-349
XB-6769	1-349
XB-6771	1-349
XB-6834	1-117, 1-118, 1-120, 1-349, 1-360, 1-361
XB-6848	1-349
XB-6854	1-349
XB-697	1-349
XB-698	1-347, 1-351, 1-371, 1-373
XB-70	1-355, 1-375
XB-758	2-22, 2-24, 2-26, 2-28

PART NUMBER	PAGE NO.
XB-767	1-360, 1-361, 1-375, 1-393, 1-395, 1-397, 1-400
XB-767-C	1-161, 1-165, 1-166, 1-193, 1-197, 1-198, 1-311, 1-313
XB-769	1-311
XB-772	1-311
XB-780-1	1-355
XB-781-1	1-355
XB-847	2-55, 2-57, 2-59, 2-61, 2-63, 2-65
XB-9	1-375
XB-B724	1-23, 1-81, 1-105, 1-127, 1-143, 1-155, 1-250, 1-264
XB-BFW0118	1-389
XB-BFW0170-01	1-389
XB-BFW0172	1-389, 1-391
XB-BHRO-12-C-434	1-349
XB-BR-118-C-7	1-347, 1-371, 3-29
XB-BR-12-C-4	1-349, 1-360, 1-361, 1-387
XB-09408	1-161, 1-162, 1-163, 1-165, 1-167, 1-169, 1-193, 1-194, 1-195, 1-197, 1-199, 1-201
XB-C-375-C-125	2-30, 2-34, 2-38
XB-C-375-C-150	1-355
XB-C-38-C-1	1-9, 1-12, 1-96, 1-147
XB-C-38-C-214	1-161, 1-163, 1-165, 1-167, 1-169, 1-193, 1-195, 1-197, 1-199, 1-201, 1-360, 1-361
XB-C-41	1-311
XB-C-516-C-112	1-349
XB-C-516-F-34	1-349
XB-C-59	1-349, 2-55, 2-57, 2-59, 2-60, 2-63, 2-65
XB-C-95	1-9, 1-11, 1-69, 1-71, 1-93, 1-95, 1-117, 1-119, 1-120, 1-135, 1-136, 1-137, 1-147, 1-149, 1-150, 1-161, 1-162, 1-163, 1-164, 1-165, 1-166, 1-167, 1-168, 1-169, 1-193, 1-194, 1-195, 1-196, 1-197, 1-198, 1-199, 1-200, 1-201, 1-241, 1-242, 1-255, 1-256, 1-269, 1-317

PART NUMBER	PAGE NO.
XB-CLP-052-25	1-389, 1-391, 3-35
XB-CLP-052-26	1-389, 1-391
XB-CTP-014-51	1-389, 1-391
XB-CTP-014-59	1-389, 1-391
XB-CX-58-F-134	1-9, 1-10, 1-12, 1-13, 1-14, 1-15, 1-16, 1-17, 1-41, 1-43, 1-44, 1-45, 1-46, 1-69, 1-70, 1-72, 1-73, 1-75, 1-93, 1-94, 1-96, 1-97, 1-98, 1-99, 1-359, 1-368, 1-375, 1-376, 1-387, 1-393, 1-395, 1-397, 1-401
XB-E-536	1-347, 1-371
XB-E-540	1-375
XB-E-541	1-117, 1-120, 1-393, 1-397, 1-400
XB-FW-109	1-311
XB-GP-052-21	1-389, 1-391
XB-GT-13-1	1-350, 1-359, 1-368, 1-375, 1-376, 1-387, 1-393, 1-395, 1-397, 1-401
XB-H-38	1-9, 1-13, 1-14, 1-15, 1-16, 1-17, 1-41, 1-43, 1-44, 1-45, 1-46, 1-93, 1-94, 1-97, 1-98, 1-99, 1-135, 1-137, 1-161, 1-163, 1-164, 1-165, 1-166, 1-167, 1-168, 1-169, 1-193, 1-194, 1-195, 1-196, 1-197, 1-198, 1-199, 1-200, 1-201, 1-215, 1-217, 1-218, 1-244, 1-258, 1-305, 1-307, 1-311, 1-317, 1-347, 1-349, 1-351, 1-355, 1-360, 1-361, 1-371, 1-375, 1-379, 1-381, 1-387, 1-395, 1-401, 2-55, 2-57, 2-59, 2-60, 2-63, 2-65
XB-H-38-A	1-10, 1-42, 2-55, 2-57, 2-59, 2-60, 2-63, 2-65
XB-H-38-C	1-16, 1-167, 1-168, 1-199, 1-200, 1-360
XB-H-38-F	2-55, 2-57, 2-59, 2-60, 2-63, 2-65
XB-HCS-M12-20-Z	1-147, 1-149, 1-150
XB-HCS-M12-40-Z	1-135, 1-137, 1-147, 1-149, 1-150, 2-28
XB-HCS-M16-50-Z	1-147

PART NUMBER	PAGE NO.
XB-HCS-M16-60-Z	2-22, 2-24, 2-26, 2-28
XB-HHC-050-52	1-389
XB-HLN-M12-Z	1-147, 1-149, 1-150
XB-HNH-34-F	1-9, 1-10, 1-12, 1-13, 1-14, 1-15, 1-16, 1-17, 1-41, 1-43, 1-44, 1-45, 1-46, 1-69, 1-70, 1-73, 1-74, 1-75, 1-93, 1-94, 1-96, 1-97, 1-98, 1-99, 1-393, 1-395, 1-397, 1-401
XB-HNH-58-C	1-305, 1-307, 1-311, 1-313, 1-355, 1-357
XB-LW-M12-Z	2-28
XB-LW-M16-Z	1-147, 2-22, 2-24, 2-26, 2-28
XB-NR-118-C	1-347
XB-NRJ-34-F	1-215, 1-218
XB-PW-016-03	1-389
XB-PW-016-17	1-9, 1-12, 1-14, 1-16, 1-17, 1-69, 1-71, 1-72, 1-73, 1-75, 1-93, 1-95, 1-96, 1-97, 1-98, 1-99, 1-389
XB-PW-1316-112	1-10, 1-13, 1-15, 1-41, 1-43, 1-44, 1-45, 1-46, 1-94, 1-311, 1-393, 1-395, 1-397, 1-401
XB-PW-1316-112-P	1-9, 1-14, 1-16, 1-17, 1-69, 1-70, 1-73, 1-74, 1-75, 1-93, 1-97, 1-98, 1-99
XB-PW-1732-1-116	1-11, 1-13, 1-15, 1-41, 1-42, 1-43, 1-44, 1-45, 1-46, 1-117, 1-119, 1-120, 1-136, 1-215, 1-216, 1-217, 1-218, 1-347, 1-350, 1-351, 1-359, 1-368, 1-371, 1-373, 1-375, 1-376, 1-387, 1-393, 1-395, 1-397, 1-400
XB-PWC-38-78	1-161, 1-165, 1-166, 1-193, 1-197, 1-198
XB-PWM-38-78	1-93, 1-94, 1-241, 1-243, 1-255, 1-257
XB-SHS-007-02	1-389
XB-SLN-012-46	1-389
XB-SP0050-73	1-389
XB-SP0050-97	1-389
XB-SPG-020-06	1-389
XB-SPG-020-21	1-389, 1-391

PART NUMBER	PAGE NO.
XB-SPG-202-08	1-389
XB-T-199	1-161, 1-162, 1-163, 1-164, 1-165, 1-166, 1-167, 1-168, 1-169, 1-193, 1-194, 1-195, 1-196, 1-197, 1-198, 1-199, 1-200, 1-201, 1-241, 1-242, 1-243, 1-244, 1-255, 1-256, 1-257, 1-258, 1-269, 1-270, 1-271, 1-317, 1-318
XB-T-307	1-311, 1-313
XB-T-45-1	1-349, 1-393, 1-397, 1-400, 2-57, 2-59, 2-60, 2-63, 2-65
XB-T-49	1-9, 1-11, 1-13, 1-14, 1-15, 1-16, 1-17, 1-41, 1-42, 1-43, 1-44, 1-45, 1-46, 1-69, 1-71, 1-72, 1-73, 1-75, 1-93, 1-95, 1-96, 1-97, 1-98, 1-99, 1-161, 1-215, 1-216, 1-217, 1-218, 1-241, 1-242, 1-243, 1-244, 1-255, 1-256, 1-257, 1-258, 1-305, 1-307, 1-311, 1-313, 1-318, 1-327, 1-355, 1-357, 1-359, 1-368, 1-375, 1-376, 1-387, 1-393, 1-395, 1-397, 1-400, 1-404, 1-407
XB-T-49-P	1-12
XB-T-60	1-305, 1-307, 1-311, 1-313, 1-355, 1-393, 1-395, 1-397, 1-400
XB-T-61	1-9, 1-12, 1-96, 1-147, 1-355
XB-T-69	1-328
XB-T-69-A	1-9, 1-10, 1-11, 1-12, 1-13, 1-14, 1-15, 1-16, 1-17, 1-41, 1-43, 1-44, 1-45, 1-46, 1-69, 1-70, 1-71, 1-72, 1-73, 1-75, 1-93, 1-94, 1-95, 1-96, 1-97, 1-98, 1-99, 1-117, 1-119, 1-120, 1-135, 1-136, 1-137, 1-147, 1-149, 1-150, 1-161, 1-162, 1-163, 1-164, 1-165, 1-166, 1-167, 1-168, 1-169, 1-193, 1-194, 1-195, 1-196, 1-197, 1-198, 1-199, 1-200, 1-201, 1-241, 1-242, 1-255, 1-256, 1-269, 1-305, 1-307, 1-311, 1-313, 1-317,

PART NUMBER	PAGE NO.
XB-T-69-A	1-347, 1-350, 1-351, 1-355, 1-357, 1-359, 1-368, 1-371, 1-373, 1-375, 1-376, 1-387, 1-393, 1-395, 1-397, 1-401, 1-404, 1-407, 2-28, 2-30, 2-34, 2-38, 2-46, 2-48, 2-50
XB-T-89-5	1-350, 1-371, 1-373, 1-375, 1-376
XB-T-95-5	1-351
XB-T-97	1-375
XB-T-99	1-147, 1-375
XB-T-9N-2	1-305
XB-V-1025	1-215, 1-218
XB-V-444-3	1-161, 1-193
XB-V-919	1-215, 1-218
XB-V-932	1-215, 1-218
XD-06328	1-161, 1-163, 1-164, 1-165, 1-166, 1-167, 1-168, 1-169, 1-193, 1-195, 1-196, 1-197, 1-198, 1-199, 1-200, 1-201
XD-08908	1-9, 1-11, 1-69, 1-71, 1-75, 1-93, 1-95, 1-117, 1-119, 1-135, 1-136, 1-193, 1-194, 1-241, 1-242, 1-243, 1-244, 1-255, 1-256, 1-257, 1-258
XD-10680-P	1-147, 1-149, 1-150
XD-10689-2L	2-22, 2-24, 2-26, 2-28
XD-10689-2R	2-22, 2-24, 2-26, 2-28
XD-10689-3L	2-22, 2-24, 2-26, 2-28
XD-10689-3R	2-22, 2-24, 2-26, 2-28
XD-10689-IL	2-22, 2-24, 2-26, 2-28
XD-10689-IR	2-22, 2-24, 2-26, 2-28
XD-10923	1-147, 1-148
XD-11121	1-241, 1-242, 1-243, 1-244, 1-255, 1-256, 1-257, 1-258
XD-3123-1	1-215, 1-217, 1-218, 1-305, 1-307, 1-311, 1-313, 1-355, 1-357, 1-404, 1-407
XE-02759	1-305, 3-27
XE-06356-P	1-9, 1-11, 1-69, 1-71, 1-93, 1-95, 1-119, 1-135, 1-136, 1-147, 1-149, 1-161, 1-162, 1-193, 1-194, 1-241, 1-242, 1-255, 1-256, 1-347, 3-26

PART NUMBER	PAGE NO.
XE-09415	1-161, 1-163, 1-164, 1-165, 1-166, 1-167, 1-168, 1-169, 1-193, 1-195, 1-196, 1-197, 1-198, 1-199, 1-200, 1-201
XE-10474	1-161, 1-163, 1-164, 1-165, 1-166, 1-167, 1-168, 1-169, 1-193, 1-195, 1-196, 1-197, 1-198, 1-199, 1-200, 1-201
XL-FW360	1-162
XL-FW361	1-162, 1-163, 1-164, 1-165, 1-166, 1-167, 1-168, 1-169, 1-194, 1-195, 1-196, 1-197, 1-198, 1-199, 1-200, 1-201
XL-FW534	1-243, 1-257
XL-RK-NT-ILS-S	2-28

GLOSSARY	
Fifth Wheel Assembly	Includes Fifth Wheel (aka top plate) and Stationary Brackets or Slider (bracket and slide plate) Assembly
ILS	Integrated Low-weight Slider system
Inboard Mount	Mounting plate/bracket that is designed to be welded to angles that come up the side of the frame and inward towards the center of the chassis
Inboard Mount with Angles	Mounting plate/bracket that has inboard mount angles attached for a specific frame width (frame width to be provided by customer). Note: Angles are not drilled for the frame.
Legacy	Traditional Style Numbering System for Fifth Wheel Assemblies, Top Plates, and mounting systems
Low Lube	Fifth Wheel requires no lube on the face but does require lubrication to the jaws
No Lube	Fifth Wheel requires no lube on the face or the jaws
Outboard Mount	Mounting plate/bracket that is designed to be bolted to angles that come up the side of the frame and outward towards the tires
Traditional	The “old” style numbers system for Fifth Wheel Assemblies, Top Plate, and Mounting Systems (Generally Manufactured as Assemblies prior to 2006)



From fifth wheel rebuild kits to suspension bushing repair kits, SAF-HOLLAND Original Parts are the same quality components used in the original component assembly.

SAF-HOLLAND Original Parts are tested and designed to provide maximum performance and durability. Will-fits, look-alikes or worse yet counterfeit parts will only limit the performance potential and could possibly void SAF-HOLLAND's warranty. Always be sure to spec SAF-HOLLAND Original Parts when servicing your SAF-HOLLAND product.

SAF-HOLLAND USA • 800.876.3929 • Fax 800.356.3929
www.safholland.us

SAF-HOLLAND CANADA • 519.537.3494 • Fax 800.565.7753
WESTERN CANADA • 604.574.7491 • Fax 604.574.0244
www.safholland.ca

SAF-HOLLAND MEXICO • +(52) 55.5362.8743 • Fax +(52) 55.5362.8743
www.safholland.com.mx

info@safholland.com